



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 6, 2026 – 11:42 PM UTC

PDB ID : 3ABL / pdb_00003abl
Title : Bovine heart cytochrome c oxidase at the fully oxidized state (15-s X-ray exposure dataset)
Authors : Aoyama, H.; Muramoto, K.; Shinzawa-Itoh, K.; Yamashita, E.; Tsukihara, T.; Ogura, T.; Yoshikawa, S.
Deposited on : 2009-12-16
Resolution : 2.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	514	 64% 31% 5%
1	N	514	 69% 27% 4% 2%
2	B	227	 66% 31% 3% 1%
2	O	227	 69% 26% 4% 1%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	261	
3	P	261	
4	D	147	
4	Q	147	
5	E	109	
5	R	109	
6	F	98	
6	S	98	
7	G	85	
7	T	85	
8	H	85	
8	U	85	
9	I	73	
9	V	73	
10	J	59	
10	W	59	
11	K	56	
11	X	56	
12	L	47	
12	Y	47	
13	M	46	
13	Z	46	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
23	CHD	C	271	X	-	-	-
23	CHD	J	60	X	-	-	-
23	CHD	O	229	X	-	-	-
23	CHD	P	1271	X	-	-	-
23	CHD	W	1060	X	-	-	-
24	DMU	C	272	X	-	-	-
24	DMU	M	526	X	-	-	-
24	DMU	P	1272	X	-	-	-
24	DMU	Z	1526	X	-	-	-
26	CDL	G	269	-	-	X	-
26	CDL	T	1269	-	-	X	-
28	PEK	T	263	-	-	X	-

2 Entry composition

There are 29 unique types of molecules in this entry. The entry contains 32244 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	514	Total	C	N	O	S	0	0	0
			4027	2691	623	678	35			
1	N	514	Total	C	N	O	S	0	0	0
			4027	2691	623	678	35			

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	227	Total	C	N	O	S	0	0	0
			1824	1185	281	340	18			
2	O	227	Total	C	N	O	S	0	0	0
			1824	1185	281	340	18			

- Molecule 3 is a protein called Cytochrome c oxidase subunit 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	259	Total	C	N	O	S	0	0	0
			2110	1412	336	350	12			
3	P	259	Total	C	N	O	S	0	0	0
			2110	1412	336	350	12			

- Molecule 4 is a protein called Cytochrome c oxidase subunit 4 isoform 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	144	Total	C	N	O	S	0	0	0
			1195	777	196	218	4			
4	Q	144	Total	C	N	O	S	0	0	0
			1195	777	196	218	4			

- Molecule 5 is a protein called Cytochrome c oxidase subunit 5A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	104	Total	C	N	O	S	0	0	0
			842	538	141	161	2			
5	R	104	Total	C	N	O	S	0	0	0
			842	538	141	161	2			

- Molecule 6 is a protein called Cytochrome c oxidase subunit 5B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	93	Total	C	N	O	S	0	0	0
			717	447	127	138	5			
6	S	93	Total	C	N	O	S	0	0	0
			717	447	127	138	5			

- Molecule 7 is a protein called Cytochrome c oxidase subunit 6A2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	84	Total	C	N	O	P	S	0	0
			675	431	129	113	1	1		
7	T	84	Total	C	N	O	P	S	0	0
			675	431	129	113	1	1		

- Molecule 8 is a protein called Cytochrome c oxidase subunit 6B1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	75	Total	C	N	O	S	0	0	0
			628	395	114	114	5			
8	U	75	Total	C	N	O	S	0	0	0
			628	395	114	114	5			

- Molecule 9 is a protein called Cytochrome c oxidase subunit 6C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	71	Total	C	N	O	S	0	0	0
			585	381	105	95	4			
9	V	71	Total	C	N	O	S	0	0	0
			585	381	105	95	4			

- Molecule 10 is a protein called Cytochrome c oxidase polypeptide 7A1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	57	Total	C	N	O	S	0	0	0
			451	291	76	81	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	W	57	Total	C	N	O	S	0	0	0
			451	291	76	81	3			

- Molecule 11 is a protein called Cytochrome c oxidase subunit 7B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	49	Total	C	N	O	S	0	0	0
			384	250	65	67	2			
11	X	49	Total	C	N	O	S	0	0	0
			384	250	65	67	2			

- Molecule 12 is a protein called Cytochrome c oxidase subunit 7C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	46	Total	C	N	O	S	0	0	0
			380	254	64	60	2			
12	Y	46	Total	C	N	O	S	0	0	0
			380	254	64	60	2			


- Molecule 13 is a protein called Cytochrome c oxidase subunit 8B.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
13	M	43	Total	C	N	O	0	0	0
			335	223	53	59			
13	Z	43	Total	C	N	O	0	0	0
			335	223	53	59			

- Molecule 14 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	1	Total	Cu	0	0
			1	1		
14	N	1	Total	Cu	0	0
			1	1		

- Molecule 15 is PEROXIDE ION (CCD ID: PER) (formula: O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	A	1	Total O 2 2	0	0
15	N	1	Total O 2 2	0	0


- Molecule 16 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	A	1	Total Mg 1 1	0	0
16	N	1	Total Mg 1 1	0	0

- Molecule 17 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	A	1	Total Na 1 1	0	0
17	N	1	Total Na 1 1	0	0

- Molecule 18 is HEME-A (CCD ID: HEA) (formula: C₄₉H₅₆FeN₄O₆).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
18	A	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		
18	A	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		
18	N	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		
18	N	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		

- Molecule 19 is TRISTEAROYLGLYCEROL (CCD ID: TGL) (formula: C₅₇H₁₁₀O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
19	A	1	Total	C	O	0	0
			63	57	6		
19	D	1	Total	C	O	0	0
			63	57	6		
19	L	1	Total	C	O	0	0
			63	57	6		
19	N	1	Total	C	O	0	0
			63	57	6		
19	N	1	Total	C	O	0	0
			63	57	6		
19	Q	1	Total	C	O	0	0
			63	57	6		

- Molecule 20 is (1R)-2-{{[[(2S)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL (11E)-OCTADEC-11-ENOATE (CCD ID: PGV) (formula: C₄₀H₇₇O₁₀P).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
20	A	1	Total	C	O	P	0	0
			51	40	10	1		
20	A	1	Total	C	O	P	0	0
			51	40	10	1		
20	C	1	Total	C	O	P	0	0
			51	40	10	1		
20	C	1	Total	C	O	P	0	0
			51	40	10	1		
20	N	1	Total	C	O	P	0	0
			51	40	10	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
20	N	1	Total	C	O	P	0	0
			51	40	10	1		
20	P	1	Total	C	O	P	0	0
			51	40	10	1		
20	P	1	Total	C	O	P	0	0
			51	40	10	1		

- Molecule 21 is DINUCLEAR COPPER ION (CCD ID: CUA) (formula: Cu₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
21	B	1	Total	Cu	0	0
			2	2		
21	O	1	Total	Cu	0	0
			2	2		


- Molecule 22 is (7R,17E,20E)-4-HYDROXY-N,N,N-TRIMETHYL-9-OXO-7-[(PALMITOYLOXY)METHYL]-3,5,8-TRIOXA-4-PHOSPHAHEXACOSA-17,20-DIEN-1-AMINIUM 4-OXIDE (CCD ID: PSC) (formula: C₄₂H₈₁NO₈P).



Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
23	C	1	Total	C	O	0	0
			29	24	5		
23	J	1	Total	C	O	0	0
			29	24	5		
23	O	1	Total	C	O	0	0
			29	24	5		
23	P	1	Total	C	O	0	0
			29	24	5		
23	P	1	Total	C	O	0	0
			29	24	5		
23	W	1	Total	C	O	0	0
			29	24	5		

- Molecule 24 is DECYL-BETA-D-MALTOPYRANOSIDE (CCD ID: DMU) (formula: $C_{22}H_{42}O_{11}$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
24	C	1	Total	C	O	0	0
			33	22	11		
24	M	1	Total	C	O	0	0
			33	22	11		
24	P	1	Total	C	O	0	0
			33	22	11		
24	Z	1	Total	C	O	0	0
			33	22	11		

- Molecule 25 is UNKNOWN ATOM OR ION (CCD ID: UNX) (formula: X).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
25	C	1	Total X 1 1	0	0
25	P	1	Total X 1 1	0	0

- Molecule 26 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
26	C	1	Total C O P 100 81 17 2	0	0
26	G	1	Total C O P 100 81 17 2	0	0
26	P	1	Total C O P 100 81 17 2	0	0
26	T	1	Total C O P 100 81 17 2	0	0

- Molecule 27 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
27	F	1	Total Zn 1 1	0	0
27	S	1	Total Zn 1 1	0	0

- Molecule 28 is (1S)-2-[[[(2-AMINOETHOXY)(HYDROXY)PHOSPHORYL]OXY}-1-[(STEAROYLOXY)METHYL]ETHYL (5E,8E,11E,14E)-ICOSA-5,8,11,14-TETRAENOATE

(CCD ID: PEK) (formula: C₄₃H₇₈NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
28	G	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
28	G	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
28	G	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
28	P	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
28	P	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
28	T	1	Total	C	N	O	P	0	0
			53	43	1	8	1		

- Molecule 29 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
29	A	219	Total	O	0	0
			219	219		
29	B	139	Total	O	0	0
			139	139		
29	C	105	Total	O	0	0
			105	105		
29	D	110	Total	O	0	0
			110	110		
29	E	68	Total	O	0	0
			68	68		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
29	F	76	Total 76	O 76	0	0
29	G	45	Total 45	O 45	0	0
29	H	48	Total 48	O 48	0	0
29	I	35	Total 35	O 35	0	0
29	J	21	Total 21	O 21	0	0
29	K	22	Total 22	O 22	0	0
29	L	27	Total 27	O 27	0	0
29	M	18	Total 18	O 18	0	0
29	N	204	Total 204	O 204	0	0
29	O	109	Total 109	O 109	0	0
29	P	106	Total 106	O 106	0	0
29	Q	67	Total 67	O 67	0	0
29	R	52	Total 52	O 52	0	0
29	S	69	Total 69	O 69	0	0
29	T	48	Total 48	O 48	0	0
29	U	38	Total 38	O 38	0	0
29	V	19	Total 19	O 19	0	0
29	W	16	Total 16	O 16	0	0
29	X	16	Total 16	O 16	0	0
29	Y	17	Total 17	O 17	0	0
29	Z	14	Total 14	O 14	0	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cytochrome c oxidase subunit 1




• Molecule 1: Cytochrome c oxidase subunit 1








• Molecule 2: Cytochrome c oxidase subunit 2





• Molecule 2: Cytochrome c oxidase subunit 2



• Molecule 3: Cytochrome c oxidase subunit 3




• Molecule 3: Cytochrome c oxidase subunit 3








- Molecule 4: Cytochrome c oxidase subunit 4 isoform 1




- Molecule 4: Cytochrome c oxidase subunit 4 isoform 1




- Molecule 5: Cytochrome c oxidase subunit 5A




- Molecule 5: Cytochrome c oxidase subunit 5A




- Molecule 6: Cytochrome c oxidase subunit 5B




- Molecule 6: Cytochrome c oxidase subunit 5B




- Molecule 7: Cytochrome c oxidase subunit 6A2




- Molecule 7: Cytochrome c oxidase subunit 6A2




- Molecule 8: Cytochrome c oxidase subunit 6B1




- Molecule 8: Cytochrome c oxidase subunit 6B1




- Molecule 9: Cytochrome c oxidase subunit 6C




- Molecule 9: Cytochrome c oxidase subunit 6C




- Molecule 10: Cytochrome c oxidase polypeptide 7A1




- Molecule 10: Cytochrome c oxidase polypeptide 7A1




- Molecule 11: Cytochrome c oxidase subunit 7B




- Molecule 11: Cytochrome c oxidase subunit 7B



- Molecule 12: Cytochrome c oxidase subunit 7C




- Molecule 12: Cytochrome c oxidase subunit 7C




- Molecule 13: Cytochrome c oxidase subunit 8B





● Molecule 13: Cytochrome c oxidase subunit 8B



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	184.14Å 207.51Å 178.17Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.10 40.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	(Not available) (40.00-2.10) 98.7 (40.00-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.62 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.2	Depositor
R, R_{free}	0.176 , 0.210 0.194 , 0.223	Depositor DCC
R_{free} test set	13841 reflections (3.55%)	wwPDB-VP
Wilson B-factor (Å ²)	27.0	Xtriage
Anisotropy	0.482	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 52.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.006 for l,-k,h	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	32244	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CU, PER, CHD, PSC, UNX, TGL, TPO, ZN, HEA, CDL, MG, CUA, FME, PEK, DMU, PGV, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	2.10	101/4156 (2.4%)	1.56	55/5678 (1.0%)
1	N	1.85	59/4156 (1.4%)	1.49	49/5678 (0.9%)
2	B	1.93	30/1860 (1.6%)	1.56	15/2534 (0.6%)
2	O	1.61	11/1860 (0.6%)	1.38	7/2534 (0.3%)
3	C	1.75	19/2197 (0.9%)	1.35	11/3005 (0.4%)
3	P	1.76	25/2197 (1.1%)	1.40	18/3005 (0.6%)
4	D	1.86	19/1229 (1.5%)	1.42	8/1658 (0.5%)
4	Q	1.45	5/1229 (0.4%)	1.33	7/1658 (0.4%)
5	E	1.75	13/860 (1.5%)	1.29	4/1167 (0.3%)
5	R	1.46	1/860 (0.1%)	1.27	1/1167 (0.1%)
6	F	1.89	15/733 (2.0%)	1.58	10/996 (1.0%)
6	S	1.70	8/733 (1.1%)	1.56	16/996 (1.6%)
7	G	1.69	6/690 (0.9%)	1.41	6/937 (0.6%)
7	T	1.74	10/690 (1.4%)	1.53	12/937 (1.3%)
8	H	1.70	6/648 (0.9%)	1.42	3/877 (0.3%)
8	U	1.47	1/648 (0.2%)	1.30	1/877 (0.1%)
9	I	1.68	5/598 (0.8%)	1.42	4/792 (0.5%)
9	V	1.38	0/598	1.27	1/792 (0.1%)
10	J	1.53	5/462 (1.1%)	1.29	1/625 (0.2%)
10	W	1.45	4/462 (0.9%)	1.31	2/625 (0.3%)
11	K	1.75	3/398 (0.8%)	1.41	1/546 (0.2%)
11	X	1.29	0/398	1.30	5/546 (0.9%)
12	L	1.85	5/393 (1.3%)	1.39	3/526 (0.6%)
12	Y	1.56	1/393 (0.3%)	1.33	2/526 (0.4%)
13	M	1.88	6/345 (1.7%)	1.46	3/470 (0.6%)
13	Z	1.39	1/345 (0.3%)	1.33	3/470 (0.6%)
All	All	1.78	359/29138 (1.2%)	1.44	248/39622 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected

by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
6	S	0	1
All	All	0	2

The worst 5 of 359 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	129	ALA	CA-CB	12.14	1.61	1.52
12	L	35	ALA	CA-CB	11.16	1.67	1.53
1	N	106	PRO	CA-C	11.14	1.62	1.52
4	D	39	ALA	CA-CB	10.99	1.70	1.53
1	N	64	VAL	CA-CB	10.25	1.66	1.54

The worst 5 of 248 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	N	240	HIS	N-CA-CB	11.59	121.40	110.39
1	A	402	GLY	N-CA-C	-9.74	101.53	115.27
3	C	199	VAL	N-CA-C	9.73	119.76	110.42
4	Q	10	ASP	N-CA-C	-9.49	101.38	113.72
1	A	316	THR	N-CA-C	-9.36	101.16	111.36

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	240	HIS	Sidechain
6	S	93	PRO	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4027	0	4001	65	0
1	N	4027	0	4001	62	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1824	0	1833	31	0
2	O	1824	0	1833	44	0
3	C	2110	0	2027	33	0
3	P	2110	0	2027	32	0
4	D	1195	0	1183	18	0
4	Q	1195	0	1183	17	0
5	E	842	0	838	5	0
5	R	842	0	838	10	0
6	F	717	0	700	16	0
6	S	717	0	700	20	0
7	G	675	0	643	34	0
7	T	675	0	644	43	0
8	H	628	0	580	7	0
8	U	628	0	580	7	0
9	I	585	0	597	11	0
9	V	585	0	597	12	0
10	J	451	0	446	6	0
10	W	451	0	446	6	0
11	K	384	0	366	1	0
11	X	384	0	366	6	0
12	L	380	0	380	11	0
12	Y	380	0	380	14	0
13	M	335	0	352	2	0
13	Z	335	0	352	6	0
14	A	1	0	0	0	0
14	N	1	0	0	0	0
15	A	2	0	0	1	0
15	N	2	0	0	1	0
16	A	1	0	0	0	0
16	N	1	0	0	0	0
17	A	1	0	0	0	0
17	N	1	0	0	0	0
18	A	120	0	108	9	0
18	N	120	0	108	9	0
19	A	63	0	110	6	0
19	D	63	0	110	15	0
19	L	63	0	110	16	0
19	N	126	0	220	21	0
19	Q	63	0	110	5	0
20	A	102	0	152	10	0
20	C	102	0	152	7	0
20	N	102	0	152	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
20	P	102	0	152	8	0
21	B	2	0	0	0	0
21	O	2	0	0	0	0
22	B	52	0	80	18	0
22	O	52	0	80	12	0
23	B	29	0	37	1	0
23	C	58	0	71	5	0
23	J	29	0	36	3	0
23	O	29	0	36	2	0
23	P	58	0	71	5	0
23	W	29	0	36	4	0
24	C	33	0	37	5	0
24	M	33	0	39	1	0
24	P	33	0	40	2	0
24	Z	33	0	39	2	0
25	C	1	0	0	0	0
25	P	1	0	0	0	0
26	C	100	0	156	13	0
26	G	100	0	156	24	0
26	P	100	0	156	16	0
26	T	100	0	156	23	0
27	F	1	0	0	0	0
27	S	1	0	0	0	0
28	G	159	0	231	20	0
28	P	106	0	154	14	0
28	T	53	0	77	21	0
29	A	219	0	0	6	0
29	B	139	0	0	3	0
29	C	105	0	0	2	0
29	D	110	0	0	0	0
29	E	68	0	0	1	0
29	F	76	0	0	3	0
29	G	45	0	0	7	0
29	H	48	0	0	1	0
29	I	35	0	0	1	0
29	J	21	0	0	1	0
29	K	22	0	0	0	0
29	L	27	0	0	1	0
29	M	18	0	0	0	0
29	N	204	0	0	2	0
29	O	109	0	0	0	0
29	P	106	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
29	Q	67	0	0	3	0
29	R	52	0	0	0	0
29	S	69	0	0	4	0
29	T	48	0	0	4	0
29	U	38	0	0	3	0
29	V	19	0	0	0	0
29	W	16	0	0	0	0
29	X	16	0	0	0	0
29	Y	17	0	0	1	0
29	Z	14	0	0	0	0
All	All	32244	0	31065	602	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 602 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:ILE:CD1	1:A:75:ILE:CG1	1.74	1.62
3:P:174:THR:CG2	3:P:174:THR:CB	1.74	1.60
28:G:265:PEK:H383	26:G:269:CDL:C27	1.62	1.29
28:P:1265:PEK:H383	26:T:1269:CDL:C27	1.64	1.25
7:T:2:SER:OG	28:T:263:PEK:H302	1.33	1.23

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	512/514 (100%)	493 (96%)	19 (4%)	0	100	100
1	N	512/514 (100%)	484 (94%)	28 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	225/227 (99%)	217 (96%)	7 (3%)	1 (0%)	30	28
2	O	225/227 (99%)	211 (94%)	13 (6%)	1 (0%)	30	28
3	C	257/261 (98%)	252 (98%)	5 (2%)	0	100	100
3	P	257/261 (98%)	252 (98%)	4 (2%)	1 (0%)	30	28
4	D	142/147 (97%)	138 (97%)	4 (3%)	0	100	100
4	Q	142/147 (97%)	133 (94%)	8 (6%)	1 (1%)	18	15
5	E	102/109 (94%)	99 (97%)	3 (3%)	0	100	100
5	R	102/109 (94%)	101 (99%)	1 (1%)	0	100	100
6	F	91/98 (93%)	88 (97%)	1 (1%)	2 (2%)	5	2
6	S	91/98 (93%)	86 (94%)	3 (3%)	2 (2%)	5	2
7	G	81/85 (95%)	66 (82%)	8 (10%)	7 (9%)	0	0
7	T	81/85 (95%)	65 (80%)	10 (12%)	6 (7%)	1	0
8	H	73/85 (86%)	69 (94%)	2 (3%)	2 (3%)	4	1
8	U	73/85 (86%)	66 (90%)	4 (6%)	3 (4%)	2	0
9	I	69/73 (94%)	68 (99%)	1 (1%)	0	100	100
9	V	69/73 (94%)	67 (97%)	2 (3%)	0	100	100
10	J	55/59 (93%)	55 (100%)	0	0	100	100
10	W	55/59 (93%)	55 (100%)	0	0	100	100
11	K	47/56 (84%)	46 (98%)	1 (2%)	0	100	100
11	X	47/56 (84%)	43 (92%)	4 (8%)	0	100	100
12	L	44/47 (94%)	42 (96%)	2 (4%)	0	100	100
12	Y	44/47 (94%)	42 (96%)	2 (4%)	0	100	100
13	M	41/46 (89%)	40 (98%)	1 (2%)	0	100	100
13	Z	41/46 (89%)	38 (93%)	3 (7%)	0	100	100
All	All	3478/3614 (96%)	3316 (95%)	136 (4%)	26 (1%)	18	15

5 of 26 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	60	GLU
6	F	95	GLN
7	G	4	ALA
7	G	7	ASP
7	G	8	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	426/426 (100%)	417 (98%)	9 (2%)	47	54
1	N	426/426 (100%)	410 (96%)	16 (4%)	29	32
2	B	210/210 (100%)	199 (95%)	11 (5%)	21	20
2	O	210/210 (100%)	194 (92%)	16 (8%)	12	9
3	C	224/226 (99%)	217 (97%)	7 (3%)	35	39
3	P	224/226 (99%)	221 (99%)	3 (1%)	61	69
4	D	128/129 (99%)	126 (98%)	2 (2%)	55	64
4	Q	128/129 (99%)	122 (95%)	6 (5%)	23	24
5	E	91/95 (96%)	88 (97%)	3 (3%)	33	37
5	R	91/95 (96%)	89 (98%)	2 (2%)	45	53
6	F	79/81 (98%)	73 (92%)	6 (8%)	12	9
6	S	79/81 (98%)	71 (90%)	8 (10%)	7	5
7	G	67/68 (98%)	60 (90%)	7 (10%)	7	4
7	T	67/68 (98%)	61 (91%)	6 (9%)	9	6
8	H	67/75 (89%)	65 (97%)	2 (3%)	36	41
8	U	67/75 (89%)	60 (90%)	7 (10%)	7	4
9	I	56/57 (98%)	53 (95%)	3 (5%)	20	18
9	V	56/57 (98%)	51 (91%)	5 (9%)	9	6
10	J	48/50 (96%)	47 (98%)	1 (2%)	47	54
10	W	48/50 (96%)	46 (96%)	2 (4%)	26	28
11	K	39/46 (85%)	38 (97%)	1 (3%)	40	46
11	X	39/46 (85%)	37 (95%)	2 (5%)	21	21
12	L	39/40 (98%)	37 (95%)	2 (5%)	21	21
12	Y	39/40 (98%)	36 (92%)	3 (8%)	12	9
13	M	37/38 (97%)	30 (81%)	7 (19%)	1	1
13	Z	37/38 (97%)	33 (89%)	4 (11%)	6	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	3022/3082 (98%)	2881 (95%)	141 (5%)	23	24

5 of 141 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
7	T	37	LEU
8	U	41	LYS
10	W	4	ARG
9	I	15	ARG
9	I	8	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 53 such sidechains are listed below:

Mol	Chain	Res	Type
1	N	512	ASN
3	P	243	HIS
9	V	70	GLN
2	O	10	GLN
2	O	195	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	TPO	T	11	7	8,10,11	2.34	4 (50%)	10,14,16	1.54	3 (30%)
2	FME	O	1	2	8,9,10	1.09	0	8,9,11	6.03	6 (75%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	FME	N	1	1	8,9,10	0.76	0	8,9,11	4.64	3 (37%)
2	FME	B	1	2	8,9,10	1.96	3 (37%)	8,9,11	5.96	5 (62%)
1	FME	A	1	1	8,9,10	1.16	0	8,9,11	4.87	2 (25%)
7	TPO	G	11	7	8,10,11	2.24	4 (50%)	10,14,16	2.25	3 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	TPO	T	11	7	-	3/9/11/13	-
2	FME	O	1	2	-	1/7/9/11	-
1	FME	N	1	1	-	4/7/9/11	-
2	FME	B	1	2	-	1/7/9/11	-
1	FME	A	1	1	-	4/7/9/11	-
7	TPO	G	11	7	-	4/9/11/13	-

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	11	TPO	P-O1P	3.86	1.62	1.50
7	T	11	TPO	P-O1P	3.57	1.61	1.50
7	T	11	TPO	P-OG1	3.42	1.65	1.59
2	B	1	FME	CA-N	3.16	1.51	1.46
2	B	1	FME	O1-CN	-2.94	1.10	1.22

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	O	1	FME	CA-N-CN	-15.94	98.31	122.82
2	B	1	FME	CA-N-CN	-14.83	100.01	122.82
1	A	1	FME	CA-N-CN	-13.10	102.67	122.82
1	N	1	FME	CA-N-CN	-12.51	103.58	122.82
2	B	1	FME	C-CA-N	5.30	119.73	109.50

There are no chirality outliers.

5 of 17 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1	FME	O1-CN-N-CA
1	A	1	FME	N-CA-CB-CG
1	A	1	FME	C-CA-CB-CG
2	B	1	FME	O1-CN-N-CA
7	G	11	TPO	N-CA-CB-CG2

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	T	11	TPO	1	0
7	G	11	TPO	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 56 ligands modelled in this entry, 8 are monoatomic and 2 are unknown - leaving 46 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
23	CHD	P	1525	-	32,32,32	1.37	5 (15%)	51,51,51	5.48	38 (74%)
19	TGL	A	521	-	62,62,62	1.50	7 (11%)	65,65,65	2.35	14 (21%)
19	TGL	D	523	-	62,62,62	1.65	7 (11%)	65,65,65	1.74	14 (21%)
19	TGL	L	522	-	62,62,62	1.54	7 (11%)	65,65,65	1.87	12 (18%)
20	PGV	C	267	-	50,50,50	0.97	3 (6%)	53,56,56	1.48	11 (20%)
20	PGV	N	1524	-	50,50,50	1.19	2 (4%)	53,56,56	1.27	7 (13%)
23	CHD	O	229	-	32,32,32	1.65	8 (25%)	51,51,51	5.81	31 (60%)
23	CHD	B	1086	-	32,32,32	1.86	9 (28%)	51,51,51	5.23	37 (72%)
28	PEK	G	264	-	52,52,52	0.93	2 (3%)	55,57,57	2.10	12 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	PSC	O	1230	-	51,51,51	1.26	3 (5%)	57,59,59	1.29	6 (10%)
19	TGL	N	1522	-	62,62,62	1.55	6 (9%)	65,65,65	1.55	10 (15%)
15	PER	N	520	14,18	1,1,1	1.98	0	-		
24	DMU	Z	1526	-	34,34,34	1.01	2 (5%)	45,45,45	3.27	25 (55%)
18	HEA	A	516	15,1	67,67,67	2.18	23 (34%)	81,103,103	2.46	28 (34%)
20	PGV	A	524	-	50,50,50	1.21	3 (6%)	53,56,56	1.44	8 (15%)
26	CDL	P	1270	-	99,99,99	1.46	13 (13%)	105,111,111	1.45	17 (16%)
28	PEK	P	1264	-	52,52,52	1.06	4 (7%)	55,57,57	1.62	8 (14%)
18	HEA	A	515	1	67,67,67	2.21	23 (34%)	81,103,103	2.82	37 (45%)
23	CHD	J	60	-	32,32,32	0.85	0	51,51,51	4.82	37 (72%)
20	PGV	P	1267	-	50,50,50	0.89	3 (6%)	53,56,56	1.51	11 (20%)
22	PSC	B	230	-	51,51,51	1.40	3 (5%)	57,59,59	1.25	4 (7%)
28	PEK	G	1263	-	52,52,52	1.19	2 (3%)	55,57,57	1.30	5 (9%)
18	HEA	N	515	1	67,67,67	1.99	17 (25%)	81,103,103	2.60	37 (45%)
23	CHD	C	271	-	32,32,32	0.93	2 (6%)	51,51,51	4.95	31 (60%)
18	HEA	N	516	15,1	67,67,67	1.95	24 (35%)	81,103,103	2.18	28 (34%)
26	CDL	T	1269	-	99,99,99	1.43	12 (12%)	105,111,111	1.51	15 (14%)
24	DMU	M	526	-	34,34,34	0.89	1 (2%)	45,45,45	3.22	25 (55%)
21	CUA	O	228	2	0,1,1	-	-	-		
26	CDL	C	270	-	99,99,99	1.52	13 (13%)	105,111,111	1.63	18 (17%)
23	CHD	P	1271	-	32,32,32	0.94	1 (3%)	51,51,51	5.11	35 (68%)
15	PER	A	520	14,18	1,1,1	1.97	0	-		
24	DMU	C	272	-	34,34,34	1.23	1 (2%)	45,45,45	3.36	23 (51%)
28	PEK	T	263	-	52,52,52	1.32	3 (5%)	55,57,57	1.31	6 (10%)
23	CHD	W	1060	-	32,32,32	0.92	1 (3%)	51,51,51	4.88	36 (70%)
28	PEK	G	265	-	52,52,52	1.19	3 (5%)	55,57,57	1.11	4 (7%)
20	PGV	A	522	-	50,50,50	1.14	2 (4%)	53,56,56	1.41	8 (15%)
26	CDL	G	269	-	99,99,99	1.49	12 (12%)	105,111,111	1.32	13 (12%)
20	PGV	P	1268	-	50,50,50	1.23	2 (4%)	53,56,56	1.44	6 (11%)
21	CUA	B	228	2	0,1,1	-	-	-		
20	PGV	N	1266	-	50,50,50	0.89	1 (2%)	53,56,56	1.66	11 (20%)
20	PGV	C	268	-	50,50,50	1.26	3 (6%)	53,56,56	1.43	5 (9%)
28	PEK	P	1265	-	52,52,52	1.23	2 (3%)	55,57,57	1.33	6 (10%)
24	DMU	P	1272	-	34,34,34	1.26	2 (5%)	45,45,45	3.14	23 (51%)
19	TGL	Q	1523	-	62,62,62	1.46	6 (9%)	65,65,65	1.40	10 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
19	TGL	N	1521	-	62,62,62	1.39	6 (9%)	65,65,65	1.61	12 (18%)
23	CHD	C	525	-	32,32,32	1.71	7 (21%)	51,51,51	5.11	39 (76%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	CHD	P	1525	-	-	1/9/74/74	0/4/4/4
19	TGL	A	521	-	-	36/65/65/65	-
19	TGL	D	523	-	-	33/65/65/65	-
19	TGL	L	522	-	-	40/65/65/65	-
20	PGV	C	267	-	-	12/55/55/55	-
23	CHD	O	229	-	1/1/12/12	2/9/74/74	0/4/4/4
20	PGV	N	1524	-	-	30/55/55/55	-
23	CHD	B	1086	-	-	2/9/74/74	0/4/4/4
28	PEK	G	264	-	-	23/56/56/56	-
22	PSC	O	1230	-	-	31/55/55/55	-
19	TGL	N	1522	-	-	36/65/65/65	-
24	DMU	Z	1526	-	5/5/10/10	10/19/59/59	0/2/2/2
18	HEA	A	516	15,1	-	6/36/76/76	-
20	PGV	A	524	-	-	30/55/55/55	-
26	CDL	P	1270	-	-	65/110/110/110	-
28	PEK	P	1264	-	-	24/56/56/56	-
18	HEA	A	515	1	-	6/36/76/76	-
23	CHD	J	60	-	2/2/12/12	6/9/74/74	0/4/4/4
20	PGV	P	1267	-	-	13/55/55/55	-
22	PSC	B	230	-	-	30/55/55/55	-
28	PEK	G	1263	-	-	32/56/56/56	-
18	HEA	N	515	1	-	10/36/76/76	-
23	CHD	C	271	-	1/1/12/12	7/9/74/74	0/4/4/4
18	HEA	N	516	15,1	-	4/36/76/76	-
26	CDL	T	1269	-	-	60/110/110/110	-
24	DMU	M	526	-	5/5/10/10	9/19/59/59	0/2/2/2
26	CDL	C	270	-	-	64/110/110/110	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	CHD	P	1271	-	1/1/12/12	7/9/74/74	0/4/4/4
24	DMU	C	272	-	6/6/10/10	10/19/59/59	0/2/2/2
28	PEK	T	263	-	-	33/56/56/56	-
23	CHD	W	1060	-	2/2/12/12	7/9/74/74	0/4/4/4
28	PEK	G	265	-	-	24/56/56/56	-
20	PGV	A	522	-	-	20/55/55/55	-
26	CDL	G	269	-	-	55/110/110/110	-
20	PGV	P	1268	-	-	31/55/55/55	-
20	PGV	N	1266	-	-	14/55/55/55	-
20	PGV	C	268	-	-	33/55/55/55	-
28	PEK	P	1265	-	-	24/56/56/56	-
24	DMU	P	1272	-	5/5/10/10	11/19/59/59	0/2/2/2
19	TGL	Q	1523	-	-	35/65/65/65	-
19	TGL	N	1521	-	-	31/65/65/65	-
23	CHD	C	525	-	-	2/9/74/74	0/4/4/4

The worst 5 of 256 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	A	515	HEA	FE-NA	6.21	2.15	1.95
18	N	515	HEA	FE-NA	6.15	2.15	1.95
28	T	263	PEK	O03-C21	6.12	1.51	1.33
18	A	515	HEA	C3A-C4A	-6.01	1.35	1.46
19	N	1522	TGL	OG2-CB1	6.00	1.51	1.34

The worst 5 of 763 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	O	229	CHD	C6-C5-C10	16.16	129.86	112.66
23	P	1271	CHD	C10-C9-C8	14.85	128.40	111.84
23	B	1086	CHD	C1-C10-C5	14.66	128.80	107.75
23	C	271	CHD	C10-C9-C8	14.10	127.55	111.84
23	P	1525	CHD	C6-C5-C10	13.07	126.57	112.66

5 of 28 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
23	C	271	CHD	C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
23	J	60	CHD	C9
23	J	60	CHD	C17
23	O	229	CHD	C9
23	P	1271	CHD	C9

5 of 959 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
18	A	515	HEA	C2A-C3A-CMA-OMA
18	A	515	HEA	C4A-C3A-CMA-OMA
18	A	515	HEA	C16-C17-C18-C19
19	A	521	TGL	CB2-CB1-OG2-CG2
19	A	521	TGL	CG2-CG3-OG3-CC1

There are no ring outliers.

44 monomers are involved in 284 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
23	P	1525	CHD	3	0
19	A	521	TGL	6	0
19	D	523	TGL	15	0
19	L	522	TGL	16	0
20	C	267	PGV	6	0
20	N	1524	PGV	6	0
23	O	229	CHD	2	0
23	B	1086	CHD	1	0
28	G	264	PEK	6	0
22	O	1230	PSC	12	0
19	N	1522	TGL	12	0
15	N	520	PER	1	0
24	Z	1526	DMU	2	0
18	A	516	HEA	2	0
20	A	524	PGV	8	0
26	P	1270	CDL	16	0
28	P	1264	PEK	6	0
18	A	515	HEA	7	0
23	J	60	CHD	3	0
20	P	1267	PGV	5	0
22	B	230	PSC	18	0
28	G	1263	PEK	7	0
18	N	515	HEA	8	0
23	C	271	CHD	3	0



Continued on next page...


Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
18	N	516	HEA	1	0
26	T	1269	CDL	23	0
24	M	526	DMU	1	0
26	C	270	CDL	13	0
23	P	1271	CHD	2	0
15	A	520	PER	1	0
24	C	272	DMU	5	0
28	T	263	PEK	21	0
23	W	1060	CHD	4	0
28	G	265	PEK	7	0
20	A	522	PGV	2	0
26	G	269	CDL	24	0
20	P	1268	PGV	3	0
20	N	1266	PGV	1	0
20	C	268	PGV	1	0
28	P	1265	PEK	8	0
24	P	1272	DMU	2	0
19	Q	1523	TGL	5	0
19	N	1521	TGL	9	0
23	C	525	CHD	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.































Ligand PSC B 230





Ligand PEK G 1263












Ligand CHD P 1271




Ligand DMU C 272







Ligand PEK T 263






Ligand CHD W 1060














Ligand DMU P 1272



Ligand TGL Q 1523





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	513/514 (99%)	-0.46	2 (0%) 88 90	20, 25, 32, 63	0
1	N	513/514 (99%)	0.12	5 (0%) 79 81	24, 31, 38, 63	0
2	B	226/227 (99%)	0.02	10 (4%) 39 41	21, 29, 49, 77	0
2	O	226/227 (99%)	0.62	16 (7%) 22 23	28, 37, 56, 77	0
3	C	259/261 (99%)	-0.18	2 (0%) 82 84	22, 28, 40, 63	0
3	P	259/261 (99%)	0.26	9 (3%) 47 49	25, 32, 43, 63	0
4	D	144/147 (97%)	0.10	4 (2%) 55 57	25, 31, 48, 64	0
4	Q	144/147 (97%)	1.42	29 (20%) 3 3	33, 44, 67, 108	0
5	E	104/109 (95%)	-0.05	1 (0%) 79 81	26, 31, 51, 65	0
5	R	104/109 (95%)	0.74	6 (5%) 29 30	31, 38, 58, 74	0
6	F	93/98 (94%)	0.34	5 (5%) 31 33	23, 34, 52, 94	0
6	S	93/98 (94%)	0.80	7 (7%) 20 21	29, 38, 59, 91	0
7	G	83/85 (97%)	1.19	21 (25%) 1 2	25, 35, 94, 102	0
7	T	83/85 (97%)	1.46	23 (27%) 1 1	27, 38, 93, 100	0
8	H	75/85 (88%)	0.46	8 (10%) 11 11	28, 36, 69, 75	0
8	U	75/85 (88%)	0.82	7 (9%) 14 15	32, 41, 72, 76	0
9	I	71/73 (97%)	0.78	11 (15%) 5 5	28, 38, 65, 70	0
9	V	71/73 (97%)	1.34	15 (21%) 2 2	30, 48, 65, 75	0
10	J	57/59 (96%)	0.49	3 (5%) 32 34	28, 37, 57, 70	0
10	W	57/59 (96%)	1.29	7 (12%) 8 8	33, 42, 62, 79	0
11	K	49/56 (87%)	0.54	2 (4%) 41 43	28, 35, 47, 55	0
11	X	49/56 (87%)	1.50	10 (20%) 3 3	38, 45, 60, 71	0
12	L	46/47 (97%)	0.13	2 (4%) 40 41	26, 31, 51, 75	0
12	Y	46/47 (97%)	1.14	5 (10%) 10 11	33, 39, 60, 81	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	43/46 (93%)	0.42	5 (11%) 9 10	27, 30, 65, 89	0
13	Z	43/46 (93%)	1.35	9 (20%) 2 2	35, 39, 77, 95	0
All	All	3526/3614 (97%)	0.34	224 (6%) 25 27	20, 33, 58, 108	0

The worst 5 of 224 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	Q	6	VAL	13.1
6	S	96	LEU	11.6
4	Q	4	SER	7.7
7	T	3	ALA	7.6
2	O	227	LEU	7.2

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	TPO	T	11	11/12	0.42	0.29	70,77,97,98	0
7	TPO	G	11	11/12	0.57	0.31	68,74,91,92	0
1	FME	N	1	10/11	0.83	0.18	48,54,69,70	0
1	FME	A	1	10/11	0.86	0.16	42,48,68,76	0
2	FME	O	1	10/11	0.94	0.12	36,37,46,55	0
2	FME	B	1	10/11	0.95	0.10	27,29,39,57	0

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
23	CHD	W	1060	29/29	0.67	0.28	107,109,111,111	0
24	DMU	P	1272	33/33	0.68	0.26	89,103,109,111	0
28	PEK	G	265	53/53	0.69	0.30	45,91,106,111	0
28	PEK	G	1263	53/53	0.72	0.32	50,107,128,129	0
28	PEK	T	263	53/53	0.73	0.28	48,93,126,127	0
23	CHD	J	60	29/29	0.74	0.29	99,100,106,106	0
28	PEK	P	1265	53/53	0.74	0.28	42,86,105,108	0
24	DMU	C	272	33/33	0.74	0.23	70,99,105,105	0
20	PGV	P	1268	51/51	0.75	0.27	64,97,112,113	0
20	PGV	A	524	51/51	0.76	0.26	33,71,98,101	0
26	CDL	G	269	100/100	0.76	0.26	62,86,114,116	0
19	TGL	N	1522	63/63	0.77	0.25	45,73,89,92	0
26	CDL	T	1269	100/100	0.77	0.23	52,85,111,116	0
22	PSC	O	1230	52/52	0.77	0.27	41,93,121,122	0
19	TGL	Q	1523	63/63	0.78	0.27	53,78,92,94	0
26	CDL	P	1270	100/100	0.79	0.25	43,87,117,123	0
20	PGV	C	268	51/51	0.79	0.26	59,88,104,105	0
19	TGL	D	523	63/63	0.80	0.25	41,69,96,98	0
19	TGL	L	522	63/63	0.80	0.23	36,66,84,86	0
26	CDL	C	270	100/100	0.80	0.24	43,84,127,129	0
19	TGL	A	521	63/63	0.80	0.24	47,71,92,98	0
20	PGV	N	1524	51/51	0.80	0.21	43,72,104,106	0
22	PSC	B	230	52/52	0.81	0.25	39,96,121,123	0
19	TGL	N	1521	63/63	0.81	0.23	53,75,92,94	0
23	CHD	P	1271	29/29	0.82	0.18	68,74,77,78	0
25	UNX	C	262	1/1	0.83	0.35	39,39,39,39	0
23	CHD	C	271	29/29	0.84	0.17	59,69,71,72	0
25	UNX	P	1262	1/1	0.84	0.42	40,40,40,40	0
24	DMU	Z	1526	33/33	0.85	0.14	42,51,63,65	0
23	CHD	P	1525	29/29	0.92	0.09	25,33,39,39	0
24	DMU	M	526	33/33	0.92	0.11	35,44,55,60	0
23	CHD	C	525	29/29	0.94	0.08	24,32,36,43	0
28	PEK	P	1264	53/53	0.94	0.14	26,47,80,82	0
28	PEK	G	264	53/53	0.95	0.12	23,43,71,73	0
20	PGV	N	1266	51/51	0.95	0.12	28,41,63,64	0
23	CHD	O	229	29/29	0.95	0.07	21,25,34,39	0
23	CHD	B	1086	29/29	0.95	0.08	23,28,35,44	0
17	NA	N	1519	1/1	0.95	0.08	30,30,30,30	0
16	MG	N	1518	1/1	0.95	0.05	29,29,29,29	0
20	PGV	P	1267	51/51	0.96	0.10	21,37,76,85	0
15	PER	N	520	2/2	0.96	0.10	20,20,20,27	0
20	PGV	A	522	51/51	0.96	0.10	25,37,63,68	0
20	PGV	C	267	51/51	0.96	0.10	20,31,74,77	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
18	HEA	N	515	60/60	0.97	0.08	22,28,54,56	0
18	HEA	N	516	60/60	0.98	0.07	23,28,35,38	0
15	PER	A	520	2/2	0.98	0.12	16,16,16,19	0
18	HEA	A	515	60/60	0.98	0.06	16,23,46,47	0
21	CUA	O	228	2/2	0.98	0.04	31,31,31,32	0
17	NA	A	519	1/1	0.98	0.04	25,25,25,25	0
14	CU	A	517	1/1	0.99	0.03	24,24,24,24	0
21	CUA	B	228	2/2	0.99	0.03	23,23,23,26	0
16	MG	A	518	1/1	0.99	0.03	21,21,21,21	0
27	ZN	S	99	1/1	0.99	0.03	34,34,34,34	0
18	HEA	A	516	60/60	0.99	0.05	13,22,29,32	0
27	ZN	F	99	1/1	1.00	0.01	30,30,30,30	0
14	CU	N	517	1/1	1.00	0.05	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CHD W 1060:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU P 1272:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK G 265:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK G 1263:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK T 263:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CHD J 60:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK P 1265:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU C 272:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGV P 1268:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around PGV A 524:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CDL G 269:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TGL N 1522:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CDL T 1269:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PSC O 1230:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TGL Q 1523:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CDL P 1270:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGV C 268:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TGL D 523:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around TGL L 522:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CDL C 270:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TGL A 521:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PGV N 1524:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PSC B 230:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TGL N 1521:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CHD P 1271:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD C 271:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU Z 1526:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD P 1525:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU M 526:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD C 525:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK P 1264:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEK G 264:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGV N 1266:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD O 229:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CHD B 1086:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PGV P 1267:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGV A 522:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around PGV C 267:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEA N 515:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HEA N 516:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEA A 515:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HEA A 516:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.