



Full wwPDB EM Validation Report ⓘ

Aug 23, 2026 – 03:41 pm BST

PDB ID : 8AB6 / pdb_00008ab6
EMDB ID : EMD-15312
Title : Complex III2 from *Yarrowia lipolytica*, combined datasets, consensus refinement
Authors : Wieferig, J.P.; Kuhlbrandt, W.
Deposited on : 2022-07-04
Resolution : 2.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev133
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY



The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	1659 (1.50 - 2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	385	 95% 5% .
1	N	385	 95% 5% .
2	E	225	 26% .. 72%
2	P	225	 25% . 72%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	128	 91% 5% . .
3	R	128	 93% . . .
4	F	137	 7% 47% . . 48%
4	Q	137	 7% 47% . . 48%
5	A	474	 87% 5% . 8%
5	L	474	 86% 6% 8%
6	B	417	 87% 9% .
6	M	417	 86% 10% . .
7	D	330	 70% . 26%
7	O	330	 72% . 26%
8	H	93	 88% . 9%
8	S	93	 88% . 9%
9	I	69	 77% . 22%
9	T	69	 77% . 22%
10	J	82	 88% . 9%
10	U	82	 83% 9% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
17	HEC	D	401	X	-	-	-
17	HEC	O	401	X	-	-	-

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 32914 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome b.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	C	383	Total	C	N	O	S	1	0
			3055	2066	474	497	18		
1	N	383	Total	C	N	O	S	0	0
			3052	2064	474	496	18		

- Molecule 2 is a protein called Cytochrome b-c1 complex subunit Rieske, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	P	63	Total	C	N	O	S	0	0
			478	305	78	91	4		
2	E	63	Total	C	N	O	S	1	0
			481	307	78	92	4		

- Molecule 3 is a protein called Cytochrome b-c1 complex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	G	124	Total	C	N	O	S	0	0
			994	640	162	190	2		
3	R	124	Total	C	N	O	S	0	0
			994	640	162	190	2		

- Molecule 4 is a protein called YALI0F24673p.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	F	71	Total	C	N	O	S	0	0
			579	361	99	115	4		
4	Q	71	Total	C	N	O	S	0	0
			579	361	99	115	4		

- Molecule 5 is a protein called YALI0A14806p.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	A	438	Total	C	N	O	S	0	0
			3446	2154	603	682	7		
5	L	438	Total	C	N	O	S	0	0
			3446	2154	603	682	7		

- Molecule 6 is a protein called Cytochrome b-c1 complex subunit 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	B	402	Total	C	N	O	S	0	0
			3008	1907	516	583	2		
6	M	402	Total	C	N	O	S	0	0
			3008	1907	516	583	2		

- Molecule 7 is a protein called YALI0A17468p.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	D	244	Total	C	N	O	S	0	0
			1893	1210	323	352	8		
7	O	244	Total	C	N	O	S	0	0
			1893	1210	323	352	8		

- Molecule 8 is a protein called Cytochrome b-c1 complex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	85	Total	C	N	O	S	0	0
			690	459	118	111	2		
8	S	85	Total	C	N	O	S	0	0
			690	459	118	111	2		

- Molecule 9 is a protein called Complex III subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	54	Total	C	N	O	S	0	0
			452	297	76	78	1		
9	T	54	Total	C	N	O	S	0	0
			452	297	76	78	1		

- Molecule 10 is a protein called YALI0C12210p.


Mol	Chain	Residues	Atoms				AltConf	Trace
10	J	75	Total	C	N	O	0	0
			598	403	99	96		

Continued on next page...

Mol	Chain	Residues	Atoms				AltConf	Trace
10	U	75	Total	C	N	O	0	0
			598	403	99	96		


- # HEM

- Molecule 12 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PC1) (formula: $C_{44}H_{88}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
12	C	1	Total	C	N	O	P	0
			38	28	1	8	1	
12	I	1	Total	C	N	O	P	0
			32	22	1	8	1	
12	N	1	Total	C	N	O	P	0
			38	28	1	8	1	
12	T	1	Total	C	N	O	P	0
			32	22	1	8	1	

- Molecule 13 is PHOSPHATIDYLETHANOLAMINE (CCD ID: PTY) (formula: C₄₀H₈₀NO₈P).



Mol	Chain	Residues	Atoms					AltConf
13	C	1	Total	C	N	O	P	0
			41	31	1	8	1	
13	P	1	Total	C	N	O	P	0
			41	31	1	8	1	
13	N	1	Total	C	N	O	P	0
			41	31	1	8	1	
13	E	1	Total	C	N	O	P	0
			41	31	1	8	1	

- Molecule 14 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).




Mol	Chain	Residues	Atoms				AltConf
14	C	1	Total	C	O	P	0
			48	29	17	2	
14	A	1	Total	C	O	P	0
			42	25	15	2	
14	A	1	Total	C	O	P	0
			47	30	15	2	
14	H	1	Total	C	O	P	0
			50	31	17	2	
14	H	1	Total	C	O	P	0
			39	20	17	2	
14	N	1	Total	C	O	P	0
			48	29	17	2	
14	L	1	Total	C	O	P	0
			42	25	15	2	
14	L	1	Total	C	O	P	0
			47	30	15	2	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
14	S	1	Total	C	O	P	0
			50	31	17	2	
14	S	1	Total	C	O	P	0
			39	20	17	2	

- Molecule 15 is DODECYL-BETA-D-MALTOSE (CCD ID: LMT) (formula: $C_{24}H_{46}O_{11}$).




Mol	Chain	Residues	Atoms				AltConf
15	C	1	Total	C	O		0
			35	24	11		
15	P	1	Total	C	O		0
			35	24	11		
15	J	1	Total	C	O		0
			35	24	11		
15	N	1	Total	C	O		0
			35	24	11		

- Molecule 16 is 1,2-DIMYRISTOYL-SN-GLYCERO-3-PHOSPHATE (CCD ID: XP4) (formula: $C_{31}H_{60}O_8P$).



Mol	Chain	Residues	Atoms				AltConf
16	A	1	Total	C	O	P	0
			24	15	8	1	
16	L	1	Total	C	O	P	0
			24	15	8	1	

- Molecule 17 is HEME C (CCD ID: HEC) (formula: C₃₄H₃₆FeN₄O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
17	D	1	Total	C	Fe	N	O	0
			43	34	1	4	4	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
17	O	1	Total	C	Fe	N	O	0
			43	34	1	4	4	

- Molecule 18 is water.

Mol	Chain	Residues	Atoms		AltConf
18	C	143	Total	O	0
			143	143	
18	P	31	Total	O	0
			31	31	
18	G	81	Total	O	0
			81	81	
18	F	3	Total	O	0
			3	3	
18	A	165	Total	O	0
			165	165	
18	B	56	Total	O	0
			56	56	
18	D	124	Total	O	0
			124	124	
18	H	46	Total	O	0
			46	46	
18	I	17	Total	O	0
			17	17	
18	J	6	Total	O	0
			6	6	
18	N	138	Total	O	0
			138	138	
18	E	37	Total	O	0
			37	37	
18	R	72	Total	O	0
			72	72	
18	Q	2	Total	O	0
			2	2	
18	L	157	Total	O	0
			157	157	
18	M	56	Total	O	0
			56	56	
18	O	122	Total	O	0
			122	122	
18	S	46	Total	O	0
			46	46	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
18	T	16	Total 16	O 16	0
18	U	8	Total 8	O 8	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cytochrome b

Chain C: 





• Molecule 1: Cytochrome b

Chain N: 






• Molecule 2: Cytochrome b-c1 complex subunit Rieske, mitochondrial


Chain P: 



• Molecule 2: Cytochrome b-c1 complex subunit Rieske, mitochondrial


Chain E: 






- Molecule 6: Cytochrome b-c1 complex subunit 2, mitochondrial

Chain B: 87% 9%




- Molecule 6: Cytochrome b-c1 complex subunit 2, mitochondrial

Chain M: 86% 10%




- Molecule 7: YALI0A17468p

Chain D: 70% 26%



- Molecule 7: YALI0A17468p

Chain O: 72% 26%



- Molecule 8: Cytochrome b-c1 complex subunit 8

Chain H:  88% 9%




- Molecule 8: Cytochrome b-c1 complex subunit 8

Chain S:  88% 9%




- Molecule 9: Complex III subunit 9

Chain I:  77% 22%




- Molecule 9: Complex III subunit 9

Chain T:  77% 22%




- Molecule 10: YALI0C12210p

Chain J:  88% 9%



- Molecule 10: YALI0C12210p

Chain U:  83% 9% 9%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	1419666	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	55	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.487	Depositor
Minimum map value	-0.188	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.029	Depositor
Map size (Å)	301.32, 301.32, 301.32	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.837, 0.837, 0.837	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, PTY, XP4, HEC, LMT, PC1, CDL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	C	0.54	0/3159	0.95	2/4313 (0.0%)
1	N	0.54	0/3153	0.95	2/4305 (0.0%)
2	E	0.54	0/493	1.05	2/662 (0.3%)
2	P	0.53	0/487	1.00	1/654 (0.2%)
3	G	0.53	0/1012	0.97	1/1373 (0.1%)
3	R	0.53	0/1012	0.98	2/1373 (0.1%)
4	F	0.58	0/595	1.12	1/805 (0.1%)
4	Q	0.54	0/595	1.17	3/805 (0.4%)
5	A	0.58	3/3510 (0.1%)	1.08	7/4768 (0.1%)
5	L	0.55	1/3510 (0.0%)	1.08	8/4768 (0.2%)
6	B	0.54	0/3069	1.06	5/4178 (0.1%)
6	M	0.55	0/3069	1.08	5/4178 (0.1%)
7	D	0.53	0/1950	1.05	3/2656 (0.1%)
7	O	0.54	0/1950	1.05	5/2656 (0.2%)
8	H	0.52	0/717	0.99	1/975 (0.1%)
8	S	0.50	0/717	0.97	1/975 (0.1%)
9	I	0.45	0/465	0.99	0/629
9	T	0.46	0/465	1.00	0/629
10	J	0.52	0/620	1.03	0/846
10	U	0.53	0/620	1.04	0/846
All	All	0.54	4/31168 (0.0%)	1.03	49/42394 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	433	HIS	CB-CG	-9.23	1.37	1.50
5	A	433	HIS	CA-CB	-6.48	1.43	1.53
5	A	433	HIS	CG-CD2	-5.92	1.29	1.35
5	L	433	HIS	CB-CG	-5.41	1.42	1.50

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	433	HIS	N-CA-CB	-16.11	85.31	110.44
5	L	433	HIS	CB-CA-C	-11.62	91.10	110.85
7	D	283	GLU	CB-CA-C	-9.63	97.11	111.27
7	D	289	ARG	CG-CD-NE	-9.11	91.97	112.00
7	O	283	GLU	CB-CA-C	-9.10	97.90	111.27
7	O	289	ARG	CG-CD-NE	-8.59	93.10	112.00
2	E	55	ASP	CA-CB-CG	8.52	121.12	112.60
4	Q	96	HIS	CB-CA-C	-8.50	96.68	110.79
5	A	433	HIS	ND1-CG-CD2	8.33	114.43	106.10
6	B	339	ARG	CG-CD-NE	7.97	129.52	112.00
6	B	236	ARG	CB-CG-CD	-7.87	93.20	111.30
6	B	90	ARG	CG-CD-NE	-7.63	95.21	112.00
6	M	90	ARG	CG-CD-NE	-7.42	95.67	112.00
7	D	283	GLU	CB-CG-CD	-7.35	100.10	112.60
6	B	356	ASP	CB-CA-C	-7.33	99.36	110.88
4	Q	93	ASP	CA-CB-CG	7.26	119.86	112.60
7	O	289	ARG	NE-CZ-NH1	-7.25	114.25	121.50
6	B	215	GLN	CB-CA-C	-7.10	96.91	109.62
7	O	289	ARG	NE-CZ-NH2	7.02	125.52	119.20
3	G	65	THR	CB-CA-C	-6.57	100.57	110.88
6	M	215	GLN	CB-CA-C	-6.34	96.53	109.65
5	L	269	ARG	CG-CD-NE	-6.29	98.17	112.00
5	L	89	GLN	CB-CG-CD	6.18	123.11	112.60
6	M	339	ARG	CG-CD-NE	6.07	125.34	112.00
5	L	433	HIS	CA-CB-CG	-6.06	107.74	113.80
4	F	100	GLU	CB-CA-C	5.72	120.40	110.68
5	A	432	GLU	CA-C-O	5.68	126.52	120.10
2	E	62	ARG	CB-CG-CD	-5.68	98.24	111.30
5	A	433	HIS	CB-CG-CD2	-5.65	123.86	131.20
1	C	16	TYR	CA-C-N	-5.62	115.90	122.14
1	C	16	TYR	C-N-CA	-5.62	115.90	122.14
2	P	62	ARG	CB-CG-CD	-5.59	98.43	111.30
1	N	16	TYR	CA-C-N	-5.58	115.95	122.14
1	N	16	TYR	C-N-CA	-5.58	115.95	122.14
5	A	379	ASN	CA-CB-CG	-5.47	107.13	112.60
4	Q	102	VAL	N-CA-CB	5.39	117.88	110.54
5	L	198	GLU	CB-CA-C	-5.38	101.86	110.79
5	L	378	SER	CA-C-N	-5.36	111.14	121.58
5	L	378	SER	C-N-CA	-5.36	111.14	121.58
5	A	433	HIS	CG-CD2-NE2	-5.33	101.87	107.20
3	R	65	THR	CB-CA-C	-5.32	102.52	110.88
8	H	86	ARG	CB-CA-C	-5.32	102.53	110.88
8	S	86	ARG	CB-CA-C	-5.29	102.58	110.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	O	289	ARG	CD-NE-CZ	5.22	131.71	124.40
5	A	269	ARG	CG-CD-NE	-5.21	100.54	112.00
6	M	197	ASN	CB-CA-C	5.18	118.80	111.86
6	M	392	GLN	CB-CG-CD	-5.14	103.86	112.60
5	L	441	LYS	CB-CA-C	5.13	118.62	109.29
3	R	65	THR	CA-CB-OG1	5.05	117.17	109.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3055	0	3118	14	0
1	N	3052	0	3113	12	0
2	E	481	0	478	2	0
2	P	478	0	473	13	0
3	G	994	0	1022	3	0
3	R	994	0	1022	3	0
4	F	579	0	511	6	0
4	Q	579	0	511	3	0
5	A	3446	0	3369	18	0
5	L	3446	0	3369	15	0
6	B	3008	0	2991	22	0
6	M	3008	0	2991	30	0
7	D	1893	0	1834	16	0
7	O	1893	0	1834	11	0
8	H	690	0	673	2	0
8	S	690	0	673	2	0
9	I	452	0	435	1	0
9	T	452	0	435	1	0
10	J	598	0	615	0	0
10	U	598	0	615	4	0
11	C	86	0	60	7	0
11	N	86	0	60	4	0
12	C	38	0	50	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	I	32	0	38	2	0
12	N	38	0	50	1	0
12	T	32	0	38	3	0
13	C	41	0	58	4	0
13	E	41	0	58	3	0
13	N	41	0	58	9	0
13	P	41	0	58	14	0
14	A	89	0	85	3	0
14	C	48	0	40	1	0
14	H	89	0	66	5	0
14	L	89	0	85	0	0
14	N	48	0	40	1	0
14	S	89	0	66	5	0
15	C	35	0	46	1	0
15	J	35	0	46	1	0
15	N	35	0	46	1	0
15	P	35	0	46	0	0
16	A	24	0	22	0	0
16	L	24	0	22	0	0
17	D	43	0	32	10	0
17	O	43	0	32	8	0
18	A	165	0	0	1	0
18	B	56	0	0	0	0
18	C	143	0	0	2	0
18	D	124	0	0	0	0
18	E	37	0	0	0	0
18	F	3	0	0	0	0
18	G	81	0	0	0	0
18	H	46	0	0	0	0
18	I	17	0	0	0	0
18	J	6	0	0	0	0
18	L	157	0	0	1	0
18	M	56	0	0	0	0
18	N	138	0	0	0	0
18	O	122	0	0	0	0
18	P	31	0	0	1	0
18	Q	2	0	0	0	0
18	R	72	0	0	0	0
18	S	46	0	0	0	0
18	T	16	0	0	0	0
18	U	8	0	0	0	0
All	All	32914	0	31284	188	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:O:124:CYS:SG	17:O:401:HEC:HBB3	1.61	1.41
7:D:124:CYS:SG	17:D:401:HEC:HBB3	1.61	1.38
2:P:84:VAL:CG2	13:P:302:PTY:H441	1.69	1.22
7:D:124:CYS:SG	17:D:401:HEC:CBB	2.33	1.16
7:O:124:CYS:SG	17:O:401:HEC:CBB	2.32	1.16
7:O:127:CYS:SG	17:O:401:HEC:HBC3	1.90	1.11
7:D:127:CYS:SG	17:D:401:HEC:HBC3	1.90	1.10
2:P:84:VAL:HG23	13:P:302:PTY:H441	1.32	1.10
7:D:127:CYS:SG	17:D:401:HEC:CAC	2.42	1.07
7:O:127:CYS:SG	17:O:401:HEC:CAC	2.42	1.06
7:D:127:CYS:SG	17:D:401:HEC:CBC	2.44	1.04
7:O:127:CYS:SG	17:O:401:HEC:CBC	2.45	1.04
2:P:84:VAL:HG23	13:P:302:PTY:C44	1.95	0.96
2:P:84:VAL:HG22	13:P:302:PTY:H441	1.45	0.95
7:O:124:CYS:SG	17:O:401:HEC:CAB	2.55	0.94
7:D:124:CYS:SG	17:D:401:HEC:CAB	2.55	0.94
6:M:91:GLU:HG2	6:M:364:MET:HE1	1.55	0.86
6:M:15:PHE:CD2	6:M:362:ILE:HD11	2.13	0.83
14:A:3001:CDL:OB9	14:A:3001:CDL:HB4	1.80	0.81
5:A:382:VAL:HG21	5:A:432:GLU:HA	1.61	0.81
1:C:58:ALA:H	1:C:173:ASN:HD22	1.26	0.79
2:P:84:VAL:CG2	13:P:302:PTY:C44	2.52	0.79
1:N:330:ILE:HD12	12:N:503:PC1:H2A1	1.65	0.77
7:D:127:CYS:HG	17:D:401:HEC:HBC3	1.50	0.77
6:B:15:PHE:CD2	6:B:362:ILE:HD11	2.20	0.76
11:N:501:HEM:HBC2	11:N:501:HEM:HHD	1.68	0.76
6:M:19:GLU:OE2	6:M:22:GLY:C	2.28	0.76
5:A:156:GLU:OE2	5:A:188:ARG:NH1	2.20	0.75
1:C:330:ILE:HD12	12:C:503:PC1:H2A1	1.68	0.75
11:C:501:HEM:HBC2	11:C:501:HEM:HHD	1.68	0.75
5:A:395:LEU:HD22	6:B:98:GLN:HG2	1.70	0.74
1:C:180:PHE:HE2	1:N:180:PHE:HE2	1.36	0.70
14:H:702:CDL:C72	14:H:702:CDL:HB61	2.22	0.70
14:S:702:CDL:HB61	14:S:702:CDL:C72	2.22	0.69
5:A:461:ASP:OD2	18:A:3101:HOH:O	2.09	0.69
5:L:461:ASP:OD2	18:L:3101:HOH:O	2.11	0.69
6:M:15:PHE:CD2	6:M:362:ILE:CD1	2.76	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:C:502:HEM:O2D	18:C:601:HOH:O	2.11	0.68
6:B:15:PHE:CD2	6:B:362:ILE:CD1	2.77	0.68
11:C:501:HEM:HBC2	11:C:501:HEM:CHD	2.23	0.67
6:B:91:GLU:HG2	6:B:364:MET:HE1	1.77	0.66
14:S:702:CDL:C72	14:S:702:CDL:CB6	2.74	0.66
2:P:84:VAL:HG23	13:P:302:PTY:C43	2.27	0.65
14:H:702:CDL:C72	14:H:702:CDL:CB6	2.74	0.64
5:A:144:ILE:CD1	5:A:196:ASN:HB3	2.28	0.64
11:N:501:HEM:HBC2	11:N:501:HEM:CHD	2.24	0.62
5:A:43:SER:HB3	5:A:222:HIS:HD2	1.63	0.62
5:A:144:ILE:HD11	5:A:196:ASN:HB3	1.84	0.60
1:C:58:ALA:H	1:C:173:ASN:ND2	1.98	0.59
4:F:135:ASN:HB3	7:D:95:ALA:HB2	1.85	0.59
5:A:97:GLU:HG3	6:B:275:ALA:HB3	1.85	0.58
4:Q:135:ASN:HB3	7:O:95:ALA:HB2	1.84	0.58
6:M:15:PHE:CE2	6:M:362:ILE:HD11	2.39	0.57
4:Q:124:VAL:HG11	7:O:88:ALA:HB2	1.86	0.57
5:L:395:LEU:HD22	6:M:98:GLN:HG2	1.85	0.56
14:C:505:CDL:HB32	1:N:3:LEU:HD11	1.87	0.56
4:Q:96:HIS:O	4:Q:100:GLU:HG2	2.06	0.56
2:P:84:VAL:CG2	13:P:302:PTY:C43	2.84	0.56
5:A:395:LEU:HD23	6:B:34:ILE:HD12	1.87	0.56
5:L:432:GLU:HG3	5:L:433:HIS:N	2.21	0.56
3:G:50:GLU:HA	3:G:55:MET:HG2	1.88	0.56
4:F:124:VAL:HG11	7:D:88:ALA:HB2	1.87	0.56
5:A:43:SER:CB	5:A:222:HIS:HD2	2.18	0.56
6:M:247:LEU:HD13	6:M:393:LEU:HB3	1.87	0.55
13:C:504:PTY:HC12	13:C:504:PTY:H112	1.88	0.55
1:C:3:LEU:HD11	14:N:505:CDL:HB32	1.87	0.55
11:C:501:HEM:HHD	11:C:501:HEM:CBC	2.36	0.55
7:D:127:CYS:SG	17:D:401:HEC:C3C	2.95	0.55
13:P:302:PTY:H311	13:P:302:PTY:H141	1.89	0.54
7:O:127:CYS:SG	17:O:401:HEC:C3C	2.95	0.54
4:F:102:VAL:HG13	7:D:227:ALA:HB2	1.90	0.54
5:L:382:VAL:HG21	5:L:432:GLU:HA	1.89	0.54
9:I:22:ILE:HG21	12:I:201:PC1:H331	1.89	0.53
5:A:378:SER:HA	5:A:432:GLU:OE1	2.09	0.53
11:N:501:HEM:HHD	11:N:501:HEM:CBC	2.37	0.53
2:P:72:PHE:HE2	13:N:504:PTY:H152	1.74	0.53
6:B:236:ARG:HD3	6:M:170:TYR:CE2	2.44	0.53
7:D:145:THR:O	7:D:149:LYS:HG3	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:P:84:VAL:HG22	13:P:302:PTY:C44	2.30	0.52
6:B:15:PHE:CG	6:B:362:ILE:HD13	2.44	0.52
6:B:41:LEU:CD2	6:B:191:VAL:HG22	2.39	0.52
6:M:354:ASN:HD21	6:M:356:ASP:HB3	1.74	0.52
5:L:379:ASN:HB2	5:L:383:GLU:HG2	1.92	0.52
10:U:11:LYS:HG2	10:U:12:PRO:HD2	1.91	0.52
13:N:504:PTY:H111	12:T:201:PC1:O31	2.11	0.51
5:L:97:GLU:HG3	6:M:275:ALA:HB3	1.91	0.51
5:A:96:ILE:HG12	5:A:103:LEU:HD13	1.93	0.51
4:F:98:PHE:O	4:F:102:VAL:HG23	2.11	0.50
6:B:15:PHE:CE2	6:B:362:ILE:HD11	2.46	0.50
3:G:17:SER:HB3	3:G:20:LEU:HB2	1.93	0.50
5:L:395:LEU:HD23	6:M:34:ILE:HD12	1.94	0.50
6:M:15:PHE:CG	6:M:362:ILE:HD13	2.47	0.50
6:M:59:LYS:HB3	6:M:129:VAL:HG13	1.93	0.49
6:B:100:LEU:CB	6:B:102:GLN:HE22	2.26	0.49
6:M:318:ALA:O	6:M:322:VAL:HG23	2.13	0.48
13:N:504:PTY:H362	13:N:504:PTY:H331	1.49	0.48
6:B:247:LEU:HD13	6:B:393:LEU:HB3	1.93	0.48
6:M:41:LEU:CD2	6:M:191:VAL:HG22	2.43	0.48
14:A:3001:CDL:H1	14:A:3002:CDL:HA4	1.95	0.47
6:M:236:ARG:HG3	6:M:407:VAL:HG22	1.95	0.47
6:M:19:GLU:OE1	6:M:24:LYS:HG3	2.14	0.47
13:P:302:PTY:H161	13:P:302:PTY:H132	1.72	0.47
14:A:3002:CDL:H132	14:A:3002:CDL:H522	1.96	0.47
13:P:302:PTY:H331	13:P:302:PTY:H361	1.59	0.47
10:U:29:SER:HA	10:U:32:ILE:HG12	1.97	0.47
7:D:124:CYS:SG	17:D:401:HEC:C3B	3.02	0.47
14:S:702:CDL:H311	14:S:702:CDL:HA62	1.56	0.47
6:M:87:HIS:CE1	6:M:356:ASP:OD1	2.68	0.46
13:E:301:PTY:H132	13:E:301:PTY:H161	1.54	0.46
5:L:96:ILE:HG12	5:L:103:LEU:HD13	1.97	0.46
11:C:501:HEM:CHD	11:C:501:HEM:CBC	2.93	0.46
2:P:53:LYS:NZ	18:P:401:HOH:O	2.37	0.46
1:C:190:LEU:HD21	11:C:502:HEM:HBB1	1.97	0.46
6:M:36:ASP:OD1	6:M:98:GLN:HG3	2.14	0.46
1:N:226:SER:HB3	13:N:504:PTY:H331	1.97	0.46
6:B:170:TYR:CE1	6:M:236:ARG:HD3	2.51	0.46
9:T:19:VAL:HG22	12:T:201:PC1:H332	1.98	0.46
6:B:100:LEU:HB2	6:B:103:ASP:OD2	2.15	0.45
15:J:101:LMT:H52	15:J:101:LMT:H21	1.67	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:82:LYS:HD3	5:A:82:LYS:HA	1.75	0.45
13:E:301:PTY:H352	13:E:301:PTY:H381	1.47	0.45
13:N:504:PTY:H112	12:T:201:PC1:H242	1.99	0.45
6:M:15:PHE:CE2	6:M:362:ILE:CD1	2.99	0.45
7:O:124:CYS:SG	17:O:401:HEC:C3B	3.03	0.45
2:P:84:VAL:HG23	13:P:302:PTY:H431	1.96	0.45
1:N:229:ASP:HB2	13:N:504:PTY:H382	1.98	0.45
13:N:504:PTY:H402	13:N:504:PTY:H372	1.73	0.45
6:B:15:PHE:CE2	6:B:362:ILE:CD1	3.00	0.44
13:P:302:PTY:H352	13:P:302:PTY:H381	1.70	0.44
1:N:165:LEU:O	1:N:178:ARG:HD2	2.17	0.44
10:U:32:ILE:HB	10:U:33:PRO:HD3	2.00	0.44
1:C:184:TYR:CD2	11:C:501:HEM:HBC1	2.53	0.44
13:C:504:PTY:H132	2:E:72:PHE:CE2	2.53	0.44
14:H:702:CDL:H311	14:H:702:CDL:HA62	1.54	0.44
1:C:165:LEU:O	1:C:178:ARG:HD2	2.18	0.44
1:C:202:HIS:HD2	15:C:506:LMT:O3'	2.00	0.44
6:B:24:LYS:HB3	6:B:366:LEU:HD22	1.99	0.44
1:N:202:HIS:HD2	15:N:506:LMT:O3'	2.01	0.44
17:D:401:HEC:HAB	17:D:401:HEC:HHC	1.80	0.44
4:F:103:GLU:H	4:F:103:GLU:HG2	1.64	0.43
12:I:201:PC1:H351	12:I:201:PC1:H322	1.80	0.43
2:P:45:ILE:HG21	5:L:176:MET:HE2	2.00	0.43
6:B:84:LEU:HD12	6:B:97:THR:HG22	1.99	0.43
1:N:234:PHE:CZ	7:O:303:MET:HE2	2.53	0.43
5:A:375:THR:C	5:A:436:ARG:HH12	2.26	0.43
1:N:139:MET:HE1	1:N:269:ILE:HA	1.99	0.43
1:C:234:PHE:CZ	7:D:303:MET:HE2	2.53	0.43
1:N:184:TYR:CD2	11:N:501:HEM:HBC1	2.53	0.43
1:N:253:HIS:HD2	1:N:255:ASP:H	1.66	0.43
3:R:55:MET:HB3	3:R:55:MET:HE3	1.87	0.43
3:R:55:MET:HE1	3:R:102:LEU:HD21	2.00	0.43
1:C:218:LYS:NZ	18:C:610:HOH:O	2.52	0.42
5:L:375:THR:C	5:L:436:ARG:HH12	2.26	0.42
5:A:176:MET:HE2	2:E:45:ILE:HG21	2.00	0.42
5:L:395:LEU:HD11	6:M:81:GLY:O	2.20	0.42
5:A:43:SER:HB3	5:A:222:HIS:CD2	2.50	0.42
5:L:392:GLY:HA2	5:L:395:LEU:HD12	2.01	0.42
5:A:395:LEU:HD11	6:B:81:GLY:O	2.19	0.42
6:M:41:LEU:HD23	6:M:191:VAL:HG22	2.00	0.42
4:F:96:HIS:O	4:F:100:GLU:HG2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:41:LEU:HD23	6:B:191:VAL:HG22	2.01	0.42
6:B:263:LEU:HA	6:B:277:PRO:HG2	2.00	0.42
6:M:262:PHE:HB2	6:M:340:ALA:HB2	2.01	0.42
7:D:312:LYS:HE3	14:H:702:CDL:H112	2.02	0.42
6:M:354:ASN:ND2	6:M:356:ASP:HB3	2.35	0.42
13:E:301:PTY:H311	13:E:301:PTY:H141	2.02	0.42
1:N:227:PHE:HZ	13:N:504:PTY:HC6	1.85	0.41
6:M:19:GLU:OE2	6:M:22:GLY:CA	2.68	0.41
3:R:71:VAL:HG11	8:S:21:GLN:HG2	2.02	0.41
5:A:432:GLU:HG3	5:A:433:HIS:HB2	2.02	0.41
6:M:105:PRO:HB2	10:U:10:LYS:HA	2.01	0.41
6:B:170:TYR:CE2	6:M:236:ARG:HD2	2.55	0.41
5:L:395:LEU:CD2	6:M:98:GLN:HG2	2.50	0.41
6:M:332:VAL:O	6:M:383:PRO:HB3	2.20	0.41
12:C:503:PC1:O32	8:H:55:GLN:HB3	2.20	0.41
13:N:504:PTY:H311	13:N:504:PTY:H342	1.36	0.41
1:C:126:ILE:HG22	1:C:130:MET:HE2	2.03	0.41
1:C:227:PHE:CZ	13:C:504:PTY:H322	2.56	0.41
14:S:701:CDL:OB3	14:S:702:CDL:O1	2.37	0.41
7:D:134:ALA:HA	7:D:177:TYR:HA	2.03	0.41
5:L:123:VAL:N	5:L:124:PRO:CD	2.84	0.41
5:L:260:ILE:HA	5:L:261:PRO:HD3	1.95	0.40
6:B:100:LEU:HB3	6:B:102:GLN:HE22	1.85	0.40
14:H:701:CDL:OB3	14:H:702:CDL:O1	2.36	0.40
2:P:83:THR:HA	13:P:302:PTY:H121	2.03	0.40
3:G:71:VAL:HG11	8:H:21:GLN:HG2	2.02	0.40
1:C:226:SER:HB3	13:C:504:PTY:H331	2.03	0.40
8:S:51:ARG:HH21	14:S:701:CDL:HA22	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	382/385 (99%)	375 (98%)	7 (2%)	0	100	100
1	N	381/385 (99%)	374 (98%)	7 (2%)	0	100	100
2	E	62/225 (28%)	61 (98%)	1 (2%)	0	100	100
2	P	61/225 (27%)	59 (97%)	2 (3%)	0	100	100
3	G	122/128 (95%)	122 (100%)	0	0	100	100
3	R	122/128 (95%)	122 (100%)	0	0	100	100
4	F	69/137 (50%)	67 (97%)	2 (3%)	0	100	100
4	Q	69/137 (50%)	67 (97%)	2 (3%)	0	100	100
5	A	434/474 (92%)	424 (98%)	10 (2%)	0	100	100
5	L	434/474 (92%)	422 (97%)	12 (3%)	0	100	100
6	B	400/417 (96%)	383 (96%)	16 (4%)	1 (0%)	36	35
6	M	400/417 (96%)	386 (96%)	14 (4%)	0	100	100
7	D	242/330 (73%)	238 (98%)	4 (2%)	0	100	100
7	O	242/330 (73%)	238 (98%)	4 (2%)	0	100	100
8	H	83/93 (89%)	82 (99%)	1 (1%)	0	100	100
8	S	83/93 (89%)	82 (99%)	1 (1%)	0	100	100
9	I	52/69 (75%)	51 (98%)	1 (2%)	0	100	100
9	T	52/69 (75%)	51 (98%)	1 (2%)	0	100	100
10	J	73/82 (89%)	71 (97%)	2 (3%)	0	100	100
10	U	73/82 (89%)	71 (97%)	2 (3%)	0	100	100
All	All	3836/4680 (82%)	3746 (98%)	89 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	B	369	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	332/333 (100%)	330 (99%)	2 (1%)	78	85
1	N	331/333 (99%)	329 (99%)	2 (1%)	78	85
2	E	51/182 (28%)	48 (94%)	3 (6%)	18	14
2	P	50/182 (28%)	49 (98%)	1 (2%)	48	54
3	G	113/117 (97%)	110 (97%)	3 (3%)	39	42
3	R	113/117 (97%)	111 (98%)	2 (2%)	51	58
4	F	61/123 (50%)	60 (98%)	1 (2%)	55	62
4	Q	61/123 (50%)	61 (100%)	0	100	100
5	A	377/407 (93%)	370 (98%)	7 (2%)	50	56
5	L	377/407 (93%)	367 (97%)	10 (3%)	39	42
6	B	311/322 (97%)	296 (95%)	15 (5%)	23	21
6	M	311/322 (97%)	301 (97%)	10 (3%)	34	35
7	D	192/268 (72%)	192 (100%)	0	100	100
7	O	192/268 (72%)	192 (100%)	0	100	100
8	H	67/71 (94%)	67 (100%)	0	100	100
8	S	67/71 (94%)	67 (100%)	0	100	100
9	I	46/57 (81%)	46 (100%)	0	100	100
9	T	46/57 (81%)	46 (100%)	0	100	100
10	J	63/68 (93%)	60 (95%)	3 (5%)	23	21
10	U	63/68 (93%)	62 (98%)	1 (2%)	55	62
All	All	3224/3896 (83%)	3164 (98%)	60 (2%)	49	56

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	197	HIS
1	C	324	LEU
2	P	62	ARG
3	G	22	LYS
3	G	32	VAL
3	G	65	THR
4	F	103	GLU
5	A	82	LYS
5	A	87	ARG
5	A	94	LEU
5	A	137	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	A	141	GLU
5	A	205	GLU
5	A	397	LEU
6	B	50	VAL
6	B	58	GLU
6	B	60	PHE
6	B	72	ARG
6	B	180	GLU
6	B	215	GLN
6	B	236	ARG
6	B	247	LEU
6	B	261	SER
6	B	268	SER
6	B	273	VAL
6	B	322	VAL
6	B	332	VAL
6	B	371	SER
6	B	376	GLU
10	J	11	LYS
10	J	15	LYS
10	J	73	ARG
1	N	197	HIS
1	N	270	VAL
2	E	54	LYS
2	E	55	ASP
2	E	62	ARG
3	R	22	LYS
3	R	65	THR
5	L	29	LYS
5	L	94	LEU
5	L	99	MET
5	L	137	SER
5	L	144	ILE
5	L	183	THR
5	L	185	LEU
5	L	205	GLU
5	L	397	LEU
5	L	441	LYS
6	M	50	VAL
6	M	58	GLU
6	M	60	PHE
6	M	72	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	M	215	GLN
6	M	292	THR
6	M	322	VAL
6	M	331	GLU
6	M	332	VAL
6	M	376	GLU
10	U	73	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (43) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	22	GLN
1	C	73	ASN
1	C	173	ASN
1	C	202	HIS
2	P	90	ASN
4	F	109	GLN
4	F	132	HIS
5	A	50	GLN
5	A	74	HIS
5	A	98	ASN
5	A	159	ASN
5	A	222	HIS
5	A	410	GLN
6	B	28	GLN
6	B	122	GLN
6	B	163	ASN
6	B	196	ASN
6	B	215	GLN
6	B	319	HIS
6	B	408	HIS
7	D	193	GLN
7	D	208	HIS
7	D	269	GLN
1	N	22	GLN
1	N	73	ASN
1	N	202	HIS
1	N	253	HIS
2	E	90	ASN
4	Q	109	GLN
4	Q	132	HIS
5	L	159	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	L	410	GLN
6	M	122	GLN
6	M	184	GLN
6	M	215	GLN
6	M	354	ASN
6	M	408	HIS
7	O	90	HIS
7	O	193	GLN
7	O	208	HIS
7	O	269	GLN
9	T	49	GLN
10	U	70	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
14	CDL	N	505	-	47,47,99	0.40	0	53,59,111	0.72	1 (1%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	LMT	C	506	-	36,36,36	0.41	0	47,47,47	1.10	3 (6%)
13	PTY	P	302	-	40,40,49	0.38	0	43,45,54	0.57	0
14	CDL	S	701	-	49,49,99	0.35	0	55,61,111	0.63	0
12	PC1	I	201	-	31,31,53	0.38	0	37,39,61	0.64	0
13	PTY	E	301	-	40,40,49	0.39	0	43,45,54	0.43	0
12	PC1	C	503	-	37,37,53	0.60	0	43,45,61	1.01	4 (9%)
11	HEM	N	501	1	50,50,50	1.61	8 (16%)	66,82,82	1.85	19 (28%)
14	CDL	H	701	-	49,49,99	0.35	0	55,61,111	0.58	0
14	CDL	A	3002	-	46,46,99	0.36	0	51,56,111	0.85	3 (5%)
14	CDL	C	505	-	47,47,99	0.40	0	53,59,111	0.73	1 (1%)
11	HEM	C	502	1	50,50,50	1.62	7 (14%)	66,82,82	1.94	17 (25%)
14	CDL	S	702	-	38,38,99	0.38	0	44,50,111	0.97	2 (4%)
14	CDL	L	3001	-	41,41,99	0.38	0	45,51,111	0.80	2 (4%)
15	LMT	P	301	-	36,36,36	0.42	0	47,47,47	0.85	2 (4%)
12	PC1	N	503	-	37,37,53	0.60	0	43,45,61	0.91	3 (6%)
11	HEM	N	502	1	50,50,50	1.63	9 (18%)	66,82,82	2.01	19 (28%)
17	HEC	D	401	7	50,50,50	2.67	26 (52%)	68,82,82	2.83	35 (51%)
12	PC1	T	201	-	31,31,53	0.36	0	37,39,61	0.52	0
13	PTY	C	504	-	40,40,49	0.32	0	43,45,54	0.76	1 (2%)
14	CDL	A	3001	-	41,41,99	0.41	0	45,51,111	0.63	1 (2%)
15	LMT	N	506	-	36,36,36	0.40	0	47,47,47	1.04	3 (6%)
14	CDL	H	702	-	38,38,99	0.37	0	44,50,111	0.97	2 (4%)
16	XP4	A	3003	-	23,23,39	1.33	2 (8%)	27,28,44	1.83	8 (29%)
11	HEM	C	501	1	50,50,50	1.60	8 (16%)	66,82,82	1.87	18 (27%)
16	XP4	L	3003	-	23,23,39	1.34	2 (8%)	27,28,44	1.75	7 (25%)
15	LMT	J	101	-	36,36,36	0.43	0	47,47,47	1.27	4 (8%)
17	HEC	O	401	7	50,50,50	2.67	26 (52%)	68,82,82	2.83	35 (51%)
14	CDL	L	3002	-	46,46,99	0.34	0	51,56,111	0.83	3 (5%)
13	PTY	N	504	-	40,40,49	0.31	0	43,45,54	0.63	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	CDL	N	505	-	-	30/57/57/110	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	LMT	C	506	-	-	16/21/61/61	0/2/2/2
13	PTY	P	302	-	-	25/44/44/53	-
14	CDL	S	701	-	-	29/59/59/110	-
12	PC1	I	201	-	-	15/35/35/57	-
13	PTY	E	301	-	-	27/44/44/53	-
12	PC1	C	503	-	-	11/41/41/57	-
11	HEM	N	501	1	-	4/14/54/54	-
14	CDL	H	701	-	-	28/59/59/110	-
14	CDL	A	3002	-	-	27/54/54/110	-
14	CDL	C	505	-	-	29/57/57/110	-
11	HEM	C	502	1	-	4/14/54/54	-
14	CDL	S	702	-	-	27/48/48/110	-
14	CDL	L	3001	-	-	20/48/48/110	-
15	LMT	P	301	-	-	6/21/61/61	0/2/2/2
17	HEC	D	401	7	1/1/3/7	8/14/54/54	-
11	HEM	N	502	1	-	4/14/54/54	-
12	PC1	N	503	-	-	11/41/41/57	-
12	PC1	T	201	-	-	10/35/35/57	-
13	PTY	C	504	-	-	32/44/44/53	-
14	CDL	A	3001	-	-	14/48/48/110	-
15	LMT	N	506	-	-	12/21/61/61	0/2/2/2
14	CDL	H	702	-	-	27/48/48/110	-
16	XP4	A	3003	-	-	0/24/24/41	-
11	HEM	C	501	1	-	4/14/54/54	-
16	XP4	L	3003	-	-	0/24/24/41	-
15	LMT	J	101	-	-	10/21/61/61	0/2/2/2
17	HEC	O	401	7	1/1/3/7	8/14/54/54	-
14	CDL	L	3002	-	-	26/54/54/110	-
13	PTY	N	504	-	-	29/44/44/53	-

All (88) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	O	401	HEC	C4B-NB	-5.85	1.30	1.40
17	D	401	HEC	C4B-NB	-5.83	1.30	1.40
11	C	502	HEM	FE-NB	5.60	2.12	1.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	N	501	HEM	FE-NB	5.53	2.12	1.94
11	C	501	HEM	FE-NB	5.48	2.11	1.94
11	N	502	HEM	FE-NB	5.08	2.10	1.94
16	L	3003	XP4	O7-C18	4.61	1.45	1.35
16	A	3003	XP4	O7-C18	4.43	1.45	1.35
17	D	401	HEC	FE-ND	4.39	2.08	1.94
17	O	401	HEC	C3D-C2D	4.38	1.46	1.36
17	O	401	HEC	C2A-C3A	4.38	1.46	1.36
17	D	401	HEC	C3D-C2D	4.37	1.46	1.36
17	O	401	HEC	FE-ND	4.36	2.08	1.94
17	D	401	HEC	C2A-C3A	4.36	1.46	1.36
17	D	401	HEC	CHA-C1A	4.23	1.46	1.38
17	O	401	HEC	CHA-C1A	4.20	1.46	1.38
17	O	401	HEC	FE-NA	4.16	2.09	1.95
17	D	401	HEC	FE-NA	4.11	2.09	1.95
11	N	501	HEM	FE-NC	4.10	2.09	1.95
17	D	401	HEC	C3B-C2B	4.08	1.45	1.36
11	N	502	HEM	C1B-NB	-4.07	1.33	1.40
11	C	501	HEM	FE-NC	4.07	2.08	1.95
17	O	401	HEC	C3B-C2B	4.06	1.45	1.36
17	D	401	HEC	FE-NB	4.02	2.07	1.94
17	O	401	HEC	FE-NB	4.02	2.07	1.94
11	C	502	HEM	C1B-NB	-3.95	1.33	1.40
11	C	502	HEM	FE-NC	3.90	2.08	1.95
17	O	401	HEC	C1D-ND	-3.89	1.33	1.40
11	N	501	HEM	C1B-NB	-3.87	1.33	1.40
17	O	401	HEC	FE-NC	3.84	2.08	1.95
11	C	501	HEM	C1B-NB	-3.83	1.33	1.40
17	D	401	HEC	C1D-ND	-3.82	1.33	1.40
17	D	401	HEC	FE-NC	3.79	2.08	1.95
17	O	401	HEC	C4A-NA	-3.77	1.32	1.39
17	D	401	HEC	C4A-NA	-3.65	1.32	1.39
17	D	401	HEC	C1B-NB	-3.64	1.31	1.38
16	A	3003	XP4	O5-C4	3.63	1.43	1.33
17	D	401	HEC	C1A-NA	-3.63	1.32	1.39
17	O	401	HEC	C1A-NA	-3.57	1.32	1.39
16	L	3003	XP4	O5-C4	3.56	1.43	1.33
17	O	401	HEC	C1B-NB	-3.55	1.31	1.38
11	N	502	HEM	FE-NC	3.50	2.07	1.95
17	D	401	HEC	CHB-C4A	3.44	1.45	1.38
17	O	401	HEC	CHB-C4A	3.44	1.45	1.38
17	D	401	HEC	CHD-C1D	3.41	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	N	502	HEM	C4D-ND	-3.39	1.34	1.40
17	O	401	HEC	CHD-C1D	3.35	1.45	1.38
17	D	401	HEC	CHA-C4D	3.33	1.46	1.39
11	C	502	HEM	C4D-ND	-3.33	1.34	1.40
17	O	401	HEC	CHA-C4D	3.29	1.46	1.39
17	D	401	HEC	C3C-C2C	3.23	1.47	1.38
17	O	401	HEC	C3C-C2C	3.23	1.47	1.38
17	O	401	HEC	C4C-NC	-3.21	1.33	1.39
17	D	401	HEC	C4C-NC	-3.17	1.33	1.39
17	D	401	HEC	CHD-C4C	3.03	1.46	1.39
11	C	501	HEM	C4D-ND	-3.01	1.35	1.40
17	O	401	HEC	CHD-C4C	2.98	1.46	1.39
17	O	401	HEC	CHC-C4B	2.98	1.44	1.38
11	N	501	HEM	C4D-ND	-2.98	1.35	1.40
17	O	401	HEC	CHC-C1C	2.94	1.46	1.39
17	D	401	HEC	CHC-C1C	2.92	1.46	1.39
17	D	401	HEC	CHC-C4B	2.89	1.44	1.38
11	N	502	HEM	C1C-C2C	-2.85	1.39	1.45
11	N	502	HEM	C4B-NB	-2.77	1.33	1.38
17	O	401	HEC	C4D-ND	-2.76	1.33	1.38
11	C	502	HEM	C1C-C2C	-2.71	1.40	1.45
17	D	401	HEC	C4D-ND	-2.70	1.33	1.38
11	N	501	HEM	C4B-NB	-2.67	1.33	1.38
11	C	501	HEM	C4B-NB	-2.66	1.33	1.38
11	C	502	HEM	C4B-NB	-2.65	1.33	1.38
11	N	502	HEM	C3C-C4C	-2.47	1.41	1.46
17	O	401	HEC	C1C-NC	-2.46	1.35	1.39
11	C	502	HEM	C3C-C4C	-2.45	1.41	1.46
17	D	401	HEC	C1C-NC	-2.44	1.35	1.39
11	C	501	HEM	O2D-CGD	-2.38	1.22	1.30
11	N	501	HEM	O2D-CGD	-2.36	1.22	1.30
11	N	501	HEM	C1C-NC	-2.29	1.35	1.39
11	C	501	HEM	C1C-NC	-2.24	1.35	1.39
11	C	501	HEM	C1C-C2C	-2.17	1.41	1.45
11	N	501	HEM	C1C-C2C	-2.17	1.41	1.45
17	O	401	HEC	CAB-C3B	-2.14	1.45	1.51
17	D	401	HEC	C1C-C2C	2.11	1.48	1.43
11	N	502	HEM	C1D-ND	-2.10	1.34	1.38
11	N	502	HEM	C4C-NC	-2.08	1.35	1.39
17	D	401	HEC	CHB-C1B	2.08	1.44	1.39
17	D	401	HEC	CAB-C3B	-2.08	1.45	1.51
17	O	401	HEC	C1C-C2C	2.07	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	O	401	HEC	CHB-C1B	2.05	1.43	1.39

All (194) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	O	401	HEC	C1B-C2B-C3B	-9.23	97.25	106.96
17	D	401	HEC	C1B-C2B-C3B	-9.13	97.35	106.96
17	D	401	HEC	C2B-C1B-NB	6.60	117.79	109.88
17	O	401	HEC	C2B-C1B-NB	6.57	117.75	109.88
17	O	401	HEC	CAA-CBA-CGA	-6.26	100.13	113.60
17	D	401	HEC	CAA-CBA-CGA	-6.19	100.28	113.60
16	A	3003	XP4	O7-C18-C19	6.07	122.26	111.09
17	D	401	HEC	C1C-C2C-C3C	-5.78	100.07	106.83
16	L	3003	XP4	O7-C18-C19	5.72	121.62	111.09
17	O	401	HEC	C1C-C2C-C3C	-5.70	100.16	106.83
11	C	502	HEM	C4C-NC-C1C	5.40	110.64	105.35
17	O	401	HEC	CAB-C3B-C4B	-5.32	117.90	124.81
11	N	502	HEM	CHD-C4C-NC	5.27	130.14	124.44
17	D	401	HEC	CAB-C3B-C4B	-5.26	117.98	124.81
11	C	502	HEM	CHD-C4C-NC	5.18	130.05	124.44
15	J	101	LMT	C1-O1'-C1'	-5.03	105.50	113.84
11	N	502	HEM	C4C-NC-C1C	4.82	110.07	105.35
11	N	502	HEM	CHC-C4B-NB	4.78	129.62	124.42
11	N	501	HEM	C1B-NB-C4B	4.70	109.93	105.07
11	C	501	HEM	C1B-NB-C4B	4.60	109.83	105.07
11	C	502	HEM	CHC-C4B-NB	4.57	129.39	124.42
17	D	401	HEC	C2A-C1A-NA	4.45	114.65	110.32
17	O	401	HEC	C2D-C1D-ND	4.43	115.09	109.84
11	C	502	HEM	C1B-NB-C4B	4.39	109.61	105.07
17	D	401	HEC	C2D-C1D-ND	4.32	114.95	109.84
17	O	401	HEC	C1D-C2D-C3D	-4.30	102.44	106.96
17	O	401	HEC	C2A-C1A-NA	4.29	114.50	110.32
17	D	401	HEC	CAB-C3B-C2B	4.26	134.81	127.53
17	D	401	HEC	C1D-C2D-C3D	-4.22	102.52	106.96
11	N	501	HEM	CHD-C1D-ND	4.18	128.96	124.42
17	O	401	HEC	CAB-C3B-C2B	4.15	134.63	127.53
11	N	502	HEM	C1B-NB-C4B	4.10	109.31	105.07
11	C	501	HEM	CHD-C1D-ND	4.06	128.83	124.42
11	N	502	HEM	O2A-CGA-O1A	-4.00	113.33	123.30
17	O	401	HEC	CBB-CAB-C3B	3.82	122.96	112.43
17	D	401	HEC	CBB-CAB-C3B	3.81	122.93	112.43
17	O	401	HEC	C3D-C4D-ND	3.75	113.99	110.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	N	502	HEM	CHD-C1D-ND	3.75	128.49	124.42
11	C	501	HEM	CBC-CAC-C3C	-3.74	109.02	127.62
11	C	501	HEM	CHC-C4B-NB	3.73	128.47	124.42
11	N	501	HEM	CBC-CAC-C3C	-3.72	109.10	127.62
17	O	401	HEC	CBC-CAC-C3C	3.69	122.60	112.43
11	C	502	HEM	CHD-C1D-ND	3.66	128.40	124.42
17	D	401	HEC	C3D-C4D-ND	3.64	113.88	110.36
17	D	401	HEC	CBC-CAC-C3C	3.61	122.39	112.43
16	A	3003	XP4	O7-C18-O8	-3.58	115.86	122.96
11	N	501	HEM	CHC-C4B-NB	3.55	128.27	124.42
17	D	401	HEC	CHB-C1B-C2B	-3.54	119.45	124.98
17	D	401	HEC	C4A-C3A-C2A	-3.48	101.85	106.94
17	O	401	HEC	CHB-C1B-C2B	-3.47	119.56	124.98
11	C	501	HEM	C4A-NA-C1A	3.46	108.73	105.35
17	O	401	HEC	C4A-C3A-C2A	-3.45	101.90	106.94
11	N	502	HEM	CHA-C4D-ND	3.40	128.57	124.37
11	N	501	HEM	C4A-NA-C1A	3.33	108.61	105.35
12	C	503	PC1	O22-C21-C22	3.30	136.59	123.73
11	C	501	HEM	CAD-CBD-CGD	-3.28	106.55	113.60
11	N	501	HEM	CBA-CAA-C2A	-3.22	103.68	112.63
11	N	502	HEM	CHD-C1D-C2D	-3.20	119.99	124.98
11	C	501	HEM	CBA-CAA-C2A	-3.18	103.78	112.63
17	D	401	HEC	C3B-C4B-NB	3.18	113.71	110.17
11	N	501	HEM	CAD-CBD-CGD	-3.18	106.77	113.60
11	N	501	HEM	CHD-C1D-C2D	-3.18	120.02	124.98
11	N	501	HEM	CHA-C4D-ND	3.17	128.28	124.37
11	C	502	HEM	O2A-CGA-O1A	-3.17	115.40	123.30
11	C	501	HEM	CHD-C1D-C2D	-3.16	120.04	124.98
11	C	502	HEM	CHA-C4D-ND	3.16	128.27	124.37
12	C	503	PC1	O21-C21-C22	-3.15	104.72	111.50
16	L	3003	XP4	O7-C18-O8	-3.13	116.74	122.96
17	D	401	HEC	C3A-C4A-NA	3.11	115.43	109.69
11	C	501	HEM	CHA-C4D-ND	3.10	128.20	124.37
17	O	401	HEC	C3A-C4A-NA	3.09	115.39	109.69
14	A	3002	CDL	OA2-PA1-OA3	3.09	121.14	109.07
11	N	502	HEM	C4C-CHD-C1D	-3.08	119.41	126.06
17	O	401	HEC	C2C-C1C-NC	3.07	114.76	110.08
11	C	501	HEM	C4C-NC-C1C	3.05	108.34	105.35
11	N	501	HEM	C4C-NC-C1C	3.04	108.33	105.35
17	D	401	HEC	C2C-C1C-NC	3.04	114.70	110.08
11	C	502	HEM	O2D-CGD-CBD	3.02	123.74	114.03
11	C	502	HEM	CHD-C1D-C2D	-3.01	120.27	124.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	N	502	HEM	O2D-CGD-O1D	-2.95	115.94	123.30
17	O	401	HEC	C1A-C2A-C3A	-2.95	103.29	107.13
17	D	401	HEC	C1A-C2A-C3A	-2.93	103.31	107.13
17	O	401	HEC	C3B-C4B-NB	2.92	113.42	110.17
11	C	502	HEM	C4C-CHD-C1D	-2.92	119.75	126.06
14	L	3002	CDL	OA2-PA1-OA3	2.91	120.42	109.07
11	N	502	HEM	C4A-NA-C1A	2.91	108.19	105.35
17	O	401	HEC	CMB-C2B-C3B	2.89	133.95	126.12
17	D	401	HEC	CMB-C2B-C3B	2.89	133.95	126.12
11	N	502	HEM	CBD-CAD-C3D	-2.88	104.62	112.63
11	N	502	HEM	O2D-CGD-CBD	2.85	123.20	114.03
14	H	702	CDL	CB4-OB6-CB5	2.84	123.19	117.90
11	C	502	HEM	CBD-CAD-C3D	-2.84	104.73	112.63
15	J	101	LMT	C3-C2-C1	-2.84	100.91	113.49
14	L	3001	CDL	OB2-PB2-OB3	2.82	120.10	109.07
14	S	702	CDL	CB4-OB6-CB5	2.82	123.16	117.90
11	C	501	HEM	CHA-C1A-NA	2.82	129.03	123.85
14	L	3002	CDL	OA5-PA1-OA3	-2.80	98.12	109.07
17	O	401	HEC	CBD-CAD-C3D	-2.80	104.85	112.63
15	N	506	LMT	C1B-O5B-C5B	2.79	119.17	113.69
11	C	502	HEM	C4C-C3C-C2C	2.79	109.04	106.75
14	L	3001	CDL	OB6-CB4-CB3	-2.78	99.80	109.56
15	C	506	LMT	C1B-O5B-C5B	2.77	119.13	113.69
12	N	503	PC1	O22-C21-C22	2.77	134.53	123.73
14	S	702	CDL	OB6-CB4-CB6	2.76	118.39	108.40
11	C	501	HEM	O2D-CGD-O1D	-2.76	116.43	123.30
15	N	506	LMT	O5B-C5B-C4B	2.75	114.69	109.69
17	D	401	HEC	CMD-C2D-C1D	2.75	129.22	125.04
14	H	702	CDL	OB6-CB4-CB6	2.75	118.34	108.40
17	D	401	HEC	CBD-CAD-C3D	-2.74	105.00	112.63
11	N	501	HEM	O2D-CGD-O1D	-2.72	116.51	123.30
15	C	506	LMT	O5B-C5B-C4B	2.71	114.61	109.69
11	N	501	HEM	CAC-C3C-C4C	2.70	131.42	124.90
15	N	506	LMT	C3B-C4B-C5B	2.69	115.04	110.24
11	C	502	HEM	C4A-NA-C1A	2.69	107.98	105.35
11	C	501	HEM	CAC-C3C-C4C	2.69	131.39	124.90
17	D	401	HEC	CAD-C3D-C4D	2.67	129.32	124.66
13	C	504	PTY	O11-P1-O13	-2.66	98.68	109.07
15	C	506	LMT	C3B-C4B-C5B	2.66	114.98	110.24
11	N	501	HEM	CHA-C1A-NA	2.65	128.72	123.85
17	O	401	HEC	CAD-C3D-C4D	2.65	129.29	124.66
17	O	401	HEC	CMA-C3A-C4A	2.64	129.37	124.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	3002	CDL	OA5-PA1-OA3	-2.63	98.79	109.07
11	N	502	HEM	C4C-C3C-C2C	2.62	108.90	106.75
11	N	502	HEM	CHA-C4D-C3D	-2.61	120.43	125.33
17	O	401	HEC	CMD-C2D-C1D	2.60	128.99	125.04
11	C	501	HEM	C2A-C1A-NA	-2.58	107.26	110.15
17	D	401	HEC	CMA-C3A-C4A	2.56	129.23	124.71
11	C	501	HEM	CHA-C4D-C3D	-2.56	120.52	125.33
11	N	501	HEM	CHA-C4D-C3D	-2.56	120.52	125.33
17	D	401	HEC	CHB-C4A-NA	-2.54	121.69	124.44
15	J	101	LMT	O5'-C1'-O1'	-2.54	103.95	109.97
17	D	401	HEC	CAC-C3C-C2C	2.52	130.90	126.86
11	C	502	HEM	CHA-C4D-C3D	-2.49	120.66	125.33
17	O	401	HEC	CAA-C2A-C1A	2.48	129.58	124.89
11	C	501	HEM	C1A-CHA-C4D	-2.48	120.45	126.34
16	L	3003	XP4	O4-P1-O2	-2.47	99.53	106.47
11	N	501	HEM	C2A-C1A-NA	-2.47	107.38	110.15
17	O	401	HEC	CMB-C2B-C1B	2.47	128.80	125.04
11	N	502	HEM	O2A-CGA-CBA	2.46	121.93	114.03
17	D	401	HEC	CMC-C2C-C3C	2.45	130.91	125.61
17	O	401	HEC	C4D-C3D-C2D	-2.44	103.34	106.90
16	A	3003	XP4	O4-P1-O2	-2.44	99.64	106.47
17	O	401	HEC	CAC-C3C-C2C	2.43	130.75	126.86
17	D	401	HEC	CHC-C4B-C3B	-2.43	120.78	125.33
11	N	501	HEM	C1A-CHA-C4D	-2.42	120.59	126.34
17	D	401	HEC	CAA-C2A-C1A	2.42	129.45	124.89
17	O	401	HEC	CMC-C2C-C3C	2.42	130.83	125.61
17	O	401	HEC	CHC-C4B-C3B	-2.41	120.81	125.33
17	D	401	HEC	CMB-C2B-C1B	2.40	128.69	125.04
15	J	101	LMT	C1'-O5'-C5'	-2.40	108.98	113.69
17	D	401	HEC	CMC-C2C-C1C	2.40	129.02	125.37
17	D	401	HEC	C4D-C3D-C2D	-2.39	103.41	106.90
16	A	3003	XP4	O7-C2-C3	-2.39	99.74	108.40
17	O	401	HEC	CMC-C2C-C1C	2.39	129.00	125.37
17	O	401	HEC	CHB-C4A-NA	-2.38	121.86	124.44
14	A	3002	CDL	OA6-CA4-CA6	2.32	116.81	108.40
12	N	503	PC1	O21-C21-C22	-2.31	106.52	111.50
14	L	3002	CDL	OA6-CA4-CA6	2.30	116.73	108.40
17	O	401	HEC	C3C-C4C-NC	2.29	112.71	110.15
11	N	502	HEM	C1A-CHA-C4D	-2.28	120.92	126.34
11	C	502	HEM	O2D-CGD-O1D	-2.28	117.62	123.30
11	N	501	HEM	CAC-C3C-C2C	-2.26	121.16	128.60
11	C	501	HEM	CAC-C3C-C2C	-2.26	121.17	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	C	503	PC1	C23-C22-C21	2.26	121.83	113.62
11	N	502	HEM	CHB-C1B-NB	2.24	127.14	124.37
11	C	502	HEM	O2A-CGA-CBA	2.23	121.20	114.03
17	D	401	HEC	C3C-C4C-NC	2.23	112.64	110.15
16	A	3003	XP4	P1-O4-C1	2.23	124.43	118.30
14	A	3001	CDL	OB8-CB6-CB4	2.19	116.36	105.77
11	C	502	HEM	CHB-C1B-NB	2.17	127.05	124.37
11	N	501	HEM	C4B-C3B-C2B	-2.17	105.39	107.11
13	N	504	PTY	O14-P1-O13	-2.16	100.62	109.07
15	P	301	LMT	O6'-C6'-C5'	-2.15	103.93	111.29
16	L	3003	XP4	P1-O4-C1	2.14	124.19	118.30
17	O	401	HEC	CHD-C1D-C2D	-2.14	120.79	126.73
12	N	503	PC1	C23-C22-C21	2.13	121.37	113.62
11	C	501	HEM	O2A-CGA-O1A	-2.13	117.99	123.30
11	N	501	HEM	O2A-CGA-O1A	-2.12	118.02	123.30
11	N	502	HEM	CHA-C1A-NA	2.12	127.74	123.85
16	L	3003	XP4	O7-C2-C3	-2.10	100.78	108.40
12	C	503	PC1	O21-C21-O22	-2.09	118.65	123.70
16	L	3003	XP4	O5-C3-C2	-2.08	102.37	108.43
16	L	3003	XP4	O5-C4-O6	-2.08	118.34	123.59
15	P	301	LMT	O5'-C1'-O1'	-2.08	105.05	109.97
17	O	401	HEC	CHC-C1C-C2C	-2.06	121.42	127.24
17	D	401	HEC	CHD-C1D-C2D	-2.06	121.01	126.73
17	D	401	HEC	CAD-CBD-CGD	-2.04	109.22	113.60
16	A	3003	XP4	O5-C4-O6	-2.04	118.45	123.59
14	N	505	CDL	CB4-OB6-CB5	2.04	122.81	117.79
14	C	505	CDL	CB4-OB6-CB5	2.03	122.80	117.79
17	O	401	HEC	CAD-CBD-CGD	-2.03	109.24	113.60
16	A	3003	XP4	O5-C3-C2	-2.01	102.57	108.43
16	A	3003	XP4	O5-C4-C5	2.01	118.20	111.91
17	D	401	HEC	CHC-C1C-C2C	-2.00	121.58	127.24

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
17	D	401	HEC	NA
17	O	401	HEC	NA

All (493) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	I	201	PC1	C11-O13-P-O12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	I	201	PC1	C11-O13-P-O14
12	I	201	PC1	C11-O13-P-O11
12	T	201	PC1	C11-O13-P-O12
12	T	201	PC1	C11-O13-P-O14
12	T	201	PC1	C11-O13-P-O11
12	T	201	PC1	O21-C2-C3-O31
13	C	504	PTY	N1-C2-C3-O11
13	C	504	PTY	C11-C8-O7-C6
13	C	504	PTY	C3-O11-P1-O12
13	C	504	PTY	C3-O11-P1-O13
13	C	504	PTY	C3-O11-P1-O14
13	N	504	PTY	C11-C8-O7-C6
13	N	504	PTY	C5-O14-P1-O13
13	E	301	PTY	N1-C2-C3-O11
13	E	301	PTY	C3-O11-P1-O13
14	C	505	CDL	O1-C1-CA2-OA2
14	C	505	CDL	CB2-C1-CA2-OA2
14	C	505	CDL	CA3-OA5-PA1-OA3
14	C	505	CDL	C11-CA5-OA6-CA4
14	C	505	CDL	CB2-OB2-PB2-OB3
14	C	505	CDL	CB2-OB2-PB2-OB4
14	C	505	CDL	CB3-OB5-PB2-OB3
14	A	3001	CDL	OA5-CA3-CA4-OA6
14	A	3001	CDL	OB5-CB3-CB4-CB6
14	A	3001	CDL	CB3-CB4-CB6-OB8
14	A	3002	CDL	CA2-C1-CB2-OB2
14	A	3002	CDL	CA2-OA2-PA1-OA4
14	A	3002	CDL	CB2-OB2-PB2-OB3
14	A	3002	CDL	CB3-OB5-PB2-OB3
14	A	3002	CDL	OB5-CB3-CB4-OB6
14	H	701	CDL	C11-CA5-OA6-CA4
14	H	701	CDL	CB3-OB5-PB2-OB3
14	H	702	CDL	CA2-OA2-PA1-OA4
14	H	702	CDL	CA2-OA2-PA1-OA5
14	H	702	CDL	C31-CA7-OA8-CA6
14	H	702	CDL	CB2-OB2-PB2-OB3
14	H	702	CDL	CB2-OB2-PB2-OB5
14	H	702	CDL	CB3-OB5-PB2-OB2
14	H	702	CDL	CB3-OB5-PB2-OB4
14	H	702	CDL	C51-CB5-OB6-CB4
14	N	505	CDL	CB2-C1-CA2-OA2
14	N	505	CDL	CA3-OA5-PA1-OA3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	N	505	CDL	C11-CA5-OA6-CA4
14	N	505	CDL	CB2-OB2-PB2-OB3
14	N	505	CDL	CB2-OB2-PB2-OB4
14	N	505	CDL	CB3-OB5-PB2-OB3
14	L	3001	CDL	CA2-C1-CB2-OB2
14	L	3001	CDL	CB2-OB2-PB2-OB4
14	L	3001	CDL	CB3-CB4-CB6-OB8
14	L	3002	CDL	CA2-C1-CB2-OB2
14	L	3002	CDL	CA2-OA2-PA1-OA4
14	L	3002	CDL	CA2-OA2-PA1-OA5
14	L	3002	CDL	CB2-OB2-PB2-OB3
14	L	3002	CDL	CB3-OB5-PB2-OB3
14	L	3002	CDL	OB5-CB3-CB4-OB6
14	S	701	CDL	C11-CA5-OA6-CA4
14	S	701	CDL	CB3-OB5-PB2-OB3
14	S	702	CDL	CA2-OA2-PA1-OA4
14	S	702	CDL	CA2-OA2-PA1-OA5
14	S	702	CDL	C31-CA7-OA8-CA6
14	S	702	CDL	CB2-OB2-PB2-OB3
14	S	702	CDL	CB2-OB2-PB2-OB5
14	S	702	CDL	CB3-OB5-PB2-OB2
14	S	702	CDL	CB3-OB5-PB2-OB4
14	S	702	CDL	C51-CB5-OB6-CB4
14	H	702	CDL	OA9-CA7-OA8-CA6
14	S	702	CDL	OA9-CA7-OA8-CA6
14	A	3001	CDL	CB4-CB6-OB8-CB7
14	H	702	CDL	OB7-CB5-OB6-CB4
17	D	401	HEC	C2B-C3B-CAB-CBB
17	D	401	HEC	C4B-C3B-CAB-CBB
17	O	401	HEC	C2B-C3B-CAB-CBB
17	O	401	HEC	C4B-C3B-CAB-CBB
12	T	201	PC1	O32-C31-O31-C3
14	A	3001	CDL	OA9-CA7-OA8-CA6
14	H	701	CDL	OB9-CB7-OB8-CB6
14	H	702	CDL	OB9-CB7-OB8-CB6
14	S	701	CDL	OB9-CB7-OB8-CB6
14	S	702	CDL	OB9-CB7-OB8-CB6
17	D	401	HEC	C4C-C3C-CAC-CBC
17	O	401	HEC	C4C-C3C-CAC-CBC
14	S	702	CDL	OB7-CB5-OB6-CB4
17	D	401	HEC	C2C-C3C-CAC-CBC
17	O	401	HEC	C2C-C3C-CAC-CBC

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	C	504	PTY	O10-C8-O7-C6
13	N	504	PTY	O10-C8-O7-C6
14	C	505	CDL	OA7-CA5-OA6-CA4
14	H	701	CDL	OA7-CA5-OA6-CA4
14	N	505	CDL	OA7-CA5-OA6-CA4
14	S	701	CDL	OA7-CA5-OA6-CA4
14	L	3001	CDL	OA9-CA7-OA8-CA6
12	T	201	PC1	C32-C31-O31-C3
14	H	701	CDL	C71-CB7-OB8-CB6
14	H	702	CDL	C71-CB7-OB8-CB6
14	S	701	CDL	C71-CB7-OB8-CB6
14	S	702	CDL	C71-CB7-OB8-CB6
14	A	3001	CDL	C31-CA7-OA8-CA6
13	P	302	PTY	C37-C38-C39-C40
13	N	504	PTY	C31-C32-C33-C34
14	A	3002	CDL	O1-C1-CB2-OB2
14	H	702	CDL	O1-C1-CA2-OA2
14	N	505	CDL	O1-C1-CA2-OA2
14	L	3001	CDL	OA5-CA3-CA4-OA6
14	L	3001	CDL	OB5-CB3-CB4-OB6
14	L	3002	CDL	O1-C1-CB2-OB2
14	L	3001	CDL	C31-CA7-OA8-CA6
15	C	506	LMT	O5'-C5'-C6'-O6'
14	A	3001	CDL	OB6-CB4-CB6-OB8
14	A	3002	CDL	C11-CA5-OA6-CA4
14	L	3002	CDL	C11-CA5-OA6-CA4
15	N	506	LMT	O5'-C5'-C6'-O6'
14	L	3001	CDL	OB9-CB7-OB8-CB6
13	N	504	PTY	C33-C34-C35-C36
13	E	301	PTY	C13-C14-C15-C16
14	H	701	CDL	OA9-CA7-OA8-CA6
13	C	504	PTY	C31-C32-C33-C34
13	P	302	PTY	C35-C36-C37-C38
13	N	504	PTY	C37-C38-C39-C40
12	C	503	PC1	C32-C31-O31-C3
13	C	504	PTY	C35-C36-C37-C38
15	C	506	LMT	O5B-C5B-C6B-O6B
15	N	506	LMT	O5B-C5B-C6B-O6B
14	L	3001	CDL	OB5-CB3-CB4-CB6
14	L	3002	CDL	OA7-CA5-OA6-CA4
12	I	201	PC1	C32-C31-O31-C3
14	L	3001	CDL	C71-CB7-OB8-CB6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	P	302	PTY	C33-C34-C35-C36
13	N	504	PTY	C8-C11-C12-C13
13	P	302	PTY	C13-C14-C15-C16
13	E	301	PTY	C40-C41-C42-C43
15	C	506	LMT	C4'-C5'-C6'-O6'
15	N	506	LMT	C4'-C5'-C6'-O6'
14	L	3001	CDL	O1-C1-CB2-OB2
14	S	702	CDL	O1-C1-CA2-OA2
13	E	301	PTY	C30-C31-C32-C33
15	J	101	LMT	C4-C5-C6-C7
14	L	3001	CDL	OB6-CB4-CB6-OB8
15	J	101	LMT	O5B-C5B-C6B-O6B
14	H	701	CDL	C31-CA7-OA8-CA6
13	P	302	PTY	C31-C30-O4-C1
12	I	201	PC1	C31-C32-C33-C34
13	P	302	PTY	C30-C31-C32-C33
14	A	3002	CDL	CA7-C31-C32-C33
14	H	701	CDL	CB7-C71-C72-C73
14	N	505	CDL	CA7-C31-C32-C33
14	L	3002	CDL	CA7-C31-C32-C33
14	S	701	CDL	CB7-C71-C72-C73
13	E	301	PTY	C35-C36-C37-C38
12	N	503	PC1	C32-C31-O31-C3
14	A	3002	CDL	OA7-CA5-OA6-CA4
12	T	201	PC1	C21-C22-C23-C24
12	T	201	PC1	C31-C32-C33-C34
14	C	505	CDL	CA7-C31-C32-C33
14	A	3001	CDL	CB7-C71-C72-C73
12	I	201	PC1	C32-C33-C34-C35
12	C	503	PC1	O32-C31-O31-C3
13	E	301	PTY	C33-C34-C35-C36
14	H	702	CDL	O1-C1-CB2-OB2
14	S	702	CDL	O1-C1-CB2-OB2
12	I	201	PC1	O32-C31-O31-C3
14	S	701	CDL	CB5-C51-C52-C53
12	N	503	PC1	O32-C31-O31-C3
13	P	302	PTY	O30-C30-O4-C1
15	J	101	LMT	C2-C3-C4-C5
13	P	302	PTY	C5-O14-P1-O11
13	E	301	PTY	C5-O14-P1-O11
14	C	505	CDL	CB2-OB2-PB2-OB5
14	C	505	CDL	CB3-OB5-PB2-OB2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	A	3002	CDL	CA2-OA2-PA1-OA5
14	N	505	CDL	CB2-OB2-PB2-OB5
14	N	505	CDL	CB3-OB5-PB2-OB2
14	L	3001	CDL	CB2-OB2-PB2-OB5
14	L	3002	CDL	CB3-OB5-PB2-OB2
14	A	3002	CDL	C51-CB5-OB6-CB4
14	S	701	CDL	C31-CA7-OA8-CA6
12	I	201	PC1	C21-C22-C23-C24
14	A	3001	CDL	OA5-CA3-CA4-CA6
14	H	702	CDL	CB2-C1-CA2-OA2
14	H	702	CDL	CA2-C1-CB2-OB2
14	L	3001	CDL	OA5-CA3-CA4-CA6
14	S	702	CDL	CB2-C1-CA2-OA2
14	S	702	CDL	CA2-C1-CB2-OB2
14	H	701	CDL	CB5-C51-C52-C53
13	P	302	PTY	C41-C42-C43-C44
15	P	301	LMT	C4-C5-C6-C7
15	N	506	LMT	C7-C8-C9-C10
13	E	301	PTY	C38-C39-C40-C41
14	L	3002	CDL	C12-C13-C14-C15
14	A	3001	CDL	OB5-CB3-CB4-OB6
13	N	504	PTY	C32-C33-C34-C35
14	A	3002	CDL	C12-C13-C14-C15
14	H	701	CDL	C74-C75-C76-C77
15	C	506	LMT	C4-C5-C6-C7
13	E	301	PTY	C8-C11-C12-C13
14	L	3001	CDL	CB7-C71-C72-C73
13	P	302	PTY	C40-C41-C42-C43
14	A	3002	CDL	OB7-CB5-OB6-CB4
13	P	302	PTY	C34-C35-C36-C37
14	S	701	CDL	C74-C75-C76-C77
13	C	504	PTY	C13-C14-C15-C16
15	C	506	LMT	C5-C6-C7-C8
15	C	506	LMT	C6-C7-C8-C9
15	P	301	LMT	C3-C4-C5-C6
15	N	506	LMT	C2-C3-C4-C5
13	P	302	PTY	C31-C32-C33-C34
14	S	701	CDL	C11-C12-C13-C14
13	C	504	PTY	C15-C16-C17-C18
13	N	504	PTY	C14-C15-C16-C17
12	C	503	PC1	C28-C29-C2A-C2B
13	E	301	PTY	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	C	504	PTY	C37-C38-C39-C40
14	A	3001	CDL	C71-C72-C73-C74
14	H	701	CDL	C73-C74-C75-C76
15	C	506	LMT	C11-C10-C9-C8
13	C	504	PTY	C8-C11-C12-C13
14	S	701	CDL	CA5-C11-C12-C13
14	S	701	CDL	C73-C74-C75-C76
15	C	506	LMT	C3-C4-C5-C6
13	E	301	PTY	C16-C17-C18-C19
14	S	701	CDL	C71-C72-C73-C74
15	J	101	LMT	C2-C1-O1'-C1'
13	C	504	PTY	C14-C15-C16-C17
14	H	701	CDL	C71-C72-C73-C74
14	S	702	CDL	CB3-CB4-CB6-OB8
12	N	503	PC1	C28-C29-C2A-C2B
13	E	301	PTY	C12-C13-C14-C15
13	C	504	PTY	C38-C39-C40-C41
15	J	101	LMT	C6-C7-C8-C9
14	C	505	CDL	OB7-CB5-OB6-CB4
15	C	506	LMT	C7-C8-C9-C10
12	T	201	PC1	C33-C34-C35-C36
14	N	505	CDL	OB7-CB5-OB6-CB4
15	J	101	LMT	C7-C8-C9-C10
13	C	504	PTY	C12-C13-C14-C15
13	P	302	PTY	C11-C12-C13-C14
13	P	302	PTY	C16-C17-C18-C19
14	C	505	CDL	C51-CB5-OB6-CB4
14	H	701	CDL	C51-CB5-OB6-CB4
14	N	505	CDL	C51-CB5-OB6-CB4
14	S	701	CDL	C51-CB5-OB6-CB4
13	E	301	PTY	O14-C5-C6-O7
15	C	506	LMT	C4B-C5B-C6B-O6B
13	N	504	PTY	C30-C31-C32-C33
12	C	503	PC1	O21-C2-C3-O31
12	N	503	PC1	O21-C2-C3-O31
15	C	506	LMT	O1'-C1-C2-C3
15	N	506	LMT	C1-C2-C3-C4
15	N	506	LMT	C5-C6-C7-C8
13	C	504	PTY	C40-C41-C42-C43
14	S	701	CDL	OA9-CA7-OA8-CA6
13	C	504	PTY	C5-O14-P1-O11
13	N	504	PTY	C3-O11-P1-O14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	A	3002	CDL	CB3-OB5-PB2-OB2
15	N	506	LMT	C4B-C5B-C6B-O6B
14	L	3002	CDL	C51-CB5-OB6-CB4
13	E	301	PTY	O14-C5-C6-C1
14	H	702	CDL	OB5-CB3-CB4-CB6
14	S	702	CDL	OB5-CB3-CB4-CB6
12	N	503	PC1	C26-C27-C28-C29
15	C	506	LMT	C1-C2-C3-C4
14	L	3001	CDL	C71-C72-C73-C74
13	N	504	PTY	C34-C35-C36-C37
12	C	503	PC1	C22-C23-C24-C25
13	C	504	PTY	O4-C1-C6-C5
13	N	504	PTY	O4-C1-C6-C5
14	H	702	CDL	CB3-CB4-CB6-OB8
15	N	506	LMT	C9-C10-C11-C12
12	N	503	PC1	C22-C23-C24-C25
13	N	504	PTY	C41-C42-C43-C44
13	E	301	PTY	C41-C42-C43-C44
15	N	506	LMT	C3-C4-C5-C6
13	E	301	PTY	C31-C30-O4-C1
15	J	101	LMT	C9-C10-C11-C12
13	N	504	PTY	C17-C18-C19-C20
13	N	504	PTY	C36-C37-C38-C39
15	J	101	LMT	O5'-C5'-C6'-O6'
13	C	504	PTY	C41-C42-C43-C44
15	N	506	LMT	C6-C7-C8-C9
14	H	701	CDL	C75-C76-C77-C78
14	S	701	CDL	C75-C76-C77-C78
14	A	3002	CDL	CA6-CA4-OA6-CA5
14	L	3002	CDL	CA6-CA4-OA6-CA5
12	C	503	PC1	C26-C27-C28-C29
14	A	3002	CDL	C13-C14-C15-C16
14	H	702	CDL	OA5-CA3-CA4-OA6
13	N	504	PTY	C38-C39-C40-C41
15	P	301	LMT	C7-C8-C9-C10
15	C	506	LMT	C9-C10-C11-C12
14	L	3002	CDL	CA5-C11-C12-C13
14	C	505	CDL	OB6-CB4-CB6-OB8
14	N	505	CDL	OB6-CB4-CB6-OB8
13	P	302	PTY	C38-C39-C40-C41
14	A	3001	CDL	C72-C73-C74-C75
13	C	504	PTY	C33-C34-C35-C36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	N	504	PTY	C16-C17-C18-C19
13	C	504	PTY	C39-C40-C41-C42
14	S	701	CDL	OB7-CB5-OB6-CB4
15	J	101	LMT	C4B-C5B-C6B-O6B
13	N	504	PTY	O14-C5-C6-C1
14	A	3002	CDL	OA5-CA3-CA4-CA6
14	H	701	CDL	OB5-CB3-CB4-CB6
14	L	3002	CDL	OA5-CA3-CA4-CA6
14	S	701	CDL	OB5-CB3-CB4-CB6
13	E	301	PTY	C31-C32-C33-C34
14	H	701	CDL	OB7-CB5-OB6-CB4
14	A	3002	CDL	C34-C35-C36-C37
13	C	504	PTY	C11-C12-C13-C14
13	E	301	PTY	C14-C15-C16-C17
14	L	3002	CDL	C34-C35-C36-C37
12	N	503	PC1	C1-C2-C3-O31
12	T	201	PC1	C1-C2-C3-O31
14	H	701	CDL	CB3-CB4-CB6-OB8
14	S	701	CDL	CB3-CB4-CB6-OB8
13	E	301	PTY	C34-C35-C36-C37
14	L	3002	CDL	OB7-CB5-OB6-CB4
13	E	301	PTY	C3-O11-P1-O14
14	S	701	CDL	CB3-OB5-PB2-OB2
13	E	301	PTY	O30-C30-O4-C1
14	L	3002	CDL	C11-C12-C13-C14
14	L	3002	CDL	C13-C14-C15-C16
15	C	506	LMT	C2-C3-C4-C5
14	S	701	CDL	OB5-CB3-CB4-OB6
14	L	3001	CDL	C32-C33-C34-C35
14	A	3001	CDL	C73-C74-C75-C76
13	N	504	PTY	O4-C1-C6-O7
14	H	702	CDL	OB6-CB4-CB6-OB8
14	S	702	CDL	OB6-CB4-CB6-OB8
13	E	301	PTY	C32-C33-C34-C35
13	N	504	PTY	C13-C14-C15-C16
12	I	201	PC1	C22-C23-C24-C25
14	C	505	CDL	CA4-CA3-OA5-PA1
14	N	505	CDL	CA4-CA3-OA5-PA1
12	N	503	PC1	C27-C28-C29-C2A
14	A	3002	CDL	C33-C34-C35-C36
12	C	503	PC1	C27-C28-C29-C2A
13	E	301	PTY	C36-C37-C38-C39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	C	504	PTY	C17-C18-C19-C20
13	N	504	PTY	C12-C13-C14-C15
14	H	702	CDL	OA5-CA3-CA4-CA6
13	P	302	PTY	C12-C13-C14-C15
14	N	505	CDL	C13-C14-C15-C16
15	N	506	LMT	C11-C10-C9-C8
14	L	3002	CDL	C52-C53-C54-C55
14	L	3002	CDL	C33-C34-C35-C36
12	C	503	PC1	C1-C2-C3-O31
13	N	504	PTY	O14-C5-C6-O7
14	H	701	CDL	OA5-CA3-CA4-OA6
14	S	701	CDL	OA5-CA3-CA4-OA6
14	C	505	CDL	C31-C32-C33-C34
13	C	504	PTY	O4-C1-C6-O7
14	S	701	CDL	OB6-CB4-CB6-OB8
14	C	505	CDL	C13-C14-C15-C16
14	N	505	CDL	C31-C32-C33-C34
14	S	701	CDL	C51-C52-C53-C54
14	A	3002	CDL	C52-C53-C54-C55
14	C	505	CDL	CA3-OA5-PA1-OA2
14	N	505	CDL	CA3-OA5-PA1-OA2
13	C	504	PTY	C5-O14-P1-O12
13	C	504	PTY	C5-O14-P1-O13
13	P	302	PTY	C5-O14-P1-O13
13	N	504	PTY	C3-O11-P1-O13
13	N	504	PTY	C5-O14-P1-O12
13	E	301	PTY	C5-O14-P1-O12
14	C	505	CDL	CA3-OA5-PA1-OA4
14	C	505	CDL	CB3-OB5-PB2-OB4
14	H	702	CDL	CB3-OB5-PB2-OB3
14	N	505	CDL	CA3-OA5-PA1-OA4
14	N	505	CDL	CB3-OB5-PB2-OB4
14	L	3002	CDL	CB3-OB5-PB2-OB4
14	S	701	CDL	CB3-OB5-PB2-OB4
14	S	702	CDL	CB3-OB5-PB2-OB3
14	H	701	CDL	OA5-CA3-CA4-CA6
14	S	701	CDL	OA5-CA3-CA4-CA6
14	S	702	CDL	OA5-CA3-CA4-CA6
13	C	504	PTY	C32-C33-C34-C35
13	P	302	PTY	C8-C11-C12-C13
14	L	3001	CDL	CB2-C1-CA2-OA2
14	N	505	CDL	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	H	701	CDL	OB5-CB3-CB4-OB6
14	S	702	CDL	OA5-CA3-CA4-OA6
14	H	701	CDL	C51-C52-C53-C54
14	L	3001	CDL	O1-C1-CA2-OA2
14	L	3002	CDL	CB5-C51-C52-C53
14	H	701	CDL	C11-C12-C13-C14
13	N	504	PTY	C11-C12-C13-C14
14	H	701	CDL	CA5-C11-C12-C13
14	L	3002	CDL	C31-C32-C33-C34
12	I	201	PC1	C34-C35-C36-C37
14	H	702	CDL	CB6-CB4-OB6-CB5
14	S	702	CDL	CB6-CB4-OB6-CB5
14	A	3002	CDL	CB5-C51-C52-C53
13	P	302	PTY	C3-O11-P1-O14
13	N	504	PTY	C5-O14-P1-O11
14	A	3002	CDL	CB2-OB2-PB2-OB5
14	L	3002	CDL	CB2-OB2-PB2-OB5
13	P	302	PTY	C14-C15-C16-C17
14	A	3002	CDL	CA5-C11-C12-C13
14	A	3001	CDL	C72-C71-CB7-OB8
15	P	301	LMT	O5'-C1'-O1'-C1
14	C	505	CDL	OA5-CA3-CA4-OA6
14	N	505	CDL	OA5-CA3-CA4-OA6
11	C	501	HEM	CAA-CBA-CGA-O2A
11	N	501	HEM	CAA-CBA-CGA-O2A
14	A	3002	CDL	C31-CA7-OA8-CA6
14	C	505	CDL	C11-C12-C13-C14
11	C	502	HEM	CAD-CBD-CGD-O1D
11	N	502	HEM	CAD-CBD-CGD-O1D
11	N	502	HEM	CAD-CBD-CGD-O2D
11	C	502	HEM	CAA-CBA-CGA-O2A
11	C	502	HEM	CAD-CBD-CGD-O2D
11	N	502	HEM	CAA-CBA-CGA-O2A
15	C	506	LMT	O5'-C1'-O1'-C1
11	C	501	HEM	CAA-CBA-CGA-O1A
11	N	501	HEM	CAA-CBA-CGA-O1A
13	C	504	PTY	C30-C31-C32-C33
14	H	702	CDL	C32-C31-CA7-OA8
14	S	702	CDL	C32-C31-CA7-OA8
11	N	502	HEM	CAA-CBA-CGA-O1A
15	P	301	LMT	C6-C7-C8-C9
12	I	201	PC1	C33-C34-C35-C36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
11	C	502	HEM	CAA-CBA-CGA-O1A
14	C	505	CDL	O1-C1-CB2-OB2
14	N	505	CDL	C71-CB7-OB8-CB6
14	C	505	CDL	CA2-C1-CB2-OB2
14	N	505	CDL	CA2-C1-CB2-OB2
14	C	505	CDL	C71-CB7-OB8-CB6
14	A	3002	CDL	OA9-CA7-OA8-CA6
17	D	401	HEC	CAA-CBA-CGA-O2A
17	O	401	HEC	CAA-CBA-CGA-O2A
13	P	302	PTY	O14-C5-C6-O7
12	C	503	PC1	C23-C24-C25-C26
13	C	504	PTY	C31-C30-O4-C1
11	C	501	HEM	CAD-CBD-CGD-O2D
11	N	501	HEM	CAD-CBD-CGD-O2D
14	H	701	CDL	C1-CA2-OA2-PA1
14	H	702	CDL	CB4-CB3-OB5-PB2
14	S	702	CDL	CB4-CB3-OB5-PB2
12	I	201	PC1	O21-C2-C3-O31
17	D	401	HEC	CAA-CBA-CGA-O1A
14	N	505	CDL	O1-C1-CB2-OB2
14	S	701	CDL	C72-C71-CB7-OB8
17	O	401	HEC	CAA-CBA-CGA-O1A
14	C	505	CDL	CB6-CB4-OB6-CB5
14	N	505	CDL	CB6-CB4-OB6-CB5
13	P	302	PTY	O4-C30-C31-C32
15	P	301	LMT	C2-C3-C4-C5
11	N	501	HEM	CAD-CBD-CGD-O1D
11	C	501	HEM	CAD-CBD-CGD-O1D
15	J	101	LMT	O1'-C1-C2-C3
14	H	701	CDL	C12-C11-CA5-OA6
12	N	503	PC1	C23-C24-C25-C26
14	H	701	CDL	C72-C71-CB7-OB8
13	P	302	PTY	C39-C40-C41-C42
13	C	504	PTY	O14-C5-C6-C1
14	C	505	CDL	OA5-CA3-CA4-CA6
14	N	505	CDL	OA5-CA3-CA4-CA6
12	I	201	PC1	O21-C21-C22-C23
14	A	3002	CDL	OA6-CA4-CA6-OA8
12	C	503	PC1	O31-C31-C32-C33
12	N	503	PC1	O31-C31-C32-C33
17	O	401	HEC	CAD-CBD-CGD-O1D
14	N	505	CDL	C32-C33-C34-C35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	D	401	HEC	CAD-CBD-CGD-O1D
13	C	504	PTY	O30-C30-O4-C1
13	P	302	PTY	C17-C18-C19-C20
13	N	504	PTY	C31-C30-O4-C1
14	L	3001	CDL	C72-C71-CB7-OB8
14	H	702	CDL	C32-C31-CA7-OA9
14	S	702	CDL	C32-C31-CA7-OA9
14	C	505	CDL	C32-C31-CA7-OA8
14	N	505	CDL	C32-C31-CA7-OA8
14	S	701	CDL	C1-CA2-OA2-PA1
14	H	701	CDL	C72-C71-CB7-OB9
14	S	701	CDL	C72-C71-CB7-OB9
15	C	506	LMT	C2'-C1'-O1'-C1
12	I	201	PC1	C1-O11-P-O14
13	N	504	PTY	C3-O11-P1-O12
14	A	3002	CDL	CB3-OB5-PB2-OB4
12	I	201	PC1	O22-C21-C22-C23
12	C	503	PC1	O32-C31-C32-C33
13	P	302	PTY	O30-C30-C31-C32
17	D	401	HEC	CAD-CBD-CGD-O2D
14	H	701	CDL	C12-C11-CA5-OA7
17	O	401	HEC	CAD-CBD-CGD-O2D
12	N	503	PC1	O32-C31-C32-C33
13	E	301	PTY	O30-C30-C31-C32
13	C	504	PTY	O14-C5-C6-O7
13	E	301	PTY	O4-C30-C31-C32
14	H	702	CDL	C72-C71-CB7-OB8
14	S	702	CDL	C72-C71-CB7-OB8
14	N	505	CDL	C32-C31-CA7-OA9
14	C	505	CDL	C32-C33-C34-C35

There are no ring outliers.

24 monomers are involved in 83 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
14	N	505	CDL	1	0
15	C	506	LMT	1	0
13	P	302	PTY	14	0
14	S	701	CDL	2	0
12	I	201	PC1	2	0
13	E	301	PTY	3	0
12	C	503	PC1	2	0


Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	N	501	HEM	4	0
14	H	701	CDL	1	0
14	A	3002	CDL	2	0
14	C	505	CDL	1	0
11	C	502	HEM	2	0
14	S	702	CDL	4	0
12	N	503	PC1	1	0
17	D	401	HEC	10	0
12	T	201	PC1	3	0
13	C	504	PTY	4	0
14	A	3001	CDL	2	0
15	N	506	LMT	1	0
14	H	702	CDL	5	0
11	C	501	HEM	5	0
15	J	101	LMT	1	0
17	O	401	HEC	8	0
13	N	504	PTY	9	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





















































Ligand XP4 A 3003





Ligand HEM C 501









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-15312. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 186




Y Index: 166




Z Index: 182


6.3.2 Raw map



X Index: 186



Y Index: 195




Z Index: 182


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.029. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 161 nm^3 ; this corresponds to an approximate mass of 146 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.500 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.500 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.00	-	-
Author-provided FSC curve	1.97	2.18	1.99
Unmasked-calculated*	2.19	2.60	2.23

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-15312 and PDB model 8AB6. Per-residue inclusion information can be found in section [3](#) on page [13](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.029 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.029).

9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.029) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9050	 0.7570
A	 0.8800	 0.7360
B	 0.8680	 0.7170
C	 0.9690	 0.8080
D	 0.9460	 0.7860
E	 0.9380	 0.7870
F	 0.7030	 0.6340
G	 0.9290	 0.7860
H	 0.9320	 0.7640
I	 0.9640	 0.7900
J	 0.8620	 0.7250
L	 0.8780	 0.7370
M	 0.8690	 0.7160
N	 0.9670	 0.8070
O	 0.9470	 0.7860
P	 0.9160	 0.7670
Q	 0.7020	 0.6420
R	 0.9260	 0.7860
S	 0.9300	 0.7620
T	 0.9540	 0.7890
U	 0.8790	 0.7430

