



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 22, 2026 – 02:24 AM UTC

PDB ID : 2AF6 / pdb_00002af6
Title : Crystal structure of Mycobacterium tuberculosis Flavin dependent thymidylate synthase (Mtb ThyX) in the presence of co-factor FAD and substrate analog 5-Bromo-2'-Deoxyuridine-5'-Monophosphate (BrdUMP)
Authors : Sampathkumar, P.; Turley, S.; Ulmer, J.E.; Rhie, H.G.; Sibley, C.H.; Hol, W.G.
Deposited on : 2005-07-25
Resolution : 2.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	258	7% 76% 18% • 5%
1	B	258	6% 79% 15% • 5%
1	C	258	7% 79% 14% • 6%
1	D	258	9% 79% 13% • 6%
1	E	258	5% 80% 14% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	258	
1	G	258	
1	H	258	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	IOD	A	3001	-	-	X	-
2	IOD	D	3004	-	-	X	-
2	IOD	E	3006	-	-	X	-
2	IOD	F	3005	-	-	X	-
2	IOD	F	3010	-	-	X	-
5	GOL	A	2001	-	-	X	-
5	GOL	B	2002	-	-	X	-
5	GOL	B	2008	-	-	X	-
5	GOL	C	2003	-	-	X	-
5	GOL	E	2004	-	-	X	-
5	GOL	E	2011	-	-	X	-
5	GOL	G	2005	-	-	X	-
5	GOL	H	2006	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16789 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thymidylate synthase thyX.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	245	Total	C	N	O	S	Se	0	1	0
			1890	1187	342	353	3	5			
1	B	245	Total	C	N	O	S	Se	0	1	0
			1904	1196	346	354	3	5			
1	C	242	Total	C	N	O	S	Se	0	1	0
			1877	1179	339	351	3	5			
1	D	242	Total	C	N	O	S	Se	0	1	0
			1882	1182	341	351	3	5			
1	E	243	Total	C	N	O	S	Se	0	1	0
			1882	1182	340	352	3	5			
1	F	242	Total	C	N	O	S	Se	0	1	0
			1886	1185	342	351	3	5			
1	G	246	Total	C	N	O	S	Se	0	1	0
			1909	1200	345	356	3	5			
1	H	243	Total	C	N	O	S	Se	0	1	0
			1884	1184	340	352	3	5			

There are 104 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	UNP P66930
A	65	MSE	ILE	engineered mutation	UNP P66930
A	122	MSE	MET	modified residue	UNP P66930
A	175	MSE	LEU	engineered mutation	UNP P66930
A	198	MSE	MET	modified residue	UNP P66930
A	251	LEU	-	cloning artifact	UNP P66930
A	252	GLU	-	cloning artifact	UNP P66930
A	253	HIS	-	expression tag	UNP P66930
A	254	HIS	-	expression tag	UNP P66930
A	255	HIS	-	expression tag	UNP P66930
A	256	HIS	-	expression tag	UNP P66930
A	257	HIS	-	expression tag	UNP P66930
A	258	HIS	-	expression tag	UNP P66930

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MSE	MET	modified residue	UNP P66930
B	65	MSE	ILE	engineered mutation	UNP P66930
B	122	MSE	MET	modified residue	UNP P66930
B	175	MSE	LEU	engineered mutation	UNP P66930
B	198	MSE	MET	modified residue	UNP P66930
B	251	LEU	-	cloning artifact	UNP P66930
B	252	GLU	-	cloning artifact	UNP P66930
B	253	HIS	-	expression tag	UNP P66930
B	254	HIS	-	expression tag	UNP P66930
B	255	HIS	-	expression tag	UNP P66930
B	256	HIS	-	expression tag	UNP P66930
B	257	HIS	-	expression tag	UNP P66930
B	258	HIS	-	expression tag	UNP P66930
C	1	MSE	MET	modified residue	UNP P66930
C	65	MSE	ILE	engineered mutation	UNP P66930
C	122	MSE	MET	modified residue	UNP P66930
C	175	MSE	LEU	engineered mutation	UNP P66930
C	198	MSE	MET	modified residue	UNP P66930
C	251	LEU	-	cloning artifact	UNP P66930
C	252	GLU	-	cloning artifact	UNP P66930
C	253	HIS	-	expression tag	UNP P66930
C	254	HIS	-	expression tag	UNP P66930
C	255	HIS	-	expression tag	UNP P66930
C	256	HIS	-	expression tag	UNP P66930
C	257	HIS	-	expression tag	UNP P66930
C	258	HIS	-	expression tag	UNP P66930
D	1	MSE	MET	modified residue	UNP P66930
D	65	MSE	ILE	engineered mutation	UNP P66930
D	122	MSE	MET	modified residue	UNP P66930
D	175	MSE	LEU	engineered mutation	UNP P66930
D	198	MSE	MET	modified residue	UNP P66930
D	251	LEU	-	cloning artifact	UNP P66930
D	252	GLU	-	cloning artifact	UNP P66930
D	253	HIS	-	expression tag	UNP P66930
D	254	HIS	-	expression tag	UNP P66930
D	255	HIS	-	expression tag	UNP P66930
D	256	HIS	-	expression tag	UNP P66930
D	257	HIS	-	expression tag	UNP P66930
D	258	HIS	-	expression tag	UNP P66930
E	1	MSE	MET	modified residue	UNP P66930
E	65	MSE	ILE	engineered mutation	UNP P66930
E	122	MSE	MET	modified residue	UNP P66930

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	175	MSE	LEU	engineered mutation	UNP P66930
E	198	MSE	MET	modified residue	UNP P66930
E	251	LEU	-	cloning artifact	UNP P66930
E	252	GLU	-	cloning artifact	UNP P66930
E	253	HIS	-	expression tag	UNP P66930
E	254	HIS	-	expression tag	UNP P66930
E	255	HIS	-	expression tag	UNP P66930
E	256	HIS	-	expression tag	UNP P66930
E	257	HIS	-	expression tag	UNP P66930
E	258	HIS	-	expression tag	UNP P66930
F	1	MSE	MET	modified residue	UNP P66930
F	65	MSE	ILE	engineered mutation	UNP P66930
F	122	MSE	MET	modified residue	UNP P66930
F	175	MSE	LEU	engineered mutation	UNP P66930
F	198	MSE	MET	modified residue	UNP P66930
F	251	LEU	-	cloning artifact	UNP P66930
F	252	GLU	-	cloning artifact	UNP P66930
F	253	HIS	-	expression tag	UNP P66930
F	254	HIS	-	expression tag	UNP P66930
F	255	HIS	-	expression tag	UNP P66930
F	256	HIS	-	expression tag	UNP P66930
F	257	HIS	-	expression tag	UNP P66930
F	258	HIS	-	expression tag	UNP P66930
G	1	MSE	MET	modified residue	UNP P66930
G	65	MSE	ILE	engineered mutation	UNP P66930
G	122	MSE	MET	modified residue	UNP P66930
G	175	MSE	LEU	engineered mutation	UNP P66930
G	198	MSE	MET	modified residue	UNP P66930
G	251	LEU	-	cloning artifact	UNP P66930
G	252	GLU	-	cloning artifact	UNP P66930
G	253	HIS	-	expression tag	UNP P66930
G	254	HIS	-	expression tag	UNP P66930
G	255	HIS	-	expression tag	UNP P66930
G	256	HIS	-	expression tag	UNP P66930
G	257	HIS	-	expression tag	UNP P66930
G	258	HIS	-	expression tag	UNP P66930
H	1	MSE	MET	modified residue	UNP P66930
H	65	MSE	ILE	engineered mutation	UNP P66930
H	122	MSE	MET	modified residue	UNP P66930
H	175	MSE	LEU	engineered mutation	UNP P66930
H	198	MSE	MET	modified residue	UNP P66930
H	251	LEU	-	cloning artifact	UNP P66930

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	252	GLU	-	cloning artifact	UNP P66930
H	253	HIS	-	expression tag	UNP P66930
H	254	HIS	-	expression tag	UNP P66930
H	255	HIS	-	expression tag	UNP P66930
H	256	HIS	-	expression tag	UNP P66930
H	257	HIS	-	expression tag	UNP P66930
H	258	HIS	-	expression tag	UNP P66930

- Molecule 2 is IODIDE ION (CCD ID: IOD) (formula: I).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total I 2 2	0	0
2	C	1	Total I 1 1	0	0
2	D	2	Total I 2 2	0	0
2	E	2	Total I 2 2	0	0
2	F	2	Total I 2 2	0	0
2	G	1	Total I 1 1	0	0

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	E	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	F	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	G	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	H	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is 5-BROMO-2'-DEOXYURIDINE-5'-MONOPHOSPHATE (CCD ID: BRU) (formula: $C_9H_{12}BrN_2O_8P$).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total 21	Br 1	C 9	N 2	O 8	P 1	0	0
4	B	1	Total 21	Br 1	C 9	N 2	O 8	P 1	0	0
4	C	1	Total 21	Br 1	C 9	N 2	O 8	P 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	D	1	Total	Br	C	N	O	P	0	0
			21	1	9	2	8	1		
4	E	1	Total	Br	C	N	O	P	0	0
			21	1	9	2	8	1		
4	F	1	Total	Br	C	N	O	P	0	0
			21	1	9	2	8	1		
4	G	1	Total	Br	C	N	O	P	0	0
			21	1	9	2	8	1		
4	H	1	Total	Br	C	N	O	P	0	0
			21	1	9	2	8	1		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	E	1	Total	C	O	0	0
			6	3	3		
5	E	1	Total	C	O	0	0
			6	3	3		
5	F	1	Total	C	O	0	0
			6	3	3		
5	F	1	Total	C	O	0	0
			6	3	3		
5	G	1	Total	C	O	0	0
			6	3	3		
5	H	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	135	Total	O	0	0
			135	135		
6	B	129	Total	O	0	0
			129	129		
6	C	116	Total	O	0	0
			116	116		
6	D	120	Total	O	0	0
			120	120		
6	E	130	Total	O	0	0
			130	130		
6	F	106	Total	O	0	0
			106	106		
6	G	114	Total	O	0	0
			114	114		
6	H	139	Total	O	0	0
			139	139		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Thymidylate synthase thyX




• Molecule 1: Thymidylate synthase thyX




• Molecule 1: Thymidylate synthase thyX





• Molecule 1: Thymidylate synthase thyX









• Molecule 1: Thymidylate synthase thyX





• Molecule 1: Thymidylate synthase thyX



• Molecule 1: Thymidylate synthase thyX



• Molecule 1: Thymidylate synthase thyX



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.09Å 78.30Å 168.72Å 90.00° 96.80° 90.00°	Depositor
Resolution (Å)	44.95 – 2.01 44.95 – 2.01	Depositor EDS
% Data completeness (in resolution range)	95.5 (44.95-2.01) 95.4 (44.95-2.01)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.23 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.195 , 0.243 0.197 , 0.245	Depositor DCC
R_{free} test set	6506 reflections (4.67%)	wwPDB-VP
Wilson B-factor (Å ²)	21.5	Xtriage
Anisotropy	0.054	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 42.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	16789	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BRU, FAD, GOL, IOD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.64	0/1931	0.88	2/2626 (0.1%)
1	B	0.63	0/1947	0.85	0/2648
1	C	0.62	0/1918	0.85	0/2607
1	D	0.60	0/1924	0.89	2/2615 (0.1%)
1	E	0.63	0/1923	0.86	1/2614 (0.0%)
1	F	0.61	0/1928	0.87	0/2619
1	G	0.58	0/1952	0.83	0/2655
1	H	0.63	0/1926	0.90	6/2619 (0.2%)
All	All	0.62	0/15449	0.87	11/21003 (0.1%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	28	ASP	N-CA-CB	-6.49	101.17	110.57
1	E	245	PRO	N-CA-CB	6.25	109.88	103.00
1	H	48	SER	N-CA-C	-5.50	102.74	110.50
1	A	157	GLN	CA-C-N	5.39	124.73	118.85
1	A	157	GLN	C-N-CA	5.39	124.73	118.85
1	H	157	GLN	CA-C-N	5.33	124.97	119.05
1	H	157	GLN	C-N-CA	5.33	124.97	119.05
1	H	51	ASN	CA-C-N	5.15	125.44	119.47
1	H	51	ASN	C-N-CA	5.15	125.44	119.47
1	D	157	GLN	CA-C-N	5.08	124.69	119.05
1	D	157	GLN	C-N-CA	5.08	124.69	119.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1890	0	1851	53	0
1	B	1904	0	1863	50	0
1	C	1877	0	1835	38	0
1	D	1882	0	1840	41	0
1	E	1882	0	1836	47	0
1	F	1886	0	1851	39	0
1	G	1909	0	1870	39	0
1	H	1884	0	1842	51	0
2	A	2	0	0	2	0
2	C	1	0	0	0	0
2	D	2	0	0	9	0
2	E	2	0	0	3	0
2	F	2	0	0	4	0
2	G	1	0	0	1	0
3	A	53	0	31	5	0
3	B	53	0	31	2	0
3	C	53	0	31	2	0
3	D	53	0	31	2	0
3	E	53	0	31	2	0
3	F	53	0	31	1	0
3	G	53	0	31	2	0
3	H	53	0	31	2	0
4	A	21	0	10	5	0
4	B	21	0	10	6	0
4	C	21	0	10	3	0
4	D	21	0	10	6	0
4	E	21	0	10	4	0
4	F	21	0	10	5	0
4	G	21	0	10	5	0
4	H	21	0	10	5	0
5	A	18	0	24	8	0
5	B	12	0	16	15	0
5	C	6	0	8	10	0
5	D	12	0	16	3	0
5	E	12	0	16	26	0
5	F	12	0	14	1	0
5	G	6	0	8	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	H	6	0	8	12	0
6	A	135	0	0	3	0
6	B	129	0	0	2	0
6	C	116	0	0	0	0
6	D	120	0	0	7	0
6	E	130	0	0	2	0
6	F	106	0	0	4	0
6	G	114	0	0	3	0
6	H	139	0	0	2	0
All	All	16789	0	15226	328	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (328) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:222:VAL:CG1	2:D:3004:IOD:I	2.54	1.25
2:D:3004:IOD:I	6:D:3123:HOH:O	2.20	1.24
2:D:3004:IOD:I	6:D:3122:HOH:O	2.23	1.19
5:E:2011:GOL:H31	1:H:177:ASN:ND2	1.66	1.09
1:F:199:ARG:HH12	4:F:7603:BRU:HN3	1.04	1.04
1:G:32:GLY:H	5:G:2005:GOL:H31	1.13	1.03
1:F:27:THR:HG21	1:F:37:GLU:OE1	1.58	1.03
1:H:14:LYS:HB2	5:H:2006:GOL:H2	1.40	1.03
1:D:222:VAL:HG13	2:D:3004:IOD:I	2.30	1.01
1:G:199:ARG:HH12	4:G:6603:BRU:HN3	1.02	1.00
1:H:199:ARG:HH12	4:H:5603:BRU:HN3	1.08	0.99
1:B:3:GLU:HA	1:B:3:GLU:OE1	1.64	0.96
1:B:199:ARG:HH12	4:B:3603:BRU:HN3	1.11	0.96
1:D:222:VAL:HG11	2:D:3004:IOD:I	2.33	0.95
1:E:14:LYS:HB2	5:E:2004:GOL:H2	1.49	0.94
1:E:87:ARG:HD2	5:E:2011:GOL:H32	1.49	0.93
1:C:199:ARG:HH12	4:C:2603:BRU:HN3	1.11	0.93
1:G:14:LYS:HB2	5:G:2005:GOL:H2	1.48	0.93
1:D:199:ARG:HH12	4:D:1603:BRU:HN3	1.05	0.93
1:E:222:VAL:HG13	5:E:2004:GOL:O2	1.67	0.93
1:D:41:ARG:HH12	5:D:2009:GOL:H32	1.32	0.91
1:A:199:ARG:HH12	4:A:4603:BRU:HN3	1.08	0.91
1:E:222:VAL:CG1	5:E:2004:GOL:O2	2.18	0.91
1:E:199:ARG:HH12	4:E:8603:BRU:HN3	1.13	0.90

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:222:VAL:CG1	5:C:2003:GOL:O2	2.19	0.89
1:H:32:GLY:H	5:H:2006:GOL:C1	1.85	0.89
1:A:15:THR:HB	5:A:2001:GOL:H31	1.54	0.87
5:E:2011:GOL:H31	1:H:177:ASN:HD21	1.41	0.85
1:C:222:VAL:HG13	5:C:2003:GOL:O2	1.78	0.82
1:E:23:VAL:HG23	2:E:3006:IOD:I	2.50	0.82
1:F:87:ARG:NH2	4:G:6603:BRU:OP3	2.12	0.82
1:H:27:THR:HG22	1:H:28:ASP:H	1.43	0.82
1:H:222:VAL:HG13	5:H:2006:GOL:O3	1.80	0.81
1:D:175:MSE:HE2	1:D:175:MSE:HA	1.61	0.81
1:A:69:HIS:HA	5:A:2013:GOL:H12	1.62	0.81
1:E:23:VAL:CG2	2:E:3006:IOD:I	2.99	0.81
1:H:27:THR:HG21	1:H:37:GLU:OE1	1.80	0.81
1:E:26:THR:O	1:E:49:LYS:NZ	2.15	0.80
1:H:25:TRP:CZ2	1:H:27:THR:OG1	2.34	0.80
1:A:198[B]:MSE:HE1	3:A:4600:FAD:O4'	1.80	0.80
5:E:2011:GOL:C3	1:H:177:ASN:ND2	2.44	0.79
1:D:140:ARG:HG3	1:D:140:ARG:HH11	1.47	0.78
5:E:2011:GOL:H31	1:H:177:ASN:HD22	1.49	0.78
1:F:5:ALA:HB2	1:F:115:ARG:HD2	1.64	0.78
1:A:175:MSE:HE2	1:A:175:MSE:HA	1.66	0.77
5:E:2011:GOL:C3	1:H:177:ASN:HD21	1.99	0.76
1:C:14:LYS:HB2	5:C:2003:GOL:H12	1.67	0.75
1:H:32:GLY:H	5:H:2006:GOL:H12	1.52	0.75
1:H:194:HIS:HE1	3:H:5600:FAD:O2P	1.71	0.74
2:D:3004:IOD:I	6:D:3124:HOH:O	2.74	0.74
1:H:209:ARG:HH11	1:H:239:THR:HG21	1.54	0.73
1:C:194:HIS:HE1	3:C:2600:FAD:O2P	1.70	0.73
1:E:87:ARG:HD2	5:E:2011:GOL:C3	2.18	0.73
1:G:189:TYR:OH	5:G:2005:GOL:H11	1.89	0.73
1:D:222:VAL:HG12	2:D:3004:IOD:I	2.59	0.73
1:B:194:HIS:HE1	3:B:3600:FAD:O2P	1.72	0.72
1:F:45:GLN:HG2	1:H:104:LEU:HD13	1.70	0.72
1:F:14:LYS:HB2	2:F:3005:IOD:I	2.60	0.71
1:G:98:HIS:HE1	1:H:98:HIS:HE1	1.36	0.71
1:E:177:ASN:HD22	5:E:2011:GOL:H11	1.55	0.71
1:B:217:ARG:HA	5:B:2008:GOL:O3	1.90	0.71
1:H:189:TYR:OH	5:H:2006:GOL:H32	1.91	0.71
1:G:32:GLY:N	5:G:2005:GOL:H31	1.98	0.71
1:C:123:GLU:O	1:C:129:ARG:NH1	2.24	0.70
1:A:98:HIS:HE1	1:B:98:HIS:HE1	1.39	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:172:ARG:NH2	4:D:1603:BRU:OP3	2.24	0.70
1:A:174:VAL:HG23	1:A:175:MSE:HE3	1.73	0.70
1:A:87:ARG:NH2	4:D:1603:BRU:OP3	2.23	0.70
1:E:23:VAL:HG22	2:E:3006:IOD:I	2.62	0.69
1:G:56:THR:HG23	1:G:59:GLY:H	1.56	0.69
1:A:64:ILE:HD13	1:A:72:VAL:HG21	1.75	0.69
2:G:3003:IOD:I	6:G:6715:HOH:O	2.81	0.68
1:G:98:HIS:CE1	1:H:98:HIS:HE1	2.12	0.68
4:B:3603:BRU:OP3	1:C:172:ARG:NH2	2.26	0.68
1:E:177:ASN:ND2	5:E:2011:GOL:H11	2.09	0.68
1:A:170:ALA:HB1	1:D:122:MSE:HE3	1.74	0.68
1:E:98:HIS:HE1	1:F:98:HIS:HE1	1.43	0.67
1:D:157:GLN:HE21	1:D:159:ASN:H	1.41	0.66
1:A:98:HIS:CE1	1:B:98:HIS:HE1	2.13	0.66
1:C:194:HIS:CE1	3:C:2600:FAD:O2P	2.49	0.66
1:A:104:LEU:CD1	1:A:109:VAL:HG21	2.26	0.66
1:C:69:HIS:O	1:C:72:VAL:HG12	1.97	0.65
1:G:98:HIS:HE1	1:H:98:HIS:CE1	2.13	0.65
1:D:49:LYS:HB2	6:D:3119:HOH:O	1.97	0.65
1:A:104:LEU:HD11	1:A:109:VAL:HG21	1.79	0.65
1:D:50:PRO:HD2	5:D:2009:GOL:H31	1.78	0.65
1:B:111:GLU:HG2	6:B:3688:HOH:O	1.97	0.64
1:A:159:ASN:HD22	1:A:162:LEU:H	1.45	0.64
1:H:32:GLY:H	5:H:2006:GOL:H11	1.60	0.64
1:A:172:ARG:HH22	4:D:1603:BRU:P	2.20	0.64
1:A:104:LEU:HD13	1:C:45:GLN:HG2	1.79	0.64
1:B:32:GLY:H	5:B:2002:GOL:H12	1.63	0.64
1:H:32:GLY:N	5:H:2006:GOL:H11	2.13	0.63
1:A:194:HIS:HE1	3:A:4600:FAD:O2P	1.81	0.63
1:B:77:SER:O	5:B:2002:GOL:O3	2.15	0.63
1:H:222:VAL:CG1	5:H:2006:GOL:C3	2.77	0.63
1:B:87:ARG:NH2	4:C:2603:BRU:OP3	2.31	0.63
1:E:98:HIS:CE1	1:F:98:HIS:HE1	2.16	0.63
1:E:87:ARG:NH1	5:E:2011:GOL:O3	2.28	0.63
1:H:222:VAL:HG13	5:H:2006:GOL:C3	2.27	0.63
1:C:98:HIS:HE1	1:D:98:HIS:HE1	1.45	0.62
1:D:41:ARG:NH1	5:D:2009:GOL:H32	2.11	0.62
1:G:98:HIS:CE1	1:H:98:HIS:CE1	2.87	0.62
1:A:198[B]:MSE:CE	3:A:4600:FAD:O4'	2.48	0.62
1:E:98:HIS:HE1	1:F:98:HIS:CE1	2.17	0.61
1:A:247:ALA:HB2	2:A:3001:IOD:I	2.69	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:4603:BRU:OP3	1:D:172:ARG:NH2	2.32	0.61
1:A:98:HIS:HE1	1:B:98:HIS:CE1	2.17	0.61
1:F:69:HIS:HA	5:F:2007:GOL:H2	1.81	0.61
1:B:194:HIS:CE1	3:B:3600:FAD:O2P	2.54	0.61
1:C:98:HIS:CE1	1:D:98:HIS:HE1	2.19	0.61
1:E:172:ARG:NH2	4:H:5603:BRU:OP3	2.34	0.61
1:C:14:LYS:HB2	5:C:2003:GOL:C1	2.31	0.61
1:E:189:TYR:OH	5:E:2004:GOL:H11	1.99	0.61
1:F:50:PRO:HD2	2:F:3010:IOD:I	2.71	0.60
1:D:65:MSE:HG3	1:D:70:PHE:HE2	1.65	0.60
1:H:209:ARG:NH1	1:H:239:THR:HG21	2.16	0.60
1:F:178:ALA:HB2	1:G:173:ALA:HB1	1.84	0.60
1:D:194:HIS:HE1	3:D:1600:FAD:O2P	1.84	0.59
1:G:32:GLY:HA3	5:G:2005:GOL:H12	1.84	0.59
1:G:194:HIS:CE1	3:G:6600:FAD:O2P	2.55	0.59
1:G:194:HIS:HE1	3:G:6600:FAD:O2P	1.84	0.59
1:E:87:ARG:NH2	4:H:5603:BRU:OP3	2.30	0.59
1:B:222:VAL:CG1	5:B:2002:GOL:O2	2.51	0.59
1:E:157:GLN:HE21	1:E:159:ASN:H	1.47	0.59
1:G:32:GLY:H	5:G:2005:GOL:C3	2.02	0.59
1:H:32:GLY:N	5:H:2006:GOL:C1	2.61	0.59
1:B:189:TYR:CE1	5:B:2002:GOL:H32	2.38	0.59
1:H:239:THR:HG23	6:H:5638:HOH:O	2.02	0.58
4:B:3603:BRU:P	1:C:172:ARG:HH22	2.26	0.58
1:A:98:HIS:CE1	1:B:98:HIS:CE1	2.92	0.58
1:C:157:GLN:HE21	1:C:159:ASN:H	1.51	0.58
1:G:77:SER:O	5:G:2005:GOL:O1	2.21	0.58
1:A:14:LYS:HB2	5:A:2001:GOL:H11	1.85	0.58
1:H:65:MSE:HG3	1:H:70:PHE:HE2	1.69	0.58
1:C:98:HIS:HE1	1:D:98:HIS:CE1	2.22	0.57
1:E:177:ASN:ND2	5:E:2011:GOL:C1	2.67	0.57
1:H:222:VAL:HG11	5:H:2006:GOL:H31	1.86	0.57
1:F:27:THR:HG22	6:F:7655:HOH:O	2.03	0.57
1:A:194:HIS:CE1	3:A:4600:FAD:O2P	2.57	0.57
1:H:229:ASP:OD2	1:H:244:SER:OG	2.23	0.57
1:H:127:ASP:HB2	6:H:5713:HOH:O	2.04	0.57
1:F:173:ALA:HB1	1:G:178:ALA:HB2	1.87	0.56
1:H:65:MSE:HG3	1:H:70:PHE:CE2	2.41	0.56
1:D:140:ARG:HG3	1:D:140:ARG:NH1	2.20	0.56
1:H:194:HIS:CE1	3:H:5600:FAD:O2P	2.57	0.56
1:B:104:LEU:HD13	1:D:45:GLN:HG2	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:32:GLY:HA3	5:E:2004:GOL:H12	1.87	0.55
1:B:56:THR:HG21	1:F:22:ASP:HB3	1.88	0.55
1:A:25:TRP:HB2	1:A:47:TRP:HB3	1.87	0.55
1:D:71:SER:HB3	2:D:3002:IOD:I	2.76	0.55
1:F:199:ARG:NH1	4:F:7603:BRU:HN3	1.89	0.55
1:A:15:THR:CB	5:A:2001:GOL:H31	2.33	0.55
1:E:98:HIS:CE1	1:F:98:HIS:CE1	2.92	0.55
4:A:4603:BRU:OP3	1:D:87:ARG:NH2	2.38	0.55
1:F:118:VAL:HG13	1:F:122:MSE:HE2	1.89	0.55
1:E:177:ASN:HD22	5:E:2011:GOL:C1	2.20	0.55
1:B:32:GLY:HA3	5:B:2002:GOL:H31	1.88	0.55
4:E:8603:BRU:OP3	1:H:172:ARG:NH2	2.40	0.54
1:B:14:LYS:HB2	5:B:2002:GOL:H11	1.88	0.54
1:D:189:TYR:OH	2:D:3004:IOD:I	2.96	0.54
1:F:189:TYR:OH	2:F:3005:IOD:I	2.90	0.54
1:B:178:ALA:HB2	1:C:173:ALA:HB1	1.90	0.54
1:B:61:LEU:O	1:B:65:MSE:HG2	2.08	0.54
1:D:175:MSE:HA	1:D:175:MSE:CE	2.35	0.53
1:B:108:TYR:HE1	1:B:165:LYS:HE2	1.74	0.53
1:F:165:LYS:NZ	6:F:7640:HOH:O	2.38	0.53
1:B:3:GLU:OE1	1:B:3:GLU:CA	2.45	0.52
1:C:98:HIS:CE1	1:D:98:HIS:CE1	2.96	0.52
1:A:10:GLN:HG3	6:A:4618:HOH:O	2.10	0.52
1:H:65:MSE:HE1	1:H:226:VAL:HA	1.92	0.52
1:D:65:MSE:HG3	1:D:70:PHE:CE2	2.44	0.52
1:E:194:HIS:HE1	3:E:8600:FAD:O2P	1.92	0.52
1:F:54:THR:OG1	2:F:3010:IOD:I	2.91	0.51
4:E:8603:BRU:OP3	1:H:87:ARG:NH2	2.42	0.51
1:F:64:ILE:HD13	1:F:72:VAL:HG11	1.90	0.51
1:B:216:LEU:HG	5:B:2008:GOL:C3	2.41	0.51
1:D:116:VAL:HG13	1:D:178:ALA:HB1	1.92	0.51
1:A:96:HIS:CE1	1:A:198[B]:MSE:HE2	2.46	0.51
1:D:65:MSE:HE1	1:D:226:VAL:HA	1.93	0.51
1:B:216:LEU:HG	5:B:2008:GOL:H32	1.91	0.51
1:E:118:VAL:HG13	1:E:122:MSE:HE2	1.91	0.51
1:G:169:GLN:O	1:G:172:ARG:HG2	2.10	0.51
1:H:209:ARG:HH11	1:H:239:THR:CG2	2.23	0.51
1:C:222:VAL:CG1	5:C:2003:GOL:HO2	2.22	0.50
1:B:60:TYR:CE2	1:B:64:ILE:HD11	2.46	0.50
1:B:189:TYR:CZ	5:B:2002:GOL:H32	2.47	0.50
1:F:67:VAL:HG13	1:F:69:HIS:CD2	2.46	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:GLY:HA3	5:A:2001:GOL:H32	1.94	0.50
1:C:104:LEU:CD1	1:C:109:VAL:HG21	2.42	0.50
1:A:98:HIS:HD2	6:D:3056:HOH:O	1.94	0.50
1:A:165:LYS:NZ	6:A:4710:HOH:O	2.44	0.50
1:G:104:LEU:CD1	1:G:109:VAL:HG21	2.42	0.50
1:C:189:TYR:OH	5:C:2003:GOL:H2	2.12	0.49
1:F:45:GLN:CG	1:H:104:LEU:HD13	2.40	0.49
1:E:172:ARG:HH22	4:H:5603:BRU:P	2.35	0.49
1:F:98:HIS:HD2	6:F:7708:HOH:O	1.96	0.49
1:F:217:ARG:HH22	1:F:240:GLU:CD	2.21	0.49
1:G:157:GLN:HE21	1:G:159:ASN:H	1.60	0.49
1:G:193:ARG:HH21	1:G:248:THR:HG21	1.77	0.49
1:B:13:ALA:HB3	1:B:79:SER:HB2	1.93	0.49
1:D:194:HIS:CE1	3:D:1600:FAD:O2P	2.65	0.49
1:A:139:ALA:C	1:A:175:MSE:HE1	2.38	0.48
1:C:50:PRO:O	1:C:52:PRO:HD3	2.13	0.48
1:B:199:ARG:NH1	4:B:3603:BRU:HN3	1.95	0.48
1:F:60:TYR:HE2	1:F:64:ILE:HD11	1.78	0.48
1:B:32:GLY:H	5:B:2002:GOL:C1	2.26	0.48
1:G:69:HIS:O	1:G:72:VAL:HG12	2.13	0.48
1:B:60:TYR:HE2	1:B:64:ILE:HD11	1.77	0.48
1:B:115:ARG:NH2	6:B:3661:HOH:O	2.31	0.48
1:D:199:ARG:NH1	4:D:1603:BRU:HN3	1.90	0.48
1:B:91:HIS:HE1	1:C:90:THR:OG1	1.96	0.48
1:A:104:LEU:HD12	1:A:109:VAL:HG21	1.95	0.47
1:A:128:LEU:HD21	1:D:149:LYS:HB3	1.94	0.47
1:G:64:ILE:HD13	1:G:72:VAL:HG11	1.95	0.47
1:E:22:ASP:HB2	6:E:8710:HOH:O	2.14	0.47
1:G:205:ASP:OD2	6:G:6675:HOH:O	2.19	0.47
1:E:15:THR:O	5:E:2004:GOL:O3	2.32	0.47
1:G:189:TYR:CZ	5:G:2005:GOL:H11	2.48	0.47
4:A:4603:BRU:P	1:D:172:ARG:HH22	2.38	0.47
1:A:32:GLY:HA3	5:A:2001:GOL:C3	2.44	0.47
1:A:198[B]:MSE:HB3	1:A:198[B]:MSE:HE3	1.78	0.47
1:A:189:TYR:OH	5:A:2001:GOL:H32	2.15	0.47
1:G:189:TYR:HH	5:G:2005:GOL:H11	1.80	0.46
1:B:64:ILE:HA	1:B:69:HIS:CE1	2.50	0.46
1:C:222:VAL:HG13	5:C:2003:GOL:HO2	1.76	0.46
1:H:155:ALA:C	1:H:157:GLN:H	2.24	0.46
1:E:189:TYR:OH	5:E:2004:GOL:C1	2.63	0.46
1:E:87:ARG:HB3	5:E:2011:GOL:H32	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:E:8603:BRU:BR	1:H:108:TYR:CE2	3.24	0.46
1:A:27:THR:HG23	1:A:29:ALA:H	1.79	0.46
1:A:90:THR:OG1	1:D:91:HIS:HE1	1.99	0.46
1:E:13:ALA:HB3	1:E:79:SER:HB2	1.96	0.46
1:E:222:VAL:HG11	5:E:2004:GOL:O2	2.07	0.46
1:H:60:TYR:CE2	1:H:64:ILE:HD11	2.51	0.46
1:E:194:HIS:CE1	3:E:8600:FAD:O2P	2.68	0.46
1:D:48:SER:O	1:D:50:PRO:HD3	2.15	0.46
1:D:60:TYR:CE2	1:D:64:ILE:HD11	2.51	0.46
1:C:189:TYR:CE1	5:C:2003:GOL:H31	2.51	0.45
1:B:217:ARG:HH22	1:B:240:GLU:CD	2.24	0.45
1:A:68:GLY:HA2	1:A:70:PHE:CE1	2.52	0.45
1:A:247:ALA:CB	2:A:3001:IOD:I	3.35	0.45
1:F:172:ARG:NH2	4:G:6603:BRU:OP1	2.44	0.45
1:B:27:THR:HG23	1:B:29:ALA:H	1.81	0.45
1:F:65:MSE:HE1	1:F:226:VAL:HA	1.98	0.45
1:C:14:LYS:HB2	5:C:2003:GOL:H32	1.98	0.45
1:C:60:TYR:HE2	1:C:64:ILE:HD11	1.82	0.45
1:B:65:MSE:HE1	1:B:193:ARG:CZ	2.48	0.44
1:E:108:TYR:HE1	1:E:165:LYS:HE2	1.82	0.44
1:A:111:GLU:HG2	6:A:4694:HOH:O	2.16	0.44
1:A:96:HIS:HE1	1:A:198[B]:MSE:HE2	1.82	0.44
1:C:98:HIS:HD2	6:D:3060:HOH:O	2.00	0.44
1:G:209:ARG:HD3	1:G:241:VAL:HG12	1.99	0.44
1:A:20:PRO:HA	1:A:21:PRO:HD3	1.85	0.44
1:E:60:TYR:CE2	1:E:64:ILE:HD11	2.53	0.44
1:E:37:GLU:HG3	1:E:60:TYR:CD2	2.52	0.44
1:G:61:LEU:HD12	1:G:225:ALA:HB3	1.98	0.44
1:H:222:VAL:CG1	5:H:2006:GOL:H31	2.46	0.44
1:B:157:GLN:O	1:B:163:ARG:NH2	2.42	0.44
1:F:27:THR:HG21	1:F:37:GLU:CD	2.38	0.44
1:H:27:THR:HG22	1:H:28:ASP:N	2.21	0.44
1:C:60:TYR:CE2	1:C:64:ILE:HD11	2.53	0.44
1:A:13:ALA:HB3	1:A:79:SER:HB2	1.99	0.43
1:A:159:ASN:HB3	1:A:162:LEU:HB2	2.00	0.43
1:A:172:ARG:NH2	4:D:1603:BRU:OP1	2.48	0.43
3:A:4600:FAD:H2'	3:A:4600:FAD:H9	1.99	0.43
1:B:189:TYR:OH	5:B:2002:GOL:H32	2.18	0.43
1:F:194:HIS:HE1	3:F:7600:FAD:O2P	2.00	0.43
1:B:222:VAL:HG13	5:B:2002:GOL:O2	2.17	0.43
1:D:20:PRO:HA	1:D:21:PRO:HD3	1.88	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:199:ARG:NH1	4:G:6603:BRU:HN3	1.87	0.43
1:H:104:LEU:CD1	1:H:109:VAL:HG21	2.49	0.43
1:A:173:ALA:HB1	1:D:178:ALA:HB2	2.00	0.43
1:F:172:ARG:NH2	6:G:6624:HOH:O	2.47	0.43
1:H:60:TYR:HE2	1:H:64:ILE:HD11	1.84	0.43
1:B:20:PRO:HA	1:B:21:PRO:HD3	1.89	0.43
4:F:7603:BRU:OP3	1:G:172:ARG:NH2	2.52	0.43
1:A:69:HIS:O	1:A:72:VAL:HG22	2.19	0.43
1:C:13:ALA:HB3	1:C:79:SER:HB2	2.00	0.43
1:E:69:HIS:O	1:E:72:VAL:HG12	2.18	0.43
1:G:108:TYR:HE1	1:G:165:LYS:HE2	1.83	0.43
1:A:32:GLY:H	5:A:2001:GOL:H12	1.84	0.43
1:B:122:MSE:HE3	1:C:170:ALA:HB1	2.00	0.42
1:C:20:PRO:HA	1:C:21:PRO:HD3	1.95	0.42
1:C:108:TYR:HE1	1:C:165:LYS:HE2	1.84	0.42
1:E:77:SER:O	5:E:2004:GOL:O1	2.36	0.42
1:E:87:ARG:CD	5:E:2011:GOL:H32	2.35	0.42
1:E:123:GLU:O	1:E:129:ARG:NH1	2.52	0.42
1:F:90:THR:O	1:F:94:ILE:HG12	2.19	0.42
1:D:206:VAL:HG12	1:D:209:ARG:NH1	2.34	0.42
1:A:118:VAL:HG13	1:A:122:MSE:HE2	2.01	0.42
4:B:3603:BRU:H5''	1:C:105:SER:HA	2.00	0.42
1:H:57:ASN:O	1:H:61:LEU:HG	2.19	0.42
1:C:64:ILE:HD13	1:C:72:VAL:HG11	2.01	0.42
1:F:177:ASN:HD22	1:F:177:ASN:HA	1.71	0.42
1:H:199:ARG:NH1	4:H:5603:BRU:HN3	1.92	0.42
1:B:189:TYR:OH	5:B:2002:GOL:C3	2.68	0.42
1:H:108:TYR:HE1	1:H:165:LYS:HE2	1.84	0.42
1:C:189:TYR:OH	5:C:2003:GOL:C2	2.68	0.42
4:F:7603:BRU:BR	1:G:107:ARG:HD3	2.75	0.42
1:B:64:ILE:HG12	1:B:69:HIS:HE1	1.85	0.41
1:F:114:SER:HB2	6:F:7652:HOH:O	2.19	0.41
1:B:64:ILE:HG12	1:B:69:HIS:CE1	2.55	0.41
1:B:87:ARG:NH2	4:C:2603:BRU:H5'	2.35	0.41
1:E:45:GLN:HG2	1:G:104:LEU:HD13	2.02	0.41
1:G:28:ASP:OD1	1:G:28:ASP:N	2.52	0.41
1:A:157:GLN:CD	1:A:166:GLN:HE22	2.28	0.41
4:A:4603:BRU:H5''	1:D:105:SER:HA	2.01	0.41
1:F:65:MSE:HG3	1:F:70:PHE:HE2	1.85	0.41
1:E:189:TYR:CZ	5:E:2004:GOL:H11	2.56	0.41
4:F:7603:BRU:OP3	1:G:87:ARG:NH2	2.48	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:60:TYR:HE2	1:E:64:ILE:HD11	1.85	0.41
1:A:91:HIS:HE1	1:D:90:THR:OG1	2.04	0.41
1:B:104:LEU:CD1	1:B:109:VAL:HG21	2.50	0.41
1:F:122:MSE:HG2	1:F:128:LEU:HD13	2.03	0.41
1:G:20:PRO:HA	1:G:21:PRO:HD3	1.98	0.41
1:B:90:THR:OG1	1:C:91:HIS:HE1	2.04	0.41
1:F:172:ARG:NH2	4:G:6603:BRU:OP3	2.54	0.41
1:G:15:THR:O	5:G:2005:GOL:H32	2.20	0.41
1:B:230:PHE:O	5:B:2008:GOL:C1	2.69	0.41
1:E:14:LYS:CB	5:E:2004:GOL:H2	2.36	0.41
1:E:91:HIS:HE1	1:H:90:THR:OG1	2.03	0.41
4:B:3603:BRU:H4'	1:C:103:GLN:HB3	2.03	0.41
1:B:23:VAL:HG23	6:D:3092:HOH:O	2.20	0.40
1:E:222:VAL:CG1	5:E:2004:GOL:HO2	2.29	0.40
1:F:150:LEU:HD11	1:G:122:MSE:HE2	2.03	0.40
1:H:36:VAL:HG13	1:H:72:VAL:HG12	2.03	0.40
6:E:8684:HOH:O	1:G:98:HIS:HD2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	244/258 (95%)	239 (98%)	4 (2%)	1 (0%)	30	27
1	B	244/258 (95%)	241 (99%)	3 (1%)	0	100	100
1	C	241/258 (93%)	236 (98%)	5 (2%)	0	100	100
1	D	241/258 (93%)	236 (98%)	5 (2%)	0	100	100
1	E	242/258 (94%)	239 (99%)	3 (1%)	0	100	100
1	F	241/258 (93%)	235 (98%)	6 (2%)	0	100	100
1	G	245/258 (95%)	237 (97%)	7 (3%)	1 (0%)	30	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	242/258 (94%)	237 (98%)	4 (2%)	1 (0%)	30	27
All	All	1940/2064 (94%)	1900 (98%)	37 (2%)	3 (0%)	43	42

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	247	ALA
1	A	28	ASP
1	H	156	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	194/204 (95%)	190 (98%)	4 (2%)	47	52
1	B	196/204 (96%)	191 (97%)	5 (3%)	40	44
1	C	193/204 (95%)	185 (96%)	8 (4%)	27	26
1	D	194/204 (95%)	186 (96%)	8 (4%)	27	26
1	E	193/204 (95%)	187 (97%)	6 (3%)	35	37
1	F	195/204 (96%)	185 (95%)	10 (5%)	21	19
1	G	197/204 (97%)	191 (97%)	6 (3%)	36	38
1	H	194/204 (95%)	191 (98%)	3 (2%)	57	64
All	All	1556/1632 (95%)	1506 (97%)	50 (3%)	35	35

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	ILE
1	A	114	SER
1	A	241	VAL
1	A	243	THR
1	B	3	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	87	ARG
1	B	116	VAL
1	B	201	SER
1	B	222	VAL
1	C	8	ARG
1	C	64	ILE
1	C	67	VAL
1	C	87	ARG
1	C	116	VAL
1	C	201	SER
1	C	222	VAL
1	C	241	VAL
1	D	18	LEU
1	D	65	MSE
1	D	104	LEU
1	D	113	ASP
1	D	114	SER
1	D	140	ARG
1	D	175	MSE
1	D	201	SER
1	E	116	VAL
1	E	122	MSE
1	E	198[A]	MSE
1	E	198[B]	MSE
1	E	222	VAL
1	E	241	VAL
1	F	16	ASP
1	F	27	THR
1	F	65	MSE
1	F	116	VAL
1	F	132	LEU
1	F	156	ASP
1	F	198[A]	MSE
1	F	198[B]	MSE
1	F	241	VAL
1	F	243	THR
1	G	18	LEU
1	G	26	THR
1	G	27	THR
1	G	64	ILE
1	G	73	LEU
1	G	243	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	27	THR
1	H	65	MSE
1	H	222	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (58) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	GLN
1	A	45	GLN
1	A	91	HIS
1	A	98	HIS
1	A	157	GLN
1	A	159	ASN
1	A	166	GLN
1	A	177	ASN
1	A	194	HIS
1	B	10	GLN
1	B	45	GLN
1	B	63	HIS
1	B	69	HIS
1	B	91	HIS
1	B	98	HIS
1	B	166	GLN
1	B	177	ASN
1	B	194	HIS
1	C	45	GLN
1	C	57	ASN
1	C	91	HIS
1	C	98	HIS
1	C	157	GLN
1	C	166	GLN
1	C	177	ASN
1	C	194	HIS
1	D	10	GLN
1	D	45	GLN
1	D	69	HIS
1	D	91	HIS
1	D	98	HIS
1	D	157	GLN
1	D	177	ASN
1	D	194	HIS
1	E	45	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	91	HIS
1	E	98	HIS
1	E	157	GLN
1	E	177	ASN
1	E	194	HIS
1	F	45	GLN
1	F	69	HIS
1	F	98	HIS
1	F	159	ASN
1	F	177	ASN
1	F	194	HIS
1	G	45	GLN
1	G	91	HIS
1	G	98	HIS
1	G	157	GLN
1	G	177	ASN
1	G	194	HIS
1	H	45	GLN
1	H	57	ASN
1	H	91	HIS
1	H	98	HIS
1	H	177	ASN
1	H	194	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 40 ligands modelled in this entry, 10 are monoatomic - leaving 30 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BRU	D	1603	-	22,22,22	1.21	3 (13%)	32,33,33	1.96	7 (21%)
4	BRU	A	4603	-	22,22,22	1.37	4 (18%)	32,33,33	1.79	6 (18%)
5	GOL	A	2013	-	5,5,5	0.40	0	5,5,5	0.29	0
5	GOL	C	2003	-	5,5,5	0.48	0	5,5,5	0.47	0
3	FAD	F	7600	-	58,58,58	1.15	5 (8%)	85,89,89	1.58	16 (18%)
4	BRU	C	2603	-	22,22,22	1.32	3 (13%)	32,33,33	1.87	8 (25%)
5	GOL	B	2002	-	5,5,5	0.43	0	5,5,5	1.35	1 (20%)
5	GOL	F	2014	-	5,5,5	0.42	0	5,5,5	0.21	0
3	FAD	B	3600	-	58,58,58	1.10	5 (8%)	85,89,89	1.63	13 (15%)
3	FAD	A	4600	-	58,58,58	1.13	5 (8%)	85,89,89	1.62	15 (17%)
4	BRU	H	5603	-	22,22,22	1.27	3 (13%)	32,33,33	2.09	7 (21%)
5	GOL	F	2007	-	5,5,5	0.42	0	5,5,5	0.39	0
5	GOL	A	2001	-	5,5,5	0.68	0	5,5,5	0.48	0
5	GOL	H	2006	-	5,5,5	0.57	0	5,5,5	0.46	0
5	GOL	E	2011	-	5,5,5	0.71	0	5,5,5	0.97	0
4	BRU	E	8603	-	22,22,22	1.36	6 (27%)	32,33,33	1.96	7 (21%)
5	GOL	D	2012	-	5,5,5	0.40	0	5,5,5	0.39	0
5	GOL	B	2008	-	5,5,5	0.40	0	5,5,5	0.58	0
4	BRU	G	6603	-	22,22,22	1.36	4 (18%)	32,33,33	1.98	6 (18%)
5	GOL	D	2009	-	5,5,5	0.43	0	5,5,5	0.31	0
4	BRU	F	7603	-	22,22,22	1.28	4 (18%)	32,33,33	1.87	6 (18%)
4	BRU	B	3603	-	22,22,22	1.37	4 (18%)	32,33,33	1.98	6 (18%)
3	FAD	E	8600	-	58,58,58	1.08	5 (8%)	85,89,89	1.62	17 (20%)
3	FAD	G	6600	-	58,58,58	1.07	4 (6%)	85,89,89	1.67	15 (17%)
5	GOL	A	2010	-	5,5,5	0.30	0	5,5,5	0.33	0
3	FAD	D	1600	-	58,58,58	1.09	5 (8%)	85,89,89	1.61	16 (18%)
3	FAD	C	2600	-	58,58,58	1.05	5 (8%)	85,89,89	1.64	19 (22%)
3	FAD	H	5600	-	58,58,58	1.05	4 (6%)	85,89,89	1.65	18 (21%)
5	GOL	G	2005	-	5,5,5	0.56	0	5,5,5	0.54	0
5	GOL	E	2004	-	5,5,5	0.53	0	5,5,5	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BRU	D	1603	-	-	0/10/22/22	0/2/2/2
4	BRU	A	4603	-	-	0/10/22/22	0/2/2/2
5	GOL	A	2013	-	-	2/4/4/4	-
5	GOL	C	2003	-	-	2/4/4/4	-
3	FAD	F	7600	-	-	8/34/50/50	0/6/6/6
4	BRU	C	2603	-	-	0/10/22/22	0/2/2/2
5	GOL	B	2002	-	-	1/4/4/4	-
5	GOL	F	2014	-	-	0/4/4/4	-
3	FAD	B	3600	-	-	4/34/50/50	0/6/6/6
3	FAD	A	4600	-	-	2/34/50/50	0/6/6/6
4	BRU	H	5603	-	-	0/10/22/22	0/2/2/2
5	GOL	F	2007	-	-	2/4/4/4	-
5	GOL	A	2001	-	-	2/4/4/4	-
5	GOL	H	2006	-	-	4/4/4/4	-
5	GOL	E	2011	-	-	0/4/4/4	-
4	BRU	E	8603	-	-	0/10/22/22	0/2/2/2
5	GOL	D	2012	-	-	2/4/4/4	-
5	GOL	B	2008	-	-	0/4/4/4	-
4	BRU	G	6603	-	-	0/10/22/22	0/2/2/2
5	GOL	D	2009	-	-	2/4/4/4	-
4	BRU	F	7603	-	-	0/10/22/22	0/2/2/2
4	BRU	B	3603	-	-	0/10/22/22	0/2/2/2
3	FAD	E	8600	-	-	4/34/50/50	0/6/6/6
3	FAD	G	6600	-	-	6/34/50/50	0/6/6/6
5	GOL	A	2010	-	-	3/4/4/4	-
3	FAD	D	1600	-	-	4/34/50/50	0/6/6/6
3	FAD	C	2600	-	-	6/34/50/50	0/6/6/6
3	FAD	H	5600	-	-	5/34/50/50	0/6/6/6
5	GOL	G	2005	-	-	2/4/4/4	-
5	GOL	E	2004	-	-	2/4/4/4	-

All (69) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	1600	FAD	C4X-N5	4.35	1.40	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	6600	FAD	C4X-N5	4.07	1.39	1.30
3	F	7600	FAD	C4X-N5	4.00	1.39	1.30
3	H	5600	FAD	C4X-N5	3.98	1.39	1.30
3	A	4600	FAD	C4X-N5	3.96	1.39	1.30
3	B	3600	FAD	C4X-N5	3.95	1.39	1.30
3	E	8600	FAD	C4X-N5	3.48	1.38	1.30
3	C	2600	FAD	C4X-N5	3.38	1.38	1.30
4	C	2603	BRU	C6-C5	3.19	1.40	1.34
4	E	8603	BRU	C6-C5	2.95	1.40	1.34
4	B	3603	BRU	C2-N1	2.85	1.42	1.38
3	D	1600	FAD	C10-N1	2.79	1.38	1.33
3	F	7600	FAD	C2A-N3A	2.78	1.38	1.33
3	F	7600	FAD	C2A-N1A	2.75	1.38	1.33
4	F	7603	BRU	C6-C5	2.73	1.39	1.34
3	F	7600	FAD	C10-N1	2.72	1.38	1.33
4	H	5603	BRU	C6-C5	2.71	1.39	1.34
4	A	4603	BRU	C2-N1	2.68	1.42	1.38
3	E	8600	FAD	C2A-N1A	2.67	1.38	1.33
3	G	6600	FAD	C2A-N1A	2.65	1.38	1.33
3	G	6600	FAD	C10-N1	2.64	1.38	1.33
4	B	3603	BRU	C6-C5	2.62	1.39	1.34
4	G	6603	BRU	C2-N1	2.59	1.42	1.38
3	G	6600	FAD	C2A-N3A	2.59	1.38	1.33
4	F	7603	BRU	C4-N3	-2.58	1.34	1.38
4	H	5603	BRU	C4-N3	-2.57	1.34	1.38
3	H	5600	FAD	C2A-N3A	2.53	1.38	1.33
4	B	3603	BRU	C4-N3	-2.53	1.34	1.38
3	D	1600	FAD	C2A-N1A	2.53	1.38	1.33
3	C	2600	FAD	C2A-N3A	2.52	1.38	1.33
3	B	3600	FAD	C2A-N3A	2.50	1.38	1.33
4	D	1603	BRU	C6-C5	2.50	1.39	1.34
4	A	4603	BRU	C6-C5	2.49	1.39	1.34
3	A	4600	FAD	C2A-N3A	2.46	1.38	1.33
4	G	6603	BRU	C4-N3	-2.45	1.34	1.38
3	B	3600	FAD	C2A-N1A	2.39	1.38	1.33
4	A	4603	BRU	C2-N3	-2.39	1.33	1.38
3	D	1600	FAD	C2A-N3A	2.39	1.38	1.33
3	A	4600	FAD	PA-O3P	2.38	1.62	1.59
3	A	4600	FAD	C2A-N1A	2.37	1.38	1.33
4	C	2603	BRU	C4-N3	-2.36	1.34	1.38
4	G	6603	BRU	C6-C5	2.36	1.38	1.34
3	C	2600	FAD	C10-N1	2.35	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	8600	FAD	C2A-N3A	2.33	1.38	1.33
4	H	5603	BRU	C2-N1	2.33	1.42	1.38
3	B	3600	FAD	C10-N1	2.32	1.37	1.33
3	F	7600	FAD	C8A-N7A	2.30	1.36	1.31
4	E	8603	BRU	C4-N3	-2.29	1.34	1.38
3	H	5600	FAD	C10-N1	2.28	1.37	1.33
4	D	1603	BRU	C4-N3	-2.27	1.34	1.38
3	E	8600	FAD	C8A-N7A	2.27	1.36	1.31
3	B	3600	FAD	C8A-N7A	2.26	1.36	1.31
4	A	4603	BRU	C4-N3	-2.25	1.34	1.38
3	C	2600	FAD	C5A-N7A	-2.20	1.35	1.39
4	F	7603	BRU	C2-N1	2.19	1.41	1.38
3	H	5600	FAD	C8A-N7A	2.17	1.35	1.31
4	E	8603	BRU	C4-C5	2.14	1.49	1.45
3	C	2600	FAD	C8A-N7A	2.13	1.35	1.31
4	G	6603	BRU	C4-C5	2.12	1.49	1.45
4	E	8603	BRU	C2-N3	-2.11	1.34	1.38
3	D	1600	FAD	C5A-N7A	-2.08	1.35	1.39
3	E	8600	FAD	C10-N1	2.03	1.37	1.33
4	E	8603	BRU	C2-N1	2.03	1.41	1.38
4	E	8603	BRU	P-OP3	-2.03	1.47	1.54
3	A	4600	FAD	C10-N1	2.02	1.37	1.33
4	D	1603	BRU	C2-N1	2.02	1.41	1.38
4	F	7603	BRU	C4-C5	2.02	1.49	1.45
4	C	2603	BRU	P-OP3	-2.01	1.47	1.54
4	B	3603	BRU	C2-N3	-2.00	1.34	1.38

All (183) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	7600	FAD	N3A-C2A-N1A	-6.40	118.89	128.58
3	H	5600	FAD	N3A-C2A-N1A	-6.36	118.95	128.58
3	A	4600	FAD	N3A-C2A-N1A	-6.15	119.27	128.58
3	E	8600	FAD	N3A-C2A-N1A	-6.07	119.39	128.58
3	C	2600	FAD	N3A-C2A-N1A	-6.05	119.42	128.58
3	D	1600	FAD	N3A-C2A-N1A	-5.97	119.55	128.58
3	G	6600	FAD	N3A-C2A-N1A	-5.94	119.59	128.58
3	B	3600	FAD	N3A-C2A-N1A	-5.80	119.80	128.58
4	E	8603	BRU	N3-C2-N1	5.35	121.85	114.89
4	H	5603	BRU	C5-C4-N3	5.23	119.36	113.34
4	G	6603	BRU	N3-C2-N1	5.20	121.66	114.89
4	F	7603	BRU	N3-C2-N1	5.11	121.55	114.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	3603	BRU	C5-C4-N3	5.08	119.18	113.34
4	B	3603	BRU	N3-C2-N1	5.07	121.49	114.89
4	H	5603	BRU	C4-N3-C2	-5.01	120.78	127.34
4	H	5603	BRU	N3-C2-N1	4.99	121.39	114.89
4	D	1603	BRU	N3-C2-N1	4.98	121.38	114.89
4	B	3603	BRU	C4-N3-C2	-4.94	120.86	127.34
4	G	6603	BRU	C4-N3-C2	-4.93	120.87	127.34
3	G	6600	FAD	C5A-C4A-N3A	-4.91	119.95	126.72
4	D	1603	BRU	C5-C4-N3	4.67	118.71	113.34
4	H	5603	BRU	O4-C4-C5	-4.66	119.86	125.80
4	C	2603	BRU	C5-C4-N3	4.66	118.70	113.34
4	G	6603	BRU	C5-C4-N3	4.66	118.70	113.34
4	D	1603	BRU	C4-N3-C2	-4.65	121.24	127.34
4	D	1603	BRU	O4-C4-C5	-4.61	119.92	125.80
4	A	4603	BRU	C5-C4-N3	4.53	118.55	113.34
4	E	8603	BRU	C4-N3-C2	-4.38	121.59	127.34
4	F	7603	BRU	C5-C4-N3	4.35	118.35	113.34
4	E	8603	BRU	C5-C4-N3	4.32	118.31	113.34
4	F	7603	BRU	C4-N3-C2	-4.32	121.68	127.34
4	C	2603	BRU	N3-C2-N1	4.31	120.51	114.89
3	B	3600	FAD	C5A-C4A-N3A	-4.31	120.79	126.72
3	D	1600	FAD	C5A-C4A-N3A	-4.22	120.91	126.72
4	G	6603	BRU	O4-C4-C5	-4.18	120.47	125.80
3	C	2600	FAD	N9A-C8A-N7A	-4.13	108.08	113.94
3	E	8600	FAD	C5A-C4A-N3A	-4.11	121.05	126.72
3	F	7600	FAD	C5A-C4A-N3A	-4.10	121.07	126.72
4	B	3603	BRU	O4-C4-C5	-4.06	120.62	125.80
3	A	4600	FAD	C5A-C4A-N3A	-4.05	121.14	126.72
3	A	4600	FAD	N9A-C8A-N7A	-4.00	108.27	113.94
4	F	7603	BRU	O4-C4-C5	-4.00	120.71	125.80
4	A	4603	BRU	O4-C4-C5	-3.97	120.74	125.80
4	C	2603	BRU	O4-C4-C5	-3.96	120.75	125.80
4	A	4603	BRU	N3-C2-N1	3.91	119.98	114.89
3	G	6600	FAD	C5A-N7A-C8A	3.87	109.53	103.45
3	G	6600	FAD	N9A-C8A-N7A	-3.85	108.47	113.94
4	E	8603	BRU	O4-C4-C5	-3.84	120.91	125.80
3	E	8600	FAD	C4-N3-C2	-3.81	118.88	125.64
3	A	4600	FAD	C4X-C10-N10	3.79	121.91	116.48
3	C	2600	FAD	C5A-C4A-N3A	-3.78	121.52	126.72
3	H	5600	FAD	N9A-C8A-N7A	-3.76	108.60	113.94
4	C	2603	BRU	C4-N3-C2	-3.66	122.53	127.34
3	G	6600	FAD	C2A-N3A-C4A	3.65	120.76	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	4603	BRU	C4-N3-C2	-3.64	122.56	127.34
3	B	3600	FAD	C4X-C10-N10	3.59	121.62	116.48
3	H	5600	FAD	C5A-C4A-N3A	-3.59	121.78	126.72
3	F	7600	FAD	N9A-C8A-N7A	-3.57	108.87	113.94
3	D	1600	FAD	N9A-C8A-N7A	-3.55	108.91	113.94
3	A	4600	FAD	C5A-N7A-C8A	3.54	109.02	103.45
3	E	8600	FAD	C2A-N3A-C4A	3.50	120.39	111.83
3	B	3600	FAD	N9A-C8A-N7A	-3.46	109.03	113.94
3	E	8600	FAD	C4X-C10-N10	3.44	121.41	116.48
3	F	7600	FAD	C2A-N3A-C4A	3.44	120.22	111.83
3	D	1600	FAD	C5A-N7A-C8A	3.43	108.84	103.45
3	C	2600	FAD	C5A-N7A-C8A	3.39	108.78	103.45
4	E	8603	BRU	O2-C2-N1	-3.36	118.42	122.80
3	A	4600	FAD	C2A-N3A-C4A	3.34	119.98	111.83
3	E	8600	FAD	N9A-C8A-N7A	-3.32	109.23	113.94
3	H	5600	FAD	C4-N3-C2	-3.28	119.81	125.64
3	C	2600	FAD	C2A-N3A-C4A	3.28	119.83	111.83
3	B	3600	FAD	C2A-N3A-C4A	3.26	119.80	111.83
3	D	1600	FAD	C2A-N3A-C4A	3.26	119.79	111.83
3	B	3600	FAD	O3P-P-O1P	-3.25	100.94	110.70
3	B	3600	FAD	C10-C4X-N5	-3.22	118.24	124.81
3	G	6600	FAD	N3A-C4A-N9A	3.20	132.61	127.17
3	C	2600	FAD	C4-N3-C2	-3.19	119.98	125.64
3	G	6600	FAD	C4X-C10-N10	3.15	121.00	116.48
3	H	5600	FAD	C2A-N3A-C4A	3.15	119.52	111.83
3	H	5600	FAD	O3P-P-O1P	-3.10	101.38	110.70
3	D	1600	FAD	C4-C4X-N5	3.10	122.49	118.21
3	A	4600	FAD	C4-N3-C2	-3.10	120.14	125.64
3	C	2600	FAD	C10-C4X-N5	-3.10	118.49	124.81
3	A	4600	FAD	C4-C4X-N5	3.07	122.44	118.21
3	G	6600	FAD	C4-C4X-N5	3.06	122.44	118.21
3	G	6600	FAD	C4A-C5A-N7A	-3.03	107.11	110.58
3	G	6600	FAD	O3P-P-O1P	-3.03	101.60	110.70
3	F	7600	FAD	C5A-N7A-C8A	3.01	108.18	103.45
4	H	5603	BRU	O2-C2-N1	-2.99	118.90	122.80
3	E	8600	FAD	C5A-N7A-C8A	2.99	108.14	103.45
3	H	5600	FAD	C5A-N7A-C8A	2.98	108.14	103.45
3	B	3600	FAD	C4-N3-C2	-2.98	120.34	125.64
3	E	8600	FAD	C10-C4X-N5	-2.96	118.77	124.81
3	G	6600	FAD	C10-C4X-N5	-2.95	118.78	124.81
3	B	3600	FAD	C4-C4X-N5	2.94	122.27	118.21
3	C	2600	FAD	C4X-C10-N10	2.92	120.67	116.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	7600	FAD	C4X-C10-N10	2.92	120.66	116.48
3	H	5600	FAD	C4X-C10-N10	2.92	120.66	116.48
3	B	3600	FAD	N3A-C4A-N9A	2.91	132.12	127.17
3	A	4600	FAD	C10-C4X-N5	-2.90	118.90	124.81
3	D	1600	FAD	C4X-C10-N10	2.89	120.62	116.48
3	A	4600	FAD	N3A-C4A-N9A	2.88	132.06	127.17
3	D	1600	FAD	C9A-C5X-N5	-2.83	119.45	122.45
4	C	2603	BRU	C6-C5-C4	-2.78	117.85	120.67
3	B	3600	FAD	C5A-N7A-C8A	2.77	107.81	103.45
3	H	5600	FAD	C10-C4X-N5	-2.74	119.21	124.81
3	F	7600	FAD	C10-C4X-N5	-2.73	119.23	124.81
3	C	2600	FAD	O3P-P-O1P	-2.73	102.49	110.70
3	E	8600	FAD	O3P-P-O1P	-2.73	102.50	110.70
3	D	1600	FAD	C10-C4X-N5	-2.73	119.24	124.81
3	F	7600	FAD	C4-N3-C2	-2.71	120.84	125.64
3	D	1600	FAD	N3A-C4A-N9A	2.70	131.75	127.17
3	E	8600	FAD	C4X-C4-N3	2.69	120.09	113.25
3	D	1600	FAD	C4A-C5A-N7A	-2.68	107.51	110.58
3	G	6600	FAD	C4-N3-C2	-2.68	120.89	125.64
4	A	4603	BRU	C2'-C1'-N1	-2.65	107.19	113.81
3	D	1600	FAD	C4X-C4-N3	2.64	119.98	113.25
4	D	1603	BRU	O2-C2-N1	-2.63	119.37	122.80
3	G	6600	FAD	C4X-C4-N3	2.61	119.89	113.25
4	G	6603	BRU	BR-C5-C4	2.60	121.01	118.02
4	C	2603	BRU	BR-C5-C4	2.59	121.00	118.02
4	A	4603	BRU	C6-C5-C4	-2.59	118.05	120.67
4	E	8603	BRU	BR-C5-C4	2.58	121.00	118.02
3	F	7600	FAD	N3A-C4A-N9A	2.58	131.56	127.17
3	F	7600	FAD	O3P-P-O1P	-2.58	102.94	110.70
3	H	5600	FAD	C9A-C5X-N5	-2.58	119.72	122.45
3	H	5600	FAD	O2A-PA-O3P	-2.57	100.32	107.27
3	A	4600	FAD	C4X-C4-N3	2.56	119.77	113.25
3	C	2600	FAD	C4-C4X-N5	2.56	121.74	118.21
3	F	7600	FAD	C9A-C5X-N5	-2.55	119.75	122.45
3	G	6600	FAD	C9A-C5X-N5	-2.55	119.75	122.45
3	F	7600	FAD	O4-C4-C4X	-2.54	119.83	126.53
4	H	5603	BRU	BR-C5-C4	2.54	120.94	118.02
3	H	5600	FAD	C4X-C4-N3	2.53	119.70	113.25
3	H	5600	FAD	O4-C4-C4X	-2.53	119.85	126.53
3	A	4600	FAD	O3P-P-O1P	-2.52	103.12	110.70
3	D	1600	FAD	O3P-P-O1P	-2.51	103.15	110.70
3	C	2600	FAD	O2-C2-N1	-2.47	117.69	121.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1600	FAD	C4-N3-C2	-2.47	121.25	125.64
3	E	8600	FAD	C4X-C10-N1	-2.47	118.53	124.59
3	C	2600	FAD	C4X-C4-N3	2.46	119.53	113.25
3	E	8600	FAD	C4A-C5A-N7A	-2.45	107.78	110.58
3	H	5600	FAD	N3A-C4A-N9A	2.42	131.29	127.17
3	C	2600	FAD	N3A-C4A-N9A	2.42	131.28	127.17
4	F	7603	BRU	O2-C2-N1	-2.41	119.67	122.80
4	B	3603	BRU	BR-C5-C4	2.39	120.77	118.02
5	B	2002	GOL	O2-C2-C1	2.38	119.05	109.18
4	E	8603	BRU	C6-C5-C4	-2.38	118.26	120.67
3	B	3600	FAD	C4X-C4-N3	2.37	119.29	113.25
3	H	5600	FAD	C5'-C4'-C3'	-2.36	107.77	112.22
4	D	1603	BRU	BR-C5-C4	2.32	120.69	118.02
3	B	3600	FAD	O2P-P-O3P	2.31	113.53	107.27
3	C	2600	FAD	O4-C4-C4X	-2.29	120.48	126.53
3	E	8600	FAD	N3A-C4A-N9A	2.27	131.03	127.17
3	F	7600	FAD	O2P-P-O3P	2.26	113.37	107.27
3	F	7600	FAD	C4X-C4-N3	2.26	119.00	113.25
4	D	1603	BRU	C6-C5-C4	-2.22	118.42	120.67
3	C	2600	FAD	C4A-C5A-N7A	-2.21	108.05	110.58
3	E	8600	FAD	O2-C2-N1	-2.21	118.12	121.80
3	E	8600	FAD	O4-C4-C4X	-2.20	120.73	126.53
4	G	6603	BRU	O2-C2-N1	-2.19	119.95	122.80
3	C	2600	FAD	C9A-C5X-N5	-2.19	120.13	122.45
3	A	4600	FAD	O2-C2-N1	-2.17	118.19	121.80
3	C	2600	FAD	O2A-PA-O3P	-2.16	101.43	107.27
3	H	5600	FAD	C2A-N1A-C6A	2.16	122.27	118.73
3	H	5600	FAD	C4A-N9A-C8A	2.13	107.98	105.74
3	H	5600	FAD	C4-C4X-N5	2.13	121.15	118.21
4	C	2603	BRU	O2-C2-N1	-2.13	120.03	122.80
4	B	3603	BRU	C6-C5-C4	-2.12	118.52	120.67
4	H	5603	BRU	C6-C5-C4	-2.10	118.54	120.67
3	D	1600	FAD	C6A-C5A-C4A	2.10	120.04	117.18
3	A	4600	FAD	C4A-C5A-N7A	-2.09	108.19	110.58
3	F	7600	FAD	C4-C4X-N5	2.07	121.07	118.21
3	E	8600	FAD	C4-C4X-N5	2.06	121.06	118.21
4	F	7603	BRU	C6-C5-C4	-2.06	118.58	120.67
3	G	6600	FAD	C10-N1-C2	2.06	121.31	116.85
3	F	7600	FAD	C4A-C5A-N7A	-2.06	108.23	110.58
3	C	2600	FAD	C4A-N9A-C8A	2.05	107.89	105.74
3	D	1600	FAD	C5X-C9A-N10	2.03	119.81	117.97
3	A	4600	FAD	O2P-P-O3P	2.02	112.73	107.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	8600	FAD	O2B-C2B-C3B	-2.01	105.36	111.82
4	C	2603	BRU	O4'-C1'-N1	2.01	111.43	107.86
3	C	2600	FAD	C5X-N5-C4X	2.00	121.33	118.09

There are no chirality outliers.

All (63) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	3600	FAD	C5B-O5B-PA-O1A
3	B	3600	FAD	C5B-O5B-PA-O3P
3	C	2600	FAD	O4'-C4'-C5'-O5'
3	D	1600	FAD	C3'-C4'-C5'-O5'
3	D	1600	FAD	O4'-C4'-C5'-O5'
3	E	8600	FAD	PA-O3P-P-O5'
3	F	7600	FAD	C3'-C4'-C5'-O5'
3	F	7600	FAD	O4'-C4'-C5'-O5'
3	H	5600	FAD	C5B-O5B-PA-O1A
5	A	2013	GOL	C1-C2-C3-O3
5	C	2003	GOL	O1-C1-C2-O2
5	C	2003	GOL	O1-C1-C2-C3
5	D	2009	GOL	O1-C1-C2-O2
5	D	2009	GOL	O1-C1-C2-C3
5	E	2004	GOL	O1-C1-C2-C3
5	F	2007	GOL	O1-C1-C2-C3
5	G	2005	GOL	O1-C1-C2-C3
5	A	2001	GOL	C1-C2-C3-O3
5	A	2010	GOL	O1-C1-C2-C3
5	D	2012	GOL	O1-C1-C2-C3
5	H	2006	GOL	O1-C1-C2-C3
5	H	2006	GOL	C1-C2-C3-O3
5	A	2013	GOL	O2-C2-C3-O3
5	E	2004	GOL	O1-C1-C2-O2
5	G	2005	GOL	O1-C1-C2-O2
3	G	6600	FAD	C3'-C4'-C5'-O5'
5	F	2007	GOL	O1-C1-C2-O2
5	H	2006	GOL	O1-C1-C2-O2
5	D	2012	GOL	O1-C1-C2-O2
3	C	2600	FAD	PA-O3P-P-O5'
3	D	1600	FAD	PA-O3P-P-O5'
3	F	7600	FAD	PA-O3P-P-O5'
3	G	6600	FAD	PA-O3P-P-O5'
3	H	5600	FAD	PA-O3P-P-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	2001	GOL	O2-C2-C3-O3
5	A	2010	GOL	O1-C1-C2-O2
5	A	2010	GOL	C1-C2-C3-O3
3	C	2600	FAD	C3'-C4'-C5'-O5'
3	G	6600	FAD	P-O3P-PA-O1A
5	H	2006	GOL	O2-C2-C3-O3
3	E	8600	FAD	O4'-C4'-C5'-O5'
3	A	4600	FAD	C5'-O5'-P-O1P
3	B	3600	FAD	C5B-O5B-PA-O2A
3	F	7600	FAD	C5B-O5B-PA-O3P
3	H	5600	FAD	C5B-O5B-PA-O3P
5	B	2002	GOL	O2-C2-C3-O3
3	D	1600	FAD	C4'-C5'-O5'-P
3	F	7600	FAD	P-O3P-PA-O1A
3	F	7600	FAD	C4'-C5'-O5'-P
3	E	8600	FAD	C4'-C5'-O5'-P
3	G	6600	FAD	C4'-C5'-O5'-P
3	A	4600	FAD	O3'-C3'-C4'-C5'
3	H	5600	FAD	C4'-C5'-O5'-P
3	C	2600	FAD	P-O3P-PA-O1A
3	C	2600	FAD	P-O3P-PA-O2A
3	E	8600	FAD	P-O3P-PA-O2A
3	H	5600	FAD	P-O3P-PA-O2A
3	G	6600	FAD	O4'-C4'-C5'-O5'
3	F	7600	FAD	C2'-C3'-C4'-O4'
3	C	2600	FAD	C4'-C5'-O5'-P
3	B	3600	FAD	P-O3P-PA-O2A
3	F	7600	FAD	P-O3P-PA-O2A
3	G	6600	FAD	P-O3P-PA-O2A

There are no ring outliers.

27 monomers are involved in 142 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	1603	BRU	6	0
4	A	4603	BRU	5	0
5	A	2013	GOL	1	0
5	C	2003	GOL	10	0
3	F	7600	FAD	1	0
4	C	2603	BRU	3	0
5	B	2002	GOL	11	0
3	B	3600	FAD	2	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	4600	FAD	5	0
4	H	5603	BRU	5	0
5	F	2007	GOL	1	0
5	A	2001	GOL	7	0
5	H	2006	GOL	12	0
5	E	2011	GOL	14	0
4	E	8603	BRU	4	0
5	B	2008	GOL	4	0
4	G	6603	BRU	5	0
5	D	2009	GOL	3	0
4	F	7603	BRU	5	0
4	B	3603	BRU	6	0
3	E	8600	FAD	2	0
3	G	6600	FAD	2	0
3	D	1600	FAD	2	0
3	C	2600	FAD	2	0
3	H	5600	FAD	2	0
5	G	2005	GOL	10	0
5	E	2004	GOL	12	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand BRU D 1603






Ligand BRU A 4603






























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	241/258 (93%)	0.34	19 (7%)	18	17	10, 25, 41, 50	0
1	B	241/258 (93%)	0.35	16 (6%)	24	23	10, 24, 41, 50	1 (0%)
1	C	238/258 (92%)	0.29	18 (7%)	20	18	10, 25, 42, 51	0
1	D	238/258 (92%)	0.35	24 (10%)	12	11	11, 25, 42, 50	1 (0%)
1	E	239/258 (92%)	0.28	12 (5%)	34	33	10, 24, 42, 50	0
1	F	238/258 (92%)	0.45	18 (7%)	20	18	11, 25, 41, 51	1 (0%)
1	G	242/258 (93%)	0.40	18 (7%)	20	19	11, 25, 42, 51	1 (0%)
1	H	239/258 (92%)	0.26	12 (5%)	34	33	10, 24, 42, 50	0
All	All	1916/2064 (92%)	0.34	137 (7%)	21	20	10, 25, 42, 51	4 (0%)

All (137) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	247	ALA	6.8
1	E	50	PRO	5.4
1	G	248	THR	5.4
1	B	52	PRO	5.2
1	B	160	ALA	5.1
1	A	160	ALA	5.0
1	F	112	LYS	4.9
1	B	69	HIS	4.8
1	C	51	ASN	4.6
1	B	50	PRO	4.0
1	E	53	LYS	4.0
1	C	236	ALA	3.9
1	D	52	PRO	3.7
1	A	155	ALA	3.7
1	B	155	ALA	3.7
1	G	247	ALA	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	161	ILE	3.6
1	F	113	ASP	3.6
1	F	111	GLU	3.5
1	C	54	THR	3.4
1	D	50	PRO	3.4
1	A	159	ASN	3.3
1	D	113	ASP	3.3
1	B	111	GLU	3.2
1	H	48	SER	3.2
1	D	114	SER	3.1
1	C	50	PRO	3.0
1	G	112	LYS	3.0
1	C	235	LEU	3.0
1	C	238	GLY	3.0
1	C	127	ASP	3.0
1	D	155	ALA	2.9
1	A	28	ASP	2.9
1	B	156	ASP	2.9
1	A	52	PRO	2.9
1	F	155	ALA	2.9
1	D	111	GLU	2.8
1	D	236	ALA	2.8
1	F	158	PRO	2.8
1	E	156	ASP	2.8
1	A	158	PRO	2.8
1	E	22	ASP	2.7
1	F	130	HIS	2.7
1	C	155	ALA	2.7
1	E	236	ALA	2.7
1	E	64	ILE	2.7
1	C	152	ALA	2.7
1	F	236	ALA	2.7
1	B	51	ASN	2.7
1	E	69	HIS	2.7
1	G	113	ASP	2.6
1	A	154	PHE	2.6
1	A	162	LEU	2.6
1	E	52	PRO	2.6
1	G	69	HIS	2.6
1	D	161	ILE	2.6
1	F	156	ASP	2.6
1	A	66	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	156	ASP	2.5
1	D	124	ASP	2.5
1	G	127	ASP	2.5
1	F	152	ALA	2.5
1	H	160	ALA	2.5
1	H	236	ALA	2.5
1	D	235	LEU	2.5
1	C	52	PRO	2.5
1	F	114	SER	2.5
1	D	112	LYS	2.5
1	D	51	ASN	2.5
1	F	148	ALA	2.5
1	F	127	ASP	2.4
1	H	124	ASP	2.4
1	D	134	GLU	2.4
1	A	113	ASP	2.4
1	H	127	ASP	2.4
1	F	228	ALA	2.4
1	B	162	LEU	2.4
1	C	64	ILE	2.4
1	B	154	PHE	2.4
1	F	154	PHE	2.3
1	G	114	SER	2.3
1	F	52	PRO	2.3
1	G	111	GLU	2.3
1	H	50	PRO	2.3
1	E	155	ALA	2.3
1	H	228	ALA	2.3
1	D	69	HIS	2.3
1	D	130	HIS	2.3
1	D	158	PRO	2.3
1	G	124	ASP	2.3
1	F	157	GLN	2.3
1	D	54	THR	2.3
1	H	245	PRO	2.3
1	B	22	ASP	2.3
1	C	162	LEU	2.3
1	A	3	GLU	2.2
1	A	51	ASN	2.2
1	A	53	LYS	2.2
1	G	160	ALA	2.2
1	G	108	TYR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	236	ALA	2.2
1	G	132	LEU	2.2
1	G	130	HIS	2.2
1	A	234	THR	2.2
1	C	234	THR	2.2
1	A	156	ASP	2.2
1	E	127	ASP	2.2
1	D	238	GLY	2.2
1	D	162	LEU	2.2
1	F	232	VAL	2.1
1	D	53	LYS	2.1
1	G	66	ASP	2.1
1	E	54	THR	2.1
1	G	161	ILE	2.1
1	A	67	VAL	2.1
1	G	129	ARG	2.1
1	D	152	ALA	2.1
1	G	152	ALA	2.1
1	B	66	ASP	2.1
1	E	245	PRO	2.1
1	H	28	ASP	2.1
1	G	238	GLY	2.1
1	F	153	LYS	2.1
1	D	232	VAL	2.1
1	C	123	GLU	2.0
1	C	228	ALA	2.1
1	D	228	ALA	2.1
1	H	155	ALA	2.1
1	D	30	ASP	2.0
1	H	69	HIS	2.0
1	C	108	TYR	2.0
1	H	53	LYS	2.0
1	B	123	GLU	2.0
1	A	152	ALA	2.0
1	B	157	GLN	2.0
1	C	237	ASP	2.0
1	B	163	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	GOL	F	2014	6/6	0.72	0.22	24,25,26,27	6
5	GOL	D	2012	6/6	0.76	0.31	25,26,27,27	6
2	IOD	D	3004	1/1	0.79	0.23	66,66,66,66	1
5	GOL	D	2009	6/6	0.80	0.17	43,46,47,48	0
2	IOD	G	3003	1/1	0.80	0.20	64,64,64,64	1
5	GOL	A	2013	6/6	0.80	0.17	42,42,43,44	0
5	GOL	F	2007	6/6	0.85	0.14	41,41,42,43	0
5	GOL	A	2010	6/6	0.85	0.13	48,50,50,50	0
5	GOL	B	2002	6/6	0.86	0.14	18,18,23,25	0
5	GOL	G	2005	6/6	0.86	0.16	25,27,27,30	0
5	GOL	H	2006	6/6	0.86	0.15	25,25,28,30	0
5	GOL	E	2004	6/6	0.88	0.12	26,27,27,30	0
5	GOL	E	2011	6/6	0.88	0.15	19,25,29,30	0
5	GOL	B	2008	6/6	0.88	0.19	29,35,36,38	0
5	GOL	A	2001	6/6	0.89	0.12	25,26,28,29	0
2	IOD	A	3001	1/1	0.91	0.10	41,41,41,41	1
5	GOL	C	2003	6/6	0.91	0.18	28,28,29,33	0
2	IOD	D	3002	1/1	0.92	0.10	49,49,49,49	1
2	IOD	E	3006	1/1	0.94	0.11	37,37,37,37	1
3	FAD	G	6600	53/53	0.95	0.07	13,23,26,28	0
2	IOD	F	3005	1/1	0.95	0.08	38,38,38,38	1
2	IOD	A	3008	1/1	0.95	0.08	34,34,34,34	1
3	FAD	E	8600	53/53	0.95	0.07	13,16,23,27	0
3	FAD	F	7600	53/53	0.95	0.07	16,22,24,26	0
3	FAD	H	5600	53/53	0.96	0.07	13,17,21,22	0
3	FAD	D	1600	53/53	0.96	0.07	13,21,24,25	0
3	FAD	A	4600	53/53	0.96	0.06	12,15,21,24	0
3	FAD	B	3600	53/53	0.96	0.06	12,16,21,24	0
3	FAD	C	2600	53/53	0.96	0.06	14,16,22,24	0
2	IOD	F	3010	1/1	0.97	0.06	45,45,45,45	1
4	BRU	F	7603	21/21	0.98	0.06	18,22,26,28	0
2	IOD	C	3009	1/1	0.98	0.08	20,20,20,20	1

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	BRU	D	1603	21/21	0.98	0.06	15,17,25,27	0
4	BRU	B	3603	21/21	0.99	0.04	8,12,13,17	0
4	BRU	C	2603	21/21	0.99	0.04	8,11,15,20	0
2	IOD	E	3007	1/1	0.99	0.07	16,16,16,16	1
4	BRU	E	8603	21/21	0.99	0.05	8,11,14,18	0
4	BRU	A	4603	21/21	0.99	0.04	12,15,16,18	0
4	BRU	G	6603	21/21	0.99	0.05	16,21,24,26	0
4	BRU	H	5603	21/21	0.99	0.04	8,12,14,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around FAD E 8600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD F 7600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD H 5600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD D 1600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 4600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD B 3600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD C 2600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around BRU F 7603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BRU D 1603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BRU B 3603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BRU C 2603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BRU E 8603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BRU A 4603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BRU G 6603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BRU H 5603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.