



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:59 AM UTC

PDB ID : 5CA1 / pdb_00005ca1
Title : Crystal structure of T2R-TTL-Nocodazole complex
Authors : Wang, Y.; Yu, Y.; Chen, Q.; Yang, J.
Deposited on : 2015-06-29
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	450	2% 89% 8% .
1	C	450	% 90% 7% .
2	B	445	5% 84% 11% .
2	D	445	5% 80% 14% 5%
3	E	143	5% 71% 12% . 15%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	384	16% 66% 18% • • 13%

2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 17872 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	437	Total	C	N	O	S	0	0	0
			3416	2163	581	650	22			
1	C	440	Total	C	N	O	S	0	0	0
			3437	2175	584	656	22			

- Molecule 2 is a protein called Tubulin beta-2 chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	427	Total	C	N	O	S	0	0	0
			3361	2110	576	649	26			
2	D	421	Total	C	N	O	S	0	0	0
			3309	2080	562	640	27			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	121	Total	C	N	O	S	0	0	0
			1000	617	181	197	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	-	expression tag	UNP P63043
E	4	ALA	-	expression tag	UNP P63043

- Molecule 4 is a protein called Uncharacterized protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	334	Total	C	N	O	S	0	0	0
			2744	1761	470	499	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Ca 1 1	0	0
7	C	1	Total Ca 1 1	0	0

- Molecule 8 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 6 3 3	0	0

- Molecule 9 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
9	D	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 10 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
10	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 11 is nocodazole (CCD ID: NZO) (formula: C₁₄H₁₁N₃O₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	B	1	Total	C	N	O	S	0	0
			21	14	3	3	1		
11	D	1	Total	C	N	O	S	0	0
			21	14	3	3	1		

- Molecule 12 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: $C_{11}H_{18}N_5O_{12}P_3$).




- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	101	Total 101	O 101	0	0
13	B	74	Total 74	O 74	0	0
13	C	131	Total 131	O 131	0	0
13	D	33	Total 33	O 33	0	0
13	E	13	Total 13	O 13	0	0
13	F	25	Total 25	O 25	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha




- Molecule 1: Tubulin alpha




- Molecule 2: Tubulin beta-2 chain



- Molecule 2: Tubulin beta-2 chain






• Molecule 3: Stathmin-4



• Molecule 4: Uncharacterized protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	105.44Å 158.36Å 180.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.52 – 2.40 41.52 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.8 (41.52-2.40) 99.7 (41.52-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.22 (at 2.39Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.192 , 0.225 0.198 , 0.206	Depositor DCC
R_{free} test set	5924 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	41.3	Xtriage
Anisotropy	0.176	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	17872	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, GDP, ACP, GTP, MG, MES, GOL, NZO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/3494	0.74	5/4743 (0.1%)
1	C	0.32	0/3515	0.72	2/4772 (0.0%)
2	B	0.33	0/3436	0.73	2/4654 (0.0%)
2	D	0.31	0/3382	0.74	1/4581 (0.0%)
3	E	0.31	0/1008	0.68	0/1337
4	F	0.37	0/2806	0.86	7/3791 (0.2%)
All	All	0.33	0/17641	0.75	17/23878 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	F	0	3

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	143	GLU	N-CA-C	7.45	121.62	109.85
4	F	172	PHE	N-CA-C	-7.34	102.89	111.03
4	F	138	ARG	N-CA-C	-7.20	101.82	113.19
4	F	139	ARG	N-CA-C	-6.83	102.43	111.24
1	A	262	TYR	CA-C-N	6.03	125.51	119.24
1	A	262	TYR	C-N-CA	6.03	125.51	119.24
4	F	237	THR	N-CA-C	-5.41	105.55	111.82
2	D	57	ASN	N-CA-C	5.38	119.15	112.47
1	A	162	GLY	N-CA-C	5.38	119.39	112.83
2	B	36	TYR	CA-C-N	-5.18	115.27	123.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	36	TYR	C-N-CA	-5.18	115.27	123.24
1	A	88	HIS	CA-C-N	5.17	126.31	119.84
1	A	88	HIS	C-N-CA	5.17	126.31	119.84
4	F	138	ARG	CB-CG-CD	5.16	123.16	111.30
1	C	36	MET	CA-C-N	5.14	125.18	119.32
1	C	36	MET	C-N-CA	5.14	125.18	119.32
4	F	234	GLN	N-CA-C	-5.11	106.89	113.02

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	F	138	ARG	Peptide
4	F	142	ARG	Peptide
4	F	242	ASN	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3416	0	3330	20	0
1	C	3437	0	3348	19	0
2	B	3361	0	3238	30	0
2	D	3309	0	3189	39	0
3	E	1000	0	1018	11	0
4	F	2744	0	2709	60	0
5	A	32	0	12	1	0
5	C	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
7	A	1	0	0	0	0
7	C	1	0	0	0	0
8	A	6	0	8	0	0
9	B	28	0	12	0	0
9	D	28	0	12	2	0
10	B	12	0	12	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	D	12	0	12	3	0
11	B	21	0	11	1	0
11	D	21	0	11	2	0
12	F	31	0	14	5	0
13	A	101	0	0	0	0
13	B	74	0	0	1	0
13	C	131	0	0	0	0
13	D	33	0	0	0	0
13	E	13	0	0	0	0
13	F	25	0	0	3	0
All	All	17872	0	16948	173	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:410:GLU:O	2:B:414:ASN:ND2	2.00	0.93
4:F:180:HIS:O	13:F:501:HOH:O	1.92	0.87
2:B:35:SER:OG	2:B:58:LYS:NZ	2.16	0.78
4:F:138:ARG:HE	4:F:143:GLU:HB2	1.46	0.78
4:F:136:ASN:O	4:F:140:GLU:N	2.13	0.78
4:F:229:ASN:N	4:F:238:CYS:SG	2.58	0.75
2:D:268:PRO:HG2	2:D:300:MET:HB2	1.71	0.72
2:D:1:MET:HG3	2:D:2:ARG:N	2.04	0.71
2:D:116:VAL:HG11	2:D:151:LEU:HD11	1.73	0.70
4:F:235:ASP:O	4:F:237:THR:N	2.22	0.69
2:B:239:CYS:SG	13:B:618:HOH:O	2.51	0.68
2:D:251:ARG:NH1	10:D:502:MES:O3S	2.23	0.67
4:F:31:ARG:HG2	4:F:32:LYS:H	1.59	0.67
4:F:331:GLU:OE2	12:F:401:ACP:O2G	2.13	0.66
4:F:225:SER:HB3	4:F:260:ASN:HD21	1.59	0.66
4:F:184:LYS:NZ	4:F:185:TYR:O	2.30	0.64
4:F:138:ARG:HB3	4:F:143:GLU:HB3	1.79	0.64
4:F:7:ARG:HD3	4:F:40:MET:HE3	1.80	0.63
4:F:163:SER:HB3	4:F:169:LEU:HD21	1.81	0.63
4:F:138:ARG:HB3	4:F:143:GLU:CB	2.29	0.63
1:C:249:ASN:OD1	1:C:356:ASN:ND2	2.30	0.62
2:D:212:PHE:HD1	2:D:213:ARG:HG3	1.64	0.62
1:A:209:ILE:HG23	1:A:230:LEU:HD23	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:244:CYS:SG	4:F:245:ILE:N	2.75	0.60
4:F:333:ASN:ND2	12:F:401:ACP:O2G	2.32	0.60
4:F:225:SER:OG	4:F:226:GLU:OE2	2.19	0.60
4:F:88:SER:OG	4:F:89:GLU:HG2	2.01	0.59
1:A:176:GLN:HG2	4:F:56:PRO:HB3	1.85	0.59
4:F:289:HIS:HA	4:F:292:ARG:HH12	1.68	0.59
1:A:124:LYS:O	1:A:128:GLN:NE2	2.35	0.58
4:F:16:GLU:OE1	4:F:19:ARG:NH1	2.37	0.58
2:D:404:ASP:OD1	2:D:405:GLU:N	2.37	0.58
2:D:316:ILE:HG13	11:D:503:NZO:H3	1.86	0.58
2:B:224:ASP:OD1	2:B:276:ARG:NH2	2.36	0.57
1:C:71:GLU:HG2	1:C:72:PRO:HD2	1.86	0.57
2:D:3:GLU:OE1	2:D:128:ASP:N	2.37	0.57
2:D:386:THR:O	2:D:390:ARG:HG2	2.05	0.57
2:B:137:HIS:HE1	2:B:166:THR:HB	1.71	0.56
2:D:1:MET:SD	2:D:3:GLU:HG3	2.46	0.56
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.24	0.55
3:E:120:LEU:O	3:E:124:GLN:HG2	2.07	0.55
2:D:406:MET:O	2:D:410:GLU:HG3	2.07	0.55
4:F:173:ILE:HA	4:F:176:GLN:HE21	1.70	0.55
4:F:185:TYR:OH	4:F:198:LYS:NZ	2.37	0.55
4:F:228:TYR:HA	4:F:238:CYS:SG	2.47	0.55
2:D:197:ASP:OD2	10:D:502:MES:H52	2.06	0.55
4:F:331:GLU:OE2	12:F:401:ACP:H3B2	2.06	0.55
2:D:137:HIS:HE1	2:D:166:THR:HB	1.72	0.55
2:B:156:ARG:CZ	10:B:503:MES:H21	2.36	0.55
4:F:181:VAL:HA	13:F:501:HOH:O	2.06	0.55
4:F:253:TYR:CE1	4:F:260:ASN:HB2	2.43	0.54
4:F:296:MET:HE3	4:F:380:HIS:CG	2.43	0.54
1:C:220:GLU:HG2	2:D:324:LYS:HD2	1.90	0.54
2:D:73:MET:HE3	2:D:92:PHE:HB3	1.89	0.54
2:B:333:VAL:O	2:B:337:ASN:ND2	2.40	0.54
4:F:1:MET:HE2	4:F:28:LYS:HB2	1.89	0.54
2:D:6:HIS:CD2	2:D:21:TRP:HE1	2.26	0.53
1:A:345:ASP:HB3	3:E:28:SER:HB2	1.91	0.53
2:B:174:LYS:HD2	2:B:205:GLU:HG3	1.90	0.53
2:B:414:ASN:H	2:B:414:ASN:HD22	1.55	0.53
1:C:209:ILE:HG23	1:C:230:LEU:HD23	1.90	0.53
4:F:147:TRP:HB3	4:F:182:ILE:HD11	1.91	0.52
2:B:197:ASP:OD2	10:B:503:MES:H52	2.10	0.51
1:C:381:THR:HG22	1:C:383:ALA:H	1.75	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:57:ASN:N	2:B:57:ASN:OD1	2.44	0.51
4:F:138:ARG:NE	4:F:143:GLU:HB2	2.20	0.51
2:B:279:GLN:O	2:B:280:GLN:HG2	2.10	0.51
1:C:162:GLY:HA2	3:E:94:ILE:HD11	1.92	0.50
4:F:99:VAL:HA	13:F:501:HOH:O	2.11	0.50
1:A:166:LYS:HE2	1:A:197:HIS:O	2.11	0.50
3:E:135:LYS:O	3:E:139:LEU:HG	2.11	0.50
2:D:2:ARG:HB3	2:D:131:GLN:NE2	2.27	0.49
4:F:186:LEU:HD12	4:F:320:MET:HG2	1.92	0.49
4:F:31:ARG:HG2	4:F:32:LYS:N	2.27	0.49
4:F:161:LEU:HD11	4:F:163:SER:HB2	1.95	0.49
4:F:163:SER:OG	4:F:164:SER:N	2.43	0.49
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.48	0.49
2:D:31:ASP:HB2	2:D:32:PRO:HD2	1.94	0.49
4:F:202:ARG:NH2	12:F:401:ACP:O1G	2.46	0.49
2:B:201:CYS:SG	2:B:265:PHE:HB3	2.53	0.49
2:D:3:GLU:HG2	2:D:127:CYS:SG	2.53	0.49
2:D:134:GLN:HA	2:D:165:ASN:O	2.12	0.48
4:F:136:ASN:O	4:F:140:GLU:HB2	2.13	0.48
1:C:335:ILE:HG23	1:C:339:ARG:HG3	1.95	0.48
4:F:21:LEU:O	4:F:24:THR:OG1	2.26	0.48
4:F:172:PHE:CD2	4:F:176:GLN:NE2	2.79	0.48
2:D:293:MET:HE2	2:D:367:PHE:HB2	1.95	0.48
3:E:6:MET:HG3	3:E:7:GLU:N	2.29	0.48
2:B:95:SER:O	1:C:2:ARG:NH2	2.48	0.47
1:C:430:LYS:HD3	1:C:430:LYS:HA	1.69	0.47
4:F:289:HIS:HA	4:F:292:ARG:NH1	2.28	0.47
2:B:272:PRO:HD2	2:B:361:LEU:HD13	1.96	0.47
2:D:3:GLU:O	2:D:131:GLN:HG2	2.14	0.47
4:F:96:GLU:OE1	4:F:98:TYR:OH	2.32	0.47
2:B:68:LEU:HD12	2:B:97:ALA:HB2	1.96	0.47
1:A:167:LEU:HG	1:A:200:CYS:HB3	1.96	0.47
2:D:397:TRP:CD1	2:D:397:TRP:N	2.83	0.47
4:F:148:ILE:HG13	4:F:162:ILE:HG12	1.97	0.47
2:B:112:LEU:HD23	2:B:147:MET:HE1	1.97	0.47
10:D:502:MES:H51	10:D:502:MES:H81	1.72	0.47
1:A:147:SER:HB2	1:A:190:THR:HB	1.97	0.47
1:A:209:ILE:HG22	1:A:227:LEU:HD22	1.96	0.47
1:A:265:ILE:HG23	1:A:432:TYR:CZ	2.50	0.46
2:D:46:ARG:NH1	2:D:239:CYS:O	2.49	0.46
4:F:176:GLN:HG3	4:F:180:HIS:CE1	2.51	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:244:PHE:CD1	1:C:358:GLN:HG3	2.52	0.45
2:D:351:THR:C	11:D:503:NZO:H2	2.40	0.45
4:F:101:TYR:HD2	4:F:126:ASP:HB2	1.81	0.45
4:F:138:ARG:HB3	4:F:143:GLU:HB2	1.97	0.45
2:D:3:GLU:OE2	2:D:3:GLU:N	2.44	0.45
4:F:331:GLU:OE2	12:F:401:ACP:C3B	2.64	0.45
1:C:140:SER:HA	1:C:171:ILE:HB	1.99	0.44
3:E:53:LYS:HA	3:E:53:LYS:HD2	1.70	0.44
3:E:138:GLU:C	3:E:140:LYS:H	2.25	0.44
1:A:275:VAL:HG13	1:A:368:LEU:HD21	2.00	0.44
4:F:161:LEU:HD23	4:F:172:PHE:CD2	2.53	0.44
1:A:188:ILE:HG13	1:A:425:MET:HG3	1.99	0.44
1:A:217:LEU:HD21	1:A:368:LEU:HD23	1.99	0.44
2:D:12:CYS:HB2	9:D:501:GDP:C8	2.53	0.44
2:D:1:MET:HG2	2:D:3:GLU:OE1	2.18	0.44
3:E:46:SER:OG	3:E:49:GLU:HG3	2.18	0.44
4:F:243:HIS:CE1	4:F:253:TYR:OH	2.70	0.44
2:D:44:LEU:HA	2:D:47:ILE:HB	2.00	0.43
4:F:206:LEU:HD21	4:F:354:ALA:HB2	1.99	0.43
2:D:394:PHE:HD2	2:D:397:TRP:CZ2	2.35	0.43
2:D:395:LEU:HD21	2:D:405:GLU:HG2	2.00	0.43
2:D:99:ASN:HD22	2:D:178:THR:HG21	1.84	0.43
4:F:243:HIS:ND1	4:F:243:HIS:O	2.52	0.43
1:A:172:TYR:HB3	1:A:205:ASP:HA	2.01	0.43
2:B:351:THR:C	11:B:504:NZO:H2	2.44	0.43
1:C:48:SER:OG	1:C:245:ASP:OD2	2.34	0.43
1:C:71:GLU:HB2	1:C:98:ASP:HB3	2.00	0.43
2:D:290:THR:HG22	2:D:333:VAL:HG21	2.01	0.43
1:A:14:VAL:O	1:A:18:ASN:ND2	2.52	0.43
1:C:188:ILE:HG13	1:C:425:MET:HG3	2.01	0.42
2:D:26:ASP:OD2	2:D:359:ARG:HD3	2.19	0.42
2:B:362:LYS:HE2	2:B:362:LYS:HB3	1.88	0.42
3:E:126:LYS:HB3	3:E:126:LYS:HE3	1.66	0.42
4:F:178:GLN:HB2	4:F:180:HIS:CD2	2.54	0.42
2:B:46:ARG:HH21	2:B:243:PRO:HA	1.85	0.42
1:C:172:TYR:HB3	1:C:205:ASP:HA	2.01	0.42
2:D:345:ILE:HG22	2:D:348:ASN:HB3	2.00	0.42
2:D:141:GLY:HA3	9:D:501:GDP:O3A	2.19	0.42
1:A:357:TYR:CE2	3:E:17:GLY:HA2	2.54	0.42
1:A:98:ASP:HB2	5:A:501:GTP:O3G	2.19	0.42
2:B:67:ASP:O	2:B:92:PHE:HA	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:406:HIS:CD2	2:D:261:PRO:HD3	2.55	0.42
4:F:176:GLN:HG3	4:F:180:HIS:NE2	2.35	0.42
2:B:73:MET:HE3	2:B:90:PHE:HD2	1.85	0.42
2:B:33:THR:O	2:B:58:LYS:HE3	2.20	0.42
2:B:239:CYS:SG	2:B:246:LEU:HD23	2.60	0.42
2:B:336:LYS:HG2	2:B:337:ASN:CG	2.45	0.42
2:D:145:SER:OG	2:D:188:SER:OG	2.29	0.42
2:D:117:LEU:HD11	2:D:154:LYS:HB3	2.02	0.42
4:F:235:ASP:C	4:F:236:LYS:HG3	2.44	0.42
4:F:259:GLY:O	4:F:261:GLU:HG3	2.19	0.42
4:F:340:GLN:HA	4:F:343:TYR:HD2	1.84	0.42
4:F:348:GLN:NE2	4:F:352:ASP:OD2	2.51	0.42
4:F:349:GLY:O	4:F:353:VAL:HG22	2.20	0.42
4:F:128:ARG:O	4:F:132:LEU:HD12	2.19	0.41
1:A:370:LYS:HB2	1:A:370:LYS:HE3	1.79	0.41
1:C:2:ARG:HD2	1:C:2:ARG:HA	1.91	0.41
2:B:331:LEU:O	2:B:335:ASN:ND2	2.54	0.41
1:C:320:ARG:HA	1:C:356:ASN:O	2.21	0.41
1:A:76:ASP:OD1	1:A:79:ARG:NH1	2.50	0.41
2:B:296:SER:HA	2:B:299:MET:HG2	2.01	0.41
4:F:84:SER:HA	4:F:85:PRO:HD3	1.95	0.41
3:E:72:LEU:O	3:E:76:ARG:HG2	2.20	0.41
1:A:430:LYS:HD2	1:A:430:LYS:HA	1.66	0.41
4:F:94:PHE:HA	4:F:95:PRO:HD3	1.95	0.41
2:B:203:ASP:CG	2:B:380:ARG:HH22	2.29	0.40
1:C:7:ILE:HG21	1:C:153:LEU:HD21	2.03	0.40
2:B:290:THR:HG22	2:B:333:VAL:HG21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	435/450 (97%)	425 (98%)	10 (2%)	0	100	100
1	C	438/450 (97%)	427 (98%)	11 (2%)	0	100	100
2	B	425/445 (96%)	413 (97%)	11 (3%)	1 (0%)	43	58
2	D	417/445 (94%)	399 (96%)	18 (4%)	0	100	100
3	E	117/143 (82%)	114 (97%)	3 (3%)	0	100	100
4	F	324/384 (84%)	308 (95%)	13 (4%)	3 (1%)	14	22
All	All	2156/2317 (93%)	2086 (97%)	66 (3%)	4 (0%)	43	58

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	57	ASN
4	F	236	LYS
4	F	142	ARG
4	F	140	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	368/378 (97%)	364 (99%)	4 (1%)	65	82
1	C	371/378 (98%)	367 (99%)	4 (1%)	65	82
2	B	369/383 (96%)	361 (98%)	8 (2%)	45	67
2	D	364/383 (95%)	358 (98%)	6 (2%)	55	76
3	E	109/127 (86%)	105 (96%)	4 (4%)	30	51
4	F	301/342 (88%)	291 (97%)	10 (3%)	33	55
All	All	1882/1991 (94%)	1846 (98%)	36 (2%)	50	71

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	113	GLU
1	A	370	LYS
1	A	437	VAL
2	B	22	GLU
2	B	47	ILE
2	B	55	THR
2	B	58	LYS
2	B	218	THR
2	B	279	GLN
2	B	395	LEU
2	B	414	ASN
1	C	254	GLU
1	C	285	GLN
1	C	302	MET
1	C	430	LYS
2	D	15	GLN
2	D	45	GLU
2	D	95	SER
2	D	180	VAL
2	D	216	LYS
2	D	362	LYS
3	E	53	LYS
3	E	92	ASN
3	E	132	GLU
3	E	135	LYS
4	F	12	SER
4	F	88	SER
4	F	89	GLU
4	F	140	GLU
4	F	161	LEU
4	F	176	GLN
4	F	234	GLN
4	F	236	LYS
4	F	242	ASN
4	F	243	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	GLN
1	A	85	GLN
1	A	301	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	342	GLN
1	A	372	GLN
1	A	393	HIS
2	B	137	HIS
2	B	190	HIS
2	B	191	GLN
2	B	375	GLN
2	B	414	ASN
2	B	426	GLN
1	C	85	GLN
1	C	256	GLN
1	C	293	ASN
1	C	393	HIS
2	D	426	GLN
4	F	176	GLN
4	F	232	ASN
4	F	234	GLN
4	F	260	ASN
4	F	306	HIS
4	F	340	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 5 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	GDP	B	501	6	29,30,30	1.16	2 (6%)	45,47,47	1.75	8 (17%)
10	MES	B	503	-	12,12,12	2.21	1 (8%)	15,16,16	1.91	5 (33%)
11	NZO	D	503	-	23,23,23	1.48	3 (13%)	32,32,32	2.47	10 (31%)
5	GTP	A	501	6	33,34,34	0.99	3 (9%)	50,54,54	1.52	8 (16%)
10	MES	D	502	-	12,12,12	2.33	1 (8%)	15,16,16	1.94	2 (13%)
12	ACP	F	401	-	31,33,33	1.89	7 (22%)	47,52,52	1.98	11 (23%)
8	GOL	A	504	-	5,5,5	0.39	0	5,5,5	0.24	0
11	NZO	B	504	-	23,23,23	1.45	3 (13%)	32,32,32	2.51	10 (31%)
5	GTP	C	501	6	33,34,34	0.95	2 (6%)	50,54,54	1.49	8 (16%)
9	GDP	D	501	-	29,30,30	1.18	3 (10%)	45,47,47	1.76	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	GDP	B	501	6	-	3/16/32/32	0/3/3/3
10	MES	B	503	-	-	5/6/14/14	0/1/1/1
11	NZO	D	503	-	-	4/14/14/14	0/3/3/3
5	GTP	A	501	6	-	8/22/38/38	0/3/3/3
10	MES	D	502	-	-	3/6/14/14	0/1/1/1
12	ACP	F	401	-	-	4/19/38/38	0/3/3/3
8	GOL	A	504	-	-	4/4/4/4	-
11	NZO	B	504	-	-	2/14/14/14	0/3/3/3
5	GTP	C	501	6	-	8/22/38/38	0/3/3/3
9	GDP	D	501	-	-	5/16/32/32	0/3/3/3

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	D	502	MES	C8-S	-7.82	1.66	1.77
10	B	503	MES	C8-S	-7.32	1.67	1.77
12	F	401	ACP	PG-O3G	-4.36	1.45	1.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	F	401	ACP	PG-O1G	4.04	1.58	1.50
12	F	401	ACP	C5-N7	-3.84	1.32	1.39
11	D	503	NZO	O3-C13	3.77	1.40	1.34
11	B	504	NZO	O3-C13	3.66	1.40	1.34
12	F	401	ACP	C4-N9	-3.38	1.30	1.37
9	D	501	GDP	C5-C4	3.14	1.47	1.38
9	B	501	GDP	C5-C4	3.03	1.47	1.38
12	F	401	ACP	C5-C4	2.97	1.44	1.39
12	F	401	ACP	C8-N9	-2.93	1.32	1.37
11	D	503	NZO	C13-N3	2.69	1.42	1.37
11	B	504	NZO	C13-N3	2.54	1.42	1.37
9	B	501	GDP	C6-N1	-2.43	1.34	1.38
5	C	501	GTP	PB-O3B	2.32	1.62	1.59
9	D	501	GDP	C6-N1	-2.29	1.34	1.38
5	A	501	GTP	PA-O3A	2.21	1.61	1.59
9	D	501	GDP	PA-O3A	2.17	1.61	1.59
12	F	401	ACP	PB-O1B	-2.11	1.46	1.51
5	C	501	GTP	C2-N3	2.09	1.38	1.33
11	B	504	NZO	C12-N3	2.06	1.42	1.37
5	A	501	GTP	PB-O3B	2.05	1.61	1.59
11	D	503	NZO	C12-N3	2.04	1.42	1.37
5	A	501	GTP	C2-N3	2.02	1.38	1.33

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B	504	NZO	O3-C13-N3	8.51	118.94	109.15
11	D	503	NZO	O3-C13-N3	7.74	118.06	109.15
12	F	401	ACP	C5-C4-N3	-6.14	118.27	126.72
9	D	501	GDP	C5-C4-N3	-5.98	118.87	128.39
9	B	501	GDP	C5-C4-N3	-5.82	119.14	128.39
10	D	502	MES	C5-N4-C3	5.70	121.12	108.84
11	D	503	NZO	C1-S-C4	5.15	101.58	92.33
9	D	501	GDP	C2-N3-C4	5.04	120.98	112.30
11	B	504	NZO	C1-S-C4	5.04	101.38	92.33
9	B	501	GDP	C2-N3-C4	5.04	120.97	112.30
12	F	401	ACP	N3-C4-N9	4.75	135.25	127.17
5	C	501	GTP	C5-C4-N3	-4.68	120.94	128.39
5	A	501	GTP	C5-C4-N3	-4.68	120.94	128.39
5	A	501	GTP	C2-N3-C4	4.58	120.19	112.30
11	B	504	NZO	C5-C4-S	4.46	129.56	119.35
5	C	501	GTP	C2-N3-C4	4.38	119.84	112.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	501	GDP	N9-C4-N3	4.36	134.66	125.95
9	D	501	GDP	N9-C4-N3	4.30	134.55	125.95
10	B	503	MES	C5-N4-C3	4.23	117.95	108.84
11	D	503	NZO	C5-C4-S	3.99	128.48	119.35
11	D	503	NZO	O3-C13-O2	-3.99	118.81	124.62
12	F	401	ACP	C2-N3-C4	3.75	120.99	111.83
12	F	401	ACP	C4-C5-N7	-3.74	106.30	110.58
12	F	401	ACP	PB-O3A-PA	-3.64	120.49	132.37
9	D	501	GDP	C6-C5-N7	3.53	136.71	130.29
9	B	501	GDP	C6-C5-N7	3.52	136.69	130.29
11	B	504	NZO	O3-C13-O2	-3.47	119.56	124.62
11	D	503	NZO	C2-C1-S	-3.29	104.98	113.02
12	F	401	ACP	N3-C2-N1	-3.20	123.73	128.58
11	D	503	NZO	O2-C13-N3	-3.20	121.04	125.47
11	B	504	NZO	C2-C1-S	-3.15	105.32	113.02
12	F	401	ACP	C4-N9-C8	2.98	108.87	105.74
11	B	504	NZO	C9-N2-C12	2.95	107.68	104.21
10	B	503	MES	O2S-S-C8	2.91	111.12	106.73
11	B	504	NZO	O2-C13-N3	-2.90	121.47	125.47
12	F	401	ACP	C5-N7-C8	2.87	107.95	103.45
5	C	501	GTP	N9-C4-N3	2.85	131.66	125.95
11	D	503	NZO	C9-N2-C12	2.83	107.54	104.21
10	D	502	MES	O1S-S-C8	2.80	110.96	106.73
5	C	501	GTP	C2-N1-C6	-2.79	120.06	125.11
5	A	501	GTP	N9-C4-N3	2.79	131.52	125.95
5	A	501	GTP	C2-N1-C6	-2.78	120.06	125.11
9	D	501	GDP	C4-C5-N7	-2.74	106.33	110.67
5	A	501	GTP	N9-C8-N7	-2.73	108.34	113.40
11	B	504	NZO	C3-C4-S	-2.73	104.88	111.23
5	C	501	GTP	N9-C8-N7	-2.72	108.36	113.40
11	D	503	NZO	C3-C4-S	-2.68	104.98	111.23
12	F	401	ACP	O3G-PG-O1G	-2.61	105.63	112.39
11	D	503	NZO	C6-C5-C4	2.56	123.81	120.10
5	C	501	GTP	C8-N7-C5	2.56	108.82	104.26
9	B	501	GDP	C4-C5-N7	-2.54	106.64	110.67
5	A	501	GTP	C8-N7-C5	2.50	108.71	104.26
12	F	401	ACP	N9-C8-N7	-2.50	110.39	113.94
12	F	401	ACP	C3'-C2'-C1'	2.49	106.17	101.46
11	B	504	NZO	C6-C5-C4	2.46	123.66	120.10
10	B	503	MES	C6-C5-N4	-2.42	106.44	110.12
5	A	501	GTP	C5-C6-N1	2.41	119.39	113.25
5	C	501	GTP	C5-C6-N1	2.38	119.31	113.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B	503	MES	C7-N4-C5	2.36	117.53	111.24
5	A	501	GTP	O6-C6-C5	-2.34	120.36	126.53
9	B	501	GDP	O6-C6-C5	-2.25	120.58	126.53
5	C	501	GTP	O6-C6-C5	-2.25	120.59	126.53
11	B	504	NZO	N1-C12-N2	-2.21	110.52	113.73
11	D	503	NZO	N1-C12-N2	-2.21	110.53	113.73
10	B	503	MES	C7-N4-C3	2.06	116.72	111.24
9	B	501	GDP	O2A-PA-O3A	2.05	112.82	107.27
9	B	501	GDP	O2B-PB-O3A	2.05	111.50	104.64
9	D	501	GDP	O2A-PA-O3A	2.04	112.80	107.27
9	D	501	GDP	O2B-PB-O3A	2.02	111.42	104.64
9	D	501	GDP	O6-C6-C5	-2.02	121.20	126.53

There are no chirality outliers.

All (46) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	PB-O3B-PG-O2G
5	A	501	GTP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O1A
5	A	501	GTP	C5'-O5'-PA-O2A
5	C	501	GTP	PB-O3B-PG-O3G
5	C	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
8	A	504	GOL	O1-C1-C2-C3
8	A	504	GOL	C1-C2-C3-O3
9	B	501	GDP	C5'-O5'-PA-O3A
9	B	501	GDP	C5'-O5'-PA-O1A
9	B	501	GDP	C5'-O5'-PA-O2A
9	D	501	GDP	PA-O3A-PB-O2B
9	D	501	GDP	PA-O3A-PB-O3B
9	D	501	GDP	C5'-O5'-PA-O3A
9	D	501	GDP	C5'-O5'-PA-O1A
9	D	501	GDP	C5'-O5'-PA-O2A
10	B	503	MES	C8-C7-N4-C5
10	B	503	MES	C7-C8-S-O1S
10	B	503	MES	C7-C8-S-O2S
10	B	503	MES	C7-C8-S-O3S
10	D	502	MES	C7-C8-S-O1S
10	D	502	MES	C7-C8-S-O2S
10	D	502	MES	C7-C8-S-O3S

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
11	D	503	NZO	S-C4-C5-O1
12	F	401	ACP	C5'-O5'-PA-O1A
12	F	401	ACP	C5'-O5'-PA-O2A
12	F	401	ACP	C5'-O5'-PA-O3A
8	A	504	GOL	O1-C1-C2-O2
8	A	504	GOL	O2-C2-C3-O3
11	D	503	NZO	S-C4-C5-C6
11	D	503	NZO	C3-C4-C5-O1
11	D	503	NZO	C3-C4-C5-C6
10	B	503	MES	C8-C7-N4-C3
5	A	501	GTP	C4'-C5'-O5'-PA
5	C	501	GTP	C4'-C5'-O5'-PA
5	A	501	GTP	PB-O3B-PG-O1G
5	A	501	GTP	PB-O3B-PG-O3G
5	C	501	GTP	PB-O3B-PG-O2G
12	F	401	ACP	PB-C3B-PG-O1G
5	A	501	GTP	PB-O3A-PA-O2A
11	B	504	NZO	S-C4-C5-O1
5	C	501	GTP	PB-O3B-PG-O1G
11	B	504	NZO	S-C4-C5-C6
5	C	501	GTP	PB-O3A-PA-O2A



There are no ring outliers.



7 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	B	503	MES	2	0
11	D	503	NZO	2	0
5	A	501	GTP	1	0
10	D	502	MES	3	0
12	F	401	ACP	5	0
11	B	504	NZO	1	0
9	D	501	GDP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand NZO B 504



Ligand GTP C 501





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	437/450 (97%)	-0.08	7 (1%) 70 66	24, 39, 62, 87	0
1	C	440/450 (97%)	-0.40	5 (1%) 78 74	19, 31, 53, 69	0
2	B	427/445 (95%)	-0.02	21 (4%) 35 31	22, 38, 69, 103	0
2	D	421/445 (94%)	0.34	21 (4%) 34 30	26, 48, 78, 101	0
3	E	121/143 (84%)	0.56	7 (5%) 29 25	29, 53, 83, 94	0
4	F	334/384 (86%)	0.93	60 (17%) 3 3	32, 59, 116, 135	0
All	All	2180/2317 (94%)	0.14	121 (5%) 30 26	19, 42, 82, 135	0

All (121) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	F	149	ALA	5.4
2	B	335	ASN	4.9
4	F	103	THR	4.6
2	B	331	LEU	4.4
4	F	372	THR	4.4
4	F	253	TYR	4.4
2	D	284	LEU	4.3
2	D	1	MET	4.2
2	D	57	ASN	4.1
4	F	161	LEU	4.1
2	B	281	TYR	4.0
4	F	380	HIS	4.0
4	F	179	VAL	3.7
4	F	180	HIS	3.6
4	F	362	ALA	3.6
3	E	6	MET	3.6
4	F	234	GLN	3.5
2	B	323	MET	3.5
2	D	397	TRP	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	247	LYS	3.5
2	D	55	THR	3.5
4	F	173	ILE	3.5
4	F	244	CYS	3.5
4	F	237	THR	3.4
1	C	440	VAL	3.3
4	F	177	GLY	3.2
1	A	18	ASN	3.2
4	F	181	VAL	3.2
2	B	279	GLN	3.1
3	E	139	LEU	3.1
1	A	437	VAL	3.1
2	B	276	ARG	3.1
4	F	169	LEU	3.1
2	D	72	THR	3.0
4	F	240	LEU	3.0
2	B	247	ASN	3.0
4	F	176	GLN	3.0
4	F	242	ASN	2.9
4	F	260	ASN	2.9
4	F	230	SER	2.9
4	F	333	ASN	2.9
4	F	132	LEU	2.9
4	F	178	GLN	2.9
4	F	182	ILE	2.8
3	E	141	GLU	2.8
1	A	262	TYR	2.8
2	D	362	LYS	2.8
2	D	95	SER	2.8
4	F	231	ALA	2.8
4	F	379	HIS	2.8
2	B	333	VAL	2.8
2	B	55	THR	2.8
2	B	280	GLN	2.8
2	D	92	PHE	2.8
2	D	394	PHE	2.8
2	D	56	GLY	2.7
4	F	245	ILE	2.7
1	A	282	TYR	2.7
4	F	139	ARG	2.7
4	F	101	TYR	2.7
4	F	170	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	232	ASN	2.6
4	F	88	SER	2.6
2	B	80	PRO	2.6
2	D	30	ILE	2.6
2	D	83	GLN	2.6
1	C	340	SER	2.6
2	B	338	SER	2.5
1	A	251	ASP	2.5
4	F	171	ASP	2.5
4	F	236	LYS	2.5
4	F	341	LYS	2.5
4	F	172	PHE	2.4
4	F	252	ASN	2.4
4	F	131	PHE	2.4
4	F	130	VAL	2.4
4	F	134	ALA	2.4
3	E	28	SER	2.4
4	F	10	ASN	2.4
3	E	135	LYS	2.4
4	F	75	ALA	2.4
2	B	278	SER	2.3
2	B	282	ARG	2.3
2	D	37	HIS	2.3
4	F	126	ASP	2.3
2	D	81	PHE	2.3
4	F	166	ALA	2.3
4	F	167	SER	2.3
1	A	88	HIS	2.3
4	F	162	ILE	2.3
4	F	233	PHE	2.3
4	F	175	GLU	2.3
2	D	219	THR	2.3
4	F	100	ILE	2.3
4	F	241	THR	2.3
2	D	406	MET	2.3
2	B	274	THR	2.2
2	B	277	GLY	2.2
3	E	7	GLU	2.2
1	C	357	TYR	2.2
2	B	334	GLN	2.2
1	C	1	MET	2.2
2	D	80	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	57	ASN	2.2
2	D	94	GLN	2.2
4	F	243	HIS	2.2
4	F	225	SER	2.2
3	E	44	ASP	2.2
2	B	428	ALA	2.1
1	A	281	ALA	2.1
4	F	45	ASN	2.1
4	F	44	ARG	2.1
2	D	69	GLU	2.1
4	F	89	GLU	2.1
2	B	37	HIS	2.1
4	F	141	GLY	2.1
1	C	163	LYS	2.1
2	B	283	ALA	2.0
4	F	144	GLY	2.0
2	D	218	THR	2.0
4	F	238	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	GOL	A	504	6/6	0.86	0.14	45,54,59,59	0
10	MES	D	502	12/12	0.86	0.17	50,58,63,66	0
9	GDP	D	501	28/28	0.90	0.10	37,43,57,63	0
12	ACP	F	401	31/31	0.90	0.11	73,81,94,97	0
11	NZO	D	503	21/21	0.93	0.09	25,40,50,69	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
10	MES	B	503	12/12	0.93	0.10	32,43,51,53	0
7	CA	A	503	1/1	0.94	0.05	54,54,54,54	0
11	NZO	B	504	21/21	0.96	0.07	14,29,35,50	0
7	CA	C	503	1/1	0.97	0.04	45,45,45,45	0
6	MG	B	502	1/1	0.97	0.09	26,26,26,26	0
5	GTP	A	501	32/32	0.98	0.05	21,29,33,36	0
5	GTP	C	501	32/32	0.98	0.05	19,24,30,30	0
9	GDP	B	501	28/28	0.98	0.05	23,29,31,40	0
6	MG	A	502	1/1	0.99	0.03	28,28,28,28	0
6	MG	C	502	1/1	1.00	0.04	24,24,24,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GDP D 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ACP F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NZO D 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NZO B 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GTP A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GDP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.