



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:36 AM UTC

PDB ID : 7CLI / pdb_00007cli
Title : Structure of NF- κ B p52 homodimer bound to P-Selectin κ B DNA fragment
Authors : Meshcheryakov, V.A.; Wang, V.Y.-F.
Deposited on : 2020-07-21
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	398	 3% 44% 28% • 27%
1	B	398	 2% 49% 25% • 26%
2	C	18	 33% 61% 6%
3	D	18	 78% 17% 6%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5359 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nuclear factor NF-kappa-B p52 subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	292	Total	C	N	O	S	0	0	0
			2300	1449	412	427	12			
1	B	296	Total	C	N	O	S	0	0	0
			2334	1469	420	433	12			

- Molecule 2 is a DNA chain called DNA (5'-D(*CP*AP*AP*GP*GP*GP*GP*TP*CP*AP*CP*CP*CP*CP*TP*TP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	17	Total	C	N	O	P	0	0	0
			341	163	62	100	16			

- Molecule 3 is a DNA chain called DNA (5'-D(*GP*AP*AP*GP*GP*GP*GP*GP*TP*GP*AP*CP*CP*CP*CP*TP*TP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	18	Total	C	N	O	P	0	0	0
			372	176	73	106	17			


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	6	Total	O	0	0
			6	6		
4	C	1	Total	O	0	0
			1	1		
4	B	4	Total	O	0	0
			4	4		
4	D	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nuclear factor NF-kappa-B p52 subunit




- Molecule 1: Nuclear factor NF-kappa-B p52 subunit






- Molecule 2: DNA (5'-D(*CP*AP*AP*GP*GP*GP*GP*TP*CP*AP*CP*CP*CP*CP*TP*TP*C)-3')



- Molecule 3: DNA (5'-D(*GP*AP*AP*GP*GP*GP*GP*GP*TP*GP*AP*CP*CP*CP*CP*TP*TP*G)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.50Å 85.37Å 140.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.72 – 3.00 42.72 – 3.00	Depositor EDS
% Data completeness (in resolution range)	94.9 (42.72-3.00) 94.9 (42.72-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.05 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.236 , 0.275 0.238 , 0.277	Depositor DCC
R_{free} test set	973 reflections (4.63%)	wwPDB-VP
Wilson B-factor (Å ²)	86.8	Xtriage
Anisotropy	0.694	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 100.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for k,h,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5359	wwPDB-VP
Average B, all atoms (Å ²)	115.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.31 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.5943e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.07	3/2348 (0.1%)	1.46	23/3160 (0.7%)
1	B	1.03	3/2384 (0.1%)	1.43	4/3211 (0.1%)
2	C	0.54	0/381	1.03	2/585 (0.3%)
3	D	0.45	0/418	0.98	1/645 (0.2%)
All	All	0.99	6/5531 (0.1%)	1.39	30/7601 (0.4%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	102	PRO	C-O	-6.41	1.17	1.23
1	A	43	VAL	C-O	5.79	1.31	1.24
1	B	278	PRO	C-O	-5.63	1.16	1.24
1	A	48	GLN	C-O	-5.41	1.17	1.24
1	B	79	THR	C-O	-5.17	1.17	1.23
1	B	76	THR	C-O	5.15	1.30	1.23

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	113	GLN	CA-C-N	7.90	132.43	120.82
1	A	113	GLN	C-N-CA	7.90	132.43	120.82
3	D	15	DC	C4'-C3'-O3'	7.86	121.79	110.00
1	A	326	TYR	CA-C-N	7.79	127.74	120.03
1	A	326	TYR	C-N-CA	7.79	127.74	120.03
1	A	101	PRO	N-CA-C	-7.71	101.29	110.70
1	B	181	LEU	N-CA-C	-6.40	105.60	113.41
2	C	8	DT	C4'-C3'-O3'	6.35	119.52	110.00
1	A	175	GLU	N-CA-C	6.08	117.58	111.07
1	A	78	PRO	CA-C-O	-6.06	114.74	121.23
1	A	137	GLY	CA-C-O	-5.89	115.69	121.76
1	A	298	LYS	N-CA-C	-5.60	106.66	112.93
1	A	274	GLY	CA-C-O	-5.60	116.49	121.64
1	A	232	ARG	N-CA-CB	-5.55	101.68	111.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	210	LYS	CA-C-N	5.52	125.42	119.85
1	A	210	LYS	C-N-CA	5.52	125.42	119.85
1	A	77	TYR	CB-CA-C	5.47	117.54	109.22
1	A	181	LEU	N-CA-C	-5.47	105.87	112.54
1	A	301	ARG	CA-C-N	5.25	125.18	119.78
1	A	301	ARG	C-N-CA	5.25	125.18	119.78
1	A	144	LYS	CB-CA-C	-5.23	102.64	110.90
1	B	169	ALA	N-CA-C	-5.23	105.50	111.14
2	C	9	DC	C4'-C3'-O3'	-5.21	102.19	110.00
1	A	302	PRO	CB-CA-C	-5.18	104.59	111.23
1	A	267	GLU	CA-C-N	5.15	129.72	122.46
1	A	267	GLU	C-N-CA	5.15	129.72	122.46
1	B	77	TYR	CB-CA-C	5.13	117.02	109.22
1	A	149	THR	N-CA-C	-5.13	105.81	111.71
1	A	177	GLU	N-CA-C	-5.09	105.63	111.07
1	B	238	GLY	CA-C-O	-5.05	117.05	121.04

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2300	0	2309	91	0
1	B	2334	0	2345	83	0
2	C	341	0	192	9	0
3	D	372	0	203	5	0
4	A	6	0	0	0	0
4	B	4	0	0	0	0
4	C	1	0	0	1	0
4	D	1	0	0	0	0
All	All	5359	0	5049	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:270:TRP:NE1	1:A:295:HIS:HB3	1.67	1.10
1:A:270:TRP:CG	1:A:295:HIS:HD1	1.81	0.99
1:B:167:THR:HG23	1:B:170:GLU:H	1.26	0.97
1:B:240:VAL:HG23	1:B:294:TYR:HB3	1.48	0.93
1:A:87:GLY:O	1:A:129:MET:HE1	1.70	0.91
1:B:308:GLN:NE2	1:B:317:VAL:HG11	1.86	0.91
1:A:270:TRP:CD1	1:A:295:HIS:HB3	2.07	0.88
1:A:158:ARG:HG2	1:A:166:LEU:HB3	1.58	0.85
1:B:155:GLN:O	1:B:159:LEU:HB2	1.78	0.83
1:B:146:MET:HE3	1:B:150:MET:HE1	1.63	0.81
1:A:141:VAL:HG11	1:A:149:THR:HG21	1.63	0.80
1:A:158:ARG:HD3	1:A:166:LEU:O	1.83	0.78
1:A:142:THR:HG22	2:C:10:DA:H5'	1.67	0.77
1:A:270:TRP:CG	1:A:295:HIS:ND1	2.52	0.76
1:B:151:ILE:O	1:B:155:GLN:HG3	1.85	0.76
1:B:79:THR:CG2	1:B:132:GLN:HG3	2.14	0.76
1:A:199:ARG:HG3	1:A:204:SER:HB3	1.66	0.76
1:B:79:THR:HG22	1:B:132:GLN:HG3	1.68	0.75
1:B:308:GLN:NE2	1:B:317:VAL:CG1	2.48	0.74
1:B:270:TRP:NE1	1:B:295:HIS:HB3	2.03	0.73
1:A:167:THR:HG22	1:A:169:ALA:H	1.55	0.71
2:C:5:DG:N2	3:D:14:DC:O2	2.20	0.70
1:B:219:ASP:HB3	1:B:222:SER:HB3	1.72	0.69
1:A:189:ILE:HG12	1:A:218:HIS:ND1	2.08	0.69
1:A:283:LYS:O	1:A:284:GLN:HG2	1.94	0.68
1:A:158:ARG:NH1	1:A:168:GLU:HA	2.08	0.67
1:B:167:THR:HG23	1:B:170:GLU:N	2.05	0.67
1:A:199:ARG:HA	1:A:205:PHE:H	1.59	0.67
1:B:235:LYS:HD2	1:B:245:GLU:O	1.95	0.67
1:A:122:VAL:HG21	1:A:131:ALA:HB1	1.74	0.67
1:B:228:LEU:H	1:B:228:LEU:HD12	1.61	0.65
1:A:115:SER:OG	1:A:119:ILE:HG22	1.97	0.65
1:B:122:VAL:HG21	1:B:131:ALA:HB1	1.79	0.64
1:A:40:LEU:HD22	1:A:196:ALA:HB2	1.81	0.63
1:A:270:TRP:CD1	1:A:295:HIS:CB	2.81	0.63
1:B:228:LEU:HD11	1:B:311:ARG:HE	1.65	0.62
1:B:308:GLN:CD	1:B:317:VAL:CG1	2.73	0.62
1:B:100:ASP:N	1:B:101:PRO:HD2	2.14	0.62
1:B:308:GLN:CD	1:B:317:VAL:HG11	2.26	0.60
1:A:259:GLU:HG2	1:A:310:LYS:O	2.01	0.60
1:A:297:MET:CE	1:A:328:LEU:HD11	2.31	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:308:GLN:OE1	1:A:317:VAL:HG11	2.01	0.60
1:B:270:TRP:CD1	1:B:295:HIS:HB3	2.36	0.60
1:A:161:SER:C	1:A:166:LEU:HD13	2.27	0.60
1:A:222:SER:HB3	1:A:223:PRO:HD2	1.82	0.60
1:A:161:SER:OG	1:A:166:LEU:HD22	2.02	0.60
1:A:233:MET:HE1	1:A:307:LEU:HD11	1.84	0.59
1:B:170:GLU:HA	1:B:173:GLU:HB3	1.85	0.59
1:B:146:MET:HE3	1:B:150:MET:CE	2.33	0.59
1:A:254:GLN:HB2	1:A:257:ASP:HB3	1.85	0.58
1:B:40:LEU:HD23	1:B:41:VAL:N	2.20	0.57
1:A:283:LYS:O	1:A:284:GLN:CG	2.53	0.57
1:A:309:LEU:HB2	1:A:318:SER:HB3	1.86	0.57
1:B:170:GLU:HG3	1:B:173:GLU:OE1	2.04	0.56
1:B:235:LYS:HB2	1:B:246:VAL:HG22	1.87	0.56
1:B:200:ALA:HB2	1:B:207:LEU:CD2	2.36	0.56
1:A:146:MET:HE2	1:A:182:LYS:HA	1.88	0.56
1:A:161:SER:C	1:A:166:LEU:HD22	2.31	0.56
1:B:79:THR:HG22	1:B:132:GLN:CG	2.35	0.56
1:A:55:TYR:CE2	2:C:10:DA:H5''	2.41	0.56
1:B:240:VAL:CG2	1:B:294:TYR:HB3	2.29	0.55
1:A:107:HIS:O	1:A:153:LYS:NZ	2.39	0.55
1:A:48:GLN:HG3	1:A:216:PRO:O	2.06	0.55
1:A:270:TRP:HE1	1:A:295:HIS:HB3	1.69	0.55
1:A:81:LYS:CB	1:A:130:THR:HG22	2.38	0.54
1:B:107:HIS:O	1:B:153:LYS:NZ	2.40	0.54
1:B:240:VAL:HG21	1:B:297:MET:HA	1.88	0.54
1:A:245:GLU:OE1	1:A:288:VAL:HG11	2.07	0.54
1:B:233:MET:HE3	1:B:235:LYS:O	2.08	0.53
1:A:296:LYS:HE3	1:A:298:LYS:HE3	1.91	0.53
2:C:4:DG:O6	1:B:62:HIS:HE1	1.92	0.53
1:A:297:MET:HE2	1:A:328:LEU:HD11	1.91	0.52
1:A:105:HIS:CD2	1:A:190:VAL:HG12	2.45	0.52
2:C:6:DG:H2'	2:C:7:DG:C8	2.45	0.52
1:A:100:ASP:N	1:A:101:PRO:HD2	2.25	0.52
1:A:270:TRP:CD1	1:A:295:HIS:HD1	2.27	0.52
1:A:270:TRP:CD1	1:A:295:HIS:ND1	2.78	0.51
1:B:189:ILE:HG12	1:B:218:HIS:ND1	2.25	0.51
1:A:81:LYS:HB3	1:A:130:THR:HG22	1.92	0.51
1:B:170:GLU:HG2	1:B:174:LEU:HG	1.91	0.51
1:A:71:GLU:HG3	1:A:72:LYS:HG2	1.93	0.51
1:A:184:VAL:HG12	1:A:184:VAL:O	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:GLU:HG3	1:B:126:PRO:O	2.11	0.51
1:A:240:VAL:HG23	1:A:297:MET:HE3	1.92	0.51
1:B:148:GLY:O	1:B:151:ILE:HG13	2.11	0.51
1:B:237:ALA:O	1:B:323:PHE:CZ	2.64	0.51
1:A:45:GLN:OE1	1:A:46:PRO:HD2	2.11	0.50
1:B:308:GLN:CD	1:B:317:VAL:HG13	2.36	0.50
1:A:296:LYS:O	1:A:299:ILE:HG12	2.12	0.50
1:B:45:GLN:OE1	1:B:46:PRO:HD2	2.12	0.50
1:B:310:LYS:NZ	1:B:315:GLY:O	2.40	0.50
1:B:85:TYR:O	1:B:129:MET:HE2	2.12	0.49
1:B:40:LEU:HD12	1:B:196:ALA:HB2	1.94	0.49
1:A:146:MET:HE3	1:A:150:MET:CE	2.42	0.49
1:B:200:ALA:HB2	1:B:207:LEU:HD21	1.93	0.49
1:A:207:LEU:HD12	1:A:208:PRO:HD2	1.94	0.49
1:A:235:LYS:HB2	1:A:246:VAL:HG22	1.93	0.49
1:B:226:SER:O	1:B:311:ARG:NH2	2.45	0.49
1:B:142:THR:OG1	1:B:145:ASN:HB2	2.13	0.49
1:B:199:ARG:HA	1:B:205:PHE:HA	1.94	0.49
1:A:261:ARG:NH1	1:A:308:GLN:OE1	2.46	0.49
1:B:172:ARG:NH1	1:B:175:GLU:OE2	2.46	0.49
1:A:142:THR:OG1	1:A:145:ASN:HB2	2.13	0.48
1:B:198:LEU:O	1:B:207:LEU:HB2	2.11	0.48
1:B:93:VAL:CG1	1:B:120:CYS:HB2	2.43	0.48
3:D:14:DC:H2'	3:D:15:DC:C5	2.48	0.48
1:B:48:GLN:HG3	1:B:216:PRO:O	2.14	0.48
1:B:105:HIS:CD2	1:B:190:VAL:HG12	2.49	0.48
1:A:146:MET:HE3	1:A:150:MET:HE1	1.96	0.47
1:B:167:THR:CG2	1:B:170:GLU:H	2.12	0.47
1:B:273:PHE:O	1:B:292:PRO:HB3	2.15	0.47
1:B:170:GLU:O	1:B:174:LEU:HG	2.15	0.46
1:A:93:VAL:HG22	1:A:194:PHE:CD1	2.50	0.46
1:A:283:LYS:C	1:A:284:GLN:HG2	2.39	0.46
1:A:307:LEU:HD23	1:A:323:PHE:HB2	1.97	0.46
1:A:40:LEU:HD22	1:A:196:ALA:CB	2.45	0.46
1:A:74:ARG:O	1:A:74:ARG:HG3	2.15	0.46
1:A:139:LEU:C	1:A:139:LEU:HD23	2.40	0.46
1:A:248:LEU:C	1:A:248:LEU:HD23	2.40	0.46
1:B:94:ASP:OD1	1:B:193:ARG:HB3	2.15	0.46
1:B:199:ARG:HB2	1:B:205:PHE:CD1	2.52	0.46
1:A:40:LEU:HB3	1:A:212:VAL:CG2	2.45	0.45
2:C:5:DG:H2'	2:C:6:DG:O4'	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:87:GLY:O	1:A:129:MET:CE	2.54	0.45
1:B:260:VAL:HG22	1:B:309:LEU:HD23	1.98	0.45
1:B:270:TRP:CE2	1:B:295:HIS:HB3	2.52	0.45
1:B:241:ARG:O	1:B:293:PRO:HB3	2.17	0.45
1:B:307:LEU:HD23	1:B:323:PHE:HB2	1.98	0.45
1:A:158:ARG:CD	1:A:166:LEU:O	2.58	0.45
1:B:79:THR:HG22	1:B:132:GLN:HA	1.99	0.45
1:B:100:ASP:N	1:B:101:PRO:CD	2.78	0.45
1:B:139:LEU:C	1:B:139:LEU:HD23	2.42	0.44
1:A:294:TYR:HE2	1:A:299:ILE:HD11	1.82	0.44
1:B:146:MET:HE2	1:B:182:LYS:HA	2.00	0.44
1:B:329:VAL:HG13	1:B:329:VAL:O	2.18	0.44
1:A:166:LEU:HD12	1:A:166:LEU:HA	1.90	0.44
1:B:93:VAL:HG12	1:B:120:CYS:HB2	1.99	0.44
1:B:258:ILE:HD11	1:B:309:LEU:HB3	1.99	0.44
1:A:100:ASP:N	1:A:101:PRO:CD	2.81	0.44
1:A:44:GLU:OE2	1:A:44:GLU:HA	2.17	0.44
1:A:305:VAL:HG12	1:A:306:PHE:N	2.33	0.44
1:B:65:LEU:HD12	1:B:66:PRO:HD2	1.99	0.43
1:A:156:ARG:O	1:A:159:LEU:N	2.50	0.43
1:A:224:GLY:O	1:A:311:ARG:NH2	2.51	0.43
1:A:256:ASP:OD1	1:A:312:LYS:NZ	2.52	0.43
1:B:133:PHE:HB3	1:B:136:LEU:HG	2.01	0.43
1:B:182:LYS:O	1:B:182:LYS:HG2	2.18	0.43
1:B:248:LEU:C	1:B:248:LEU:HD23	2.43	0.43
1:A:65:LEU:HD12	1:A:66:PRO:HD2	2.01	0.43
1:A:273:PHE:O	1:A:292:PRO:HB3	2.18	0.43
2:C:1:DC:H2'	2:C:2:DA:C8	2.54	0.43
1:A:310:LYS:HG3	1:A:317:VAL:HG12	2.01	0.42
1:A:161:SER:OG	1:A:166:LEU:CD2	2.66	0.42
1:A:219:ASP:O	1:A:225:ALA:HB1	2.19	0.42
1:A:253:VAL:HB	1:A:258:ILE:HD13	2.01	0.42
1:B:311:ARG:HD2	1:B:316:ASP:HB2	2.01	0.42
1:B:79:THR:CG2	1:B:132:GLN:CG	2.92	0.42
2:C:14:DC:H5'	4:C:101:HOH:O	2.19	0.42
1:A:94:ASP:OD1	1:A:193:ARG:HB3	2.20	0.41
1:B:117:LEU:HD22	1:B:156:ARG:HG2	2.01	0.41
1:B:310:LYS:HA	1:B:316:ASP:O	2.19	0.41
1:A:233:MET:HE2	1:A:233:MET:HB3	1.83	0.41
1:B:240:VAL:HG22	1:B:297:MET:HE2	2.00	0.41
3:D:15:DC:H2'	3:D:16:DT:C7	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:GLY:O	1:A:129:MET:HE3	2.20	0.41
1:A:146:MET:O	1:A:149:THR:HG22	2.19	0.41
1:B:240:VAL:HG11	1:B:297:MET:HG3	2.02	0.41
3:D:15:DC:H2''	3:D:16:DT:O5'	2.20	0.41
1:A:297:MET:HE3	1:A:328:LEU:HD11	2.02	0.41
1:A:282:HIS:CE1	1:B:249:LEU:HB3	2.56	0.41
1:B:197:PHE:HA	1:B:207:LEU:O	2.21	0.41
1:A:81:LYS:HB2	1:A:130:THR:HG22	2.02	0.41
2:C:14:DC:H2'	2:C:15:DC:C6	2.56	0.41
1:B:311:ARG:HD2	1:B:316:ASP:OD2	2.20	0.40
1:A:219:ASP:O	1:A:225:ALA:CB	2.69	0.40
1:A:299:ILE:HG23	1:A:301:ARG:O	2.22	0.40
1:A:305:VAL:N	1:A:323:PHE:O	2.47	0.40
1:B:82:ILE:HB	1:B:129:MET:HE3	2.03	0.40
1:A:310:LYS:CG	1:A:317:VAL:HG12	2.52	0.40
1:A:136:LEU:HD23	1:A:136:LEU:HA	1.94	0.40
1:B:59:GLY:HA2	1:B:60:PRO:HD3	1.87	0.40
1:B:189:ILE:CD1	1:B:218:HIS:CE1	3.05	0.40
3:D:16:DT:H2'	3:D:17:DT:C6	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	288/398 (72%)	275 (96%)	13 (4%)	0	100	100
1	B	294/398 (74%)	284 (97%)	10 (3%)	0	100	100
All	All	582/796 (73%)	559 (96%)	23 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/330 (77%)	253 (100%)	0	100	100
1	B	257/330 (78%)	250 (97%)	7 (3%)	39	71
All	All	510/660 (77%)	503 (99%)	7 (1%)	59	80

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	159	LEU
1	B	177	GLU
1	B	181	LEU
1	B	202	ASP
1	B	256	ASP
1	B	257	ASP
1	B	264	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	98	HIS
1	A	227	ASN
1	B	98	HIS
1	B	284	GLN
1	B	308	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	292/398 (73%)	0.20	13 (4%) 38 20	73, 109, 167, 218	0
1	B	296/398 (74%)	0.13	8 (2%) 56 33	66, 110, 175, 212	0
2	C	17/18 (94%)	-0.29	0 100 100	89, 110, 146, 153	0
3	D	18/18 (100%)	-0.32	0 100 100	88, 112, 157, 157	0
All	All	623/832 (74%)	0.14	21 (3%) 48 27	66, 110, 171, 218	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	252	LYS	3.4
1	B	82	ILE	3.4
1	B	104	ALA	3.3
1	A	323	PHE	3.2
1	A	277	SER	3.1
1	B	267	GLU	3.1
1	B	323	PHE	2.9
1	A	169	ALA	2.9
1	B	51	PHE	2.7
1	A	138	VAL	2.6
1	B	237	ALA	2.5
1	B	226	SER	2.5
1	A	237	ALA	2.5
1	A	68	ALA	2.3
1	A	151	ILE	2.3
1	B	228	LEU	2.3
1	A	155	GLN	2.3
1	A	57	CYS	2.2
1	A	58	GLU	2.1
1	A	238	GLY	2.1
1	A	206	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.