



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:18 PM UTC

PDB ID : 7CS3 / pdb_00007cs3
Title : IiPLR1 with NADP+
Authors : Shao, K.; Zhang, P.
Deposited on : 2020-08-14
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	317	 3% 80% 11% • 8%
1	B	317	 3% 75% 16% • 7%
1	C	317	 3% 78% 14% • 8%
1	D	317	 5% 75% 15% • 9%
1	E	317	 2% 80% 10% • 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	317	3% 76% 12% • 11%

2 Entry composition ⓘ


There are 3 unique types of molecules in this entry. The entry contains 14569 atoms, of which 156 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pinorexinol-lariciresinol reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	292	Total	C	N	O	S	0	0	0
			2307	1470	389	438	10			
1	B	295	Total	C	N	O	S	0	0	0
			2330	1481	397	442	10			
1	C	292	Total	C	N	O	S	0	0	0
			2303	1466	389	438	10			
1	D	290	Total	C	N	O	S	0	0	0
			2286	1455	385	436	10			
1	E	289	Total	C	N	O	S	0	0	0
			2282	1453	384	435	10			
1	F	282	Total	C	N	O	S	0	0	0
			2221	1415	375	422	9			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	P	0	0
			74	21	26	7	17	3		
2	B	1	Total	C	H	N	O	P	0	0
			74	21	26	7	17	3		
2	C	1	Total	C	H	N	O	P	0	0
			74	21	26	7	17	3		
2	D	1	Total	C	H	N	O	P	0	0
			74	21	26	7	17	3		
2	E	1	Total	C	H	N	O	P	0	0
			74	21	26	7	17	3		
2	F	1	Total	C	H	N	O	P	0	0
			74	21	26	7	17	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	66	Total	O	0	0
			66	66		
3	B	76	Total	O	0	0
			76	76		
3	C	58	Total	O	0	0
			58	58		
3	D	57	Total	O	0	0
			57	57		
3	E	80	Total	O	0	0
			80	80		
3	F	59	Total	O	0	0
			59	59		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pinoresinol-lariciresinol reductase




• Molecule 1: Pinoresinol-lariciresinol reductase




• Molecule 1: Pinoresinol-lariciresinol reductase





• Molecule 1: Pinoresinol-lariciresinol reductase







• Molecule 1: Pinorensinol-lariciresinol reductase



• Molecule 1: Pinorensinol-lariciresinol reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	243.90Å 243.90Å 76.28Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	37.94 – 2.40 37.94 – 2.40	Depositor EDS
% Data completeness (in resolution range)	97.4 (37.94-2.40) 92.1 (37.94-2.40)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.51 (at 2.39Å)	Xtriage
Refinement program	PHENIX 1.10_2155, PHENIX 1.10_2155	Depositor
R, R_{free}	0.196 , 0.241 0.199 , 0.239	Depositor DCC
R_{free} test set	2005 reflections (2.03%)	wwPDB-VP
Wilson B-factor (Å ²)	34.5	Xtriage
Anisotropy	0.018	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 29.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.029 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14569	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 30.82 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2258e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/2346	0.57	0/3170
1	B	0.40	0/2370	0.52	0/3200
1	C	0.43	0/2342	0.56	0/3163
1	D	0.40	0/2323	0.62	3/3137 (0.1%)
1	E	0.42	0/2319	0.56	0/3132
1	F	0.43	0/2258	0.56	0/3051
All	All	0.42	0/13958	0.56	3/18853 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	2
1	D	0	3
1	F	0	1
All	All	0	7

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	45	ARG	N-CA-C	8.68	115.89	108.78
1	D	45	ARG	CB-CA-C	-6.41	107.84	117.07
1	D	45	ARG	CA-C-O	5.83	121.32	117.94

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	270	HIS	Peptide
1	C	275	GLY	Peptide
1	C	89	MET	Peptide
1	D	42	PRO	Peptide
1	D	44	THR	Peptide
1	D	45	ARG	Peptide
1	F	275	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2307	0	2315	36	0
1	B	2330	0	2333	44	0
1	C	2303	0	2308	45	0
1	D	2286	0	2293	39	0
1	E	2282	0	2290	31	0
1	F	2221	0	2230	37	0
2	A	48	26	24	9	0
2	B	48	26	24	3	0
2	C	48	26	24	9	0
2	D	48	26	24	9	0
2	E	48	26	25	7	0
2	F	48	26	25	10	0
3	A	66	0	0	3	0
3	B	76	0	0	7	0
3	C	58	0	0	6	0
3	D	57	0	0	4	0
3	E	80	0	0	4	0
3	F	59	0	0	4	0
All	All	14413	156	13915	235	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (235) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:401:NDP:O4D	2:F:401:NDP:C1D	1.63	1.21
2:C:401:NDP:C1D	2:C:401:NDP:O4D	1.64	1.17
1:D:45:ARG:HG2	1:D:47:ASP:H	1.23	1.01
1:F:97:HIS:N	3:F:501:HOH:O	2.03	0.90
1:F:98:SER:OG	2:F:401:NDP:N6A	2.06	0.89
1:F:185:LYS:NZ	1:F:250:GLU:OE2	2.07	0.86
1:E:8:GLU:N	3:E:501:HOH:O	2.11	0.84
1:C:263:ILE:O	1:C:271:GLN:NE2	2.10	0.84
1:F:89:MET:O	1:F:90:SER:HB2	1.76	0.83
1:C:98:SER:N	3:C:501:HOH:O	2.10	0.83
1:A:19:GLY:HA3	2:A:401:NDP:H52A	1.61	0.83
1:A:8:GLU:N	3:A:501:HOH:O	2.11	0.82
1:D:192:ASP:OD1	1:D:194:ASN:HB3	1.81	0.81
1:A:177:MET:HE1	1:A:274:LEU:HD21	1.63	0.81
1:F:100:LEU:HD11	1:F:143:GLN:HB3	1.63	0.78
1:D:262:ASP:O	1:D:263:ILE:HG22	1.83	0.76
1:C:262:ASP:O	1:C:263:ILE:HG12	1.85	0.76
1:D:235:MET:O	1:D:239:GLN:HG3	1.86	0.76
1:B:202:GLU:OE2	3:B:501:HOH:O	2.04	0.75
1:F:185:LYS:HG3	1:F:186:LYS:HG3	1.68	0.75
1:C:18:THR:OG1	2:C:401:NDP:O1X	2.02	0.74
1:A:138:ARG:N	1:A:276:HIS:HE2	1.85	0.73
1:C:166:PHE:H	2:C:401:NDP:H71N	1.35	0.73
1:A:39:LEU:HD11	1:A:67:ALA:HB3	1.70	0.73
1:C:177:MET:HE1	1:C:274:LEU:HD21	1.72	0.71
1:B:98:SER:O	1:B:101:VAL:HG22	1.90	0.71
1:B:39:LEU:HD11	1:B:67:ALA:HB3	1.70	0.71
1:B:23:ARG:NH2	1:F:49:GLU:OE2	2.22	0.70
1:B:19:GLY:HA3	2:B:401:NDP:H52A	1.74	0.70
1:B:95:ARG:HG3	1:B:270:HIS:NE2	2.06	0.70
1:D:202:GLU:OE2	3:D:501:HOH:O	2.08	0.70
1:C:305:LYS:O	1:C:305:LYS:HD3	1.91	0.69
1:F:89:MET:O	2:F:401:NDP:H3D	1.93	0.69
1:F:8:GLU:N	3:F:502:HOH:O	2.25	0.69
1:F:8:GLU:OE2	3:F:502:HOH:O	2.11	0.68
1:C:21:MET:HE2	1:C:166:PHE:CZ	2.28	0.68
1:C:39:LEU:HD11	1:C:67:ALA:HB3	1.75	0.67
1:C:305:LYS:NZ	3:C:504:HOH:O	2.26	0.67
1:D:45:ARG:HD3	1:D:51:VAL:HG21	1.77	0.67
1:D:90:SER:HB3	2:D:401:NDP:H3D	1.77	0.65
1:B:202:GLU:CD	1:B:202:GLU:H	2.05	0.65
1:D:45:ARG:HG2	1:D:47:ASP:N	2.05	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:19:GLY:HA3	2:F:401:NDP:H52A	1.80	0.64
1:E:19:GLY:HA3	2:E:401:NDP:H52A	1.79	0.64
1:C:202:GLU:OE2	3:C:503:HOH:O	2.15	0.64
1:A:268:ILE:O	1:A:270:HIS:N	2.31	0.63
1:B:311:GLU:OE2	3:B:502:HOH:O	2.15	0.63
1:C:21:MET:CE	1:C:166:PHE:CZ	2.82	0.63
1:B:233:THR:OG1	1:B:236:GLU:HG3	1.98	0.63
1:B:252:THR:HG23	3:B:511:HOH:O	1.98	0.63
1:E:98:SER:O	1:E:101:VAL:HG22	1.99	0.62
1:E:202:GLU:OE1	3:E:502:HOH:O	2.16	0.62
1:D:169:TYR:OH	3:D:502:HOH:O	2.16	0.62
1:C:305:LYS:HD3	1:C:305:LYS:C	2.24	0.61
1:D:98:SER:N	3:D:506:HOH:O	2.32	0.61
1:A:125:MET:HE1	1:A:276:HIS:HB3	1.82	0.61
1:D:189:ILE:HG13	1:D:235:MET:HE1	1.82	0.60
1:E:263:ILE:O	3:E:503:HOH:O	2.16	0.59
1:F:8:GLU:N	1:F:8:GLU:OE2	2.35	0.59
1:D:19:GLY:HA3	2:D:401:NDP:H52A	1.83	0.59
1:D:217:ARG:NH2	1:D:300:LEU:HD23	2.17	0.59
1:F:21:MET:HE3	1:F:166:PHE:CZ	2.37	0.59
1:E:89:MET:HE2	1:E:101:VAL:CG2	2.33	0.59
1:F:44:THR:HG21	1:F:54:LEU:HD12	1.85	0.59
1:A:165:CYS:HA	2:A:401:NDP:H72N	1.68	0.59
1:B:125:MET:HE3	1:B:285:CYS:SG	2.43	0.58
1:B:21:MET:HE3	1:B:166:PHE:CZ	2.39	0.58
1:D:39:LEU:HD11	1:D:67:ALA:HB3	1.86	0.58
1:B:263:ILE:O	3:B:503:HOH:O	2.17	0.57
1:C:221:LYS:NZ	3:C:509:HOH:O	2.34	0.57
1:A:166:PHE:N	2:A:401:NDP:N7N	2.50	0.57
1:B:259:PHE:C	1:B:261:ALA:H	2.12	0.57
1:E:39:LEU:HD11	1:E:67:ALA:HB3	1.87	0.56
1:B:39:LEU:CD1	1:B:67:ALA:HB3	2.36	0.56
1:D:139:GLU:O	1:D:143:GLN:HG3	2.05	0.56
1:B:9:LYS:HD2	1:B:33:GLY:O	2.06	0.56
1:C:138:ARG:HD2	1:C:138:ARG:O	2.06	0.56
1:D:138:ARG:N	1:D:276:HIS:HE2	2.03	0.55
1:A:32:GLU:OE2	3:A:502:HOH:O	2.18	0.55
1:C:166:PHE:HB3	1:C:202:GLU:OE1	2.06	0.55
1:C:45:ARG:NH2	3:C:512:HOH:O	2.39	0.55
1:F:89:MET:O	1:F:90:SER:CB	2.51	0.55
1:D:45:ARG:HD3	1:D:51:VAL:CG2	2.36	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:314:LYS:NZ	3:B:509:HOH:O	2.38	0.55
1:A:269:PRO:HA	1:A:271:GLN:HG2	1.88	0.55
1:D:19:GLY:CA	2:D:401:NDP:H52A	2.38	0.55
1:F:166:PHE:H	2:F:401:NDP:H72N	1.56	0.54
1:F:275:GLY:HA2	1:F:278:TYR:HB3	1.88	0.54
1:C:125:MET:HE3	1:C:285:CYS:SG	2.47	0.54
1:B:130:MET:HG3	1:B:141:PHE:CD2	2.43	0.54
2:D:401:NDP:O5D	2:D:401:NDP:H6N	2.07	0.54
1:C:299:LYS:NZ	3:C:511:HOH:O	2.38	0.54
1:F:16:GLY:HA2	2:F:401:NDP:H4B	1.90	0.54
1:E:39:LEU:CD1	1:E:67:ALA:HB3	2.39	0.53
1:F:242:GLU:OE1	1:F:251:LYS:NZ	2.41	0.53
1:A:19:GLY:CA	2:A:401:NDP:H52A	2.36	0.53
1:C:275:GLY:HA2	1:C:278:TYR:HB3	1.91	0.53
1:C:165:CYS:HB2	1:C:198:VAL:O	2.08	0.53
1:A:46:VAL:HG22	1:A:46:VAL:O	2.07	0.53
1:D:166:PHE:H	2:D:401:NDP:H72N	1.57	0.53
1:D:16:GLY:O	1:D:22:GLY:HA3	2.08	0.53
1:A:18:THR:OG1	2:A:401:NDP:O1X	2.23	0.53
1:B:89:MET:O	1:B:90:SER:C	2.50	0.53
1:B:259:PHE:O	1:B:261:ALA:N	2.43	0.52
1:E:89:MET:O	1:E:90:SER:C	2.52	0.52
1:E:138:ARG:N	1:E:276:HIS:HE2	2.07	0.52
1:F:97:HIS:CD2	1:F:143:GLN:HE22	2.29	0.51
1:D:89:MET:O	1:D:90:SER:C	2.52	0.51
1:C:48:ILE:O	1:C:52:GLN:HG3	2.09	0.51
1:B:168:ALA:N	1:B:202:GLU:OE1	2.40	0.50
1:C:279:HIS:ND1	1:C:283:GLU:OE1	2.41	0.50
1:A:90:SER:HB2	2:A:401:NDP:H3D	1.94	0.50
1:B:19:GLY:CA	2:B:401:NDP:H52A	2.41	0.50
1:D:192:ASP:OD2	1:D:192:ASP:N	2.45	0.50
1:A:177:MET:HE1	1:A:274:LEU:CD2	2.38	0.50
1:E:125:MET:HE3	1:E:285:CYS:SG	2.52	0.50
1:A:242:GLU:OE1	1:A:251:LYS:NZ	2.45	0.50
1:C:21:MET:HE2	1:C:166:PHE:CE2	2.47	0.50
1:B:166:PHE:H	2:B:401:NDP:H72N	1.58	0.49
1:C:89:MET:O	2:C:401:NDP:O5B	2.30	0.49
1:F:305:LYS:HA	1:F:305:LYS:CE	2.37	0.49
1:A:13:LEU:HB2	1:A:82:VAL:HG11	1.93	0.49
1:D:18:THR:OG1	2:D:401:NDP:O1X	2.27	0.49
1:D:131:GLY:O	3:D:503:HOH:O	2.20	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:262:ASP:O	1:E:263:ILE:HG13	2.13	0.49
1:C:202:GLU:H	1:C:202:GLU:CD	2.21	0.49
1:A:89:MET:O	1:A:90:SER:C	2.56	0.49
1:F:99:ILE:HG22	1:F:100:LEU:HD12	1.95	0.48
1:D:37:TYR:CD2	1:D:65:ILE:HD11	2.48	0.48
1:C:98:SER:O	1:C:101:VAL:HG22	2.13	0.48
1:D:259:PHE:CZ	1:D:274:LEU:HD12	2.49	0.48
1:A:90:SER:OG	3:A:503:HOH:O	2.20	0.48
1:A:125:MET:HB3	1:A:130:MET:HE3	1.96	0.48
1:D:202:GLU:CD	1:D:202:GLU:H	2.21	0.48
1:F:275:GLY:HA2	1:F:278:TYR:CB	2.43	0.48
1:E:262:ASP:C	1:E:263:ILE:HG13	2.38	0.48
1:B:234:GLN:O	1:B:234:GLN:HG2	2.13	0.47
1:B:259:PHE:C	1:B:261:ALA:N	2.71	0.47
1:E:199:TYR:O	1:E:230:ASN:HB3	2.14	0.47
1:F:197:VAL:CG1	1:F:198:VAL:N	2.77	0.47
1:D:50:LYS:HE3	2:D:401:NDP:O3X	2.14	0.47
1:D:45:ARG:HG2	1:D:46:VAL:N	2.30	0.47
1:A:130:MET:HE1	1:A:285:CYS:SG	2.55	0.47
1:E:90:SER:HB2	2:E:401:NDP:H3D	1.96	0.47
1:F:100:LEU:CD1	1:F:143:GLN:HB3	2.39	0.47
1:F:170:PHE:CE2	2:F:401:NDP:N7N	2.83	0.46
1:E:138:ARG:HG3	1:E:272:ALA:CB	2.46	0.46
1:D:19:GLY:HA3	2:D:401:NDP:C5B	2.45	0.46
1:E:50:LYS:HE3	2:E:401:NDP:O3X	2.16	0.46
1:E:89:MET:O	2:E:401:NDP:O4B	2.32	0.46
2:F:401:NDP:O1X	2:F:401:NDP:O3B	2.30	0.46
1:A:125:MET:HE1	1:A:276:HIS:CB	2.45	0.46
1:B:59:ARG:NH2	3:B:505:HOH:O	2.31	0.45
1:B:127:PRO:HB2	1:B:145:LEU:HD13	1.98	0.45
1:D:273:GLY:O	1:D:276:HIS:HB2	2.17	0.45
1:B:45:ARG:HE	1:F:181:ILE:HD11	1.80	0.45
1:C:303:ASP:OD1	1:C:303:ASP:N	2.49	0.45
1:E:32:GLU:OE2	3:E:504:HOH:O	2.21	0.45
1:A:119:LEU:HD12	1:A:119:LEU:N	2.32	0.45
1:B:177:MET:HE3	1:B:274:LEU:HD11	1.99	0.44
1:E:89:MET:HE2	1:E:101:VAL:HG21	1.99	0.44
1:D:110:LYS:HD2	1:D:154:ALA:HB1	1.99	0.44
1:E:18:THR:OG1	2:E:401:NDP:O1X	2.29	0.44
1:C:35:GLU:HG2	1:C:37:TYR:CE1	2.53	0.44
1:C:39:LEU:CD1	1:C:67:ALA:HB3	2.45	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:196:LYS:HD2	1:C:231:VAL:HG12	2.00	0.44
1:A:263:ILE:HB	1:A:268:ILE:HG12	2.00	0.44
1:C:89:MET:HE2	1:C:101:VAL:CG2	2.47	0.44
1:D:35:GLU:OE2	1:D:63:ARG:NH1	2.49	0.44
1:E:119:LEU:N	1:E:119:LEU:HD12	2.33	0.44
1:A:89:MET:O	2:A:401:NDP:O4B	2.34	0.44
1:B:138:ARG:N	1:B:276:HIS:HE2	2.16	0.44
1:C:165:CYS:HA	2:C:401:NDP:H72N	1.83	0.44
1:E:19:GLY:CA	2:E:401:NDP:H52A	2.45	0.43
1:D:10:THR:HG21	1:D:84:ILE:HD12	2.01	0.43
1:F:44:THR:HG21	1:F:54:LEU:CD1	2.48	0.43
1:D:262:ASP:O	1:D:263:ILE:CG2	2.60	0.43
1:B:185:LYS:HB3	1:B:185:LYS:HE3	1.75	0.43
1:F:41:GLN:NE2	3:F:503:HOH:O	2.28	0.43
1:E:196:LYS:HD2	1:E:231:VAL:HG12	2.01	0.43
1:B:165:CYS:HB2	1:B:198:VAL:O	2.19	0.43
1:F:10:THR:HG21	1:F:84:ILE:HD12	2.00	0.43
1:A:199:TYR:O	1:A:230:ASN:HB3	2.19	0.43
1:C:9:LYS:HD2	1:C:33:GLY:O	2.19	0.43
1:A:262:ASP:O	1:A:263:ILE:C	2.61	0.42
1:C:21:MET:N	2:C:401:NDP:O1N	2.43	0.42
1:F:260:LEU:HA	1:F:260:LEU:HD23	1.78	0.42
1:E:115:ILE:HD13	1:E:115:ILE:HA	1.90	0.42
1:E:166:PHE:CD2	2:E:401:NDP:H41N	2.53	0.42
1:C:189:ILE:HG21	1:C:235:MET:HE2	2.02	0.42
1:B:54:LEU:HD23	1:B:54:LEU:HA	1.87	0.42
1:C:139:GLU:O	1:C:143:GLN:HG3	2.18	0.42
1:B:256:ALA:O	1:B:260:LEU:HG	2.20	0.42
1:A:9:LYS:HE3	1:A:33:GLY:O	2.20	0.42
1:B:130:MET:HG3	1:B:141:PHE:CE2	2.54	0.42
1:C:21:MET:HB2	2:C:401:NDP:O1N	2.19	0.42
1:D:43:GLU:HA	1:D:45:ARG:NH1	2.35	0.42
1:E:32:GLU:O	1:E:32:GLU:HG3	2.20	0.42
1:A:166:PHE:CD1	2:A:401:NDP:H41N	2.55	0.42
1:A:268:ILE:N	1:A:269:PRO:HD3	2.35	0.41
1:B:177:MET:HE3	1:B:274:LEU:CD1	2.49	0.41
1:B:202:GLU:HA	1:B:205:ILE:HD12	2.03	0.41
1:F:39:LEU:HD11	1:F:67:ALA:HB3	2.02	0.41
1:B:186:LYS:HB3	3:B:511:HOH:O	2.21	0.41
1:B:235:MET:HE2	1:B:235:MET:HB2	1.88	0.41
1:B:288:ASP:C	1:B:288:ASP:OD1	2.63	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:71:ASP:OD1	1:D:71:ASP:C	2.63	0.41
1:F:90:SER:C	2:F:401:NDP:O2N	2.64	0.41
1:D:98:SER:O	1:D:101:VAL:HG22	2.20	0.41
1:A:303:ASP:OD2	1:A:303:ASP:N	2.51	0.41
1:B:262:ASP:N	1:B:262:ASP:OD1	2.52	0.41
1:C:199:TYR:O	1:C:230:ASN:HB3	2.21	0.41
1:A:11:ARG:NH2	1:A:83:ASP:OD2	2.43	0.41
1:A:166:PHE:H	2:A:401:NDP:H72N	1.60	0.41
1:C:37:TYR:CD2	1:C:65:ILE:HD11	2.56	0.41
1:C:89:MET:O	1:C:90:SER:C	2.63	0.41
1:C:262:ASP:N	1:C:262:ASP:OD1	2.52	0.41
1:F:177:MET:HE3	1:F:277:PHE:CD1	2.56	0.41
1:C:275:GLY:O	1:C:279:HIS:CD2	2.74	0.41
1:F:305:LYS:HA	1:F:305:LYS:HE3	2.03	0.41
1:E:202:GLU:H	1:E:202:GLU:CD	2.29	0.40
1:B:242:GLU:OE2	1:B:251:LYS:NZ	2.52	0.40
1:C:166:PHE:H	2:C:401:NDP:H72N	1.56	0.40
1:A:21:MET:HE2	1:A:166:PHE:CE1	2.57	0.40
1:E:10:THR:HG21	1:E:84:ILE:HD12	2.02	0.40
1:F:273:GLY:O	1:F:276:HIS:HB2	2.22	0.40
1:A:315:ILE:HD12	1:A:315:ILE:HA	1.71	0.40
1:B:16:GLY:O	1:B:22:GLY:HA3	2.22	0.40
1:B:221:LYS:HE3	1:B:221:LYS:HB3	1.95	0.40
1:E:126:ASP:OD1	1:E:128:SER:OG	2.31	0.40
1:E:184:LYS:C	1:E:185:LYS:HG2	2.46	0.40
1:C:41:GLN:OE1	2:C:401:NDP:H2A	2.22	0.40
1:D:166:PHE:HB2	2:D:401:NDP:H71N	1.87	0.40
1:F:100:LEU:CD1	1:F:100:LEU:N	2.85	0.40
2:F:401:NDP:O3B	2:F:401:NDP:P2B	2.79	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	284/317 (90%)	276 (97%)	7 (2%)	1 (0%)	30	43
1	B	287/317 (90%)	279 (97%)	7 (2%)	1 (0%)	36	50
1	C	284/317 (90%)	276 (97%)	8 (3%)	0	100	100
1	D	282/317 (89%)	270 (96%)	9 (3%)	3 (1%)	11	18
1	E	281/317 (89%)	276 (98%)	5 (2%)	0	100	100
1	F	274/317 (86%)	265 (97%)	9 (3%)	0	100	100
All	All	1692/1902 (89%)	1642 (97%)	45 (3%)	5 (0%)	36	50

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	261	ALA
1	A	269	PRO
1	B	260	LEU
1	D	262	ASP
1	D	43	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	250/271 (92%)	249 (100%)	1 (0%)	84	92
1	B	252/271 (93%)	246 (98%)	6 (2%)	43	65
1	C	249/271 (92%)	248 (100%)	1 (0%)	84	92
1	D	247/271 (91%)	239 (97%)	8 (3%)	34	56
1	E	247/271 (91%)	242 (98%)	5 (2%)	48	70
1	F	240/271 (89%)	231 (96%)	9 (4%)	29	49
All	All	1485/1626 (91%)	1455 (98%)	30 (2%)	48	70

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	90	SER
1	B	90	SER
1	B	145	LEU
1	B	212	THR
1	B	271	GLN
1	B	274	LEU
1	B	308	ARG
1	C	212	THR
1	D	44	THR
1	D	49	GLU
1	D	53	LEU
1	D	89	MET
1	D	212	THR
1	D	233	THR
1	D	271	GLN
1	D	274	LEU
1	E	90	SER
1	E	98	SER
1	E	100	LEU
1	E	212	THR
1	E	248	GLU
1	F	89	MET
1	F	90	SER
1	F	100	LEU
1	F	101	VAL
1	F	125	MET
1	F	142	ASP
1	F	212	THR
1	F	305	LYS
1	F	308	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	GLN
1	A	271	GLN
1	B	40	GLN
1	B	143	GLN
1	C	73	GLN
1	D	40	GLN
1	D	73	GLN
1	E	40	GLN
1	E	81	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	97	HIS
1	F	143	GLN
1	F	253	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NDP	D	401	-	51,52,52	3.77	25 (49%)	71,80,80	2.11	21 (29%)
2	NDP	C	401	-	51,52,52	3.71	25 (49%)	71,80,80	2.11	22 (30%)
2	NDP	F	401	-	51,52,52	4.11	27 (52%)	71,80,80	2.45	26 (36%)
2	NDP	A	401	-	51,52,52	3.80	22 (43%)	71,80,80	2.30	27 (38%)
2	NDP	B	401	-	51,52,52	3.69	23 (45%)	71,80,80	2.30	22 (30%)
2	NDP	E	401	-	51,52,52	3.59	25 (49%)	71,80,80	1.91	16 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	D	401	-	-	9/34/77/77	0/5/5/5
2	NDP	C	401	-	-	7/34/77/77	0/5/5/5
2	NDP	F	401	-	-	6/34/77/77	0/5/5/5
2	NDP	A	401	-	-	11/34/77/77	0/5/5/5
2	NDP	B	401	-	-	3/34/77/77	0/5/5/5
2	NDP	E	401	-	-	2/34/77/77	0/5/5/5

All (147) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	401	NDP	PA-O3	9.73	1.70	1.59
2	F	401	NDP	C2B-C1B	-9.71	1.29	1.53
2	B	401	NDP	C2B-C1B	-9.68	1.29	1.53
2	C	401	NDP	O4D-C1D	9.67	1.64	1.42
2	D	401	NDP	C2B-C1B	-9.66	1.29	1.53
2	F	401	NDP	O4D-C1D	9.46	1.63	1.42
2	E	401	NDP	C2B-C1B	-9.26	1.30	1.53
2	C	401	NDP	C2B-C1B	-9.24	1.30	1.53
2	A	401	NDP	C2B-C1B	-9.24	1.30	1.53
2	E	401	NDP	O4D-C1D	9.12	1.63	1.42
2	F	401	NDP	PN-O3	9.11	1.69	1.59
2	D	401	NDP	O4D-C1D	9.10	1.63	1.42
2	A	401	NDP	PN-O3	8.88	1.69	1.59
2	C	401	NDP	O4B-C1B	8.62	1.61	1.42
2	B	401	NDP	O4D-C1D	8.17	1.60	1.42
2	A	401	NDP	O4D-C1D	8.14	1.60	1.42
2	A	401	NDP	O4B-C1B	7.93	1.60	1.42
2	D	401	NDP	O4B-C1B	7.88	1.60	1.42
2	E	401	NDP	O4B-C1B	7.83	1.60	1.42
2	F	401	NDP	O4B-C1B	7.71	1.59	1.42
2	D	401	NDP	PA-O3	7.68	1.67	1.59
2	E	401	NDP	C2D-C1D	-7.68	1.29	1.53
2	A	401	NDP	PA-O3	7.68	1.67	1.59
2	B	401	NDP	O4B-C1B	7.62	1.59	1.42
2	F	401	NDP	C6N-C5N	7.60	1.56	1.33
2	F	401	NDP	C2D-C1D	-7.55	1.29	1.53
2	D	401	NDP	C2D-C1D	-7.53	1.29	1.53
2	B	401	NDP	C2D-C1D	-7.51	1.29	1.53
2	A	401	NDP	C2D-C1D	-7.38	1.30	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	NDP	C2D-C1D	-7.29	1.30	1.53
2	B	401	NDP	PA-O3	7.26	1.67	1.59
2	C	401	NDP	C6N-C5N	7.23	1.55	1.33
2	C	401	NDP	O4D-C4D	-7.22	1.28	1.45
2	A	401	NDP	C6N-C5N	7.11	1.55	1.33
2	B	401	NDP	O4D-C4D	-6.98	1.29	1.45
2	E	401	NDP	O4D-C4D	-6.92	1.29	1.45
2	A	401	NDP	O4D-C4D	-6.83	1.29	1.45
2	E	401	NDP	C6N-C5N	6.82	1.54	1.33
2	B	401	NDP	O4B-C4B	-6.78	1.29	1.45
2	D	401	NDP	C6N-C5N	6.74	1.53	1.33
2	A	401	NDP	O4B-C4B	-6.73	1.30	1.45
2	B	401	NDP	C6N-C5N	6.70	1.53	1.33
2	D	401	NDP	O4D-C4D	-6.67	1.30	1.45
2	D	401	NDP	PN-O3	6.53	1.66	1.59
2	C	401	NDP	O4B-C4B	-6.49	1.30	1.45
2	D	401	NDP	O4B-C4B	-6.48	1.30	1.45
2	E	401	NDP	O4B-C4B	-6.41	1.30	1.45
2	F	401	NDP	C6A-N6A	6.36	1.50	1.34
2	B	401	NDP	PN-O3	6.36	1.66	1.59
2	C	401	NDP	PA-O3	6.35	1.66	1.59
2	D	401	NDP	C6A-N6A	6.08	1.49	1.34
2	F	401	NDP	O4D-C4D	-6.00	1.31	1.45
2	F	401	NDP	C2N-C3N	5.92	1.51	1.35
2	F	401	NDP	P2B-O2B	5.88	1.69	1.59
2	D	401	NDP	C2N-C3N	5.86	1.51	1.35
2	C	401	NDP	C2N-C3N	5.82	1.51	1.35
2	A	401	NDP	C6A-N6A	5.80	1.49	1.34
2	E	401	NDP	C6A-N6A	5.80	1.49	1.34
2	B	401	NDP	C6A-N6A	5.68	1.48	1.34
2	F	401	NDP	O4B-C4B	-5.66	1.32	1.45
2	E	401	NDP	C2N-C3N	5.56	1.50	1.35
2	A	401	NDP	C2N-C3N	5.54	1.50	1.35
2	C	401	NDP	C6A-N6A	5.53	1.48	1.34
2	B	401	NDP	C2N-C3N	5.06	1.49	1.35
2	E	401	NDP	PN-O3	5.02	1.64	1.59
2	C	401	NDP	P2B-O2B	4.87	1.68	1.59
2	B	401	NDP	P2B-O2B	4.30	1.67	1.59
2	E	401	NDP	P2B-O2B	4.10	1.66	1.59
2	A	401	NDP	C4N-C3N	3.90	1.57	1.50
2	F	401	NDP	C4N-C5N	3.76	1.58	1.49
2	F	401	NDP	C4N-C3N	3.73	1.57	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	NDP	C6N-N1N	3.60	1.46	1.37
2	E	401	NDP	PA-O3	3.57	1.63	1.59
2	C	401	NDP	O2D-C2D	3.53	1.51	1.43
2	A	401	NDP	P2B-O2B	3.52	1.65	1.59
2	F	401	NDP	C6N-N1N	3.51	1.45	1.37
2	F	401	NDP	C8A-N7A	3.46	1.38	1.31
2	F	401	NDP	O2D-C2D	3.42	1.51	1.43
2	D	401	NDP	O2D-C2D	3.32	1.51	1.43
2	D	401	NDP	P2B-O2B	3.26	1.65	1.59
2	C	401	NDP	C4N-C5N	3.24	1.57	1.49
2	E	401	NDP	C7N-N7N	3.15	1.42	1.33
2	B	401	NDP	O2D-C2D	3.10	1.50	1.43
2	D	401	NDP	O7N-C7N	-3.07	1.17	1.24
2	C	401	NDP	C6N-N1N	3.07	1.44	1.37
2	A	401	NDP	C4N-C5N	3.06	1.57	1.49
2	E	401	NDP	C5A-N7A	-3.02	1.33	1.39
2	D	401	NDP	C7N-N7N	2.97	1.42	1.33
2	C	401	NDP	PN-O3	2.93	1.62	1.59
2	B	401	NDP	O3B-C3B	-2.91	1.35	1.43
2	D	401	NDP	O3B-C3B	-2.89	1.35	1.43
2	E	401	NDP	C4N-C3N	2.88	1.55	1.50
2	B	401	NDP	C4N-C5N	2.87	1.56	1.49
2	E	401	NDP	O2D-C2D	2.82	1.49	1.43
2	F	401	NDP	C7N-N7N	2.74	1.41	1.33
2	C	401	NDP	PN-O5D	2.72	1.70	1.59
2	B	401	NDP	O7N-C7N	-2.69	1.18	1.24
2	F	401	NDP	C2A-N1A	2.68	1.38	1.33
2	A	401	NDP	O2D-C2D	2.68	1.49	1.43
2	B	401	NDP	C7N-N7N	2.61	1.40	1.33
2	D	401	NDP	C4N-C5N	2.58	1.55	1.49
2	C	401	NDP	C7N-N7N	2.56	1.40	1.33
2	C	401	NDP	O3D-C3D	-2.55	1.36	1.43
2	A	401	NDP	C8A-N7A	2.54	1.36	1.31
2	F	401	NDP	C7N-C3N	2.51	1.54	1.48
2	A	401	NDP	O3B-C3B	-2.51	1.36	1.43
2	E	401	NDP	O3D-C3D	-2.50	1.36	1.43
2	F	401	NDP	PN-O5D	2.50	1.69	1.59
2	D	401	NDP	C5A-N7A	-2.48	1.34	1.39
2	B	401	NDP	C5A-N7A	-2.47	1.34	1.39
2	B	401	NDP	C6N-N1N	2.43	1.43	1.37
2	A	401	NDP	PN-O5D	2.41	1.68	1.59
2	E	401	NDP	C6N-N1N	2.40	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	401	NDP	PA-O5B	2.40	1.68	1.59
2	F	401	NDP	O3B-C3B	-2.39	1.37	1.43
2	D	401	NDP	C6N-N1N	2.39	1.43	1.37
2	E	401	NDP	O7N-C7N	-2.38	1.18	1.24
2	F	401	NDP	C2A-N3A	2.37	1.38	1.33
2	E	401	NDP	C8A-N7A	2.34	1.36	1.31
2	C	401	NDP	PA-O5B	2.33	1.68	1.59
2	E	401	NDP	O3B-C3B	-2.33	1.37	1.43
2	B	401	NDP	O3D-C3D	-2.31	1.37	1.43
2	F	401	NDP	C4A-N3A	2.30	1.38	1.34
2	C	401	NDP	C8A-N7A	2.29	1.36	1.31
2	C	401	NDP	C4N-C3N	2.28	1.54	1.50
2	D	401	NDP	C2A-N3A	2.28	1.38	1.33
2	A	401	NDP	O3D-C3D	-2.25	1.37	1.43
2	D	401	NDP	C7N-C3N	2.23	1.53	1.48
2	C	401	NDP	C2A-N1A	2.20	1.37	1.33
2	B	401	NDP	C5B-C4B	2.19	1.58	1.51
2	D	401	NDP	C8A-N7A	2.19	1.35	1.31
2	E	401	NDP	C4N-C5N	2.17	1.54	1.49
2	F	401	NDP	C5D-C4D	2.16	1.58	1.51
2	E	401	NDP	C5D-C4D	2.15	1.58	1.51
2	A	401	NDP	C2A-N3A	2.15	1.37	1.33
2	C	401	NDP	C2A-N3A	2.14	1.37	1.33
2	D	401	NDP	O3D-C3D	-2.14	1.37	1.43
2	F	401	NDP	O7N-C7N	-2.14	1.19	1.24
2	B	401	NDP	C7N-C3N	2.11	1.53	1.48
2	A	401	NDP	C7N-C3N	2.10	1.53	1.48
2	B	401	NDP	C5A-C4A	-2.10	1.35	1.39
2	E	401	NDP	PN-O5D	2.06	1.67	1.59
2	D	401	NDP	C4N-C3N	2.05	1.53	1.50
2	E	401	NDP	C2A-N1A	2.04	1.37	1.33
2	C	401	NDP	P2B-O1X	2.03	1.56	1.50
2	C	401	NDP	O3B-C3B	-2.03	1.37	1.43
2	D	401	NDP	C5D-C4D	2.00	1.57	1.51

All (134) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	401	NDP	N3A-C2A-N1A	-7.43	117.33	128.58
2	B	401	NDP	N3A-C2A-N1A	-6.43	118.85	128.58
2	F	401	NDP	N6A-C6A-N1A	-6.19	104.58	118.38
2	E	401	NDP	N3A-C2A-N1A	-5.92	119.62	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	NDP	N3A-C2A-N1A	-5.81	119.79	128.58
2	A	401	NDP	N6A-C6A-N1A	-5.70	105.68	118.38
2	A	401	NDP	O4B-C4B-C3B	-5.66	93.91	105.15
2	C	401	NDP	C5A-C4A-N3A	-5.65	118.94	126.72
2	D	401	NDP	C5A-C4A-N3A	-5.62	118.98	126.72
2	E	401	NDP	C5A-C4A-N3A	-5.57	119.04	126.72
2	F	401	NDP	C5A-C4A-N3A	-5.54	119.08	126.72
2	A	401	NDP	N3A-C2A-N1A	-5.48	120.29	128.58
2	A	401	NDP	C5A-C4A-N3A	-5.36	119.34	126.72
2	D	401	NDP	N3A-C2A-N1A	-5.34	120.50	128.58
2	B	401	NDP	N9A-C8A-N7A	-5.24	106.50	113.94
2	F	401	NDP	C5A-C6A-N6A	5.16	136.07	123.29
2	B	401	NDP	N6A-C6A-N1A	-5.15	106.90	118.38
2	C	401	NDP	N6A-C6A-N1A	-5.11	107.00	118.38
2	B	401	NDP	C5A-C4A-N3A	-5.11	119.69	126.72
2	F	401	NDP	N9A-C8A-N7A	-4.94	106.93	113.94
2	B	401	NDP	O4B-C1B-N9A	-4.81	98.85	108.09
2	A	401	NDP	C5A-C6A-N6A	4.62	134.71	123.29
2	B	401	NDP	C4A-N9A-C1B	-4.51	116.09	126.63
2	F	401	NDP	O4B-C1B-N9A	-4.48	99.49	108.09
2	A	401	NDP	C3N-C7N-N7N	-4.41	109.83	117.67
2	B	401	NDP	C5A-C6A-N6A	4.40	134.17	123.29
2	D	401	NDP	C4A-N9A-C1B	-4.39	116.37	126.63
2	A	401	NDP	N9A-C8A-N7A	-4.35	107.76	113.94
2	A	401	NDP	O4B-C1B-N9A	-4.35	99.74	108.09
2	D	401	NDP	C3N-C2N-N1N	-4.18	117.07	123.20
2	A	401	NDP	O2N-PN-O3	4.17	118.55	107.27
2	C	401	NDP	N9A-C8A-N7A	-4.14	108.07	113.94
2	E	401	NDP	N6A-C6A-N1A	-4.12	109.20	118.38
2	A	401	NDP	C4A-N9A-C1B	-4.10	117.05	126.63
2	E	401	NDP	C1B-N9A-C8A	4.09	136.17	127.09
2	D	401	NDP	N9A-C8A-N7A	-4.08	108.15	113.94
2	D	401	NDP	O4B-C4B-C3B	-4.05	97.11	105.15
2	C	401	NDP	C4A-N9A-C1B	-4.02	117.23	126.63
2	F	401	NDP	C5A-N7A-C8A	4.02	109.76	103.45
2	F	401	NDP	C2A-N3A-C4A	4.01	121.62	111.83
2	D	401	NDP	C1B-N9A-C8A	4.00	135.97	127.09
2	B	401	NDP	C5A-N7A-C8A	3.99	109.72	103.45
2	D	401	NDP	N6A-C6A-N1A	-3.89	109.71	118.38
2	E	401	NDP	O4B-C4B-C3B	-3.88	97.44	105.15
2	C	401	NDP	O4B-C1B-N9A	-3.85	100.69	108.09
2	E	401	NDP	C4A-N9A-C1B	-3.79	117.77	126.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	401	NDP	O4B-C4B-C3B	-3.78	97.65	105.15
2	C	401	NDP	C5A-C6A-N6A	3.72	132.50	123.29
2	F	401	NDP	C4A-N9A-C1B	-3.65	118.09	126.63
2	B	401	NDP	C1B-N9A-C8A	3.61	135.11	127.09
2	C	401	NDP	C1B-N9A-C8A	3.59	135.06	127.09
2	D	401	NDP	N3A-C4A-N9A	3.59	133.27	127.17
2	E	401	NDP	C3N-C2N-N1N	-3.57	117.96	123.20
2	E	401	NDP	C5A-C6A-N6A	3.56	132.10	123.29
2	F	401	NDP	C4A-C5A-N7A	-3.52	106.56	110.58
2	C	401	NDP	N3A-C4A-N9A	3.51	133.13	127.17
2	A	401	NDP	C1B-N9A-C8A	3.50	134.85	127.09
2	C	401	NDP	C2A-N3A-C4A	3.49	120.35	111.83
2	F	401	NDP	P2B-O2B-C2B	3.47	132.71	123.43
2	D	401	NDP	O4B-C1B-N9A	-3.47	101.43	108.09
2	D	401	NDP	O3-PN-O1N	3.40	120.93	110.70
2	B	401	NDP	C2A-N3A-C4A	3.36	120.04	111.83
2	F	401	NDP	N3A-C4A-N9A	3.35	132.87	127.17
2	B	401	NDP	N3A-C4A-N9A	3.35	132.87	127.17
2	E	401	NDP	C2A-N3A-C4A	3.34	119.99	111.83
2	D	401	NDP	C5A-N7A-C8A	3.30	108.64	103.45
2	D	401	NDP	C5A-C6A-N6A	3.28	131.41	123.29
2	D	401	NDP	C6A-C5A-C4A	3.23	121.58	117.18
2	A	401	NDP	C5A-N7A-C8A	3.22	108.51	103.45
2	C	401	NDP	C5A-N7A-C8A	3.20	108.48	103.45
2	A	401	NDP	C2A-N3A-C4A	3.20	119.65	111.83
2	B	401	NDP	O3B-C3B-C4B	-3.14	102.05	111.08
2	A	401	NDP	N3A-C4A-N9A	3.14	132.51	127.17
2	B	401	NDP	O4B-C4B-C3B	-3.12	98.96	105.15
2	E	401	NDP	N3A-C4A-N9A	3.10	132.45	127.17
2	B	401	NDP	O7N-C7N-N7N	-3.10	115.94	122.89
2	E	401	NDP	C6A-C5A-C4A	3.08	121.38	117.18
2	E	401	NDP	N9A-C8A-N7A	-3.04	109.62	113.94
2	D	401	NDP	C2A-N3A-C4A	3.03	119.22	111.83
2	C	401	NDP	C3N-C2N-N1N	-3.00	118.80	123.20
2	F	401	NDP	O3X-P2B-O2B	2.91	117.20	105.85
2	F	401	NDP	C3N-C2N-N1N	-2.90	118.95	123.20
2	B	401	NDP	C4A-N9A-C8A	2.85	108.73	105.74
2	F	401	NDP	O4D-C1D-C2D	-2.83	100.55	106.62
2	C	401	NDP	O3-PN-O1N	-2.83	102.19	110.70
2	F	401	NDP	C4A-N9A-C8A	2.81	108.69	105.74
2	B	401	NDP	C4B-O4B-C1B	-2.80	103.29	109.47
2	C	401	NDP	C2B-C1B-N9A	2.80	118.35	113.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	401	NDP	O7N-C7N-C3N	2.76	126.10	120.90
2	C	401	NDP	C6N-N1N-C2N	-2.74	116.38	119.32
2	F	401	NDP	C1B-N9A-C8A	2.73	133.14	127.09
2	B	401	NDP	C3N-C2N-N1N	-2.66	119.30	123.20
2	A	401	NDP	C4A-C5A-N7A	-2.65	107.55	110.58
2	B	401	NDP	C4A-C5A-N7A	-2.62	107.58	110.58
2	F	401	NDP	O4D-C1D-N1N	2.57	112.98	108.08
2	F	401	NDP	C4D-O4D-C1D	-2.57	103.80	109.47
2	B	401	NDP	C6A-C5A-C4A	2.56	120.67	117.18
2	B	401	NDP	O3B-C3B-C2B	2.53	118.28	111.19
2	C	401	NDP	O2B-C2B-C3B	-2.49	102.75	111.68
2	C	401	NDP	C6A-C5A-C4A	2.47	120.55	117.18
2	E	401	NDP	C5A-C4A-N9A	2.47	108.50	105.81
2	F	401	NDP	C2A-N1A-C6A	2.45	122.75	118.73
2	A	401	NDP	O3B-C3B-C2B	2.44	118.03	111.19
2	B	401	NDP	C3N-C7N-N7N	2.43	121.99	117.67
2	A	401	NDP	C6A-C5A-C4A	2.41	120.47	117.18
2	A	401	NDP	O7N-C7N-N7N	2.37	128.21	122.89
2	F	401	NDP	O3X-P2B-O2X	-2.37	98.93	107.80
2	A	401	NDP	C4B-O4B-C1B	-2.36	104.25	109.47
2	A	401	NDP	O5B-PA-O1A	-2.36	99.58	108.94
2	A	401	NDP	O4D-C1D-C2D	-2.34	101.61	106.62
2	D	401	NDP	C4A-C5A-N7A	-2.33	107.92	110.58
2	C	401	NDP	C5B-C4B-C3B	-2.31	106.91	115.21
2	C	401	NDP	C4A-C5A-N7A	-2.30	107.95	110.58
2	C	401	NDP	O2A-PA-O5B	2.30	117.99	107.57
2	D	401	NDP	O7N-C7N-N7N	-2.30	117.74	122.89
2	F	401	NDP	O4D-C4D-C3D	-2.27	100.64	105.15
2	D	401	NDP	O2N-PN-O3	-2.26	101.16	107.27
2	E	401	NDP	C5A-N7A-C8A	2.24	106.97	103.45
2	B	401	NDP	O2B-C2B-C1B	-2.20	102.31	110.05
2	D	401	NDP	C1D-N1N-C6N	-2.19	116.14	120.77
2	C	401	NDP	C2D-C3D-C4D	2.18	106.81	102.61
2	A	401	NDP	C4A-N9A-C8A	2.17	108.02	105.74
2	E	401	NDP	C2B-C3B-C4B	-2.14	97.39	101.99
2	A	401	NDP	C5A-C4A-N9A	2.14	108.14	105.81
2	D	401	NDP	C2B-C1B-N9A	2.11	117.23	113.75
2	A	401	NDP	C3N-C2N-N1N	-2.10	120.12	123.20
2	C	401	NDP	C4D-O4D-C1D	-2.10	104.83	109.47
2	A	401	NDP	C6N-N1N-C2N	-2.09	117.08	119.32
2	E	401	NDP	C2D-C3D-C4D	2.07	106.61	102.61
2	F	401	NDP	C5A-C4A-N9A	2.05	108.04	105.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	NDP	O2X-P2B-O2B	2.03	113.75	105.85
2	F	401	NDP	O7N-C7N-N7N	-2.01	118.39	122.89
2	A	401	NDP	O3B-C3B-C4B	-2.00	105.33	111.08
2	A	401	NDP	C2B-C1B-N9A	2.00	117.05	113.75

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	NDP	C5D-O5D-PN-O3
2	A	401	NDP	C5D-O5D-PN-O1N
2	A	401	NDP	C5D-O5D-PN-O2N
2	A	401	NDP	C2N-C3N-C7N-N7N
2	C	401	NDP	C5B-O5B-PA-O3
2	C	401	NDP	O4D-C1D-N1N-C2N
2	C	401	NDP	C2N-C3N-C7N-O7N
2	C	401	NDP	C2N-C3N-C7N-N7N
2	F	401	NDP	C3B-C2B-O2B-P2B
2	F	401	NDP	C5D-O5D-PN-O3
2	F	401	NDP	C5D-O5D-PN-O1N
2	D	401	NDP	O4B-C4B-C5B-O5B
2	B	401	NDP	C1B-C2B-O2B-P2B
2	A	401	NDP	C3B-C2B-O2B-P2B
2	B	401	NDP	C3B-C2B-O2B-P2B
2	A	401	NDP	C1B-C2B-O2B-P2B
2	D	401	NDP	C1B-C2B-O2B-P2B
2	D	401	NDP	C3B-C2B-O2B-P2B
2	D	401	NDP	O4D-C4D-C5D-O5D
2	B	401	NDP	O4D-C1D-N1N-C2N
2	D	401	NDP	O4D-C1D-N1N-C2N
2	A	401	NDP	C2N-C3N-C7N-O7N
2	F	401	NDP	O4D-C1D-N1N-C2N
2	A	401	NDP	C5B-O5B-PA-O3
2	C	401	NDP	C5B-O5B-PA-O1A
2	C	401	NDP	C5D-O5D-PN-O2N
2	D	401	NDP	C5D-O5D-PN-O1N
2	F	401	NDP	C5D-O5D-PN-O2N
2	E	401	NDP	O4D-C1D-N1N-C2N
2	A	401	NDP	O4D-C1D-N1N-C2N
2	A	401	NDP	C2D-C1D-N1N-C2N
2	D	401	NDP	C2B-O2B-P2B-O1X
2	A	401	NDP	C2D-C1D-N1N-C6N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	F	401	NDP	C2D-C1D-N1N-C2N
2	C	401	NDP	PN-O3-PA-O2A
2	D	401	NDP	C2B-O2B-P2B-O2X
2	D	401	NDP	C2B-O2B-P2B-O3X
2	E	401	NDP	C2D-C1D-N1N-C2N


There are no ring outliers.


6 monomers are involved in 47 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	401	NDP	9	0
2	C	401	NDP	9	0
2	F	401	NDP	10	0
2	A	401	NDP	9	0
2	B	401	NDP	3	0
2	E	401	NDP	7	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	292/317 (92%)	-0.15	10 (3%) 48 44	25, 30, 51, 76	0
1	B	295/317 (93%)	-0.17	8 (2%) 56 52	25, 31, 49, 74	0
1	C	292/317 (92%)	-0.21	10 (3%) 48 44	26, 32, 51, 74	0
1	D	290/317 (91%)	-0.04	17 (5%) 28 24	26, 33, 56, 86	0
1	E	289/317 (91%)	-0.30	7 (2%) 59 55	24, 28, 45, 61	0
1	F	282/317 (88%)	-0.21	10 (3%) 47 43	25, 31, 49, 69	0
All	All	1740/1902 (91%)	-0.18	62 (3%) 46 42	24, 31, 51, 86	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	263	ILE	6.5
1	B	131	GLY	5.2
1	E	263	ILE	5.1
1	A	268	ILE	5.0
1	B	263	ILE	5.0
1	B	269	PRO	4.9
1	F	261	ALA	4.6
1	C	90	SER	4.5
1	C	131	GLY	4.5
1	A	263	ILE	4.1
1	D	131	GLY	4.0
1	C	263	ILE	4.0
1	A	270	HIS	3.9
1	A	269	PRO	3.8
1	D	255	SER	3.8
1	B	270	HIS	3.8
1	C	261	ALA	3.7
1	A	261	ALA	3.6
1	D	138	ARG	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	261	ALA	3.5
1	D	46	VAL	3.5
1	D	44	THR	3.4
1	F	272	ALA	3.4
1	C	262	ASP	3.3
1	D	254	ILE	3.2
1	D	260	LEU	3.1
1	D	192	ASP	3.1
1	D	259	PHE	3.0
1	B	138	ARG	3.0
1	C	270	HIS	2.9
1	E	130	MET	2.9
1	A	45	ARG	2.8
1	D	275	GLY	2.8
1	D	262	ASP	2.8
1	E	275	GLY	2.7
1	E	261	ALA	2.7
1	A	262	ASP	2.7
1	B	95	ARG	2.7
1	D	261	ALA	2.7
1	B	89	MET	2.7
1	A	138	ARG	2.6
1	C	269	PRO	2.6
1	F	43	GLU	2.5
1	F	8	GLU	2.4
1	D	257	ASN	2.4
1	D	258	ASP	2.4
1	C	192	ASP	2.4
1	E	262	ASP	2.3
1	F	98	SER	2.3
1	F	100	LEU	2.3
1	E	8	GLU	2.3
1	C	275	GLY	2.2
1	D	90	SER	2.2
1	A	139	GLU	2.2
1	F	90	SER	2.2
1	F	305	LYS	2.2
1	F	142	ASP	2.1
1	A	130	MET	2.1
1	E	194	ASN	2.1
1	D	256	ALA	2.1
1	F	97	HIS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	185	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NDP	F	401	48/48	0.60	0.17	40,50,60,76	0
2	NDP	C	401	48/48	0.83	0.13	38,44,53,72	0
2	NDP	A	401	48/48	0.85	0.12	36,45,53,56	0
2	NDP	D	401	48/48	0.92	0.09	34,40,48,57	0
2	NDP	E	401	48/48	0.93	0.08	29,37,45,56	0
2	NDP	B	401	48/48	0.95	0.07	27,36,44,46	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NDP F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP C 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP D 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP E 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP B 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.