



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 4, 2026 – 06:01 PM EDT

PDB ID : 1D0O / pdb_00001d0o
Title : BOVINE ENDOTHELIAL NITRIC OXIDE SYNTHASE HEME DOMAIN
COMPLEXED WITH 3-BROMO-7-NITROINDAZOLE (H4B PRESENT)
Authors : Raman, C.S.; Li, H.; Martasek, P.; Southan, G.J.; Masters, B.S.S.; Poulos,
T.L.
Deposited on : 1999-09-13
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	444	5% 79% 13% • 6%
1	B	444	5% 77% 15% • 7%

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 7192 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called BOVINE ENDOTHELIAL NITRIC OXIDE SYNTHASE HEME.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	416	Total	C	N	O	S	0	0	0
			3302	2099	584	603	16			
1	B	414	Total	C	N	O	S	0	0	0
			3291	2092	582	601	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	ARG	CYS	conflict	UNP P29473
B	100	ARG	CYS	conflict	UNP P29473

- Molecule 2 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Zn 1 1	0	0

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 5 is 3-BROMO-7-NITROINDAZOLE (CCD ID: INE) (formula: $C_7H_4BrN_3O_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	Br	C	N	O	0	0
			13	1	7	3	2		
5	A	1	Total	Br	C	N	O	0	0
			13	1	7	3	2		
5	B	1	Total	Br	C	N	O	0	0
			13	1	7	3	2		
5	B	1	Total	Br	C	N	O	0	0
			13	1	7	3	2		

- Molecule 6 is CACODYLIC ACID (CCD ID: CAD) (formula: $C_2H_7AsO_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	As	C	0	0
			3	1	2		
6	B	1	Total	As	C	0	0
			3	1	2		

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	234	Total	O	0	0
			234	234		
8	B	192	Total	O	0	0
			192	192		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BOVINE ENDOTHELIAL NITRIC OXIDE SYNTHASE HEME



• Molecule 1: BOVINE ENDOTHELIAL NITRIC OXIDE SYNTHASE HEME



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.59Å 106.06Å 155.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.95 30.00 – 1.95	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-1.95) 89.8 (30.00-1.95)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.28 (at 1.95Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.200 , 0.247 0.201 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	31.3	Xtriage
Anisotropy	0.351	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 51.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7192	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CAD, INE, HEM, ACT, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/3397	0.97	16/4631 (0.3%)
1	B	0.45	0/3385	1.00	20/4614 (0.4%)
All	All	0.45	0/6782	0.99	36/9245 (0.4%)

There are no bond length outliers.

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	360	MET	N-CA-C	-8.20	95.87	109.24
1	B	243	PHE	N-CA-C	-7.25	97.44	108.96
1	A	359	TYR	N-CA-C	6.47	120.42	110.20
1	B	70	PHE	CA-C-N	6.38	126.72	119.83
1	B	70	PHE	C-N-CA	6.38	126.72	119.83
1	B	335	LEU	N-CA-C	6.35	120.12	108.69
1	A	360	MET	N-CA-C	-6.30	98.45	108.73
1	B	280	GLY	N-CA-C	6.07	123.69	115.32
1	B	192	TRP	N-CA-C	5.90	119.31	111.75
1	A	335	LEU	N-CA-C	5.87	120.31	109.10
1	B	266	ASP	CA-C-N	5.84	125.52	119.56
1	B	266	ASP	C-N-CA	5.84	125.52	119.56
1	A	183	ALA	CA-C-N	5.81	125.50	119.05
1	A	183	ALA	C-N-CA	5.81	125.50	119.05
1	A	226	LEU	N-CA-C	5.80	117.78	110.24
1	B	138	SER	N-CA-C	-5.72	105.13	111.36
1	B	226	LEU	N-CA-C	5.71	118.28	110.24
1	B	72	ARG	N-CA-C	-5.49	100.24	108.96
1	A	266	ASP	CA-C-N	5.41	125.75	119.47
1	A	266	ASP	C-N-CA	5.41	125.75	119.47
1	A	370	CYS	N-CA-C	5.39	120.01	113.38
1	B	245	ILE	N-CA-C	-5.37	99.42	107.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	192	TRP	N-CA-C	5.35	117.80	111.33
1	B	297	ALA	N-CA-C	-5.33	103.22	110.36
1	B	480	ASP	CA-C-N	5.30	125.02	119.82
1	B	480	ASP	C-N-CA	5.30	125.02	119.82
1	A	67	GLY	CA-C-N	5.27	125.27	119.90
1	A	67	GLY	C-N-CA	5.27	125.27	119.90
1	B	359	TYR	N-CA-C	5.25	118.24	110.48
1	A	282	THR	CA-C-N	5.20	125.10	119.85
1	A	282	THR	C-N-CA	5.20	125.10	119.85
1	A	168	ARG	N-CA-C	-5.12	103.77	110.53
1	B	282	THR	CA-C-N	5.05	125.03	120.03
1	B	282	THR	C-N-CA	5.05	125.03	120.03
1	B	74	LYS	N-CA-C	5.01	117.57	109.40
1	A	106	VAL	N-CA-C	5.01	115.24	110.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3302	0	3215	36	0
1	B	3291	0	3205	41	0
2	A	8	0	6	0	0
2	B	8	0	6	0	0
3	A	1	0	0	0	0
4	A	43	0	30	0	0
4	B	43	0	30	0	0
5	A	26	0	8	0	0
5	B	26	0	8	0	0
6	A	3	0	0	0	0
6	B	3	0	0	0	0
7	A	6	0	8	0	0
7	B	6	0	8	1	0
8	A	234	0	0	3	0
8	B	192	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	7192	0	6524	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:LEU:HD11	1:A:156:GLU:HG2	1.69	0.75
1:B:126:LEU:HD11	1:B:156:GLU:HG2	1.69	0.74
1:B:114:ARG:HD3	1:B:115:PRO:HD2	1.68	0.74
1:B:114:ARG:HA	1:B:114:ARG:HH11	1.54	0.73
1:B:115:PRO:O	1:B:117:PRO:HD3	1.93	0.69
1:B:99:ARG:HB2	1:B:99:ARG:HH11	1.61	0.65
1:B:126:LEU:O	1:B:130:ARG:HG3	1.98	0.63
1:A:120:PRO:HB2	1:A:125:LEU:HB2	1.79	0.62
1:A:240:ARG:HD3	1:A:298:PRO:HB3	1.83	0.60
1:A:122:ALA:O	1:A:126:LEU:HB2	2.02	0.60
1:B:152:LEU:O	1:B:156:GLU:HG3	2.02	0.59
1:A:119:PRO:HG3	1:A:238:PRO:CG	2.33	0.58
1:A:378:LEU:HB2	8:A:1181:HOH:O	2.01	0.58
1:A:119:PRO:HG3	1:A:238:PRO:HG3	1.86	0.58
1:B:378:LEU:HB2	8:B:1052:HOH:O	2.03	0.58
1:B:322:LEU:HD13	1:B:324:TRP:CZ2	2.38	0.57
1:A:119:PRO:HG3	1:A:238:PRO:HB3	1.87	0.56
1:A:117:PRO:HG2	8:A:1087:HOH:O	2.05	0.56
1:A:340:ASN:H	1:A:340:ASN:HD22	1.53	0.55
1:A:455:SER:HB3	1:A:458:LEU:HD12	1.88	0.54
1:A:370:CYS:SG	1:A:378:LEU:HD13	2.47	0.54
1:B:270:VAL:O	1:B:274:GLU:HG2	2.09	0.53
1:B:249:GLN:HB2	1:B:252:ARG:CG	2.39	0.53
1:B:360:MET:HE1	8:B:963:HOH:O	2.09	0.52
1:B:236:ARG:HD3	1:B:351:SER:HB3	1.91	0.52
1:A:342:LEU:HD11	1:A:349:GLU:HB3	1.90	0.52
1:A:231:THR:O	1:A:353:ALA:HA	2.12	0.49
1:B:257:ARG:NH1	1:B:270:VAL:HG11	2.27	0.49
1:A:126:LEU:O	1:A:130:ARG:HG3	2.12	0.49
1:A:452:PRO:HG2	1:A:459:THR:HG21	1.94	0.49
1:B:472:SER:HA	1:B:473:PRO:C	2.38	0.48
1:A:119:PRO:HG3	1:A:238:PRO:CB	2.43	0.48
1:A:281:TRP:HB2	1:A:304:LEU:HD21	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:ARG:HD3	8:A:1136:HOH:O	2.13	0.48
1:A:249:GLN:HB2	1:A:252:ARG:HG2	1.96	0.48
1:A:180:TRP:CE3	1:A:192:TRP:HA	2.49	0.47
1:B:112:GLN:HG3	1:B:113:THR:H	1.77	0.47
1:B:249:GLN:HA	1:B:337:ALA:O	2.13	0.47
1:B:70:PHE:HA	1:B:71:PRO:HD3	1.74	0.47
1:A:263:VAL:HG11	1:A:267:PRO:HA	1.97	0.47
1:A:319:HIS:HB2	1:A:325:PHE:CB	2.45	0.47
1:A:109:ARG:O	1:A:110:LYS:HD2	2.15	0.47
1:A:213:ILE:O	1:A:217:ILE:HG13	2.15	0.46
1:B:169:GLU:O	1:B:173:VAL:HG23	2.14	0.46
1:A:322:LEU:HD13	1:A:324:TRP:CZ2	2.51	0.46
1:B:231:THR:O	1:B:353:ALA:HA	2.15	0.46
1:B:114:ARG:HD3	1:B:115:PRO:CD	2.41	0.46
1:A:472:SER:HA	1:A:473:PRO:C	2.41	0.45
1:B:409:LEU:O	1:B:413:GLN:HG3	2.16	0.45
1:B:455:SER:HB3	1:B:458:LEU:HD22	1.96	0.45
1:B:99:ARG:HH11	1:B:99:ARG:CB	2.27	0.45
7:B:881:GOL:H32	8:B:1007:HOH:O	2.15	0.45
1:B:236:ARG:HD2	1:B:242:ASP:CG	2.42	0.45
1:B:381:VAL:O	1:B:385:MET:HG3	2.16	0.45
1:B:150:GLU:O	1:B:154:GLU:HG3	2.18	0.44
1:B:99:ARG:HH11	1:B:99:ARG:CG	2.30	0.44
1:B:233:PHE:HB3	1:B:234:PRO:CD	2.48	0.43
1:A:390:ARG:HA	1:A:390:ARG:HD3	1.90	0.43
1:A:249:GLN:HA	1:A:337:ALA:O	2.18	0.42
1:A:381:VAL:O	1:A:385:MET:HG3	2.19	0.42
1:B:257:ARG:HH11	1:B:270:VAL:HG11	1.83	0.42
1:A:325:PHE:O	1:A:328:LEU:HB2	2.20	0.42
1:B:218:LYS:HE2	1:B:218:LYS:HB3	1.89	0.42
1:B:233:PHE:HB2	1:B:352:ALA:HB3	2.01	0.42
1:B:281:TRP:HB2	1:B:304:LEU:HD21	2.02	0.42
1:A:126:LEU:HD22	1:A:126:LEU:HA	1.84	0.41
1:B:236:ARG:HD2	1:B:242:ASP:OD2	2.21	0.41
1:B:216:HIS:CD2	1:B:216:HIS:C	2.98	0.41
1:A:379:GLU:O	1:A:383:VAL:HG23	2.20	0.41
1:A:398:ASP:O	1:A:402:VAL:HG23	2.21	0.41
1:B:140:ILE:HG13	1:B:142:ARG:HG2	2.03	0.41
1:B:366:THR:O	1:B:370:CYS:HB2	2.20	0.41
1:A:458:LEU:HD22	1:B:378:LEU:HD21	2.02	0.41
1:B:471:LEU:O	1:B:474:ALA:HB2	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:ARG:HD3	1:A:168:ARG:HE	1.86	0.40
1:B:370:CYS:SG	1:B:378:LEU:HD13	2.62	0.40
1:B:294:LEU:HD23	1:B:294:LEU:HA	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	414/444 (93%)	394 (95%)	19 (5%)	1 (0%)	43	36
1	B	412/444 (93%)	391 (95%)	18 (4%)	3 (1%)	18	10
All	All	826/888 (93%)	785 (95%)	37 (4%)	4 (0%)	24	16

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	259	GLN
1	B	108	PRO
1	A	115	PRO
1	B	115	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	354/377 (94%)	344 (97%)	10 (3%)	38	30
1	B	353/377 (94%)	343 (97%)	10 (3%)	38	30
All	All	707/754 (94%)	687 (97%)	20 (3%)	38	30

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	ARG
1	A	114	ARG
1	A	115	PRO
1	A	126	LEU
1	A	257	ARG
1	A	259	GLN
1	A	285	ASN
1	A	328	LEU
1	A	340	ASN
1	A	416	LYS
1	B	69	LYS
1	B	72	ARG
1	B	99	ARG
1	B	112	GLN
1	B	114	ARG
1	B	139	SER
1	B	223	ARG
1	B	259	GLN
1	B	260	ASP
1	B	340	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	112	GLN
1	A	153	GLN
1	A	191	GLN
1	A	196	GLN
1	A	207	GLN
1	A	278	GLN
1	A	285	ASN
1	A	340	ASN
1	A	376	ASN
1	A	413	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	437	GLN
1	A	468	ASN
1	B	191	GLN
1	B	222	ASN
1	B	225	ASN
1	B	340	ASN
1	B	405	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 15 ligands modelled in this entry, 1 is monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	INE	B	765	-	14,14,14	3.31	6 (42%)	11,20,20	2.27	3 (27%)
6	CAD	B	951	1	0,2,4	-	-	0,1,6	-	-
6	CAD	A	950	1	0,2,4	-	-	0,1,6	-	-
2	ACT	A	850	-	3,3,3	1.04	0	3,3,3	0.79	0
5	INE	A	760	-	14,14,14	3.69	7 (50%)	11,20,20	2.38	3 (27%)
2	ACT	A	860	-	3,3,3	0.95	0	3,3,3	0.77	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	INE	A	766	-	14,14,14	3.32	6 (42%)	11,20,20	2.35	3 (27%)
5	INE	B	761	-	14,14,14	3.39	6 (42%)	11,20,20	2.30	3 (27%)
7	GOL	B	881	-	5,5,5	0.34	0	5,5,5	0.25	0
7	GOL	A	880	-	5,5,5	0.27	0	5,5,5	0.30	0
2	ACT	B	861	-	3,3,3	0.84	0	3,3,3	0.90	0
4	HEM	A	500	1	50,50,50	1.05	4 (8%)	67,82,82	1.51	10 (14%)
2	ACT	B	851	-	3,3,3	0.97	0	3,3,3	0.74	0
4	HEM	B	500	1	50,50,50	1.17	5 (10%)	67,82,82	1.05	2 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	INE	B	765	-	-	0/2/4/4	0/2/2/2
5	INE	A	760	-	-	0/2/4/4	0/2/2/2
5	INE	A	766	-	-	0/2/4/4	0/2/2/2
5	INE	B	761	-	-	0/2/4/4	0/2/2/2
7	GOL	B	881	-	-	1/4/4/4	-
7	GOL	A	880	-	-	1/4/4/4	-
4	HEM	A	500	1	-	4/14/54/54	-
4	HEM	B	500	1	-	3/14/54/54	-

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	766	INE	C3-N2	6.87	1.46	1.32
5	A	760	INE	C7-N10	-6.69	1.33	1.45
5	B	765	INE	C3-N2	6.65	1.46	1.32
5	B	765	INE	C7-N10	-6.54	1.33	1.45
5	B	761	INE	C3-N2	6.41	1.45	1.32
5	B	761	INE	C8-N1	-6.40	1.31	1.36
5	B	761	INE	C7-N10	-6.20	1.34	1.45
5	A	760	INE	BR-C3	-6.19	1.79	1.87
5	A	766	INE	C7-N10	-6.12	1.34	1.45
5	B	765	INE	C8-N1	-6.08	1.31	1.36
5	A	766	INE	C8-N1	-6.00	1.31	1.36
5	A	760	INE	C3-N2	5.95	1.44	1.32
5	A	760	INE	C8-N1	-5.76	1.31	1.36
5	B	761	INE	C9-C3	-4.34	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	760	INE	C9-C3	-4.28	1.38	1.45
5	A	766	INE	C9-C3	-4.22	1.38	1.45
5	B	765	INE	C9-C3	-3.71	1.39	1.45
5	A	760	INE	C9-C8	-3.54	1.37	1.41
5	B	761	INE	C9-C8	-3.10	1.37	1.41
5	A	766	INE	C9-C8	-2.86	1.37	1.41
5	B	765	INE	C9-C8	-2.82	1.37	1.41
4	A	500	HEM	FE-NA	2.59	2.03	1.95
4	B	500	HEM	FE-NA	2.58	2.03	1.95
4	B	500	HEM	CAB-C3B	-2.50	1.40	1.47
4	B	500	HEM	CMD-C2D	2.45	1.55	1.50
4	B	500	HEM	FE-NC	2.44	2.03	1.95
4	B	500	HEM	CAC-C3C	-2.40	1.41	1.47
5	B	761	INE	O11-N10	-2.28	1.20	1.35
4	A	500	HEM	CAB-C3B	-2.25	1.41	1.47
5	A	766	INE	O11-N10	-2.15	1.20	1.35
4	A	500	HEM	CAC-C3C	-2.12	1.41	1.47
4	A	500	HEM	FE-NC	2.10	2.02	1.95
5	B	765	INE	O11-N10	-2.05	1.21	1.35
5	A	760	INE	O11-N10	-2.01	1.21	1.35

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	760	INE	BR-C3-N2	6.22	128.69	119.74
5	A	766	INE	BR-C3-N2	5.66	127.89	119.74
5	B	761	INE	BR-C3-N2	5.49	127.64	119.74
5	B	765	INE	BR-C3-N2	5.16	127.17	119.74
4	A	500	HEM	CAA-C2A-C1A	4.30	133.34	124.94
4	A	500	HEM	C4C-C3C-C2C	-4.24	103.14	106.81
5	B	765	INE	C6-C7-N10	4.01	120.76	116.47
5	A	766	INE	C6-C7-N10	3.87	120.61	116.47
5	B	761	INE	C6-C7-N10	3.73	120.46	116.47
4	A	500	HEM	C3B-C4B-NB	3.60	112.06	109.47
5	A	760	INE	C6-C7-N10	3.49	120.20	116.47
4	A	500	HEM	CAA-C2A-C3A	-3.41	119.43	127.07
4	A	500	HEM	CMD-C2D-C1D	3.38	130.32	125.03
5	B	765	INE	C9-C8-N1	3.03	108.42	106.95
5	A	766	INE	C9-C8-N1	2.93	108.38	106.95
5	B	761	INE	C9-C8-N1	2.79	108.30	106.95
4	A	500	HEM	CBA-CAA-C2A	2.53	119.52	112.53
4	B	500	HEM	C4C-C3C-C2C	-2.46	104.68	106.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	760	INE	C9-C8-N1	2.31	108.07	106.95
4	B	500	HEM	CMD-C2D-C1D	2.30	128.62	125.03
4	A	500	HEM	CMA-C3A-C4A	2.15	128.70	125.42
4	A	500	HEM	C2D-C1D-ND	2.11	112.34	109.90
4	A	500	HEM	C4D-ND-C1D	-2.08	102.74	105.21
4	A	500	HEM	C4B-C3B-C2B	-2.02	105.43	107.28

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	500	HEM	C2B-C3B-CAB-CBB
7	A	880	GOL	O1-C1-C2-C3
4	A	500	HEM	CAD-CBD-CGD-O2D
4	B	500	HEM	CAA-CBA-CGA-O2A
7	B	881	GOL	O1-C1-C2-O2
4	A	500	HEM	CAD-CBD-CGD-O1D
4	B	500	HEM	CAA-CBA-CGA-O1A
4	A	500	HEM	CAA-CBA-CGA-O2A
4	A	500	HEM	CAA-CBA-CGA-O1A


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	881	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	416/444 (93%)	0.35	23 (5%) 30 36	19, 32, 68, 100	0
1	B	414/444 (93%)	0.39	21 (5%) 33 39	19, 34, 71, 100	0
All	All	830/888 (93%)	0.37	44 (5%) 32 37	19, 33, 69, 100	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	113	THR	6.2
1	B	113	THR	6.2
1	B	117	PRO	5.6
1	A	117	PRO	5.0
1	B	111	LEU	4.8
1	A	111	LEU	4.7
1	A	115	PRO	4.6
1	B	115	PRO	4.3
1	A	118	GLY	3.9
1	A	120	PRO	3.8
1	A	119	PRO	3.5
1	A	109	ARG	3.5
1	B	120	PRO	3.4
1	A	239	GLY	3.2
1	A	121	PRO	3.1
1	A	259	GLN	3.0
1	A	108	PRO	2.8
1	B	389	THR	2.7
1	A	110	LYS	2.7
1	B	108	PRO	2.6
1	B	110	LYS	2.6
1	B	69	LYS	2.5
1	B	109	ARG	2.5
1	B	258	GLN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	118	GLY	2.5
1	B	261	GLY	2.5
1	A	116	SER	2.4
1	A	112	GLN	2.4
1	B	121	PRO	2.4
1	B	116	SER	2.4
1	B	112	GLN	2.3
1	B	143	SER	2.3
1	A	414	LEU	2.3
1	A	122	ALA	2.2
1	B	119	PRO	2.2
1	B	282	THR	2.2
1	A	114	ARG	2.2
1	A	261	GLY	2.2
1	A	194	LYS	2.2
1	A	162	THR	2.1
1	B	123	GLU	2.1
1	A	157	ALA	2.1
1	B	259	GLN	2.1
1	A	238	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	GOL	B	881	6/6	0.81	0.13	50,52,53,56	0
7	GOL	A	880	6/6	0.84	0.15	51,53,55,57	0
2	ACT	A	850	4/4	0.91	0.09	41,43,45,46	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ACT	B	861	4/4	0.91	0.10	34,37,38,39	0
2	ACT	A	860	4/4	0.94	0.07	35,37,37,40	0
5	INE	B	765	13/13	0.95	0.09	38,43,47,58	0
6	CAD	A	950	3/5	0.96	0.10	52,52,53,64	0
6	CAD	B	951	3/5	0.96	0.11	68,68,69,72	0
5	INE	A	766	13/13	0.96	0.08	33,36,46,56	0
2	ACT	B	851	4/4	0.96	0.08	30,36,39,40	0
4	HEM	B	500	43/43	0.97	0.08	21,29,41,47	0
4	HEM	A	500	43/43	0.98	0.06	17,22,41,42	0
5	INE	A	760	13/13	0.99	0.06	18,22,27,31	0
5	INE	B	761	13/13	0.99	0.06	31,34,38,40	0
3	ZN	A	900	1/1	0.99	0.03	28,28,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around HEM A 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.