



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 03:22 AM UTC

PDB ID : 8D84 / pdb_00008d84
Title : E. faecium MurAA in complex with UDP-N-acetylmuramic acid (UNAM) and a covalent adduct of PEP with Cys119
Authors : Zhou, Y.; Shamoo, Y.
Deposited on : 2022-06-07
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	433	
1	B	433	
1	C	433	
1	D	433	
1	E	433	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	433	8% 89% 7% ..
1	G	433	9% 89% 7% ..
1	H	433	2% 89% 7% ..
1	I	433	2% 87% 9% ..
1	J	433	3% 89% 7% ..
1	K	433	2% 89% 7% ..
1	L	433	3% 90% 7% ..

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 38822 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-N-acetylglucosamine 1-carboxyvinyltransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	420	Total	C	N	O	P	S	0	1	0
			3190	1998	560	612	1	19			
1	B	420	Total	C	N	O	P	S	0	1	0
			3204	2005	565	614	1	19			
1	C	420	Total	C	N	O	P	S	0	1	0
			3180	1992	557	611	1	19			
1	D	420	Total	C	N	O	P	S	0	1	0
			3190	1998	561	611	1	19			
1	E	420	Total	C	N	O	P	S	0	1	0
			3194	2000	562	612	1	19			
1	F	420	Total	C	N	O	P	S	0	1	0
			3180	1990	556	614	1	19			
1	G	420	Total	C	N	O	P	S	0	1	0
			3178	1989	555	614	1	19			
1	H	420	Total	C	N	O	P	S	0	1	0
			3183	1994	561	608	1	19			
1	I	420	Total	C	N	O	P	S	0	1	0
			3201	2002	564	616	1	18			
1	J	420	Total	C	N	O	P	S	0	1	0
			3182	1992	559	611	1	19			
1	K	420	Total	C	N	O	P	S	0	1	0
			3177	1988	555	614	1	19			
1	L	420	Total	C	N	O	P	S	0	1	0
			3186	1996	556	614	1	19			

- Molecule 2 is (2R)-2-[[[(2R,3R,4R,5S,6R)-3-(acetylamino)-2-[[[(S)-[[[(R)-[[[(2R,3S,4R,5R)-5-(2,4-dioxo-3,4-dihydropyrimidin-1(2H)-yl)-3,4-dihydroxytetrahydrofuran-2-yl]methoxy}(hydroxy)phosphoryl]oxy}(hydroxy)phosphoryl]oxy}-5-hydroxy-6-(hydroxymethyl)tetrahydro-2H-pyran-4-yl]oxy}propanoic acid (CCD ID: EPZ) (formula: C₂₀H₃₁N₃O₁₉P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
2	B	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
2	C	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
2	D	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
2	E	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
2	F	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
2	G	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
2	H	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
2	I	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
2	J	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
2	K	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
2	L	1	Total	C	N	O	P	0	0
			44	20	3	19	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	8	Total O 8 8	0	0
3	B	6	Total O 6 6	0	0
3	C	3	Total O 3 3	0	0
3	D	7	Total O 7 7	0	0
3	E	7	Total O 7 7	0	0
3	F	3	Total O 3 3	0	0
3	G	1	Total O 1 1	0	0
3	H	3	Total O 3 3	0	0
3	I	2	Total O 2 2	0	0
3	J	5	Total O 5 5	0	0
3	K	2	Total O 2 2	0	0
3	L	2	Total O 2 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase




- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase




- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase





- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase









- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase




- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase




- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase






- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase









- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase





- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase



- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase



- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2 ₁	Depositor
Cell constants a, b, c, α , β , γ	146.87Å 168.38Å 316.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.81 – 2.65 49.81 – 2.65	Depositor EDS
% Data completeness (in resolution range)	99.8 (49.81-2.65) 99.7 (49.81-2.65)	Depositor EDS
R_{merge}	0.24	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.28 (at 2.65Å)	Xtriage
Refinement program	REFMAC 5.8.0350	Depositor
R, R_{free}	0.241 , 0.261 (Not available) , 0.241	Depositor DCC
R_{free} test set	11319 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	61.3	Xtriage
Anisotropy	0.206	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 48.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	38822	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: EPZ, QPA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.68	4/3219 (0.1%)	0.95	2/4362 (0.0%)
1	B	0.66	4/3234 (0.1%)	0.92	0/4381
1	C	0.63	4/3210 (0.1%)	0.91	0/4353
1	D	0.65	4/3220 (0.1%)	0.91	1/4364 (0.0%)
1	E	0.67	4/3224 (0.1%)	0.93	0/4369
1	F	0.60	2/3209 (0.1%)	0.89	0/4351
1	G	0.60	1/3208 (0.0%)	0.90	0/4350
1	H	0.64	3/3213 (0.1%)	0.91	0/4356
1	I	0.65	4/3231 (0.1%)	0.91	0/4379
1	J	0.66	6/3212 (0.2%)	0.92	0/4356
1	K	0.64	4/3206 (0.1%)	0.92	1/4348 (0.0%)
1	L	0.62	2/3216 (0.1%)	0.90	0/4360
All	All	0.64	42/38602 (0.1%)	0.91	4/52329 (0.0%)

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	129	HIS	CE1-NE2	6.28	1.38	1.32
1	B	336	HIS	CE1-NE2	6.14	1.38	1.32
1	C	301	HIS	CE1-NE2	6.10	1.38	1.32
1	A	290	HIS	CE1-NE2	5.98	1.38	1.32
1	J	261	HIS	CE1-NE2	5.96	1.38	1.32
1	B	60	HIS	CE1-NE2	5.88	1.38	1.32
1	G	261	HIS	CE1-NE2	5.84	1.38	1.32
1	B	301	HIS	CE1-NE2	5.77	1.38	1.32
1	A	336	HIS	CE1-NE2	5.75	1.38	1.32
1	K	301	HIS	CE1-NE2	5.71	1.38	1.32
1	J	290	HIS	CE1-NE2	5.71	1.38	1.32
1	I	229	HIS	CE1-NE2	5.67	1.38	1.32
1	I	336	HIS	CE1-NE2	5.66	1.38	1.32
1	J	336	HIS	CE1-NE2	5.59	1.38	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	346	HIS	CE1-NE2	5.54	1.38	1.32
1	B	129	HIS	CE1-NE2	5.53	1.38	1.32
1	L	301	HIS	CE1-NE2	5.50	1.38	1.32
1	I	290	HIS	CE1-NE2	5.40	1.38	1.32
1	F	336	HIS	CE1-NE2	5.39	1.38	1.32
1	H	405	HIS	CE1-NE2	5.36	1.38	1.32
1	J	301	HIS	CE1-NE2	5.35	1.38	1.32
1	H	225	HIS	CE1-NE2	5.34	1.37	1.32
1	D	336	HIS	CE1-NE2	5.27	1.37	1.32
1	E	336	HIS	CE1-NE2	5.26	1.37	1.32
1	K	225	HIS	CE1-NE2	5.26	1.37	1.32
1	K	60	HIS	CE1-NE2	5.26	1.37	1.32
1	A	346	HIS	CE1-NE2	5.24	1.37	1.32
1	D	229	HIS	CE1-NE2	5.23	1.37	1.32
1	C	336	HIS	CE1-NE2	5.22	1.37	1.32
1	D	290	HIS	CE1-NE2	5.19	1.37	1.32
1	C	223	HIS	CE1-NE2	5.19	1.37	1.32
1	K	261	HIS	CE1-NE2	5.17	1.37	1.32
1	J	60	HIS	CE1-NE2	5.17	1.37	1.32
1	J	346	HIS	CE1-NE2	5.17	1.37	1.32
1	D	225	HIS	CE1-NE2	5.16	1.37	1.32
1	H	336	HIS	CE1-NE2	5.11	1.37	1.32
1	L	225	HIS	CE1-NE2	5.10	1.37	1.32
1	A	60	HIS	CE1-NE2	5.05	1.37	1.32
1	E	290	HIS	CE1-NE2	5.02	1.37	1.32
1	C	110	HIS	CE1-NE2	5.01	1.37	1.32
1	F	301	HIS	CE1-NE2	5.01	1.37	1.32
1	E	301	HIS	CE1-NE2	5.00	1.37	1.32

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	173	MET	CB-CA-C	-5.33	102.28	110.81
1	A	280	GLU	CB-CG-CD	5.20	121.43	112.60
1	K	188	VAL	CB-CA-C	-5.14	105.69	111.45
1	A	188	VAL	CB-CA-C	-5.09	105.75	111.45

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3190	0	3210	15	0
1	B	3204	0	3228	16	0
1	C	3180	0	3185	11	0
1	D	3190	0	3207	19	0
1	E	3194	0	3213	24	0
1	F	3180	0	3181	25	0
1	G	3178	0	3170	22	0
1	H	3183	0	3196	17	0
1	I	3201	0	3214	29	0
1	J	3182	0	3185	17	0
1	K	3177	0	3172	22	0
1	L	3186	0	3195	18	0
2	A	44	0	28	4	0
2	B	44	0	28	3	0
2	C	44	0	28	4	0
2	D	44	0	28	6	0
2	E	44	0	28	4	0
2	F	44	0	28	6	0
2	G	44	0	28	4	0
2	H	44	0	28	6	0
2	I	44	0	28	5	0
2	J	44	0	28	8	0
2	K	44	0	28	4	0
2	L	44	0	28	6	0
3	A	8	0	0	0	0
3	B	6	0	0	0	0
3	C	3	0	0	0	0
3	D	7	0	0	0	0
3	E	7	0	0	0	0
3	F	3	0	0	0	0
3	G	1	0	0	0	0
3	H	3	0	0	0	0
3	I	2	0	0	0	0
3	J	5	0	0	0	0
3	K	2	0	0	0	0
3	L	2	0	0	0	0
All	All	38822	0	38692	223	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (223) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:124:ARG:HH22	1:I:165:SER:HB2	1.27	0.95
1:G:167:GLY:H	2:G:501:EPZ:H5U	1.38	0.87
1:B:167:GLY:H	2:B:501:EPZ:H5U	1.54	0.73
1:D:169:THR:HG22	1:D:173:MET:CE	2.20	0.72
1:B:124:ARG:HG3	1:B:124:ARG:HH11	1.55	0.72
1:J:372:LEU:HD23	2:J:501:EPZ:H3E	1.73	0.71
1:D:166:VAL:H	2:D:501:EPZ:H5U	1.56	0.70
1:L:119:QPA:HA	1:L:119:QPA:C10	2.23	0.69
1:L:167:GLY:H	2:L:501:EPZ:H5U	1.58	0.69
1:J:167:GLY:H	2:J:501:EPZ:H5U	1.58	0.68
1:I:126:ILE:HG22	2:I:501:EPZ:H3D	1.76	0.68
1:D:119:QPA:HA	1:D:119:QPA:C10	2.24	0.67
1:A:115:MET:HE2	1:E:341:ARG:HB3	1.77	0.67
1:D:169:THR:HG22	1:D:173:MET:HE2	1.75	0.67
1:I:332:ASN:ND2	1:K:332:ASN:ND2	2.42	0.67
1:I:115:MET:HG3	1:I:142:GLN:HE22	1.60	0.66
1:C:167:GLY:H	2:C:501:EPZ:H5U	1.60	0.66
1:A:167:GLY:H	2:A:501:EPZ:H5U	1.61	0.64
1:F:166:VAL:H	2:F:501:EPZ:H5U	1.61	0.64
1:C:119:QPA:HA	1:C:119:QPA:C10	2.30	0.62
1:K:119:QPA:HA	1:K:119:QPA:C10	2.30	0.61
1:A:119:QPA:HA	1:A:119:QPA:C10	2.31	0.61
1:J:119:QPA:HA	1:J:119:QPA:C10	2.32	0.60
1:F:119:QPA:HA	1:F:119:QPA:C10	2.32	0.60
1:I:124:ARG:NH2	1:I:165:SER:HB2	2.09	0.60
1:D:67:PHE:H	1:I:410:GLN:HE22	1.50	0.60
1:B:119:QPA:HA	1:B:119:QPA:C10	2.32	0.59
1:G:126:ILE:HG22	2:G:501:EPZ:H3D	1.84	0.59
1:F:166:VAL:N	2:F:501:EPZ:H5U	2.18	0.59
1:H:119:QPA:HA	1:H:119:QPA:C10	2.33	0.59
1:I:332:ASN:ND2	1:K:332:ASN:HD22	2.00	0.59
1:E:115:MET:HE2	1:E:142:GLN:HE22	1.68	0.58
1:G:119:QPA:SG	1:G:123:LYS:HD3	2.44	0.58
1:G:96:ALA:HA	2:G:501:EPZ:O2A	2.03	0.58
1:E:167:GLY:H	2:E:501:EPZ:H5U	1.68	0.58
1:E:119:QPA:HA	1:E:119:QPA:C10	2.35	0.57
1:I:119:QPA:HA	1:I:119:QPA:C10	2.34	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:332:ASN:HD22	1:K:332:ASN:ND2	2.01	0.57
1:A:179:ALA:O	1:A:220:GLY:HA3	2.05	0.56
1:J:17:ARG:HG2	1:J:17:ARG:HH21	1.70	0.56
1:L:179:ALA:O	1:L:220:GLY:HA3	2.05	0.56
1:H:7:ARG:HE	1:H:388:ILE:HG12	1.69	0.56
1:J:179:ALA:O	1:J:220:GLY:HA3	2.06	0.56
1:D:302:PRO:HG3	1:E:214:GLU:HB3	1.88	0.56
1:I:179:ALA:O	1:I:220:GLY:HA3	2.06	0.56
1:C:179:ALA:O	1:C:220:GLY:HA3	2.06	0.56
1:H:179:ALA:O	1:H:220:GLY:HA3	2.06	0.55
1:K:179:ALA:O	1:K:220:GLY:HA3	2.05	0.55
1:D:179:ALA:O	1:D:220:GLY:HA3	2.06	0.55
1:E:179:ALA:O	1:E:220:GLY:HA3	2.06	0.55
1:F:179:ALA:O	1:F:220:GLY:HA3	2.06	0.55
1:F:299:MET:HE1	1:G:187:ASN:HD21	1.71	0.55
1:G:179:ALA:O	1:G:220:GLY:HA3	2.06	0.55
1:D:67:PHE:H	1:I:410:GLN:NE2	2.04	0.55
1:I:115:MET:CG	1:I:142:GLN:HE22	2.19	0.55
1:C:126:ILE:HG22	2:C:501:EPZ:H3D	1.89	0.55
1:B:179:ALA:O	1:B:220:GLY:HA3	2.07	0.54
1:I:166:VAL:N	2:I:501:EPZ:H5U	2.22	0.54
1:L:169:THR:O	1:L:173:MET:HG3	2.08	0.54
1:E:169:THR:O	1:E:173:MET:HG2	2.09	0.53
1:H:167:GLY:H	2:H:501:EPZ:H5U	1.73	0.53
1:G:169:THR:O	1:G:173:MET:HG2	2.09	0.53
1:B:169:THR:O	1:B:173:MET:HG3	2.09	0.53
1:K:17:ARG:NH1	1:L:202:ASN:HB3	2.24	0.53
1:D:166:VAL:N	2:D:501:EPZ:H5U	2.23	0.52
1:B:124:ARG:HH11	1:B:124:ARG:CG	2.22	0.52
1:H:169:THR:O	1:H:173:MET:HG2	2.10	0.52
1:J:169:THR:O	1:J:173:MET:HG2	2.10	0.52
1:F:169:THR:O	1:F:173:MET:HG2	2.10	0.51
1:A:169:THR:O	1:A:173:MET:HG3	2.09	0.51
2:E:501:EPZ:H6	2:E:501:EPZ:C5U	2.41	0.51
1:H:95:ARG:HH11	2:H:501:EPZ:H4D	1.75	0.51
1:G:87:PRO:HG2	1:G:89:GLU:HG2	1.92	0.51
1:B:124:ARG:HG3	1:B:124:ARG:NH1	2.24	0.51
1:E:129:HIS:HE2	2:E:501:EPZ:H5D	1.76	0.50
1:D:214:GLU:HB2	1:E:302:PRO:HG3	1.92	0.50
1:F:129:HIS:HE2	2:F:501:EPZ:H5D	1.76	0.50
1:C:169:THR:O	1:C:173:MET:HG2	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:214:GLU:HB2	1:G:302:PRO:HG3	1.93	0.49
1:K:166:VAL:N	2:K:501:EPZ:H5U	2.26	0.49
1:A:307:ASP:OD2	2:A:501:EPZ:H4	2.12	0.49
1:B:124:ARG:CG	1:B:124:ARG:NH1	2.76	0.49
1:D:164:PRO:HD3	1:E:299:MET:HE1	1.94	0.49
1:H:166:VAL:HB	2:H:501:EPZ:H5U	1.95	0.49
1:A:95:ARG:HG3	2:A:501:EPZ:H4D	1.95	0.49
1:E:70:GLN:HE21	1:E:70:GLN:HA	1.78	0.48
2:J:501:EPZ:O5D	2:J:501:EPZ:H6U	2.13	0.48
2:D:501:EPZ:C5U	2:D:501:EPZ:H6	2.44	0.48
1:E:87:PRO:HG2	1:E:89:GLU:HG3	1.96	0.48
1:K:166:VAL:H	2:K:501:EPZ:H5U	1.77	0.48
1:K:410:GLN:NE2	1:L:225:HIS:CD2	2.82	0.47
1:I:167:GLY:H	2:I:501:EPZ:H5U	1.80	0.47
1:I:96:ALA:O	1:I:99:VAL:HG22	2.14	0.47
1:C:95:ARG:HD3	1:C:123:LYS:HZ3	1.80	0.47
1:G:70:GLN:HA	1:G:70:GLN:HE21	1.80	0.47
1:C:96:ALA:O	1:C:99:VAL:HG22	2.15	0.46
1:F:299:MET:CE	1:G:187:ASN:HD21	2.29	0.46
1:G:119:QPA:HA	1:G:119:QPA:C10	2.46	0.46
1:F:96:ALA:O	1:F:99:VAL:HG22	2.15	0.46
1:A:96:ALA:O	1:A:99:VAL:HG22	2.15	0.46
1:F:129:HIS:HE2	2:F:501:EPZ:H3D	1.80	0.46
1:H:163:PHE:CG	1:H:164:PRO:HD2	2.51	0.46
1:D:263:ARG:HB2	1:D:264:PRO:HD3	1.98	0.46
1:F:164:PRO:HD3	1:G:299:MET:HE1	1.97	0.46
2:F:501:EPZ:H2E	2:F:501:EPZ:H2	1.37	0.46
1:E:96:ALA:O	1:E:99:VAL:HG22	2.15	0.46
1:G:333:ARG:HG2	1:G:333:ARG:O	2.16	0.46
1:K:96:ALA:O	1:K:99:VAL:HG22	2.16	0.46
2:K:501:EPZ:H6U	2:K:501:EPZ:H2D	1.74	0.46
1:A:163:PHE:CG	1:A:164:PRO:HD2	2.50	0.46
1:B:163:PHE:CG	1:B:164:PRO:HD2	2.51	0.46
1:E:263:ARG:HB2	1:E:264:PRO:HD3	1.98	0.46
1:H:70:GLN:HA	1:H:70:GLN:HE21	1.81	0.46
1:B:96:ALA:O	1:B:99:VAL:HG22	2.16	0.45
1:E:166:VAL:N	2:E:501:EPZ:H5U	2.31	0.45
1:F:62:ASN:HB2	1:F:83:GLU:CD	2.41	0.45
1:F:299:MET:HE2	1:F:303:GLY:HA3	1.97	0.45
1:K:15:THR:OG1	1:L:207:GLN:CG	2.64	0.45
1:C:163:PHE:CG	1:C:164:PRO:HD2	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:67:PHE:HB3	1:I:410:GLN:NE2	2.31	0.45
1:L:263:ARG:HB2	1:L:264:PRO:HD3	1.98	0.45
1:H:123:LYS:HE2	2:H:501:EPZ:O4	2.16	0.45
2:J:501:EPZ:C1E	2:J:501:EPZ:H4	2.46	0.45
1:K:163:PHE:CG	1:K:164:PRO:HD2	2.51	0.45
1:A:142:GLN:HG2	1:E:363:GLN:HE22	1.82	0.45
1:D:187:ASN:HD21	1:E:299:MET:CE	2.30	0.45
1:G:96:ALA:O	1:G:99:VAL:HG22	2.16	0.45
1:I:163:PHE:CG	1:I:164:PRO:HD2	2.51	0.45
1:L:96:ALA:O	1:L:99:VAL:HG22	2.16	0.45
1:J:96:ALA:O	1:J:99:VAL:HG22	2.16	0.45
1:D:96:ALA:O	1:D:99:VAL:HG22	2.16	0.45
2:B:501:EPZ:H2E	2:B:501:EPZ:H2	1.45	0.45
2:L:501:EPZ:H3EA	2:L:501:EPZ:H3	1.53	0.45
1:B:263:ARG:HB2	1:B:264:PRO:HD3	1.99	0.45
1:H:263:ARG:HB2	1:H:264:PRO:HD3	1.99	0.45
2:K:501:EPZ:H2E	2:K:501:EPZ:H2	1.42	0.45
1:L:163:PHE:CG	1:L:164:PRO:HD2	2.52	0.45
1:F:263:ARG:HB2	1:F:264:PRO:HD3	2.00	0.44
1:J:96:ALA:HA	2:J:501:EPZ:O2A	2.17	0.44
1:E:163:PHE:CG	1:E:164:PRO:HD2	2.52	0.44
1:H:119:QPA:H9	1:H:119:QPA:O11	2.18	0.44
1:F:70:GLN:HE21	1:F:70:GLN:HA	1.82	0.44
1:F:163:PHE:CG	1:F:164:PRO:HD2	2.52	0.44
1:H:96:ALA:O	1:H:99:VAL:HG22	2.17	0.44
1:L:167:GLY:HA3	2:L:501:EPZ:H5D	1.98	0.44
1:A:185:ILE:CG2	1:A:188:VAL:HG13	2.48	0.44
1:B:185:ILE:CG2	1:B:188:VAL:HG13	2.48	0.44
1:G:163:PHE:CG	1:G:164:PRO:HD2	2.53	0.44
2:J:501:EPZ:H2	2:J:501:EPZ:H2E	1.44	0.44
1:K:185:ILE:CG2	1:K:188:VAL:HG13	2.48	0.44
1:L:307:ASP:OD2	2:L:501:EPZ:H6A	2.17	0.44
1:A:263:ARG:HB2	1:A:264:PRO:HD3	1.99	0.44
1:D:68:ASP:HB2	1:I:17:ARG:HH11	1.82	0.44
1:F:62:ASN:HB2	1:F:83:GLU:OE2	2.18	0.43
1:L:167:GLY:H	2:L:501:EPZ:C5U	2.28	0.43
1:J:163:PHE:CG	1:J:164:PRO:HD2	2.53	0.43
1:J:263:ARG:HB2	1:J:264:PRO:HD3	1.99	0.43
1:I:339:GLU:OE2	1:K:117:GLY:HA3	2.18	0.43
1:A:166:VAL:HG21	2:A:501:EPZ:H6A	1.99	0.43
1:D:163:PHE:CG	1:D:164:PRO:HD2	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:185:ILE:CG2	1:J:188:VAL:HG13	2.49	0.43
1:K:263:ARG:HB2	1:K:264:PRO:HD3	2.01	0.43
2:H:501:EPZ:H2E	2:H:501:EPZ:O7	2.19	0.43
2:C:501:EPZ:H8A	2:C:501:EPZ:H2	1.82	0.43
1:E:185:ILE:CG2	1:E:188:VAL:HG13	2.49	0.43
1:J:129:HIS:HE2	2:J:501:EPZ:H5D	1.84	0.43
1:C:263:ARG:HB2	1:C:264:PRO:HD3	2.01	0.42
2:C:501:EPZ:O5D	2:C:501:EPZ:H6U	2.19	0.42
1:G:263:ARG:HB2	1:G:264:PRO:HD3	2.00	0.42
1:H:247:MET:O	1:H:384:LYS:HD3	2.18	0.42
1:I:124:ARG:HH11	1:I:124:ARG:HB2	1.84	0.42
1:I:166:VAL:H	2:I:501:EPZ:H5U	1.83	0.42
1:K:17:ARG:HH11	1:L:202:ASN:HB3	1.85	0.42
1:F:187:ASN:HD21	1:G:299:MET:CE	2.32	0.42
1:F:247:MET:O	1:F:384:LYS:HD3	2.20	0.42
1:G:185:ILE:CG2	1:G:188:VAL:HG13	2.49	0.42
1:I:263:ARG:HB2	1:I:264:PRO:HD3	2.00	0.42
1:L:214:GLU:HG2	1:L:215:THR:N	2.34	0.42
1:F:299:MET:HE1	1:G:164:PRO:HD3	2.01	0.42
1:D:95:ARG:NH1	1:D:119:QPA:HBA	2.35	0.42
1:F:190:ARG:HH22	1:G:302:PRO:HD3	1.84	0.42
1:I:117:GLY:HA3	1:K:339:GLU:OE2	2.20	0.42
1:I:185:ILE:CG2	1:I:188:VAL:HG13	2.49	0.42
1:J:70:GLN:HE21	1:J:70:GLN:HA	1.84	0.42
1:B:353:VAL:HG21	1:E:350:ASP:HB3	2.02	0.42
1:D:185:ILE:CG2	1:D:188:VAL:HG13	2.49	0.42
2:D:501:EPZ:H3	2:D:501:EPZ:H3EA	1.54	0.42
1:E:247:MET:O	1:E:384:LYS:HD3	2.19	0.42
1:J:126:ILE:HG22	2:J:501:EPZ:H3D	2.01	0.42
1:F:187:ASN:HD21	1:G:299:MET:HE1	1.85	0.41
2:I:501:EPZ:H2E	2:I:501:EPZ:H2	1.37	0.41
1:J:214:GLU:HG2	1:J:215:THR:N	2.34	0.41
1:H:185:ILE:CG2	1:H:188:VAL:HG13	2.50	0.41
1:I:124:ARG:NH2	1:I:128:LEU:HD12	2.36	0.41
1:I:124:ARG:HH21	1:I:163:PHE:HB3	1.83	0.41
1:I:144:ASN:HA	1:K:364:GLY:O	2.21	0.41
1:A:332:ASN:OD1	1:E:332:ASN:ND2	2.54	0.41
1:E:95:ARG:NH2	1:E:116:PRO:HB2	2.36	0.41
1:K:5:ILE:HD13	1:K:388:ILE:HG23	2.02	0.41
1:C:70:GLN:HE21	1:C:70:GLN:HA	1.84	0.41
2:D:501:EPZ:C7	2:D:501:EPZ:H5D	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:185:ILE:CG2	1:C:188:VAL:HG13	2.51	0.41
1:F:185:ILE:CG2	1:F:188:VAL:HG13	2.50	0.41
1:I:214:GLU:HG2	1:I:215:THR:N	2.35	0.41
1:K:5:ILE:CD1	1:K:388:ILE:HG23	2.51	0.41
1:H:214:GLU:HG2	1:H:215:THR:N	2.35	0.41
1:L:70:GLN:HE21	1:L:70:GLN:HA	1.85	0.41
1:B:185:ILE:HB	1:B:188:VAL:HG13	2.02	0.41
2:G:501:EPZ:H2E	2:G:501:EPZ:H2	1.36	0.41
1:H:123:LYS:HB3	2:H:501:EPZ:O2D	2.21	0.41
1:I:247:MET:O	1:I:384:LYS:HD3	2.20	0.41
1:B:214:GLU:H	1:B:214:GLU:HG3	1.53	0.41
1:F:129:HIS:NE2	2:F:501:EPZ:H3D	2.35	0.41
2:L:501:EPZ:H6	2:L:501:EPZ:H1	1.64	0.41
1:E:263:ARG:HD3	1:E:263:ARG:HA	1.94	0.41
1:J:5:ILE:HD13	1:J:388:ILE:HG23	2.03	0.41
1:B:124:ARG:HB2	2:B:501:EPZ:O2D	2.21	0.40
1:A:247:MET:O	1:A:384:LYS:HD3	2.20	0.40
1:J:17:ARG:HH21	1:J:17:ARG:CG	2.33	0.40
1:K:214:GLU:HG2	1:K:215:THR:N	2.34	0.40
1:K:281:GLY:HA3	1:L:209:TYR:CE1	2.57	0.40
2:D:501:EPZ:H6U	2:D:501:EPZ:H2D	1.72	0.40
1:L:247:MET:O	1:L:384:LYS:HD3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	418/433 (96%)	410 (98%)	8 (2%)	0	100	100
1	B	418/433 (96%)	410 (98%)	8 (2%)	0	100	100
1	C	418/433 (96%)	410 (98%)	8 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	418/433 (96%)	410 (98%)	8 (2%)	0	100	100
1	E	418/433 (96%)	410 (98%)	8 (2%)	0	100	100
1	F	418/433 (96%)	410 (98%)	8 (2%)	0	100	100
1	G	418/433 (96%)	410 (98%)	8 (2%)	0	100	100
1	H	418/433 (96%)	410 (98%)	8 (2%)	0	100	100
1	I	418/433 (96%)	410 (98%)	8 (2%)	0	100	100
1	J	418/433 (96%)	410 (98%)	8 (2%)	0	100	100
1	K	418/433 (96%)	411 (98%)	7 (2%)	0	100	100
1	L	418/433 (96%)	411 (98%)	7 (2%)	0	100	100
All	All	5016/5196 (96%)	4922 (98%)	94 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/348 (96%)	321 (96%)	12 (4%)	31	51
1	B	336/348 (97%)	324 (96%)	12 (4%)	31	51
1	C	331/348 (95%)	319 (96%)	12 (4%)	31	51
1	D	333/348 (96%)	324 (97%)	9 (3%)	39	61
1	E	334/348 (96%)	323 (97%)	11 (3%)	33	55
1	F	331/348 (95%)	319 (96%)	12 (4%)	31	51
1	G	330/348 (95%)	316 (96%)	14 (4%)	26	45
1	H	331/348 (95%)	319 (96%)	12 (4%)	31	51
1	I	335/348 (96%)	320 (96%)	15 (4%)	24	42
1	J	331/348 (95%)	319 (96%)	12 (4%)	31	51
1	K	330/348 (95%)	318 (96%)	12 (4%)	31	51
1	L	333/348 (96%)	321 (96%)	12 (4%)	31	51

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	3988/4176 (96%)	3843 (96%)	145 (4%)	33 51

All (145) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ARG
1	A	49	SER
1	A	61	LEU
1	A	186	GLU
1	A	188	VAL
1	A	214	GLU
1	A	230[A]	SER
1	A	230[B]	SER
1	A	260	GLU
1	A	280	GLU
1	A	302	PRO
1	A	386	ASN
1	B	37	GLU
1	B	49	SER
1	B	142	GLN
1	B	186	GLU
1	B	188	VAL
1	B	214	GLU
1	B	230[A]	SER
1	B	230[B]	SER
1	B	260	GLU
1	B	289	LYS
1	B	361	GLU
1	B	386	ASN
1	C	37	GLU
1	C	49	SER
1	C	70	GLN
1	C	142	GLN
1	C	186	GLU
1	C	188	VAL
1	C	214	GLU
1	C	230[A]	SER
1	C	230[B]	SER
1	C	260	GLU
1	C	302	PRO
1	C	386	ASN
1	D	49	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	142	GLN
1	D	186	GLU
1	D	188	VAL
1	D	214	GLU
1	D	230[A]	SER
1	D	230[B]	SER
1	D	260	GLU
1	D	386	ASN
1	E	49	SER
1	E	70	GLN
1	E	89	GLU
1	E	95	ARG
1	E	186	GLU
1	E	188	VAL
1	E	214	GLU
1	E	230[A]	SER
1	E	230[B]	SER
1	E	260	GLU
1	E	386	ASN
1	F	49	SER
1	F	70	GLN
1	F	83	GLU
1	F	142	GLN
1	F	186	GLU
1	F	188	VAL
1	F	214	GLU
1	F	230[A]	SER
1	F	230[B]	SER
1	F	260	GLU
1	F	302	PRO
1	F	386	ASN
1	G	37	GLU
1	G	49	SER
1	G	70	GLN
1	G	123	LYS
1	G	142	GLN
1	G	186	GLU
1	G	188	VAL
1	G	214	GLU
1	G	230[A]	SER
1	G	230[B]	SER
1	G	260	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	280	GLU
1	G	386	ASN
1	G	390	ARG
1	H	49	SER
1	H	70	GLN
1	H	95	ARG
1	H	142	GLN
1	H	184	ILE
1	H	186	GLU
1	H	188	VAL
1	H	214	GLU
1	H	230[A]	SER
1	H	230[B]	SER
1	H	260	GLU
1	H	386	ASN
1	I	5	ILE
1	I	17	ARG
1	I	49	SER
1	I	70	GLN
1	I	85	GLU
1	I	115	MET
1	I	124	ARG
1	I	186	GLU
1	I	188	VAL
1	I	214	GLU
1	I	230[A]	SER
1	I	230[B]	SER
1	I	260	GLU
1	I	361	GLU
1	I	386	ASN
1	J	5	ILE
1	J	49	SER
1	J	70	GLN
1	J	142	GLN
1	J	186	GLU
1	J	188	VAL
1	J	214	GLU
1	J	230[A]	SER
1	J	230[B]	SER
1	J	260	GLU
1	J	280	GLU
1	J	386	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	K	5	ILE
1	K	17	ARG
1	K	49	SER
1	K	70	GLN
1	K	142	GLN
1	K	186	GLU
1	K	188	VAL
1	K	214	GLU
1	K	230[A]	SER
1	K	230[B]	SER
1	K	260	GLU
1	K	386	ASN
1	L	5	ILE
1	L	49	SER
1	L	70	GLN
1	L	142	GLN
1	L	186	GLU
1	L	188	VAL
1	L	214	GLU
1	L	230[A]	SER
1	L	230[B]	SER
1	L	260	GLU
1	L	302	PRO
1	L	386	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (73) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	A	335	GLN
1	A	344	ASN
1	B	225	HIS
1	B	344	ASN
1	C	70	GLN
1	C	93	GLN
1	C	207	GLN
1	C	335	GLN
1	C	344	ASN
1	D	11	GLN
1	D	93	GLN
1	D	187	ASN
1	D	225	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	332	ASN
1	D	335	GLN
1	D	344	ASN
1	E	11	GLN
1	E	70	GLN
1	E	142	GLN
1	E	225	HIS
1	E	332	ASN
1	E	335	GLN
1	E	344	ASN
1	E	363	GLN
1	F	10	ASN
1	F	11	GLN
1	F	70	GLN
1	F	187	ASN
1	F	225	HIS
1	F	335	GLN
1	F	344	ASN
1	G	10	ASN
1	G	11	GLN
1	G	70	GLN
1	G	93	GLN
1	G	187	ASN
1	G	225	HIS
1	G	335	GLN
1	G	344	ASN
1	H	11	GLN
1	H	70	GLN
1	H	225	HIS
1	H	335	GLN
1	H	344	ASN
1	I	11	GLN
1	I	56	GLN
1	I	60	HIS
1	I	93	GLN
1	I	142	GLN
1	I	225	HIS
1	I	332	ASN
1	I	335	GLN
1	I	344	ASN
1	I	410	GLN
1	J	11	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	J	70	GLN
1	J	225	HIS
1	J	335	GLN
1	J	344	ASN
1	J	410	GLN
1	K	11	GLN
1	K	70	GLN
1	K	142	GLN
1	K	225	HIS
1	K	335	GLN
1	K	410	GLN
1	L	11	GLN
1	L	70	GLN
1	L	142	GLN
1	L	225	HIS
1	L	335	GLN
1	L	344	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

12 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	QPA	L	119	1	10,15,16	0.94	0	11,22,24	0.69	0
1	QPA	I	119	1	10,15,16	0.94	0	11,22,24	0.69	0
1	QPA	K	119	1	10,15,16	1.00	0	11,22,24	0.78	0
1	QPA	J	119	1	10,15,16	1.00	0	11,22,24	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	QPA	L	119	1	-	4/9/20/22	-
1	QPA	I	119	1	-	3/9/20/22	-
1	QPA	K	119	1	-	2/9/20/22	-
1	QPA	J	119	1	-	4/9/20/22	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	I	119	QPA	O9-C10-C8-C9
1	J	119	QPA	O9-C10-C8-C9
1	L	119	QPA	O9-C10-C8-C9
1	I	119	QPA	O10-C10-C8-C9
1	J	119	QPA	O10-C10-C8-C9
1	L	119	QPA	O10-C10-C8-C9
1	I	119	QPA	CA-CB-SG-C8
1	J	119	QPA	CA-CB-SG-C8
1	K	119	QPA	CA-CB-SG-C8
1	L	119	QPA	CA-CB-SG-C8
1	J	119	QPA	C8-O14-P2-O11
1	L	119	QPA	C8-O14-P2-O11
1	K	119	QPA	C8-O14-P2-O12

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	L	119	QPA	1	0
1	I	119	QPA	1	0
1	K	119	QPA	1	0
1	J	119	QPA	1	0

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EPZ	H	501	-	45,46,46	0.51	0	62,69,69	0.61	0
2	EPZ	G	501	-	45,46,46	0.51	0	62,69,69	0.52	0
2	EPZ	F	501	-	45,46,46	0.53	0	62,69,69	0.57	0
2	EPZ	D	501	-	45,46,46	0.53	0	62,69,69	0.53	0
2	EPZ	C	501	-	45,46,46	0.54	0	62,69,69	0.52	0
2	EPZ	K	501	-	45,46,46	0.53	0	62,69,69	0.48	0
2	EPZ	J	501	-	45,46,46	0.54	0	62,69,69	0.55	0
2	EPZ	A	501	-	45,46,46	0.55	0	62,69,69	0.84	2 (3%)
2	EPZ	I	501	-	45,46,46	0.51	0	62,69,69	0.57	0
2	EPZ	L	501	-	45,46,46	0.54	0	62,69,69	0.73	1 (1%)
2	EPZ	E	501	-	45,46,46	0.50	0	62,69,69	0.49	0
2	EPZ	B	501	-	45,46,46	0.52	0	62,69,69	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EPZ	H	501	-	-	15/34/71/71	0/3/3/3
2	EPZ	G	501	-	-	14/34/71/71	0/3/3/3
2	EPZ	F	501	-	-	16/34/71/71	0/3/3/3
2	EPZ	D	501	-	-	23/34/71/71	0/3/3/3
2	EPZ	C	501	-	-	13/34/71/71	0/3/3/3
2	EPZ	K	501	-	-	26/34/71/71	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EPZ	J	501	-	-	20/34/71/71	0/3/3/3
2	EPZ	A	501	-	-	16/34/71/71	0/3/3/3
2	EPZ	I	501	-	-	14/34/71/71	0/3/3/3
2	EPZ	L	501	-	-	17/34/71/71	0/3/3/3
2	EPZ	E	501	-	-	16/34/71/71	0/3/3/3
2	EPZ	B	501	-	-	18/34/71/71	0/3/3/3

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	EPZ	O5-C1-C2	3.49	117.19	110.59
2	A	501	EPZ	C1-C2-C3	2.69	114.79	109.92
2	L	501	EPZ	O5-C1-O1	-2.48	108.12	111.36

There are no chirality outliers.

All (208) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	EPZ	O7-C7-N2-C2
2	A	501	EPZ	C8-C7-N2-C2
2	A	501	EPZ	C2-C3-O3-C2E
2	A	501	EPZ	O4D-C4D-C5D-O5D
2	B	501	EPZ	C2-C3-O3-C2E
2	B	501	EPZ	C5D-O5D-PA-O2A
2	B	501	EPZ	C5D-O5D-PA-O3A
2	B	501	EPZ	C3D-C4D-C5D-O5D
2	B	501	EPZ	O4D-C4D-C5D-O5D
2	C	501	EPZ	O5-C1-O1-PB
2	C	501	EPZ	C1-O1-PB-O2B
2	C	501	EPZ	C1-O1-PB-O3A
2	C	501	EPZ	O7-C7-N2-C2
2	C	501	EPZ	C8-C7-N2-C2
2	C	501	EPZ	C3E-C2E-O3-C3
2	C	501	EPZ	O1E-C1E-C2E-O3
2	C	501	EPZ	O1E-C1E-C2E-C3E
2	C	501	EPZ	O2E-C1E-C2E-O3
2	C	501	EPZ	O2E-C1E-C2E-C3E
2	C	501	EPZ	O4D-C4D-C5D-O5D
2	D	501	EPZ	C1-O1-PB-O1B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	501	EPZ	C8-C7-N2-C2
2	D	501	EPZ	C3E-C2E-O3-C3
2	D	501	EPZ	C5D-O5D-PA-O1A
2	D	501	EPZ	C5D-O5D-PA-O2A
2	D	501	EPZ	C5D-O5D-PA-O3A
2	D	501	EPZ	C2D-C1D-N1U-C6U
2	D	501	EPZ	O4D-C4D-C5D-O5D
2	E	501	EPZ	C3E-C2E-O3-C3
2	E	501	EPZ	PB-O3A-PA-O5D
2	E	501	EPZ	C5D-O5D-PA-O3A
2	E	501	EPZ	O1E-C1E-C2E-O3
2	E	501	EPZ	O1E-C1E-C2E-C3E
2	E	501	EPZ	O2E-C1E-C2E-O3
2	E	501	EPZ	O2E-C1E-C2E-C3E
2	E	501	EPZ	O4D-C4D-C5D-O5D
2	F	501	EPZ	C1-O1-PB-O2B
2	F	501	EPZ	C1-O1-PB-O3A
2	F	501	EPZ	C1-C2-N2-C7
2	F	501	EPZ	O7-C7-N2-C2
2	F	501	EPZ	C8-C7-N2-C2
2	F	501	EPZ	C2-C3-O3-C2E
2	F	501	EPZ	O1E-C1E-C2E-O3
2	F	501	EPZ	O2E-C1E-C2E-O3
2	G	501	EPZ	C2-C3-O3-C2E
2	G	501	EPZ	C5D-O5D-PA-O1A
2	G	501	EPZ	C5D-O5D-PA-O3A
2	G	501	EPZ	PA-O3A-PB-O1
2	G	501	EPZ	O1E-C1E-C2E-O3
2	G	501	EPZ	O2E-C1E-C2E-O3
2	H	501	EPZ	C5D-O5D-PA-O1A
2	H	501	EPZ	C5D-O5D-PA-O2A
2	H	501	EPZ	C5D-O5D-PA-O3A
2	H	501	EPZ	O4D-C4D-C5D-O5D
2	I	501	EPZ	C2-C3-O3-C2E
2	I	501	EPZ	C5D-O5D-PA-O2A
2	I	501	EPZ	C5D-O5D-PA-O3A
2	I	501	EPZ	O1E-C1E-C2E-O3
2	I	501	EPZ	O1E-C1E-C2E-C3E
2	I	501	EPZ	O2E-C1E-C2E-O3
2	I	501	EPZ	O2E-C1E-C2E-C3E
2	J	501	EPZ	O5-C1-O1-PB
2	J	501	EPZ	C1-O1-PB-O1B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	J	501	EPZ	C1-O1-PB-O3A
2	J	501	EPZ	C1-C2-N2-C7
2	J	501	EPZ	O7-C7-N2-C2
2	J	501	EPZ	C8-C7-N2-C2
2	J	501	EPZ	C2-C3-O3-C2E
2	J	501	EPZ	C5D-O5D-PA-O2A
2	J	501	EPZ	C5D-O5D-PA-O3A
2	J	501	EPZ	O1E-C1E-C2E-O3
2	J	501	EPZ	O1E-C1E-C2E-C3E
2	J	501	EPZ	O2E-C1E-C2E-O3
2	J	501	EPZ	O2E-C1E-C2E-C3E
2	K	501	EPZ	O5-C1-O1-PB
2	K	501	EPZ	C1-O1-PB-O3A
2	K	501	EPZ	O7-C7-N2-C2
2	K	501	EPZ	C8-C7-N2-C2
2	K	501	EPZ	C2-C3-O3-C2E
2	K	501	EPZ	C5D-O5D-PA-O1A
2	K	501	EPZ	C5D-O5D-PA-O2A
2	K	501	EPZ	C5D-O5D-PA-O3A
2	K	501	EPZ	C2D-C1D-N1U-C2U
2	K	501	EPZ	C2D-C1D-N1U-C6U
2	K	501	EPZ	O1E-C1E-C2E-O3
2	K	501	EPZ	O2E-C1E-C2E-O3
2	L	501	EPZ	C3E-C2E-O3-C3
2	L	501	EPZ	C5D-O5D-PA-O3A
2	L	501	EPZ	O1E-C1E-C2E-O3
2	L	501	EPZ	O1E-C1E-C2E-C3E
2	L	501	EPZ	O2E-C1E-C2E-O3
2	L	501	EPZ	O2E-C1E-C2E-C3E
2	D	501	EPZ	O7-C7-N2-C2
2	H	501	EPZ	O7-C7-N2-C2
2	H	501	EPZ	C8-C7-N2-C2
2	H	501	EPZ	O5-C5-C6-O6
2	G	501	EPZ	O5-C5-C6-O6
2	A	501	EPZ	O5-C5-C6-O6
2	D	501	EPZ	C2D-C1D-N1U-C2U
2	F	501	EPZ	O5-C5-C6-O6
2	A	501	EPZ	C3D-C4D-C5D-O5D
2	C	501	EPZ	C3D-C4D-C5D-O5D
2	D	501	EPZ	C3D-C4D-C5D-O5D
2	E	501	EPZ	C3D-C4D-C5D-O5D
2	F	501	EPZ	C3D-C4D-C5D-O5D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	F	501	EPZ	O4D-C4D-C5D-O5D
2	E	501	EPZ	O5-C5-C6-O6
2	A	501	EPZ	C4-C5-C6-O6
2	G	501	EPZ	C4-C5-C6-O6
2	H	501	EPZ	C4-C5-C6-O6
2	J	501	EPZ	C4D-C5D-O5D-PA
2	J	501	EPZ	O5-C5-C6-O6
2	B	501	EPZ	O7-C7-N2-C2
2	B	501	EPZ	C8-C7-N2-C2
2	B	501	EPZ	O5-C5-C6-O6
2	K	501	EPZ	O5-C5-C6-O6
2	L	501	EPZ	C4-C5-C6-O6
2	E	501	EPZ	C8-C7-N2-C2
2	G	501	EPZ	O7-C7-N2-C2
2	G	501	EPZ	C8-C7-N2-C2
2	L	501	EPZ	O7-C7-N2-C2
2	L	501	EPZ	C8-C7-N2-C2
2	G	501	EPZ	C3D-C4D-C5D-O5D
2	J	501	EPZ	C3D-C4D-C5D-O5D
2	J	501	EPZ	O4D-C4D-C5D-O5D
2	L	501	EPZ	C3D-C4D-C5D-O5D
2	B	501	EPZ	C4-C5-C6-O6
2	F	501	EPZ	C4-C5-C6-O6
2	L	501	EPZ	O5-C5-C6-O6
2	K	501	EPZ	C4-C5-C6-O6
2	H	501	EPZ	C3D-C4D-C5D-O5D
2	I	501	EPZ	C3D-C4D-C5D-O5D
2	I	501	EPZ	O4D-C4D-C5D-O5D
2	E	501	EPZ	O7-C7-N2-C2
2	K	501	EPZ	C3-C2-N2-C7
2	J	501	EPZ	C4-C5-C6-O6
2	K	501	EPZ	O4D-C4D-C5D-O5D
2	I	501	EPZ	O5-C5-C6-O6
2	E	501	EPZ	C4-C5-C6-O6
2	K	501	EPZ	C1-C2-N2-C7
2	G	501	EPZ	O4D-C4D-C5D-O5D
2	L	501	EPZ	O4D-C4D-C5D-O5D
2	D	501	EPZ	O5-C5-C6-O6
2	A	501	EPZ	O1E-C1E-C2E-C3E
2	B	501	EPZ	O1E-C1E-C2E-C3E
2	D	501	EPZ	O1E-C1E-C2E-C3E
2	D	501	EPZ	O2E-C1E-C2E-C3E

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	H	501	EPZ	O2E-C1E-C2E-C3E
2	A	501	EPZ	C3E-C2E-O3-C3
2	D	501	EPZ	O1E-C1E-C2E-O3
2	H	501	EPZ	O2E-C1E-C2E-O3
2	K	501	EPZ	C3E-C2E-O3-C3
2	F	501	EPZ	PB-O3A-PA-O1A
2	E	501	EPZ	C4D-C5D-O5D-PA
2	G	501	EPZ	C4D-C5D-O5D-PA
2	I	501	EPZ	C4D-C5D-O5D-PA
2	A	501	EPZ	C4D-C5D-O5D-PA
2	B	501	EPZ	C4D-C5D-O5D-PA
2	H	501	EPZ	C4D-C5D-O5D-PA
2	C	501	EPZ	O5-C5-C6-O6
2	D	501	EPZ	PA-O3A-PB-O1
2	F	501	EPZ	PB-O3A-PA-O5D
2	B	501	EPZ	C1-O1-PB-O1B
2	D	501	EPZ	C1-O1-PB-O2B
2	I	501	EPZ	C1-O1-PB-O2B
2	A	501	EPZ	O2E-C1E-C2E-C3E
2	B	501	EPZ	O2E-C1E-C2E-C3E
2	H	501	EPZ	O1E-C1E-C2E-C3E
2	K	501	EPZ	O1E-C1E-C2E-C3E
2	K	501	EPZ	O2E-C1E-C2E-C3E
2	A	501	EPZ	O1E-C1E-C2E-O3
2	A	501	EPZ	O2E-C1E-C2E-O3
2	B	501	EPZ	O1E-C1E-C2E-O3
2	B	501	EPZ	O2E-C1E-C2E-O3
2	D	501	EPZ	O2E-C1E-C2E-O3
2	H	501	EPZ	O1E-C1E-C2E-O3
2	K	501	EPZ	C3D-C4D-C5D-O5D
2	A	501	EPZ	C5D-O5D-PA-O1A
2	B	501	EPZ	C1-O1-PB-O3A
2	E	501	EPZ	C5D-O5D-PA-O1A
2	J	501	EPZ	C5D-O5D-PA-O1A
2	L	501	EPZ	C5D-O5D-PA-O1A
2	I	501	EPZ	C4-C5-C6-O6
2	L	501	EPZ	C4D-C5D-O5D-PA
2	D	501	EPZ	C4D-C5D-O5D-PA
2	D	501	EPZ	PB-O3A-PA-O2A
2	J	501	EPZ	C3-C2-N2-C7
2	B	501	EPZ	O5-C1-O1-PB
2	G	501	EPZ	O5-C1-O1-PB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	I	501	EPZ	O5-C1-O1-PB
2	L	501	EPZ	O5-C1-O1-PB
2	D	501	EPZ	O4D-C1D-N1U-C6U
2	K	501	EPZ	O4D-C1D-N1U-C6U
2	F	501	EPZ	O1E-C1E-C2E-C3E
2	D	501	EPZ	O4D-C1D-N1U-C2U
2	D	501	EPZ	PB-O3A-PA-O1A
2	K	501	EPZ	PB-O3A-PA-O1A
2	F	501	EPZ	C4D-C5D-O5D-PA
2	K	501	EPZ	C4D-C5D-O5D-PA
2	E	501	EPZ	C1-O1-PB-O2B
2	H	501	EPZ	C1-O1-PB-O2B
2	K	501	EPZ	PB-O3A-PA-O2A
2	B	501	EPZ	C3E-C2E-O3-C3
2	K	501	EPZ	O4D-C1D-N1U-C2U
2	A	501	EPZ	C1E-C2E-O3-C3
2	A	501	EPZ	PA-O3A-PB-O1B
2	L	501	EPZ	PB-O3A-PA-O1A
2	L	501	EPZ	PB-O3A-PA-O2A


There are no ring outliers.

12 monomers are involved in 60 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	501	EPZ	6	0
2	G	501	EPZ	4	0
2	F	501	EPZ	6	0
2	D	501	EPZ	6	0
2	C	501	EPZ	4	0
2	K	501	EPZ	4	0
2	J	501	EPZ	8	0
2	A	501	EPZ	4	0
2	I	501	EPZ	5	0
2	L	501	EPZ	6	0
2	E	501	EPZ	4	0
2	B	501	EPZ	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand EPZ F 501




Bond lengths



Bond angles




Torsions




Rings


Ligand EPZ D 501




Bond lengths



Bond angles




Torsions




Rings


Ligand EPZ C 501




Bond lengths



Bond angles




Torsions




Rings


Ligand EPZ K 501




Bond lengths



Bond angles




Torsions




Rings


Ligand EPZ J 501




Bond lengths



Bond angles




Torsions




Rings


Ligand EPZ A 501




Bond lengths



Bond angles




Torsions




Rings


Ligand EPZ I 501




Bond lengths



Bond angles




Torsions




Rings


Ligand EPZ L 501




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	419/433 (96%)	-0.06	1 (0%)	91 90	33, 51, 71, 93	1 (0%)
1	B	419/433 (96%)	0.10	8 (1%)	66 61	37, 56, 79, 95	1 (0%)
1	C	419/433 (96%)	0.18	4 (0%)	79 76	33, 60, 83, 109	1 (0%)
1	D	419/433 (96%)	0.17	4 (0%)	79 76	40, 59, 77, 99	1 (0%)
1	E	419/433 (96%)	0.23	5 (1%)	76 72	43, 61, 84, 111	1 (0%)
1	F	419/433 (96%)	0.80	34 (8%)	18 13	50, 86, 127, 150	1 (0%)
1	G	419/433 (96%)	0.98	37 (8%)	15 12	64, 98, 128, 154	1 (0%)
1	H	419/433 (96%)	0.30	7 (1%)	69 64	35, 62, 88, 111	1 (0%)
1	I	419/433 (96%)	0.34	9 (2%)	63 57	41, 65, 90, 113	1 (0%)
1	J	419/433 (96%)	0.38	11 (2%)	57 51	44, 67, 96, 125	1 (0%)
1	K	419/433 (96%)	0.43	9 (2%)	63 57	48, 72, 94, 113	1 (0%)
1	L	419/433 (96%)	0.55	14 (3%)	49 40	50, 78, 103, 127	1 (0%)
All	All	5028/5196 (96%)	0.37	143 (2%)	55 48	33, 66, 106, 154	12 (0%)

All (143) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	I	420	MET	5.1
1	F	223	HIS	4.8
1	G	47	ILE	4.8
1	F	1	MET	4.4
1	F	37	GLU	3.9
1	C	7	ARG	3.7
1	H	386	ASN	3.6
1	F	82	LEU	3.6
1	F	38	GLY	3.6
1	G	223	HIS	3.5
1	L	420	MET	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	181	GLY	3.4
1	F	420	MET	3.3
1	G	40	THR	3.3
1	E	1	MET	3.2
1	K	1	MET	3.2
1	G	64	ASP	3.2
1	E	223	HIS	3.2
1	G	420	MET	3.2
1	J	89	GLU	3.1
1	K	223	HIS	3.1
1	G	78	ALA	3.1
1	G	281	GLY	3.1
1	F	180	LYS	3.0
1	F	111	ALA	3.0
1	G	375	ALA	3.0
1	F	209	TYR	3.0
1	K	249	GLN	3.0
1	G	1	MET	3.0
1	I	1	MET	3.0
1	G	388	ILE	3.0
1	D	120	ALA	3.0
1	I	123	LYS	2.9
1	G	220	GLY	2.9
1	L	415	VAL	2.9
1	B	1	MET	2.9
1	K	84	ILE	2.9
1	I	364	GLY	2.9
1	D	420	MET	2.8
1	F	32	SER	2.8
1	H	1	MET	2.8
1	D	228	ASN	2.8
1	F	186	GLU	2.8
1	J	1	MET	2.8
1	J	144	ASN	2.8
1	F	145	GLY	2.8
1	G	258	ILE	2.7
1	F	35	ALA	2.7
1	G	108	ASN	2.7
1	F	141	ILE	2.7
1	J	5	ILE	2.7
1	I	223	HIS	2.7
1	J	280	GLU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	144	ASN	2.6
1	G	289	LYS	2.6
1	G	35	ALA	2.6
1	F	90	TYR	2.6
1	G	90	TYR	2.6
1	F	228	ASN	2.6
1	L	15	THR	2.6
1	G	277	ILE	2.6
1	I	124	ARG	2.6
1	G	260	GLU	2.6
1	L	388	ILE	2.5
1	G	22	LYS	2.5
1	G	114	ALA	2.5
1	F	217	ARG	2.5
1	G	20	GLY	2.5
1	F	207	GLN	2.5
1	G	93	GLN	2.5
1	H	70	GLN	2.5
1	L	1	MET	2.5
1	E	332	ASN	2.5
1	E	420	MET	2.4
1	B	93	GLN	2.4
1	L	418	VAL	2.4
1	G	150	ILE	2.4
1	D	1	MET	2.4
1	A	11	GLN	2.4
1	J	70	GLN	2.4
1	G	257	ALA	2.4
1	F	84	ILE	2.4
1	H	420	MET	2.4
1	F	334	PHE	2.4
1	F	185	ILE	2.4
1	K	89	GLU	2.4
1	B	207	GLN	2.4
1	G	227	VAL	2.4
1	K	255	ALA	2.4
1	B	420	MET	2.3
1	F	400	GLY	2.3
1	L	38	GLY	2.3
1	B	361	GLU	2.3
1	G	224	LEU	2.3
1	K	414	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	387	GLY	2.3
1	F	150	ILE	2.3
1	G	402	TYR	2.2
1	B	56	GLN	2.2
1	K	259	SER	2.2
1	G	394	LEU	2.2
1	F	106	ALA	2.2
1	F	214	GLU	2.2
1	G	153	GLU	2.2
1	L	228	ASN	2.2
1	G	398	ASP	2.2
1	G	163	PHE	2.2
1	G	71	LYS	2.2
1	F	353	VAL	2.2
1	L	79	SER	2.2
1	G	39	ILE	2.2
1	E	144	ASN	2.1
1	G	88	TYR	2.1
1	C	420	MET	2.1
1	I	419	ASP	2.1
1	F	95	ARG	2.1
1	L	209	TYR	2.1
1	G	52	PHE	2.1
1	F	416	GLU	2.1
1	C	1	MET	2.1
1	H	144	ASN	2.1
1	J	141	ILE	2.1
1	B	83	GLU	2.1
1	F	364	GLY	2.1
1	G	321	GLY	2.1
1	J	122	GLY	2.1
1	H	147	ILE	2.1
1	L	5	ILE	2.1
1	L	36	GLU	2.0
1	K	420	MET	2.0
1	C	144	ASN	2.0
1	F	132	GLY	2.0
1	B	89	GLU	2.0
1	I	361	GLU	2.0
1	F	203	LYS	2.0
1	J	143	LYS	2.0
1	L	93	GLN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	223	HIS	2.0
1	L	223	HIS	2.0
1	G	38	GLY	2.0
1	I	141	ILE	2.0
1	J	9	GLY	2.0
1	F	16	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	QPA	K	119	16/17	0.83	0.14	81,93,109,113	0
1	QPA	G	119	16/17	0.87	0.12	92,106,112,117	0
1	QPA	L	119	16/17	0.87	0.13	76,90,108,124	0
1	QPA	I	119	16/17	0.88	0.13	70,84,100,101	0
1	QPA	F	119	16/17	0.88	0.12	80,101,123,133	0
1	QPA	D	119	16/17	0.88	0.14	65,84,103,106	0
1	QPA	J	119	16/17	0.89	0.14	80,99,119,128	0
1	QPA	H	119	16/17	0.89	0.14	69,79,103,104	0
1	QPA	A	119	16/17	0.89	0.13	64,74,81,83	0
1	QPA	C	119	16/17	0.90	0.14	73,83,105,108	0
1	QPA	E	119	16/17	0.91	0.13	75,85,105,111	0
1	QPA	B	119	16/17	0.92	0.12	71,77,91,94	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EPZ	F	501	44/44	0.67	0.23	87,169,268,291	0
2	EPZ	I	501	44/44	0.68	0.30	69,181,256,263	0
2	EPZ	J	501	44/44	0.68	0.25	63,168,212,219	0
2	EPZ	B	501	44/44	0.70	0.31	57,179,239,285	0
2	EPZ	G	501	44/44	0.72	0.22	87,192,263,282	0
2	EPZ	K	501	44/44	0.73	0.26	64,190,264,278	0
2	EPZ	L	501	44/44	0.73	0.25	58,172,245,258	0
2	EPZ	A	501	44/44	0.74	0.27	48,143,184,235	0
2	EPZ	E	501	44/44	0.75	0.24	61,166,209,217	0
2	EPZ	D	501	44/44	0.76	0.24	54,159,219,234	0
2	EPZ	C	501	44/44	0.77	0.24	57,179,259,285	0
2	EPZ	H	501	44/44	0.78	0.24	56,162,201,212	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around EPZ F 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around EPZ I 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around EPZ J 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPZ B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPZ G 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPZ K 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPZ L 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPZ A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPZ E 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPZ D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPZ C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around EPZ H 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.