



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 19, 2026 – 09:06 PM UTC

PDB ID : 2DB4 / pdb_00002db4
Title : Crystal structure of rotor ring with DCCD of the V- ATPase from *Enterococcus hirae*
Authors : Murata, T.; Yamato, I.; Kakinuma, Y.; Shirouzu, M.; Walker, J.E.; Yokoyama, S.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2005-12-15
Resolution : 2.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	156	
1	B	156	
1	C	156	
1	D	156	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	156	 25% 94% 5%
1	F	156	 24% 92% 6%
1	G	156	 23% 94% 5%
1	H	156	 20% 94% 5%
1	I	156	 17% 90% 8%
1	J	156	 9% 91% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	UMQ	C	206	X	-	-	-
5	UMQ	F	206	X	-	-	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 12910 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called V-Type Sodium ATPase Subunit K.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	156	1154	760	179	207	8	0	9	0
1	B	156	1154	760	179	207	8	0	9	0
1	C	156	1154	760	179	207	8	0	9	0
1	D	156	1154	760	179	207	8	0	9	0
1	E	156	1154	760	179	207	8	0	9	0
1	F	156	1154	760	179	207	8	0	9	0
1	G	156	1154	760	179	207	8	0	9	0
1	H	156	1154	760	179	207	8	0	9	0
1	I	156	1147	757	178	204	8	0	7	0
1	J	156	1152	759	180	206	7	0	8	0

- Molecule 2 is DICYCLOHEXYLUREA (CCD ID: DCW) (formula: C₁₃H₂₄N₂O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			16	13	2	1		
2	B	1	Total	C	N	O	0	0
			16	13	2	1		
2	C	1	Total	C	N	O	0	0
			16	13	2	1		
2	D	1	Total	C	N	O	0	0
			16	13	2	1		
2	E	1	Total	C	N	O	0	0
			16	13	2	1		
2	F	1	Total	C	N	O	0	0
			16	13	2	1		
2	G	1	Total	C	N	O	0	0
			16	13	2	1		
2	H	1	Total	C	N	O	0	0
			16	13	2	1		
2	I	1	Total	C	N	O	0	0
			16	13	2	1		
2	J	1	Total	C	N	O	0	0
			16	13	2	1		

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		
3	B	1	Total	Na	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total Na 1 1	0	0
3	D	1	Total Na 1 1	0	0
3	E	1	Total Na 1 1	0	0
3	F	1	Total Na 1 1	0	0
3	G	1	Total Na 1 1	0	0
3	H	1	Total Na 1 1	0	0
3	I	1	Total Na 1 1	0	0
3	J	1	Total Na 1 1	0	0

- Molecule 4 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (CCD ID: LHG) (formula: $C_{38}H_{75}O_{10}P$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 40 35 5	0	0
4	A	1	Total C O 40 35 5	0	0
4	B	1	Total C O 40 35 5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			40	35	5		
4	C	1	Total	C	O	0	0
			40	35	5		
4	C	1	Total	C	O	0	0
			40	35	5		
4	C	1	Total	C	O	0	0
			40	35	5		
4	D	1	Total	C	O	0	0
			40	35	5		
4	D	1	Total	C	O	0	0
			40	35	5		
4	E	1	Total	C	O	0	0
			40	35	5		
4	F	1	Total	C	O	0	0
			40	35	5		
4	F	1	Total	C	O	0	0
			40	35	5		
4	F	1	Total	C	O	0	0
			40	35	5		
4	G	1	Total	C	O	0	0
			40	35	5		
4	G	1	Total	C	O	0	0
			40	35	5		
4	H	1	Total	C	O	0	0
			40	35	5		
4	I	1	Total	C	O	0	0
			40	35	5		
4	I	1	Total	C	O	0	0
			40	35	5		
4	J	1	Total	C	O	0	0
			40	35	5		
4	J	1	Total	C	O	0	0
			40	35	5		

- Molecule 5 is UNDECYL-MALTOSIDE (CCD ID: UMQ) (formula: $C_{23}H_{44}O_{11}$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 12 11 1	0	0
5	A	1	Total C O 12 11 1	0	0
5	C	1	Total C O 34 23 11	0	0
5	D	1	Total C O 12 11 1	0	0
5	E	1	Total C O 12 11 1	0	0
5	F	1	Total C O 34 23 11	0	0
5	H	1	Total C O 12 11 1	0	0
5	I	1	Total C O 12 11 1	0	0
5	J	1	Total C O 12 11 1	0	0
5	J	1	Total C O 12 11 1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	25	Total O 25 25	0	0
6	B	22	Total O 22 22	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	14	Total O 14 14	0	0
6	D	14	Total O 14 14	0	0
6	E	17	Total O 17 17	0	0
6	F	20	Total O 20 20	0	0
6	G	24	Total O 24 24	0	0
6	H	32	Total O 32 32	0	0
6	I	47	Total O 47 47	0	0
6	J	30	Total O 30 30	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: V-Type Sodium ATPase Subunit K



- Molecule 1: V-Type Sodium ATPase Subunit K




- Molecule 1: V-Type Sodium ATPase Subunit K




- Molecule 1: V-Type Sodium ATPase Subunit K






- Molecule 1: V-Type Sodium ATPase Subunit K

Chain E: .




- Molecule 1: V-Type Sodium ATPase Subunit K

Chain F: .




- Molecule 1: V-Type Sodium ATPase Subunit K

Chain G: .



- Molecule 1: V-Type Sodium ATPase Subunit K


Chain H: .




- Molecule 1: V-Type Sodium ATPase Subunit K

Chain I: .

● Molecule 1: V-Type Sodium ATPase Subunit K

Chain J:  9% 91% 8%



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	120.21Å 125.23Å 211.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	107.83 – 2.40 107.77 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.7 (107.83-2.40) 99.7 (107.77-2.40)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 2.39Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.225 , 0.231 0.227 , 0.232	Depositor DCC
R_{free} test set	6272 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	49.3	Xtrriage
Anisotropy	0.315	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 55.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.000 for k,h,-l	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	12910	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DCW, UMQ, NA, LHG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.55	0/1218	0.94	1/1647 (0.1%)
1	B	0.55	0/1218	0.95	1/1647 (0.1%)
1	C	0.54	0/1218	0.97	1/1647 (0.1%)
1	D	0.50	0/1218	0.94	1/1647 (0.1%)
1	E	0.52	0/1218	0.95	1/1647 (0.1%)
1	F	0.55	0/1218	0.98	2/1647 (0.1%)
1	G	0.57	0/1218	0.95	1/1647 (0.1%)
1	H	0.58	0/1218	0.94	1/1647 (0.1%)
1	I	0.68	0/1201	0.92	1/1624 (0.1%)
1	J	0.62	0/1211	0.99	1/1638 (0.1%)
All	All	0.57	0/12156	0.95	11/16438 (0.1%)

There are no bond length outliers.

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	139	GLU	N-CA-CB	-6.93	99.19	110.14
1	B	139	GLU	N-CA-CB	-6.64	99.64	110.14
1	J	139	GLU	N-CA-CB	-6.57	99.76	110.14
1	C	139	GLU	N-CA-CB	-6.56	99.78	110.14
1	F	139	GLU	N-CA-CB	-6.39	100.38	110.22

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1154	0	1218	11	0
1	B	1154	0	1218	9	0
1	C	1154	0	1218	9	0
1	D	1154	0	1218	8	0
1	E	1154	0	1218	8	0
1	F	1154	0	1218	11	0
1	G	1154	0	1218	9	0
1	H	1154	0	1218	10	0
1	I	1147	0	1214	12	0
1	J	1152	0	1218	9	0
2	A	16	0	23	0	0
2	B	16	0	23	0	0
2	C	16	0	23	0	0
2	D	16	0	23	0	0
2	E	16	0	23	0	0
2	F	16	0	23	0	0
2	G	16	0	23	0	0
2	H	16	0	23	0	0
2	I	16	0	23	0	0
2	J	16	0	23	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
3	J	1	0	0	0	0
4	A	80	0	134	7	0
4	B	80	0	134	6	0
4	C	120	0	201	6	0
4	D	80	0	134	6	0
4	E	40	0	67	6	0
4	F	120	0	201	6	0
4	G	80	0	134	7	0
4	H	40	0	67	5	0
4	I	80	0	134	4	0
4	J	80	0	134	4	0
5	A	24	0	46	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	34	0	41	1	0
5	D	12	0	23	0	0
5	E	12	0	23	0	0
5	F	34	0	40	2	0
5	H	12	0	23	0	0
5	I	12	0	23	0	0
5	J	24	0	46	1	0
6	A	25	0	0	0	0
6	B	22	0	0	0	0
6	C	14	0	0	0	0
6	D	14	0	0	0	0
6	E	17	0	0	0	0
6	F	20	0	0	1	0
6	G	24	0	0	0	0
6	H	32	0	0	0	0
6	I	47	0	0	0	0
6	J	30	0	0	0	0
All	All	12910	0	14011	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 93 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:54[B]:GLN:HE22	5:C:206:UMQ:HA1	1.46	0.80
1:G:2:MET:HG2	1:H:1:MET:HB2	1.73	0.70
1:F:2:MET:HG2	1:G:1:MET:HB2	1.80	0.64
1:A:2:MET:HG2	1:B:1:MET:HB2	1.79	0.64
1:C:2:MET:HG2	1:D:1:MET:HB2	1.81	0.62

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	163/156 (104%)	161 (99%)	2 (1%)	0	100	100
1	B	163/156 (104%)	161 (99%)	2 (1%)	0	100	100
1	C	163/156 (104%)	160 (98%)	3 (2%)	0	100	100
1	D	163/156 (104%)	161 (99%)	2 (1%)	0	100	100
1	E	163/156 (104%)	161 (99%)	2 (1%)	0	100	100
1	F	163/156 (104%)	161 (99%)	2 (1%)	0	100	100
1	G	163/156 (104%)	161 (99%)	2 (1%)	0	100	100
1	H	163/156 (104%)	161 (99%)	2 (1%)	0	100	100
1	I	161/156 (103%)	160 (99%)	1 (1%)	0	100	100
1	J	162/156 (104%)	161 (99%)	1 (1%)	0	100	100
All	All	1627/1560 (104%)	1608 (99%)	19 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	122/113 (108%)	117 (96%)	5 (4%)	27	46
1	B	122/113 (108%)	117 (96%)	5 (4%)	27	46
1	C	122/113 (108%)	118 (97%)	4 (3%)	33	55
1	D	122/113 (108%)	117 (96%)	5 (4%)	27	46
1	E	122/113 (108%)	117 (96%)	5 (4%)	27	46
1	F	122/113 (108%)	118 (97%)	4 (3%)	33	55
1	G	122/113 (108%)	118 (97%)	4 (3%)	33	55
1	H	122/113 (108%)	117 (96%)	5 (4%)	27	46
1	I	120/113 (106%)	116 (97%)	4 (3%)	33	55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	J	121/113 (107%)	117 (97%)	4 (3%)	33	55
All	All	1217/1130 (108%)	1172 (96%)	45 (4%)	34	51

5 of 45 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	54[A]	GLN
1	H	139	GLU
1	G	54[B]	GLN
1	H	54[A]	GLN
1	I	61	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	I	8	GLN
1	I	9	ASN
1	J	8	GLN
1	I	79	ASN
1	G	88	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 50 ligands modelled in this entry, 10 are monoatomic - leaving 40 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DCW	G	201	1	17,17,17	1.18	2 (11%)	21,21,21	1.27	3 (14%)
2	DCW	C	201	1	17,17,17	1.22	2 (11%)	21,21,21	1.35	3 (14%)
2	DCW	F	201	1	17,17,17	1.21	2 (11%)	21,21,21	1.34	3 (14%)
4	LHG	A	203	-	39,39,48	1.08	2 (5%)	41,41,54	1.13	3 (7%)
4	LHG	F	205	-	39,39,48	1.08	2 (5%)	41,41,54	1.12	3 (7%)
5	UMQ	E	204	-	11,11,35	0.25	0	10,10,46	0.57	0
5	UMQ	I	205	-	11,11,35	0.27	0	10,10,46	0.56	0
2	DCW	D	201	1	17,17,17	1.21	2 (11%)	21,21,21	1.36	3 (14%)
4	LHG	G	204	-	39,39,48	1.07	2 (5%)	41,41,54	1.14	3 (7%)
5	UMQ	C	206	-	35,35,35	1.05	2 (5%)	46,46,46	1.64	6 (13%)
5	UMQ	F	206	-	35,35,35	1.10	3 (8%)	46,46,46	1.65	6 (13%)
4	LHG	A	204	-	39,39,48	1.05	2 (5%)	41,41,54	1.06	2 (4%)
4	LHG	D	203	-	39,39,48	1.05	2 (5%)	41,41,54	1.06	2 (4%)
5	UMQ	J	205	-	11,11,35	0.26	0	10,10,46	0.51	0
2	DCW	E	201	1	17,17,17	1.23	2 (11%)	21,21,21	1.40	3 (14%)
2	DCW	H	201	1	17,17,17	1.19	2 (11%)	21,21,21	1.33	3 (14%)
4	LHG	H	203	-	39,39,48	1.05	2 (5%)	41,41,54	1.07	2 (4%)
4	LHG	F	204	-	39,39,48	1.04	2 (5%)	41,41,54	1.06	2 (4%)
4	LHG	B	204	-	39,39,48	1.05	2 (5%)	41,41,54	1.06	2 (4%)
2	DCW	A	201	1	17,17,17	1.21	2 (11%)	21,21,21	1.37	3 (14%)
4	LHG	J	204	-	39,39,48	1.05	2 (5%)	41,41,54	1.02	2 (4%)
4	LHG	C	204	-	39,39,48	1.04	2 (5%)	41,41,54	1.05	2 (4%)
4	LHG	C	205	-	39,39,48	1.07	2 (5%)	41,41,54	1.11	3 (7%)
2	DCW	B	201	1	17,17,17	1.22	2 (11%)	21,21,21	1.37	3 (14%)
4	LHG	D	204	-	39,39,48	1.08	2 (5%)	41,41,54	1.12	3 (7%)
5	UMQ	A	206	-	11,11,35	0.29	0	10,10,46	0.50	0
4	LHG	C	203	-	39,39,48	1.09	2 (5%)	41,41,54	1.10	3 (7%)
4	LHG	G	203	-	39,39,48	1.04	2 (5%)	41,41,54	1.06	2 (4%)
4	LHG	B	203	-	39,39,48	1.08	2 (5%)	41,41,54	1.13	3 (7%)
4	LHG	E	203	-	39,39,48	1.05	2 (5%)	41,41,54	1.06	2 (4%)
2	DCW	J	201	1	17,17,17	1.23	2 (11%)	21,21,21	1.34	3 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	UMQ	A	205	-	11,11,35	0.96	0	10,10,46	0.86	0
4	LHG	I	204	-	39,39,48	1.05	2 (5%)	41,41,54	1.07	2 (4%)
4	LHG	F	203	-	39,39,48	1.08	2 (5%)	41,41,54	1.10	3 (7%)
4	LHG	J	203	-	39,39,48	1.08	2 (5%)	41,41,54	1.12	3 (7%)
5	UMQ	J	206	-	11,11,35	1.31	1 (9%)	10,10,46	1.21	2 (20%)
5	UMQ	H	204	-	11,11,35	0.77	0	10,10,46	0.75	0
4	LHG	I	203	-	39,39,48	1.08	2 (5%)	41,41,54	1.12	3 (7%)
2	DCW	I	201	1	17,17,17	1.28	2 (11%)	21,21,21	1.37	3 (14%)
5	UMQ	D	205	-	11,11,35	0.89	1 (9%)	10,10,46	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DCW	G	201	1	-	3/8/24/24	0/2/2/2
2	DCW	C	201	1	-	3/8/24/24	0/2/2/2
2	DCW	F	201	1	-	3/8/24/24	0/2/2/2
4	LHG	A	203	-	-	23/41/41/53	-
4	LHG	F	205	-	-	22/41/41/53	-
5	UMQ	E	204	-	-	6/9/9/60	-
5	UMQ	I	205	-	-	6/9/9/60	-
2	DCW	D	201	1	-	3/8/24/24	0/2/2/2
5	UMQ	C	206	-	1/1/10/10	10/20/60/60	0/2/2/2
4	LHG	G	204	-	-	23/41/41/53	-
5	UMQ	F	206	-	1/1/10/10	8/20/60/60	0/2/2/2
4	LHG	A	204	-	-	23/41/41/53	-
4	LHG	D	203	-	-	23/41/41/53	-
5	UMQ	J	205	-	-	4/9/9/60	-
2	DCW	E	201	1	-	3/8/24/24	0/2/2/2
2	DCW	H	201	1	-	3/8/24/24	0/2/2/2
4	LHG	H	203	-	-	23/41/41/53	-
4	LHG	F	204	-	-	22/41/41/53	-
4	LHG	B	204	-	-	23/41/41/53	-
2	DCW	A	201	1	-	3/8/24/24	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	LHG	J	204	-	-	23/41/41/53	-
4	LHG	C	204	-	-	22/41/41/53	-
4	LHG	C	205	-	-	22/41/41/53	-
2	DCW	B	201	1	-	3/8/24/24	0/2/2/2
4	LHG	D	204	-	-	23/41/41/53	-
5	UMQ	A	206	-	-	4/9/9/60	-
4	LHG	C	203	-	-	22/41/41/53	-
4	LHG	G	203	-	-	23/41/41/53	-
4	LHG	B	203	-	-	23/41/41/53	-
4	LHG	E	203	-	-	23/41/41/53	-
2	DCW	J	201	1	-	3/8/24/24	0/2/2/2
5	UMQ	A	205	-	-	5/9/9/60	-
4	LHG	I	204	-	-	22/41/41/53	-
4	LHG	F	203	-	-	23/41/41/53	-
4	LHG	J	203	-	-	23/41/41/53	-
5	UMQ	J	206	-	-	4/9/9/60	-
5	UMQ	H	204	-	-	4/9/9/60	-
4	LHG	I	203	-	-	23/41/41/53	-
2	DCW	I	201	1	-	3/8/24/24	0/2/2/2
5	UMQ	D	205	-	-	3/9/9/60	-

The worst 5 of 67 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	I	203	LHG	O8-C23	4.60	1.46	1.33
4	F	205	LHG	O8-C23	4.54	1.46	1.33
4	C	203	LHG	O7-C7	4.54	1.47	1.34
4	G	204	LHG	O8-C23	4.53	1.46	1.33
4	C	203	LHG	O8-C23	4.53	1.46	1.33

The worst 5 of 94 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	206	UMQ	C4-C3-C2	5.45	120.40	110.83
5	C	206	UMQ	C4-C3-C2	5.37	120.26	110.83
5	F	206	UMQ	O2-C2-C1	4.63	121.11	110.08
4	J	203	LHG	O7-C7-C8	4.62	121.48	111.48
4	A	203	LHG	O7-C7-C8	4.60	121.44	111.48

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	C	206	UMQ	C3
5	F	206	UMQ	C2

5 of 538 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	201	DCW	N2-C1-N1-C2
2	B	201	DCW	N2-C1-N1-C2
2	C	201	DCW	N2-C1-N1-C2
2	D	201	DCW	N2-C1-N1-C2
2	E	201	DCW	N2-C1-N1-C2


There are no ring outliers.



15 monomers are involved in 48 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	206	UMQ	1	0
5	F	206	UMQ	2	0
4	A	204	LHG	7	0
4	D	203	LHG	6	0
5	J	205	UMQ	1	0
4	H	203	LHG	5	0
4	F	204	LHG	6	0
4	B	204	LHG	6	0
4	J	204	LHG	4	0
4	C	204	LHG	6	0
4	G	203	LHG	7	0
4	E	203	LHG	6	0
5	A	205	UMQ	1	0
4	I	204	LHG	4	0
5	J	206	UMQ	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and


any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	156/156 (100%)	2.16	66 (42%) 0 0	23, 51, 69, 81	9 (5%)
1	B	156/156 (100%)	2.18	61 (39%) 1 0	23, 52, 69, 81	9 (5%)
1	C	156/156 (100%)	2.08	62 (39%) 1 0	23, 51, 69, 81	9 (5%)
1	D	156/156 (100%)	2.02	57 (36%) 1 1	23, 52, 69, 81	9 (5%)
1	E	156/156 (100%)	1.81	39 (25%) 2 1	23, 51, 69, 81	9 (5%)
1	F	156/156 (100%)	1.61	37 (23%) 2 1	23, 51, 69, 81	9 (5%)
1	G	156/156 (100%)	1.65	36 (23%) 2 1	23, 51, 69, 81	9 (5%)
1	H	156/156 (100%)	1.48	31 (19%) 3 2	23, 52, 69, 81	9 (5%)
1	I	156/156 (100%)	1.23	26 (16%) 4 3	23, 52, 69, 81	7 (4%)
1	J	156/156 (100%)	1.16	14 (8%) 15 12	23, 51, 60, 72	8 (5%)
All	All	1560/1560 (100%)	1.74	429 (27%) 1 1	23, 51, 69, 81	87 (5%)

The worst 5 of 429 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	81	GLY	10.2
1	D	81	GLY	9.9
1	H	21[A]	THR	9.8
1	E	83[A]	ASP	9.6
1	B	119[A]	GLN	8.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	LHG	C	205	40/49	0.70	0.36	97,110,121,121	0
5	UMQ	H	204	12/34	0.70	0.36	87,87,89,89	0
5	UMQ	A	206	12/34	0.71	0.38	93,94,95,95	0
4	LHG	C	204	40/49	0.72	0.36	135,142,146,146	0
4	LHG	I	204	40/49	0.72	0.38	135,142,146,146	0
4	LHG	B	204	40/49	0.73	0.34	135,142,146,146	0
5	UMQ	D	205	12/34	0.73	0.37	98,100,102,102	0
4	LHG	A	203	40/49	0.73	0.35	97,110,121,121	0
4	LHG	F	204	40/49	0.74	0.39	135,142,146,146	0
4	LHG	F	205	40/49	0.75	0.34	97,110,121,121	0
4	LHG	C	203	40/49	0.75	0.34	97,110,121,121	0
4	LHG	D	203	40/49	0.75	0.38	135,142,146,146	0
4	LHG	E	203	40/49	0.75	0.37	135,142,146,146	0
4	LHG	B	203	40/49	0.75	0.34	97,110,121,121	0
4	LHG	G	203	40/49	0.76	0.36	135,142,146,146	0
4	LHG	D	204	40/49	0.77	0.31	97,110,121,121	0
4	LHG	H	203	40/49	0.78	0.35	135,142,146,146	0
4	LHG	G	204	40/49	0.78	0.32	97,110,121,121	0
4	LHG	J	204	40/49	0.78	0.37	135,142,146,146	0
4	LHG	F	203	40/49	0.79	0.33	97,110,121,121	0
5	UMQ	J	206	12/34	0.79	0.34	89,90,91,91	0
4	LHG	J	203	40/49	0.80	0.29	97,110,121,121	0
5	UMQ	E	204	12/34	0.80	0.35	95,97,98,98	0
4	LHG	A	204	40/49	0.81	0.34	135,142,146,146	0
5	UMQ	C	206	34/34	0.81	0.20	90,93,96,96	0
2	DCW	D	201	16/16	0.82	0.21	64,65,69,69	0
5	UMQ	F	206	34/34	0.82	0.21	80,87,93,94	0
5	UMQ	A	205	12/34	0.83	0.32	94,96,97,97	0
5	UMQ	I	205	12/34	0.83	0.26	77,78,79,80	0
4	LHG	I	203	40/49	0.83	0.32	97,110,121,121	0
5	UMQ	J	205	12/34	0.84	0.27	93,94,95,95	0
2	DCW	C	201	16/16	0.86	0.20	64,65,69,69	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	DCW	A	201	16/16	0.86	0.20	64,65,69,69	0
3	NA	C	202	1/1	0.86	0.23	62,62,62,62	0
2	DCW	E	201	16/16	0.87	0.19	64,65,69,69	0
3	NA	H	202	1/1	0.87	0.16	62,62,62,62	0
2	DCW	F	201	16/16	0.87	0.19	64,65,69,69	0
2	DCW	G	201	16/16	0.87	0.17	64,65,69,69	0
2	DCW	B	201	16/16	0.88	0.17	64,65,69,69	0
3	NA	F	202	1/1	0.88	0.18	62,62,62,62	0
2	DCW	H	201	16/16	0.88	0.18	63,65,69,69	0
3	NA	D	202	1/1	0.90	0.13	62,62,62,62	0
2	DCW	J	201	16/16	0.92	0.15	64,65,69,69	0
3	NA	E	202	1/1	0.92	0.14	62,62,62,62	0
3	NA	J	202	1/1	0.92	0.14	61,61,61,61	0
3	NA	G	202	1/1	0.93	0.12	62,62,62,62	0
2	DCW	I	201	16/16	0.93	0.13	64,65,69,69	0
3	NA	B	202	1/1	0.93	0.23	62,62,62,62	0
3	NA	A	202	1/1	0.96	0.09	62,62,62,62	0
3	NA	I	202	1/1	0.97	0.12	63,63,63,63	0



The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.








Electron density around LHG I 204:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LHG B 204:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UMQ D 205:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LHG A 203:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LHG F 204:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LHG F 205:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LHG C 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LHG D 203:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LHG E 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)


**Electron density around LHG B 203:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around LHG G 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LHG D 204:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LHG H 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around LHG G 204:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LHG J 204:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LHG F 203:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UMQ J 206:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LHG J 203:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UMQ E 204:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around LHG A 204:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around UMQ C 206:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UMQ F 206:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around LHG I 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UMQ J 205:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.