



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:00 PM UTC

PDB ID : 2DD4 / pdb_00002dd4
Title : Thiocyanate hydrolase (SCNase) from Thiobacillus thioparus recombinant apo-enzyme
Authors : Arakawa, T.; Kawano, Y.; Kataoka, S.; Katayama, Y.; Kamiya, N.; Yohda, M.; Odaka, M.
Deposited on : 2006-01-19
Resolution : 2.06 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3774 (2.08-2.04)
Clashscore	190562	3883 (2.08-2.04)
Ramachandran outliers	187476	3860 (2.08-2.04)
Sidechain outliers	187428	3860 (2.08-2.04)
RSRZ outliers	180081	3775 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	126	2% 79% 13% 6%
1	D	126	3% 82% 13% 6%
1	G	126	2% 80% 15% 5%
1	J	126	0% 83% 13% 5%
2	B	157	0% 83% 11% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	157	% 71% 23%
2	H	157	3% 81% 17% ..
2	K	157	% 74% 22%
3	C	243	% 72% 16% • 11%
3	F	243	% 67% 19% • 11%
3	I	243	% 72% 17% 11%
3	L	243	69% 18% • 11%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 18077 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thiocyanate hydrolase alpha subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	118	Total	C	N	O	S	0	0	0
			958	609	159	186	4			
1	D	119	Total	C	N	O	S	0	0	0
			965	614	160	187	4			
1	G	120	Total	C	N	O	S	0	0	0
			974	620	162	188	4			
1	J	120	Total	C	N	O	S	0	0	0
			974	620	162	188	4			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP O66187
D	1	MET	-	initiating methionine	UNP O66187
G	1	MET	-	initiating methionine	UNP O66187
J	1	MET	-	initiating methionine	UNP O66187

- Molecule 2 is a protein called Thiocyanate hydrolase beta subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	152	Total	C	N	O	S	0	0	0
			1232	778	222	226	6			
2	E	151	Total	C	N	O	S	0	0	0
			1226	775	221	224	6			
2	H	156	Total	C	N	O	S	0	0	0
			1262	796	228	232	6			
2	K	152	Total	C	N	O	S	0	0	0
			1232	778	222	226	6			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	-	initiating methionine	UNP O66186
E	1	MET	-	initiating methionine	UNP O66186
H	1	MET	-	initiating methionine	UNP O66186
K	1	MET	-	initiating methionine	UNP O66186


- Molecule 3 is a protein called Thiocyanate hydrolase gamma subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	217	Total	C	N	O	S	0	0	0
			1721	1098	304	311	8			
3	F	216	Total	C	N	O	S	0	0	0
			1712	1093	303	308	8			
3	I	217	Total	C	N	O	S	0	0	0
			1721	1098	304	311	8			
3	L	216	Total	C	N	O	S	0	0	0
			1712	1093	303	308	8			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	1	MET	-	initiating methionine	UNP O66188
F	1	MET	-	initiating methionine	UNP O66188
I	1	MET	-	initiating methionine	UNP O66188
L	1	MET	-	initiating methionine	UNP O66188

- Molecule 4 is beta-D-fructofuranose (CCD ID: FRU) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 12 6 6	0	0
4	B	1	Total C O 12 6 6	0	0
4	C	1	Total C O 12 6 6	0	0
4	H	1	Total C O 12 6 6	0	0
4	H	1	Total C O 12 6 6	0	0
4	H	1	Total C O 12 6 6	0	0
4	K	1	Total C O 12 6 6	0	0
4	K	1	Total C O 12 6 6	0	0

- Molecule 5 is L(+)-TARTARIC ACID (CCD ID: TLA) (formula: C₄H₆O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total C O 10 4 6	0	0
5	C	1	Total C O 10 4 6	0	0
5	F	1	Total C O 10 4 6	0	0
5	F	1	Total C O 10 4 6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	I	1	Total	C	O	0	0
			10	4	6		
5	I	1	Total	C	O	0	0
			10	4	6		
5	L	1	Total	C	O	0	0
			10	4	6		
5	L	1	Total	C	O	0	0
			10	4	6		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	120	Total	O	0	0
			120	120		
6	B	182	Total	O	0	0
			182	182		
6	C	257	Total	O	0	0
			257	257		
6	D	123	Total	O	0	0
			123	123		
6	E	166	Total	O	0	0
			166	166		
6	F	209	Total	O	0	0
			209	209		
6	G	122	Total	O	0	0
			122	122		
6	H	185	Total	O	0	0
			185	185		
6	I	281	Total	O	0	0
			281	281		
6	J	132	Total	O	0	0
			132	132		
6	K	183	Total	O	0	0
			183	183		
6	L	252	Total	O	0	0
			252	252		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Thiocyanate hydrolase alpha subunit





- Molecule 1: Thiocyanate hydrolase alpha subunit





- Molecule 1: Thiocyanate hydrolase alpha subunit




- Molecule 1: Thiocyanate hydrolase alpha subunit




- Molecule 2: Thiocyanate hydrolase beta subunit




- Molecule 2: Thiocyanate hydrolase beta subunit




- Molecule 2: Thiocyanate hydrolase beta subunit




- Molecule 2: Thiocyanate hydrolase beta subunit




- Molecule 3: Thiocyanate hydrolase gamma subunit




- Molecule 3: Thiocyanate hydrolase gamma subunit



- Molecule 3: Thiocyanate hydrolase gamma subunit



- Molecule 3: Thiocyanate hydrolase gamma subunit



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	170.31Å 175.60Å 114.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	32.95 – 2.06 32.95 – 2.06	Depositor EDS
% Data completeness (in resolution range)	96.3 (32.95-2.06) 97.0 (32.95-2.06)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.56 (at 2.06Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.165 , 0.193 0.169 , 0.172	Depositor DCC
R_{free} test set	10298 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	14.0	Xtriage
Anisotropy	0.610	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 58.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.016 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	18077	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FRU, TLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/983	0.88	1/1331 (0.1%)
1	D	0.33	0/991	0.90	3/1342 (0.2%)
1	G	0.33	0/1000	0.88	2/1354 (0.1%)
1	J	0.34	0/1000	0.88	3/1354 (0.2%)
2	B	0.36	0/1264	0.90	4/1720 (0.2%)
2	E	0.36	0/1258	0.89	6/1712 (0.4%)
2	H	0.37	0/1294	0.90	3/1757 (0.2%)
2	K	0.37	0/1264	0.91	4/1720 (0.2%)
3	C	0.37	0/1765	0.90	5/2410 (0.2%)
3	F	0.37	0/1756	0.92	5/2398 (0.2%)
3	I	0.37	0/1765	0.90	3/2410 (0.1%)
3	L	0.38	0/1756	0.91	5/2398 (0.2%)
All	All	0.36	0/16096	0.90	44/21906 (0.2%)

There are no bond length outliers.

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	154	ARG	N-CA-C	9.20	123.01	111.69
3	L	154	ARG	N-CA-C	9.16	122.96	111.69
3	F	154	ARG	N-CA-C	9.15	122.95	111.69
1	G	71	VAL	N-CA-C	8.90	119.71	110.72
1	A	71	VAL	N-CA-C	8.00	118.80	110.72
1	J	71	VAL	N-CA-C	7.75	118.55	110.72
2	H	46	VAL	N-CA-C	-7.75	100.51	107.56
1	D	71	VAL	N-CA-C	7.74	118.54	110.72
3	C	154	ARG	N-CA-C	7.34	122.65	112.45
2	K	46	VAL	N-CA-C	-7.17	100.45	107.55
2	B	46	VAL	N-CA-C	-6.84	101.34	107.56
2	E	46	VAL	N-CA-C	-6.67	101.02	107.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	62	GLU	N-CA-C	-6.09	101.51	110.52
2	B	62	GLU	N-CA-C	-5.92	101.25	110.42
3	L	237	ARG	CA-C-N	5.86	125.77	119.85
3	L	237	ARG	C-N-CA	5.86	125.77	119.85
1	D	123	LEU	N-CA-C	5.73	119.15	109.76
2	K	83	GLY	N-CA-C	5.68	123.19	115.30
3	F	188	ILE	N-CA-C	-5.67	100.06	108.45
3	I	126	VAL	N-CA-C	5.66	117.49	108.89
2	H	62	GLU	N-CA-C	-5.65	101.66	110.42
2	E	46	VAL	CA-C-N	5.54	126.76	119.84
2	E	46	VAL	C-N-CA	5.54	126.76	119.84
3	C	237	ARG	CA-C-N	5.37	125.31	119.78
3	C	237	ARG	C-N-CA	5.37	125.31	119.78
3	C	98	THR	N-CA-C	5.36	119.97	113.38
3	L	126	VAL	N-CA-C	5.31	116.96	108.89
3	F	215	ILE	N-CA-C	-5.29	105.98	111.58
2	E	124	GLN	N-CA-C	5.27	118.86	111.74
2	E	62	GLU	N-CA-C	-5.26	102.27	110.42
3	F	126	VAL	N-CA-C	5.24	116.86	108.89
2	K	4	SER	N-CA-C	-5.23	105.75	111.82
1	J	75	PRO	N-CA-C	-5.22	103.08	111.38
1	G	120	GLU	N-CA-C	5.20	117.62	111.33
3	I	148	SER	N-CA-C	5.19	116.42	109.83
2	B	100	GLN	N-CA-C	5.18	117.32	111.11
3	L	98	THR	N-CA-C	5.16	119.73	113.38
3	C	215	ILE	N-CA-C	-5.14	106.13	111.58
2	B	124	GLN	N-CA-C	5.13	118.81	112.24
2	H	116	ALA	N-CA-C	-5.12	105.78	111.36
1	J	120	GLU	N-CA-C	5.09	117.48	111.33
2	E	83	GLY	N-CA-C	5.02	122.63	114.90
3	F	98	THR	N-CA-C	5.01	119.44	113.23
1	D	75	PRO	N-CA-C	-5.00	103.43	111.38

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	958	0	906	21	0
1	D	965	0	914	13	0
1	G	974	0	926	18	0
1	J	974	0	926	13	0
2	B	1232	0	1198	20	0
2	E	1226	0	1193	33	0
2	H	1262	0	1234	23	0
2	K	1232	0	1198	31	0
3	C	1721	0	1739	41	0
3	F	1712	0	1733	52	0
3	I	1721	0	1739	30	0
3	L	1712	0	1733	38	0
4	B	24	0	24	2	0
4	C	12	0	12	1	0
4	H	36	0	36	6	0
4	K	24	0	24	4	0
5	C	20	0	8	1	0
5	F	20	0	8	1	0
5	I	20	0	8	1	0
5	L	20	0	8	1	0
6	A	120	0	0	3	0
6	B	182	0	0	1	0
6	C	257	0	0	3	0
6	D	123	0	0	1	0
6	E	166	0	0	2	0
6	F	209	0	0	2	0
6	G	122	0	0	1	0
6	H	185	0	0	1	0
6	I	281	0	0	2	0
6	J	132	0	0	2	0
6	K	183	0	0	0	0
6	L	252	0	0	2	0
All	All	18077	0	15567	296	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (296) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:113:LEU:HD11	3:F:188:ILE:HD12	1.36	1.05
3:I:82:ILE:HD11	3:I:117:ALA:HB2	1.44	1.00

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:GLN:H	1:A:26:GLN:HE21	1.08	0.97
3:F:115:VAL:HG22	3:F:188:ILE:HD11	1.47	0.94
1:D:45:ILE:HD11	1:D:96:PHE:HZ	1.32	0.93
1:D:45:ILE:HD11	1:D:96:PHE:CZ	2.09	0.86
1:G:45:ILE:HD11	1:G:96:PHE:HZ	1.41	0.85
3:C:208:ILE:HD13	3:C:220:PRO:HB2	1.61	0.83
3:I:208:ILE:HD13	3:I:220:PRO:HB2	1.58	0.82
2:K:58:ILE:HD11	2:K:60:TYR:CE1	2.15	0.82
2:E:58:ILE:HD11	2:E:60:TYR:CE1	2.15	0.81
3:F:131:CYS:O	3:F:152:ARG:HD3	1.81	0.79
3:L:208:ILE:HD13	3:L:220:PRO:HB2	1.66	0.77
3:C:139:LEU:HD13	3:C:139:LEU:O	1.85	0.76
1:A:26:GLN:H	1:A:26:GLN:NE2	1.81	0.76
2:B:119:ILE:HD13	2:B:119:ILE:O	1.87	0.75
3:C:237:ARG:HB2	3:C:237:ARG:NH1	2.00	0.75
3:F:35:ARG:CB	3:F:35:ARG:HH21	1.99	0.75
3:L:131:CYS:O	3:L:152:ARG:HD3	1.88	0.74
1:A:117:GLU:C	1:A:118:ILE:HD12	2.13	0.73
3:L:142:SER:OG	3:L:147:ARG:HD3	1.89	0.73
3:L:175:GLN:HE22	3:L:177:ARG:HH21	1.35	0.73
1:G:45:ILE:HD11	1:G:96:PHE:CZ	2.22	0.73
3:F:175:GLN:HE22	3:F:177:ARG:HH11	1.37	0.73
2:B:67:ILE:HD13	3:C:239:VAL:HA	1.70	0.72
3:I:175:GLN:HE22	3:I:177:ARG:HH21	1.35	0.72
2:H:3:SER:O	2:H:7:GLU:HG3	1.89	0.72
3:C:237:ARG:HB2	3:C:237:ARG:HH11	1.53	0.72
3:C:175:GLN:HE22	3:C:177:ARG:HH11	1.35	0.71
3:I:66:ARG:HD2	3:I:202:GLU:OE2	1.91	0.70
3:F:127:VAL:HB	3:F:155:LEU:HD23	1.74	0.70
2:H:119:ILE:HD11	2:H:123:LYS:HD2	1.73	0.70
2:K:16:VAL:HA	2:K:19:MET:HE2	1.74	0.70
3:F:142:SER:OG	3:F:147:ARG:HD3	1.91	0.70
3:I:82:ILE:CD1	3:I:117:ALA:HB2	2.20	0.69
3:F:201:THR:HG23	3:F:204:GLN:NE2	2.08	0.69
2:B:3:SER:O	2:B:7:GLU:HG3	1.92	0.69
2:E:24:HIS:ND1	2:K:24:HIS:HD2	1.89	0.69
1:G:45:ILE:HD12	1:G:60:THR:HB	1.75	0.68
1:A:68:VAL:HG21	6:A:268:HOH:O	1.93	0.68
3:C:160:ARG:NH2	3:C:176:ILE:HD13	2.09	0.68
2:B:119:ILE:HD11	2:B:123:LYS:HD2	1.77	0.67
2:B:66:GLU:HB2	2:B:69:GLU:HG3	1.75	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:127:VAL:HB	3:L:155:LEU:HD23	1.77	0.66
2:H:102:VAL:HG21	4:H:3006:FRU:O1	1.94	0.66
2:E:66:GLU:HB2	2:E:69:GLU:HG3	1.76	0.66
3:L:82:ILE:HD11	3:L:117:ALA:HB2	1.78	0.66
3:L:221:LYS:HE3	3:L:224:ILE:HD12	1.78	0.65
1:A:26:GLN:HE21	1:A:26:GLN:N	1.88	0.65
4:H:3007:FRU:H12	6:H:3017:HOH:O	1.95	0.65
2:E:58:ILE:HD13	2:E:58:ILE:H	1.61	0.64
3:L:82:ILE:CD1	3:L:117:ALA:HB2	2.26	0.64
2:K:58:ILE:HD12	3:L:150:ASN:CG	2.22	0.64
3:C:237:ARG:HH11	3:C:237:ARG:CB	2.10	0.64
3:F:134:TYR:CE1	3:F:215:ILE:HD11	2.33	0.64
3:C:160:ARG:CZ	3:C:176:ILE:HD13	2.28	0.63
2:K:66:GLU:HB2	2:K:69:GLU:HG3	1.80	0.62
1:D:111:ASN:O	3:F:175:GLN:HG3	1.98	0.62
2:K:3:SER:O	2:K:7:GLU:HG3	1.99	0.62
4:B:3008:FRU:H12	2:K:99:GLY:HA2	1.80	0.62
2:E:150:GLU:HG2	6:F:4652:HOH:O	1.98	0.62
1:G:37:PHE:CD1	1:G:125:LYS:HE3	2.35	0.61
1:A:111:ASN:O	3:C:175:GLN:HG3	2.01	0.61
2:K:136:VAL:O	2:K:140:GLU:HG3	2.01	0.61
1:G:111:ASN:O	3:I:175:GLN:HG3	2.00	0.61
2:B:150:GLU:HG2	6:C:3652:HOH:O	2.00	0.61
3:C:134:TYR:CZ	3:C:139:LEU:HD12	2.35	0.60
1:G:37:PHE:HD1	1:G:125:LYS:HE3	1.66	0.60
2:B:67:ILE:CD1	3:C:239:VAL:HA	2.31	0.60
3:C:134:TYR:CE2	3:C:139:LEU:HD12	2.37	0.60
1:D:45:ILE:CD1	1:D:60:THR:HB	2.31	0.60
3:I:127:VAL:HB	3:I:155:LEU:HD23	1.83	0.60
3:C:28:GLU:OE2	3:C:237:ARG:NH1	2.35	0.59
2:H:66:GLU:HB2	2:H:69:GLU:HG3	1.83	0.59
3:I:102:THR:O	3:I:103:GLN:HB2	2.01	0.59
2:E:58:ILE:HD12	3:F:150:ASN:CG	2.28	0.59
3:F:188:ILE:HD13	3:F:188:ILE:H	1.68	0.59
1:A:26:GLN:HE22	3:C:111:CYS:HB2	1.67	0.58
2:K:58:ILE:HD13	2:K:58:ILE:H	1.68	0.58
3:C:127:VAL:HG22	3:C:128:CYS:N	2.19	0.58
2:H:119:ILE:HD13	2:H:119:ILE:O	2.04	0.58
2:K:138:MET:HE1	2:K:141:ARG:NH2	2.17	0.58
2:E:148:LEU:CD1	3:F:32:MET:HG3	2.33	0.58
1:J:56:THR:HG23	1:J:118:ILE:HD12	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:188:ILE:HD13	3:F:188:ILE:N	2.19	0.58
2:K:98:VAL:HA	4:K:3005:FRU:O2	2.03	0.58
3:L:173:GLU:H	3:L:173:GLU:CD	2.12	0.57
1:A:84:ASN:ND2	2:K:124:GLN:HE21	2.02	0.57
1:A:86:GLU:CD	1:A:86:GLU:H	2.10	0.57
2:E:124:GLN:HE21	1:G:84:ASN:ND2	2.02	0.57
2:K:13:LEU:HB2	4:K:3003:FRU:H12	1.86	0.57
2:B:45:ARG:HH11	2:B:100:GLN:HE22	1.51	0.57
4:H:3004:FRU:H3	3:L:157:ARG:HH12	1.70	0.57
1:G:45:ILE:CD1	1:G:60:THR:HB	2.34	0.57
3:L:123:LYS:HG2	3:L:170:LEU:CD1	2.34	0.56
2:E:138:MET:HE1	2:E:141:ARG:NH2	2.20	0.56
2:E:134:LYS:HE3	3:F:37:LEU:HD13	1.87	0.56
2:H:45:ARG:HH11	2:H:100:GLN:HE22	1.53	0.56
2:B:45:ARG:NH1	2:B:100:GLN:HE22	2.04	0.56
3:F:35:ARG:HH21	3:F:35:ARG:HB3	1.69	0.56
2:H:42:ALA:HB1	2:K:19:MET:CE	2.36	0.55
1:J:86:GLU:CD	1:J:86:GLU:H	2.15	0.55
3:I:127:VAL:HG22	3:I:128:CYS:N	2.21	0.55
1:J:125:LYS:HG3	6:J:236:HOH:O	2.05	0.55
1:J:111:ASN:O	3:L:175:GLN:HG3	2.06	0.55
3:F:35:ARG:HH21	3:F:35:ARG:HB2	1.72	0.54
2:B:84:VAL:CG1	2:B:119:ILE:HD12	2.37	0.54
3:C:134:TYR:OH	3:C:139:LEU:HD12	2.08	0.54
3:F:154:ARG:NH2	3:F:165:GLU:OE2	2.35	0.54
3:I:208:ILE:C	3:I:208:ILE:HD12	2.32	0.54
1:A:116:THR:HG23	1:A:118:ILE:HD11	1.89	0.54
3:C:42:GLY:HA2	6:C:3621:HOH:O	2.08	0.54
2:E:90:ARG:HH11	2:E:94:GLN:HE22	1.56	0.54
3:C:102:THR:O	3:C:103:GLN:HB2	2.07	0.53
3:C:224:ILE:HD12	3:C:224:ILE:N	2.24	0.53
2:E:58:ILE:HD13	2:E:58:ILE:N	2.24	0.53
6:C:3640:HOH:O	3:F:161:GLN:HG2	2.07	0.53
2:H:45:ARG:NH1	2:H:100:GLN:HE22	2.07	0.53
3:L:207:GLU:HG2	3:L:225:THR:CG2	2.39	0.53
2:E:148:LEU:HD11	3:F:32:MET:HG3	1.91	0.53
1:J:99:LYS:HE3	6:J:215:HOH:O	2.09	0.53
3:I:207:GLU:HG2	3:I:225:THR:CG2	2.38	0.53
3:L:221:LYS:HB2	3:L:224:ILE:HD12	1.91	0.53
3:C:123:LYS:HG3	3:C:170:LEU:HD21	1.92	0.52
3:L:123:LYS:HG2	3:L:170:LEU:HD11	1.89	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:86:GLU:H	1:D:86:GLU:CD	2.17	0.52
3:L:221:LYS:HE3	3:L:224:ILE:CD1	2.40	0.52
3:F:175:GLN:HE22	3:F:177:ARG:NH1	2.06	0.52
3:F:239:VAL:HG13	3:F:239:VAL:O	2.09	0.51
2:K:46:VAL:HG12	2:K:96:CYS:SG	2.50	0.51
3:C:127:VAL:HB	3:C:155:LEU:HD23	1.92	0.51
3:F:238:PRO:O	3:F:239:VAL:HG12	2.11	0.51
1:A:118:ILE:HD12	1:A:118:ILE:N	2.26	0.51
2:H:118:ARG:NH1	4:H:3006:FRU:H62	2.26	0.51
2:K:45:ARG:HH11	2:K:100:GLN:HE22	1.59	0.51
2:B:124:GLN:HE21	1:J:84:ASN:ND2	2.08	0.51
3:L:134:TYR:CE1	3:L:215:ILE:HD11	2.45	0.51
2:H:85:TRP:CE3	2:H:119:ILE:HG13	2.46	0.51
3:L:189:VAL:O	3:L:191:PRO:HD3	2.10	0.51
3:C:157:ARG:HH12	4:C:3001:FRU:C6	2.23	0.51
2:H:42:ALA:HB1	2:K:19:MET:HE1	1.93	0.51
2:E:81:TRP:CD1	3:F:102:THR:HG22	2.46	0.50
1:G:13:THR:HB	1:G:17:LYS:HE2	1.93	0.50
3:F:127:VAL:HG22	3:F:128:CYS:N	2.26	0.50
2:E:118:ARG:HG3	2:E:122:ASP:OD2	2.11	0.50
3:F:173:GLU:CD	3:F:173:GLU:H	2.19	0.50
1:D:45:ILE:HD12	1:D:60:THR:HB	1.93	0.50
3:I:207:GLU:HG2	3:I:225:THR:HG22	1.94	0.50
3:L:207:GLU:HG2	3:L:225:THR:HG22	1.94	0.50
3:F:134:TYR:HE1	3:F:215:ILE:HD11	1.76	0.50
1:G:117:GLU:HG3	6:I:5523:HOH:O	2.12	0.50
1:J:92:TYR:HB2	1:J:94:ILE:HD11	1.94	0.50
2:E:67:ILE:HA	2:E:70:LEU:HD12	1.94	0.49
1:G:13:THR:CB	1:G:17:LYS:HE2	2.42	0.49
3:L:127:VAL:HG22	3:L:128:CYS:N	2.27	0.49
3:C:207:GLU:HG2	3:C:225:THR:CG2	2.42	0.49
1:D:20:THR:HA	3:F:104:PHE:HB3	1.94	0.49
3:I:208:ILE:HD13	3:I:220:PRO:CB	2.35	0.49
2:K:45:ARG:NH1	2:K:100:GLN:HE22	2.11	0.49
3:F:67:LEU:C	3:F:67:LEU:HD23	2.38	0.49
3:F:160:ARG:NH2	3:F:176:ILE:HD13	2.27	0.49
2:B:116:ALA:O	2:B:119:ILE:HG22	2.13	0.49
2:E:136:VAL:O	2:E:140:GLU:HG3	2.13	0.49
6:E:258:HOH:O	3:F:234:LYS:HE2	2.12	0.48
3:I:54:ASP:O	3:I:58:THR:HG23	2.13	0.48
2:E:116:ALA:O	2:E:119:ILE:HG22	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:144:SER:OG	2:E:146:GLN:HG3	2.13	0.48
3:C:175:GLN:HE22	3:C:177:ARG:NH1	2.08	0.48
1:G:13:THR:OG1	1:G:17:LYS:HE2	2.14	0.48
1:A:79:ASP:HB3	1:A:84:ASN:O	2.13	0.48
2:H:98:VAL:O	4:H:3006:FRU:H11	2.13	0.48
1:A:79:ASP:HA	6:A:184:HOH:O	2.14	0.48
2:B:67:ILE:HG12	3:C:237:ARG:O	2.14	0.48
2:B:112:TRP:CZ2	5:C:3401:TLA:H3	2.48	0.48
3:F:99:SER:HB2	3:F:100:PRO:HD3	1.96	0.48
2:B:119:ILE:HD13	2:B:119:ILE:C	2.39	0.47
3:C:47:GLU:O	3:C:51:VAL:HG23	2.14	0.47
2:E:112:TRP:CZ2	5:F:4401:TLA:H3	2.49	0.47
1:D:53:TYR:HA	2:E:46:VAL:HG11	1.95	0.47
3:L:67:LEU:C	3:L:67:LEU:HD23	2.39	0.47
1:J:94:ILE:HD12	1:J:94:ILE:N	2.29	0.47
2:E:148:LEU:HD22	3:F:32:MET:HE2	1.95	0.47
3:F:62:LEU:HB3	3:F:63:PRO:HD3	1.96	0.47
3:F:102:THR:HB	3:F:104:PHE:CE2	2.50	0.47
3:F:239:VAL:O	3:F:239:VAL:HG22	2.14	0.47
2:K:118:ARG:HG3	2:K:122:ASP:OD2	2.15	0.47
1:A:44:ARG:HB2	1:A:44:ARG:NH1	2.30	0.47
3:F:207:GLU:HG2	3:F:225:THR:CG2	2.45	0.47
3:I:118:ASP:OD1	3:I:124:HIS:HD2	1.98	0.47
2:K:148:LEU:HG	3:L:32:MET:HG3	1.97	0.47
6:E:165:HOH:O	2:K:24:HIS:HE1	1.98	0.47
2:E:90:ARG:HH11	2:E:94:GLN:NE2	2.12	0.46
2:K:58:ILE:HD13	2:K:58:ILE:N	2.29	0.46
2:H:112:TRP:CZ2	5:I:5401:TLA:H3	2.50	0.46
3:C:139:LEU:HD11	3:C:211:ARG:HG3	1.96	0.46
1:G:114:LEU:HD23	1:G:114:LEU:C	2.40	0.46
1:A:34:LYS:HD3	6:A:1424:HOH:O	2.16	0.46
3:F:235:ALA:HB3	3:F:238:PRO:HB3	1.97	0.46
3:L:24:VAL:HG13	3:L:28:GLU:HB2	1.96	0.46
2:K:116:ALA:O	2:K:119:ILE:HG22	2.16	0.46
3:L:171:PRO:HB2	3:L:174:VAL:HG23	1.98	0.46
1:J:79:ASP:HB3	1:J:84:ASN:O	2.15	0.45
3:L:154:ARG:NH2	3:L:165:GLU:OE2	2.41	0.45
3:C:67:LEU:C	3:C:67:LEU:HD23	2.41	0.45
3:F:113:LEU:HD11	3:F:188:ILE:CD1	2.26	0.45
3:C:208:ILE:C	3:C:208:ILE:HD12	2.41	0.45
2:H:118:ARG:NH1	4:H:3006:FRU:C6	2.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:134:TYR:CE1	3:C:215:ILE:HD11	2.51	0.45
1:G:86:GLU:CD	1:G:86:GLU:H	2.23	0.45
3:I:161:GLN:HE21	3:L:165:GLU:HG3	1.81	0.45
3:L:99:SER:HB2	3:L:100:PRO:HD3	1.99	0.45
1:D:84:ASN:HB3	1:D:86:GLU:OE1	2.17	0.45
3:L:54:ASP:O	3:L:58:THR:HG23	2.16	0.45
3:L:171:PRO:HB3	3:L:173:GLU:OE2	2.17	0.45
2:B:71:ASN:HD21	3:C:53:LYS:NZ	2.15	0.45
2:H:56:VAL:HG12	2:K:55:ASP:C	2.41	0.45
1:G:14:HIS:HE1	6:G:161:HOH:O	1.99	0.45
3:I:67:LEU:HD23	3:I:67:LEU:C	2.41	0.44
2:K:58:ILE:HD12	3:L:150:ASN:ND2	2.32	0.44
2:K:97:ASP:O	4:K:3005:FRU:H12	2.17	0.44
3:C:102:THR:HB	3:C:104:PHE:CE2	2.53	0.44
3:C:134:TYR:OH	3:C:139:LEU:CD1	2.66	0.44
3:C:171:PRO:HB2	3:C:174:VAL:HG23	1.98	0.44
3:I:157:ARG:HD3	3:I:158:TRP:CH2	2.52	0.44
1:D:12:ARG:HD2	6:F:4559:HOH:O	2.18	0.44
2:H:142:VAL:HG21	3:I:29:ILE:HD11	1.98	0.44
3:I:189:VAL:O	3:I:191:PRO:HD3	2.18	0.44
1:A:10:TRP:CZ3	1:J:8:PRO:HG2	2.53	0.44
3:C:221:LYS:HB2	3:C:224:ILE:HD13	2.00	0.44
3:I:23:GLU:O	3:I:23:GLU:HG2	2.17	0.44
2:B:37:HIS:HD2	3:L:26:ASP:OD2	2.01	0.44
1:D:79:ASP:HA	6:D:137:HOH:O	2.17	0.44
1:D:114:LEU:C	1:D:114:LEU:HD23	2.43	0.43
2:H:84:VAL:CG1	2:H:119:ILE:HD12	2.48	0.43
2:B:37:HIS:HE1	2:E:8:GLU:OE2	2.00	0.43
3:F:35:ARG:HB3	3:F:35:ARG:NH2	2.33	0.43
2:H:2:SER:OG	2:H:5:ILE:HG12	2.17	0.43
6:I:5603:HOH:O	3:L:161:GLN:HG2	2.18	0.43
2:K:141:ARG:HG2	2:K:147:GLY:O	2.19	0.43
3:F:115:VAL:CG2	3:F:188:ILE:HD11	2.34	0.43
2:K:80:ALA:HA	2:K:85:TRP:O	2.18	0.43
3:C:106:THR:OG1	3:C:109:ASP:HB2	2.20	0.42
1:D:13:THR:HB	1:D:17:LYS:HE3	2.00	0.42
3:F:75:PRO:O	3:F:79:LYS:HG3	2.19	0.42
3:F:123:LYS:HD3	3:F:123:LYS:C	2.44	0.42
2:H:46:VAL:HG12	2:H:96:CYS:SG	2.60	0.42
3:F:157:ARG:HD3	3:F:158:TRP:CH2	2.54	0.42
3:I:131:CYS:O	3:I:152:ARG:HD2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:I:142:SER:HA	3:I:143:PRO:HD3	1.92	0.42
2:K:46:VAL:CG1	2:K:96:CYS:SG	3.08	0.42
3:F:207:GLU:HG2	3:F:225:THR:HG22	2.01	0.42
2:E:141:ARG:HG2	2:E:147:GLY:O	2.20	0.42
2:E:148:LEU:CD1	2:E:151:TYR:HD2	2.32	0.42
2:H:152:LEU:HD12	2:H:153:PRO:HD2	2.01	0.42
2:E:45:ARG:HH11	2:E:100:GLN:HE22	1.68	0.42
3:L:82:ILE:HD12	3:L:117:ALA:HB2	1.99	0.42
1:A:9:VAL:HG12	1:J:8:PRO:HB3	2.02	0.42
3:F:54:ASP:O	3:F:58:THR:HG23	2.19	0.42
2:E:46:VAL:HG23	2:E:46:VAL:O	2.19	0.42
3:F:70:LYS:HG2	3:F:202:GLU:OE1	2.20	0.42
2:K:67:ILE:HA	3:L:239:VAL:HG22	2.02	0.42
1:A:30:GLY:H	1:A:73:GLU:CD	2.28	0.41
2:E:80:ALA:HA	2:E:85:TRP:O	2.20	0.41
1:A:118:ILE:CG2	1:A:122:TYR:HB2	2.51	0.41
3:F:151:TYR:CZ	3:F:155:LEU:HD22	2.56	0.41
1:G:7:LYS:N	1:G:8:PRO:CD	2.83	0.41
1:J:117:GLU:HG3	6:L:6513:HOH:O	2.20	0.41
2:B:48:HIS:HB2	3:C:130:LEU:O	2.20	0.41
2:K:112:TRP:CZ2	5:L:6401:TLA:H2	2.55	0.41
1:A:114:LEU:C	1:A:114:LEU:HD23	2.45	0.41
2:B:80:ALA:HA	2:B:85:TRP:O	2.20	0.41
3:C:207:GLU:HG2	3:C:225:THR:HG22	2.02	0.41
2:E:45:ARG:NH1	2:E:100:GLN:HE22	2.18	0.41
1:G:20:THR:HA	3:I:104:PHE:HB3	2.02	0.41
2:H:48:HIS:HB2	3:I:130:LEU:O	2.21	0.41
4:B:3002:FRU:H12	6:B:3054:HOH:O	2.20	0.41
3:F:160:ARG:CZ	3:F:176:ILE:HD13	2.51	0.41
3:I:99:SER:HB2	3:I:100:PRO:HD3	2.03	0.41
2:E:29:ALA:N	2:E:30:PRO:HD3	2.36	0.41
3:F:171:PRO:HB2	3:F:174:VAL:HG23	2.02	0.41
3:F:201:THR:HG23	3:F:204:GLN:HE21	1.81	0.41
1:G:44:ARG:HB2	1:G:44:ARG:NH1	2.35	0.41
2:H:2:SER:O	2:H:6:ARG:HG2	2.21	0.41
3:I:132:SER:O	3:I:133:CYS:C	2.64	0.41
3:L:157:ARG:HD3	3:L:158:TRP:CH2	2.55	0.41
1:A:84:ASN:HD22	1:J:7:LYS:NZ	2.19	0.41
3:C:62:LEU:HB2	3:C:63:PRO:HD3	2.02	0.41
2:H:80:ALA:HA	2:H:85:TRP:O	2.21	0.41
3:I:161:GLN:HG2	6:L:6744:HOH:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:78:LYS:O	3:L:82:ILE:HG12	2.21	0.40
2:E:48:HIS:HB2	3:F:130:LEU:O	2.21	0.40
2:E:65:GLU:OE2	2:E:70:LEU:CD2	2.69	0.40
3:I:62:LEU:HB2	3:I:63:PRO:HD3	2.02	0.40
3:C:127:VAL:CG2	3:C:128:CYS:N	2.84	0.40
3:I:157:ARG:NH1	4:K:3003:FRU:O1	2.37	0.40
3:L:160:ARG:NE	3:L:176:ILE:HD12	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	116/126 (92%)	109 (94%)	7 (6%)	0	100	100
1	D	117/126 (93%)	111 (95%)	6 (5%)	0	100	100
1	G	118/126 (94%)	115 (98%)	3 (2%)	0	100	100
1	J	118/126 (94%)	114 (97%)	4 (3%)	0	100	100
2	B	150/157 (96%)	147 (98%)	3 (2%)	0	100	100
2	E	149/157 (95%)	145 (97%)	4 (3%)	0	100	100
2	H	154/157 (98%)	150 (97%)	4 (3%)	0	100	100
2	K	150/157 (96%)	146 (97%)	4 (3%)	0	100	100
3	C	215/243 (88%)	206 (96%)	8 (4%)	1 (0%)	24	17
3	F	214/243 (88%)	205 (96%)	7 (3%)	2 (1%)	14	7
3	I	215/243 (88%)	206 (96%)	8 (4%)	1 (0%)	24	17
3	L	214/243 (88%)	205 (96%)	8 (4%)	1 (0%)	24	17
All	All	1930/2104 (92%)	1859 (96%)	66 (3%)	5 (0%)	36	30

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	131	CYS
3	F	131	CYS
3	I	131	CYS
3	L	131	CYS
3	F	238	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	100/108 (93%)	96 (96%)	4 (4%)	28	22
1	D	101/108 (94%)	101 (100%)	0	100	100
1	G	102/108 (94%)	102 (100%)	0	100	100
1	J	102/108 (94%)	102 (100%)	0	100	100
2	B	130/134 (97%)	129 (99%)	1 (1%)	73	77
2	E	129/134 (96%)	128 (99%)	1 (1%)	73	77
2	H	133/134 (99%)	131 (98%)	2 (2%)	57	58
2	K	130/134 (97%)	129 (99%)	1 (1%)	73	77
3	C	190/214 (89%)	190 (100%)	0	100	100
3	F	189/214 (88%)	185 (98%)	4 (2%)	47	45
3	I	190/214 (89%)	189 (100%)	1 (0%)	81	85
3	L	189/214 (88%)	187 (99%)	2 (1%)	65	68
All	All	1685/1824 (92%)	1669 (99%)	16 (1%)	70	74

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	VAL
1	A	26	GLN
1	A	86	GLU
1	A	125	LYS
2	B	119	ILE
2	E	58	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	F	35	ARG
3	F	37	LEU
3	F	173	GLU
3	F	188	ILE
2	H	39	LEU
2	H	119	ILE
3	I	181	SER
2	K	58	ILE
3	L	147	ARG
3	L	173	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (33) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	GLN
1	A	38	ASN
1	A	84	ASN
1	A	111	ASN
2	B	37	HIS
2	B	71	ASN
2	B	100	GLN
2	B	124	GLN
3	C	112	ASN
3	C	175	GLN
3	C	236	ASN
1	D	38	ASN
2	E	94	GLN
2	E	100	GLN
2	E	124	GLN
3	F	49	HIS
3	F	175	GLN
3	F	204	GLN
1	G	14	HIS
2	H	61	HIS
2	H	100	GLN
3	I	57	HIS
3	I	124	HIS
3	I	175	GLN
3	I	236	ASN
1	J	38	ASN
1	J	87	ASN
2	K	12	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	K	24	HIS
2	K	25	GLN
2	K	100	GLN
3	L	169	GLN
3	L	175	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	FRU	C	3001	-	11,12,12	1.39	2 (18%)	10,18,18	1.92	2 (20%)
5	TLA	I	5501	-	9,9,9	1.39	1 (11%)	12,12,12	1.14	0
5	TLA	C	3501	-	9,9,9	1.29	1 (11%)	12,12,12	1.03	0
4	FRU	K	3005	-	11,12,12	1.38	2 (18%)	10,18,18	2.01	3 (30%)
5	TLA	L	6501	-	9,9,9	1.28	1 (11%)	12,12,12	0.79	0
5	TLA	L	6401	-	9,9,9	1.23	1 (11%)	12,12,12	1.03	1 (8%)
5	TLA	C	3401	-	9,9,9	1.31	1 (11%)	12,12,12	1.04	1 (8%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	FRU	H	3006	-	11,12,12	1.17	1 (9%)	10,18,18	2.12	2 (20%)
5	TLA	I	5401	-	9,9,9	1.42	1 (11%)	12,12,12	1.18	1 (8%)
5	TLA	F	4501	-	9,9,9	1.28	1 (11%)	12,12,12	1.23	1 (8%)
4	FRU	H	3007	-	11,12,12	1.47	2 (18%)	10,18,18	1.86	3 (30%)
4	FRU	K	3003	-	11,12,12	1.25	2 (18%)	10,18,18	1.94	2 (20%)
4	FRU	B	3008	-	11,12,12	2.11	4 (36%)	10,18,18	5.70	3 (30%)
5	TLA	F	4401	-	9,9,9	1.25	1 (11%)	12,12,12	0.78	0
4	FRU	B	3002	-	11,12,12	1.21	2 (18%)	10,18,18	1.84	2 (20%)
4	FRU	H	3004	-	11,12,12	1.26	2 (18%)	10,18,18	1.88	2 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FRU	C	3001	-	-	0/5/24/24	0/1/1/1
5	TLA	I	5501	-	-	0/12/12/12	-
5	TLA	C	3501	-	-	4/12/12/12	-
4	FRU	K	3005	-	-	2/5/24/24	0/1/1/1
5	TLA	L	6501	-	-	0/12/12/12	-
5	TLA	L	6401	-	-	0/12/12/12	-
5	TLA	C	3401	-	-	2/12/12/12	-
4	FRU	H	3006	-	-	0/5/24/24	0/1/1/1
5	TLA	I	5401	-	-	0/12/12/12	-
5	TLA	F	4501	-	-	1/12/12/12	-
4	FRU	H	3007	-	-	0/5/24/24	0/1/1/1
4	FRU	K	3003	-	-	2/5/24/24	0/1/1/1
4	FRU	B	3008	-	-	3/5/24/24	0/1/1/1
5	TLA	F	4401	-	-	2/12/12/12	-
4	FRU	B	3002	-	-	2/5/24/24	0/1/1/1
4	FRU	H	3004	-	-	2/5/24/24	0/1/1/1

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	3008	FRU	C1-C2	3.81	1.60	1.52
4	B	3008	FRU	C4-C5	-3.54	1.44	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	3007	FRU	C1-C2	3.29	1.59	1.52
4	B	3008	FRU	O5-C2	3.20	1.48	1.43
4	C	3001	FRU	C1-C2	3.17	1.59	1.52
4	K	3005	FRU	C1-C2	3.14	1.59	1.52
4	H	3007	FRU	O5-C5	3.08	1.50	1.43
4	H	3004	FRU	C1-C2	2.63	1.58	1.52
4	K	3005	FRU	O5-C5	2.57	1.49	1.43
4	K	3003	FRU	C1-C2	2.56	1.58	1.52
4	B	3002	FRU	O5-C5	2.56	1.49	1.43
4	H	3006	FRU	C1-C2	2.52	1.58	1.52
4	B	3008	FRU	O5-C5	2.52	1.49	1.43
5	I	5401	TLA	C2-C1	2.51	1.56	1.52
5	I	5501	TLA	C2-C1	2.50	1.56	1.52
4	H	3004	FRU	O5-C5	2.49	1.49	1.43
4	C	3001	FRU	O5-C5	2.46	1.49	1.43
4	K	3003	FRU	O5-C5	2.42	1.49	1.43
4	B	3002	FRU	C1-C2	2.41	1.57	1.52
5	C	3401	TLA	C2-C1	2.41	1.56	1.52
5	L	6501	TLA	C2-C1	2.37	1.56	1.52
5	F	4401	TLA	C2-C1	2.26	1.55	1.52
5	C	3501	TLA	C2-C1	2.17	1.55	1.52
5	L	6401	TLA	C2-C1	2.08	1.55	1.52
5	F	4501	TLA	C2-C1	2.02	1.55	1.52

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	3008	FRU	O2-C2-O5	-17.18	76.33	109.33
4	H	3006	FRU	O2-C2-O5	5.63	120.14	109.33
4	K	3005	FRU	O2-C2-O5	4.78	118.50	109.33
4	K	3003	FRU	O2-C2-O5	4.68	118.31	109.33
4	C	3001	FRU	O2-C2-O5	4.49	117.95	109.33
4	B	3002	FRU	O2-C2-O5	4.41	117.79	109.33
4	H	3004	FRU	O2-C2-O5	4.34	117.66	109.33
4	H	3007	FRU	O2-C2-O5	4.19	117.36	109.33
4	B	3008	FRU	O5-C5-C6	3.12	117.39	108.89
4	B	3008	FRU	O3-C3-C4	-2.78	103.42	113.25
4	H	3007	FRU	C6-C5-C4	-2.62	108.91	115.10
4	K	3003	FRU	C6-C5-C4	-2.57	109.02	115.10
4	C	3001	FRU	C6-C5-C4	-2.46	109.29	115.10
4	B	3002	FRU	C6-C5-C4	-2.39	109.46	115.10
4	H	3004	FRU	C6-C5-C4	-2.38	109.49	115.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	K	3005	FRU	C6-C5-C4	-2.37	109.51	115.10
5	F	4501	TLA	O1-C1-C2	-2.30	115.49	121.62
4	H	3006	FRU	C6-C5-C4	-2.26	109.76	115.10
4	K	3005	FRU	O5-C5-C6	2.12	114.67	108.89
5	L	6401	TLA	O1-C1-C2	-2.09	116.04	121.62
5	C	3401	TLA	O41-C4-C3	2.07	119.07	113.31
5	I	5401	TLA	O1-C1-C2	-2.07	116.10	121.62
4	H	3007	FRU	O5-C5-C6	2.06	114.52	108.89

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	3008	FRU	O1-C1-C2-O5
4	K	3003	FRU	O5-C5-C6-O6
4	H	3004	FRU	O5-C5-C6-O6
4	H	3004	FRU	C4-C5-C6-O6
4	B	3008	FRU	O5-C5-C6-O6
4	K	3003	FRU	C4-C5-C6-O6
4	B	3002	FRU	C4-C5-C6-O6
4	B	3008	FRU	C4-C5-C6-O6
4	B	3002	FRU	O5-C5-C6-O6
4	K	3005	FRU	O5-C5-C6-O6
4	K	3005	FRU	C4-C5-C6-O6
5	F	4401	TLA	O1-C1-C2-C3
5	C	3501	TLA	O1-C1-C2-C3
5	F	4401	TLA	O11-C1-C2-C3
5	C	3401	TLA	O1-C1-C2-C3
5	C	3401	TLA	O11-C1-C2-C3
5	C	3501	TLA	O1-C1-C2-O2
5	C	3501	TLA	O11-C1-C2-C3
5	C	3501	TLA	O11-C1-C2-O2
5	F	4501	TLA	O1-C1-C2-C3

There are no ring outliers.

12 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	3001	FRU	1	0
4	K	3005	FRU	2	0
5	L	6401	TLA	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	3401	TLA	1	0
4	H	3006	FRU	4	0
5	I	5401	TLA	1	0
4	H	3007	FRU	1	0
4	K	3003	FRU	2	0
4	B	3008	FRU	1	0
5	F	4401	TLA	1	0
4	B	3002	FRU	1	0
4	H	3004	FRU	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	118/126 (93%)	-0.32	3 (2%) 58 60	8, 14, 28, 34	0
1	D	119/126 (94%)	-0.31	4 (3%) 48 48	8, 13, 29, 36	0
1	G	120/126 (95%)	-0.33	3 (2%) 58 60	9, 15, 29, 43	0
1	J	120/126 (95%)	-0.49	1 (0%) 82 84	7, 12, 29, 38	0
2	B	152/157 (96%)	-0.52	2 (1%) 75 77	7, 11, 24, 33	0
2	E	151/157 (96%)	-0.44	1 (0%) 84 86	6, 12, 31, 41	0
2	H	156/157 (99%)	-0.52	4 (2%) 57 59	7, 11, 23, 60	0
2	K	152/157 (96%)	-0.56	2 (1%) 75 77	5, 11, 29, 37	0
3	C	217/243 (89%)	-0.37	2 (0%) 81 83	7, 14, 25, 46	0
3	F	216/243 (88%)	-0.09	3 (1%) 73 75	7, 16, 30, 43	0
3	I	217/243 (89%)	-0.52	2 (0%) 81 83	8, 12, 21, 42	0
3	L	216/243 (88%)	-0.50	1 (0%) 87 89	7, 11, 23, 34	0
All	All	1954/2104 (92%)	-0.41	28 (1%) 73 75	5, 13, 27, 60	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	F	239	VAL	7.7
2	H	2	SER	5.1
1	J	126	ALA	4.8
2	H	156	ALA	4.8
2	H	157	LYS	4.4
3	L	239	VAL	4.4
1	A	9	VAL	4.3
3	C	239	VAL	4.3
3	C	23	GLU	3.9
2	H	3	SER	3.6
2	B	154	PRO	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	126	ALA	3.5
3	I	239	VAL	3.3
1	D	8	PRO	3.0
1	D	126	ALA	2.7
3	I	23	GLU	2.7
2	K	3	SER	2.6
3	F	195	GLU	2.6
1	A	125	LYS	2.5
2	B	65	GLU	2.4
1	G	126	ALA	2.3
3	F	188	ILE	2.3
1	D	10	TRP	2.3
1	D	125	LYS	2.3
1	G	125	LYS	2.3
1	G	7	LYS	2.2
2	K	154	PRO	2.2
2	E	65	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	FRU	H	3007	12/12	0.63	0.29	35,38,40,40	0
4	FRU	K	3003	12/12	0.64	0.30	43,45,49,50	0
4	FRU	H	3006	12/12	0.68	0.33	39,45,48,49	0
4	FRU	C	3001	12/12	0.72	0.21	32,36,37,41	0
4	FRU	B	3008	12/12	0.73	0.26	32,37,40,41	0
4	FRU	K	3005	12/12	0.75	0.21	29,34,36,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	FRU	B	3002	12/12	0.76	0.24	29,37,40,40	0
4	FRU	H	3004	12/12	0.76	0.24	29,37,41,42	0
5	TLA	I	5501	10/10	0.91	0.12	20,24,28,30	0
5	TLA	C	3501	10/10	0.94	0.09	16,22,29,29	0
5	TLA	F	4501	10/10	0.95	0.08	18,23,27,29	0
5	TLA	C	3401	10/10	0.95	0.07	14,17,19,22	0
5	TLA	L	6501	10/10	0.95	0.08	15,21,26,28	0
5	TLA	L	6401	10/10	0.96	0.06	13,15,19,19	0
5	TLA	I	5401	10/10	0.96	0.07	13,16,19,21	0
5	TLA	F	4401	10/10	0.97	0.06	13,16,18,20	0

6.5 Other polymers [i](#)

There are no such residues in this entry.