



wwPDB EM Validation Summary Report ⓘ

Mar 8, 2026 – 08:53 AM UTC

PDB ID : 8DN3 / pdb_00008dn3
EMDB ID : EMD-27553
Title : Cryo-EM structure of human Glycine Receptor alpha1-beta heteromer, apo state
Authors : Liu, X.; Wang, W.
Deposited on : 2022-07-10
Resolution : 3.55 Å(reported)
Based on initial model : 7MLY

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	12819 (3.05 - 4.05)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	367	 68% 25% • 7%
1	B	367	 71% 22% • 7%
1	C	367	 76% 17% • 7%
1	D	367	 67% 24% • 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	680	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	UND	C	509	-	-	X	-
6	DD9	A	511	-	-	X	-
6	DD9	E	507	-	-	X	-

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 15273 atoms, of which 958 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycine receptor subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	D	339	2762	1796	457	489	20	0	0
1	A	343	2796	1817	462	495	22	0	0
1	B	340	2768	1800	456	490	22	0	0
1	C	343	2785	1808	460	495	22	0	0

There are 260 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	ARG	deletion	UNP P23415
D	?	-	PHE	deletion	UNP P23415
D	?	-	ARG	deletion	UNP P23415
D	?	-	ARG	deletion	UNP P23415
D	?	-	LYS	deletion	UNP P23415
D	?	-	ARG	deletion	UNP P23415
D	?	-	ARG	deletion	UNP P23415
D	?	-	HIS	deletion	UNP P23415
D	?	-	HIS	deletion	UNP P23415
D	?	-	LYS	deletion	UNP P23415
D	?	-	SER	deletion	UNP P23415
D	?	-	PRO	deletion	UNP P23415
D	?	-	MET	deletion	UNP P23415
D	?	-	LEU	deletion	UNP P23415
D	?	-	ASN	deletion	UNP P23415
D	?	-	LEU	deletion	UNP P23415
D	?	-	PHE	deletion	UNP P23415
D	?	-	GLN	deletion	UNP P23415
D	?	-	GLU	deletion	UNP P23415
D	?	-	ASP	deletion	UNP P23415
D	?	-	GLU	deletion	UNP P23415
D	?	-	ALA	deletion	UNP P23415

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	GLY	deletion	UNP P23415
D	?	-	GLU	deletion	UNP P23415
D	?	-	GLY	deletion	UNP P23415
D	?	-	ARG	deletion	UNP P23415
D	?	-	PHE	deletion	UNP P23415
D	?	-	ASN	deletion	UNP P23415
D	?	-	PHE	deletion	UNP P23415
D	?	-	SER	deletion	UNP P23415
D	?	-	ALA	deletion	UNP P23415
D	?	-	TYR	deletion	UNP P23415
D	?	-	GLY	deletion	UNP P23415
D	?	-	MET	deletion	UNP P23415
D	?	-	GLY	deletion	UNP P23415
D	?	-	PRO	deletion	UNP P23415
D	?	-	ALA	deletion	UNP P23415
D	?	-	CYS	deletion	UNP P23415
D	?	-	LEU	deletion	UNP P23415
D	?	-	GLN	deletion	UNP P23415
D	?	-	ALA	deletion	UNP P23415
D	?	-	LYS	deletion	UNP P23415
D	?	-	ASP	deletion	UNP P23415
D	?	-	GLY	deletion	UNP P23415
D	?	-	ILE	deletion	UNP P23415
D	?	-	SER	deletion	UNP P23415
D	?	-	VAL	deletion	UNP P23415
D	?	-	LYS	deletion	UNP P23415
D	?	-	GLY	deletion	UNP P23415
D	?	-	ALA	deletion	UNP P23415
D	?	-	ASN	deletion	UNP P23415
D	?	-	ASN	deletion	UNP P23415
D	?	-	SER	deletion	UNP P23415
D	?	-	ASN	deletion	UNP P23415
D	?	-	THR	deletion	UNP P23415
D	?	-	THR	deletion	UNP P23415
D	?	-	ASN	deletion	UNP P23415
D	?	-	PRO	deletion	UNP P23415
D	?	-	PRO	deletion	UNP P23415
D	?	-	PRO	deletion	UNP P23415
D	?	-	ALA	deletion	UNP P23415
D	?	-	PRO	deletion	UNP P23415
D	377	GLY	SER	conflict	UNP P23415
D	378	SER	LYS	conflict	UNP P23415

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	380	GLY	PRO	conflict	UNP P23415
A	?	-	ARG	deletion	UNP P23415
A	?	-	PHE	deletion	UNP P23415
A	?	-	ARG	deletion	UNP P23415
A	?	-	ARG	deletion	UNP P23415
A	?	-	LYS	deletion	UNP P23415
A	?	-	ARG	deletion	UNP P23415
A	?	-	ARG	deletion	UNP P23415
A	?	-	HIS	deletion	UNP P23415
A	?	-	HIS	deletion	UNP P23415
A	?	-	LYS	deletion	UNP P23415
A	?	-	SER	deletion	UNP P23415
A	?	-	PRO	deletion	UNP P23415
A	?	-	MET	deletion	UNP P23415
A	?	-	LEU	deletion	UNP P23415
A	?	-	ASN	deletion	UNP P23415
A	?	-	LEU	deletion	UNP P23415
A	?	-	PHE	deletion	UNP P23415
A	?	-	GLN	deletion	UNP P23415
A	?	-	GLU	deletion	UNP P23415
A	?	-	ASP	deletion	UNP P23415
A	?	-	GLU	deletion	UNP P23415
A	?	-	ALA	deletion	UNP P23415
A	?	-	GLY	deletion	UNP P23415
A	?	-	GLU	deletion	UNP P23415
A	?	-	GLY	deletion	UNP P23415
A	?	-	ARG	deletion	UNP P23415
A	?	-	PHE	deletion	UNP P23415
A	?	-	ASN	deletion	UNP P23415
A	?	-	PHE	deletion	UNP P23415
A	?	-	SER	deletion	UNP P23415
A	?	-	ALA	deletion	UNP P23415
A	?	-	TYR	deletion	UNP P23415
A	?	-	GLY	deletion	UNP P23415
A	?	-	MET	deletion	UNP P23415
A	?	-	GLY	deletion	UNP P23415
A	?	-	PRO	deletion	UNP P23415
A	?	-	ALA	deletion	UNP P23415
A	?	-	CYS	deletion	UNP P23415
A	?	-	LEU	deletion	UNP P23415
A	?	-	GLN	deletion	UNP P23415
A	?	-	ALA	deletion	UNP P23415

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LYS	deletion	UNP P23415
A	?	-	ASP	deletion	UNP P23415
A	?	-	GLY	deletion	UNP P23415
A	?	-	ILE	deletion	UNP P23415
A	?	-	SER	deletion	UNP P23415
A	?	-	VAL	deletion	UNP P23415
A	?	-	LYS	deletion	UNP P23415
A	?	-	GLY	deletion	UNP P23415
A	?	-	ALA	deletion	UNP P23415
A	?	-	ASN	deletion	UNP P23415
A	?	-	ASN	deletion	UNP P23415
A	?	-	SER	deletion	UNP P23415
A	?	-	ASN	deletion	UNP P23415
A	?	-	THR	deletion	UNP P23415
A	?	-	THR	deletion	UNP P23415
A	?	-	ASN	deletion	UNP P23415
A	?	-	PRO	deletion	UNP P23415
A	?	-	PRO	deletion	UNP P23415
A	?	-	PRO	deletion	UNP P23415
A	?	-	ALA	deletion	UNP P23415
A	?	-	PRO	deletion	UNP P23415
A	377	GLY	SER	conflict	UNP P23415
A	378	SER	LYS	conflict	UNP P23415
A	380	GLY	PRO	conflict	UNP P23415
B	?	-	ARG	deletion	UNP P23415
B	?	-	PHE	deletion	UNP P23415
B	?	-	ARG	deletion	UNP P23415
B	?	-	ARG	deletion	UNP P23415
B	?	-	LYS	deletion	UNP P23415
B	?	-	ARG	deletion	UNP P23415
B	?	-	ARG	deletion	UNP P23415
B	?	-	HIS	deletion	UNP P23415
B	?	-	HIS	deletion	UNP P23415
B	?	-	LYS	deletion	UNP P23415
B	?	-	SER	deletion	UNP P23415
B	?	-	PRO	deletion	UNP P23415
B	?	-	MET	deletion	UNP P23415
B	?	-	LEU	deletion	UNP P23415
B	?	-	ASN	deletion	UNP P23415
B	?	-	LEU	deletion	UNP P23415
B	?	-	PHE	deletion	UNP P23415
B	?	-	GLN	deletion	UNP P23415

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	GLU	deletion	UNP P23415
B	?	-	ASP	deletion	UNP P23415
B	?	-	GLU	deletion	UNP P23415
B	?	-	ALA	deletion	UNP P23415
B	?	-	GLY	deletion	UNP P23415
B	?	-	GLU	deletion	UNP P23415
B	?	-	GLY	deletion	UNP P23415
B	?	-	ARG	deletion	UNP P23415
B	?	-	PHE	deletion	UNP P23415
B	?	-	ASN	deletion	UNP P23415
B	?	-	PHE	deletion	UNP P23415
B	?	-	SER	deletion	UNP P23415
B	?	-	ALA	deletion	UNP P23415
B	?	-	TYR	deletion	UNP P23415
B	?	-	GLY	deletion	UNP P23415
B	?	-	MET	deletion	UNP P23415
B	?	-	GLY	deletion	UNP P23415
B	?	-	PRO	deletion	UNP P23415
B	?	-	ALA	deletion	UNP P23415
B	?	-	CYS	deletion	UNP P23415
B	?	-	LEU	deletion	UNP P23415
B	?	-	GLN	deletion	UNP P23415
B	?	-	ALA	deletion	UNP P23415
B	?	-	LYS	deletion	UNP P23415
B	?	-	ASP	deletion	UNP P23415
B	?	-	GLY	deletion	UNP P23415
B	?	-	ILE	deletion	UNP P23415
B	?	-	SER	deletion	UNP P23415
B	?	-	VAL	deletion	UNP P23415
B	?	-	LYS	deletion	UNP P23415
B	?	-	GLY	deletion	UNP P23415
B	?	-	ALA	deletion	UNP P23415
B	?	-	ASN	deletion	UNP P23415
B	?	-	ASN	deletion	UNP P23415
B	?	-	SER	deletion	UNP P23415
B	?	-	ASN	deletion	UNP P23415
B	?	-	THR	deletion	UNP P23415
B	?	-	THR	deletion	UNP P23415
B	?	-	ASN	deletion	UNP P23415
B	?	-	PRO	deletion	UNP P23415
B	?	-	PRO	deletion	UNP P23415
B	?	-	PRO	deletion	UNP P23415

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	ALA	deletion	UNP P23415
B	?	-	PRO	deletion	UNP P23415
B	377	GLY	SER	conflict	UNP P23415
B	378	SER	LYS	conflict	UNP P23415
B	380	GLY	PRO	conflict	UNP P23415
C	?	-	ARG	deletion	UNP P23415
C	?	-	PHE	deletion	UNP P23415
C	?	-	ARG	deletion	UNP P23415
C	?	-	ARG	deletion	UNP P23415
C	?	-	LYS	deletion	UNP P23415
C	?	-	ARG	deletion	UNP P23415
C	?	-	ARG	deletion	UNP P23415
C	?	-	HIS	deletion	UNP P23415
C	?	-	HIS	deletion	UNP P23415
C	?	-	LYS	deletion	UNP P23415
C	?	-	SER	deletion	UNP P23415
C	?	-	PRO	deletion	UNP P23415
C	?	-	MET	deletion	UNP P23415
C	?	-	LEU	deletion	UNP P23415
C	?	-	ASN	deletion	UNP P23415
C	?	-	LEU	deletion	UNP P23415
C	?	-	PHE	deletion	UNP P23415
C	?	-	GLN	deletion	UNP P23415
C	?	-	GLU	deletion	UNP P23415
C	?	-	ASP	deletion	UNP P23415
C	?	-	GLU	deletion	UNP P23415
C	?	-	ALA	deletion	UNP P23415
C	?	-	GLY	deletion	UNP P23415
C	?	-	GLU	deletion	UNP P23415
C	?	-	GLY	deletion	UNP P23415
C	?	-	ARG	deletion	UNP P23415
C	?	-	PHE	deletion	UNP P23415
C	?	-	ASN	deletion	UNP P23415
C	?	-	PHE	deletion	UNP P23415
C	?	-	SER	deletion	UNP P23415
C	?	-	ALA	deletion	UNP P23415
C	?	-	TYR	deletion	UNP P23415
C	?	-	GLY	deletion	UNP P23415
C	?	-	MET	deletion	UNP P23415
C	?	-	GLY	deletion	UNP P23415
C	?	-	PRO	deletion	UNP P23415
C	?	-	ALA	deletion	UNP P23415

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	CYS	deletion	UNP P23415
C	?	-	LEU	deletion	UNP P23415
C	?	-	GLN	deletion	UNP P23415
C	?	-	ALA	deletion	UNP P23415
C	?	-	LYS	deletion	UNP P23415
C	?	-	ASP	deletion	UNP P23415
C	?	-	GLY	deletion	UNP P23415
C	?	-	ILE	deletion	UNP P23415
C	?	-	SER	deletion	UNP P23415
C	?	-	VAL	deletion	UNP P23415
C	?	-	LYS	deletion	UNP P23415
C	?	-	GLY	deletion	UNP P23415
C	?	-	ALA	deletion	UNP P23415
C	?	-	ASN	deletion	UNP P23415
C	?	-	ASN	deletion	UNP P23415
C	?	-	SER	deletion	UNP P23415
C	?	-	ASN	deletion	UNP P23415
C	?	-	THR	deletion	UNP P23415
C	?	-	THR	deletion	UNP P23415
C	?	-	ASN	deletion	UNP P23415
C	?	-	PRO	deletion	UNP P23415
C	?	-	PRO	deletion	UNP P23415
C	?	-	PRO	deletion	UNP P23415
C	?	-	ALA	deletion	UNP P23415
C	?	-	PRO	deletion	UNP P23415
C	377	GLY	SER	conflict	UNP P23415
C	378	SER	LYS	conflict	UNP P23415
C	380	GLY	PRO	conflict	UNP P23415

- Molecule 2 is a protein called Glycine receptor subunit beta, Green fluorescent protein, Glycine receptor beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	E	334	2707	1781	430	480	16	0	0

There are 13 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
E	333A	GLY	-	linker	UNP P48167
E	333B	GLY	-	linker	UNP P48167
E	333C	SER	-	linker	UNP P48167

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	333D	SER	-	linker	UNP P48167
E	333E	ALA	-	linker	UNP P48167
E	333F	ALA	-	linker	UNP P48167
E	333G	ALA	-	linker	UNP P48167
E	333H	VAL	MET	conflict	UNP P42212
E	342L	SER	-	linker	UNP P42212
E	342M	GLY	-	linker	UNP P42212
E	342O	GLY	THR	conflict	UNP A0A2K6CAQ3
E	342P	SER	LEU	conflict	UNP A0A2K6CAQ3
E	342Q	GLY	GLN	conflict	UNP A0A2K6CAQ3

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
3	D	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	C	1	Total	C	N	O	0
			14	8	1	5	
3	E	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 4 is HEXANE (CCD ID: HEX) (formula: C_6H_{14}).




Mol	Chain	Residues	Atoms			AltConf
4	D	1	Total	C	H	0
			20	6	14	
4	D	1	Total	C	H	0
			20	6	14	
4	D	1	Total	C	H	0
			20	6	14	
4	A	1	Total	C	H	0
			20	6	14	
4	A	1	Total	C	H	0
			20	6	14	
4	A	1	Total	C	H	0
			20	6	14	
4	A	1	Total	C	H	0
			20	6	14	
4	B	1	Total	C	H	0
			20	6	14	
4	B	1	Total	C	H	0
			20	6	14	
4	B	1	Total	C	H	0
			20	6	14	
4	C	1	Total	C	H	0
			20	6	14	
4	C	1	Total	C	H	0
			20	6	14	
4	C	1	Total	C	H	0
			20	6	14	
4	E	1	Total	C	H	0
			20	6	14	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
			Total	C	H	
4	E	1	20	6	14	0

- Molecule 5 is UNDECANE (CCD ID: UND) (formula: $C_{11}H_{24}$).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	H	
5	D	1	35	11	24	0
5	D	1	35	11	24	0
5	D	1	35	11	24	0
5	D	1	35	11	24	0
5	A	1	35	11	24	0
5	A	1	35	11	24	0
5	A	1	35	11	24	0
5	C	1	35	11	24	0
5	C	1	35	11	24	0
5	C	1	35	11	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
5	E	1	Total	C	H	0
			35	11	24	
5	E	1	Total	C	H	0
			35	11	24	

- Molecule 6 is nonane (CCD ID: DD9) (formula: C₉H₂₀).




Mol	Chain	Residues	Atoms			AltConf
6	D	1	Total	C	H	0
			29	9	20	
6	A	1	Total	C	H	0
			29	9	20	
6	A	1	Total	C	H	0
			29	9	20	
6	B	1	Total	C	H	0
			29	9	20	
6	B	1	Total	C	H	0
			29	9	20	
6	B	1	Total	C	H	0
			29	9	20	
6	B	1	Total	C	H	0
			29	9	20	
6	B	1	Total	C	H	0
			29	9	20	
6	C	1	Total	C	H	0
			29	9	20	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
6	C	1	Total	C	H	0
			29	9	20	
6	C	1	Total	C	H	0
			29	9	20	
6	E	1	Total	C	H	0
			29	9	20	
6	E	1	Total	C	H	0
			29	9	20	

- Molecule 7 is N-BUTANE (CCD ID: NBU) (formula: C₄H₁₀).




Mol	Chain	Residues	Atoms			AltConf
7	D	1	Total	C	H	0
			14	4	10	
7	D	1	Total	C	H	0
			14	4	10	
7	B	1	Total	C	H	0
			14	4	10	
7	E	1	Total	C	H	0
			14	4	10	
7	E	1	Total	C	H	0
			14	4	10	

- Molecule 8 is HEPTANE (CCD ID: HP6) (formula: C₇H₁₆).



Mol	Chain	Residues	Atoms			AltConf
8	D	1	Total	C	H	0
			23	7	16	
8	D	1	Total	C	H	0
			23	7	16	
8	A	1	Total	C	H	0
			23	7	16	
8	A	1	Total	C	H	0
			23	7	16	
8	C	1	Total	C	H	0
			23	7	16	
8	C	1	Total	C	H	0
			23	7	16	
8	E	1	Total	C	H	0
			23	7	16	
8	E	1	Total	C	H	0
			23	7	16	

- Molecule 9 is DECANE (CCD ID: D10) (formula: C₁₀H₂₂).



Mol	Chain	Residues	Atoms			AltConf
9	C	1	Total	C	H	0
			32	10	22	


- Molecule 10 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		AltConf
10	E	2	Total	Cl	0
			2	2	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glycine receptor subunit alpha-1



- Molecule 1: Glycine receptor subunit alpha-1



- Molecule 1: Glycine receptor subunit alpha-1



ASN	ASN	V443
ASN	LYS	A448
LYS	PRO	Y454
PRO	PRO	F461
PRO	ALA	M467
ALA	LYS	W471
LYS	PRO	L475
PRO		

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	29850	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	69.6	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.389	Depositor
Minimum map value	-1.763	Depositor
Average map value	0.008	Depositor
Map value standard deviation	0.086	Depositor
Recommended contour level	0.28	Depositor
Map size (Å)	239.04, 239.04, 239.04	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83, 0.83, 0.83	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, HP6, NBU, HEX, NAG, DD9, UND, D10

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.16	0/2866	0.31	0/3879
1	B	0.12	0/2837	0.28	0/3841
1	C	0.14	0/2853	0.29	0/3862
1	D	0.18	0/2832	0.31	0/3836
2	E	0.10	0/2778	0.28	0/3780
All	All	0.14	0/14166	0.29	0/19198

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2796	0	2797	89	0
1	B	2768	0	2771	76	0
1	C	2785	0	2784	71	0
1	D	2762	0	2759	80	0
2	E	2707	0	2722	72	0
3	A	14	0	13	1	0
3	B	14	0	13	0	0
3	C	14	0	13	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	14	0	13	3	0
3	E	14	0	13	1	0
4	A	24	56	56	5	0
4	B	18	42	42	0	0
4	C	18	42	42	0	0
4	D	18	42	42	6	0
4	E	12	28	28	5	0
5	A	33	72	70	2	0
5	C	33	72	72	23	0
5	D	44	96	96	10	0
5	E	22	48	48	3	0
6	A	18	40	37	10	0
6	B	45	100	98	1	0
6	C	27	60	60	2	0
6	D	9	20	20	0	0
6	E	18	40	38	8	0
7	B	4	10	10	0	0
7	D	8	20	20	0	0
7	E	8	20	20	0	0
8	A	14	32	32	0	0
8	C	14	32	32	0	0
8	D	14	32	32	0	0
8	E	14	32	32	4	0
9	C	10	22	22	5	0
10	E	2	0	0	0	0
All	All	14315	958	14847	353	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 353 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:397:ILE:CD1	5:C:509:UND:C1	1.91	1.47
1:C:397:ILE:HD11	5:C:509:UND:C1	1.54	1.26
1:A:257:ILE:CD1	1:B:258:THR:HB	1.71	1.20
1:A:257:ILE:HD12	1:B:255:LEU:HD12	1.24	1.16
2:E:249:MET:CE	4:E:502:HEX:H32	1.77	1.15

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	339/367 (92%)	326 (96%)	13 (4%)	0	100	100
1	B	336/367 (92%)	322 (96%)	14 (4%)	0	100	100
1	C	339/367 (92%)	325 (96%)	14 (4%)	0	100	100
1	D	335/367 (91%)	323 (96%)	10 (3%)	2 (1%)	21	54
2	E	330/680 (48%)	316 (96%)	14 (4%)	0	100	100
All	All	1679/2148 (78%)	1612 (96%)	65 (4%)	2 (0%)	49	79

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	309	ARG
1	D	310	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	308/328 (94%)	302 (98%)	6 (2%)	50	67
1	B	305/328 (93%)	297 (97%)	8 (3%)	40	62
1	C	306/328 (93%)	300 (98%)	6 (2%)	48	66
1	D	304/328 (93%)	297 (98%)	7 (2%)	44	64
2	E	302/598 (50%)	299 (99%)	3 (1%)	68	75
All	All	1525/1910 (80%)	1495 (98%)	30 (2%)	48	66

5 of 30 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	135	THR
2	E	134	VAL
1	B	188	ILE
2	E	172	THR
1	C	178	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
2	E	90	ASN
2	E	329	GLN
2	E	333	ASN
1	A	311	HIS
1	D	310	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 61 ligands modelled in this entry, 2 are monoatomic - leaving 59 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	D	501	1	14,14,15	0.25	0	17,19,21	0.67	0
4	HEX	B	502	-	5,5,5	0.14	0	4,4,4	0.15	0
6	DD9	E	508	-	8,8,8	0.12	0	7,7,7	0.11	0
4	HEX	D	502	-	5,5,5	0.14	0	4,4,4	0.14	0
7	NBU	E	505	-	3,3,3	0.21	0	2,2,2	0.42	0
5	UND	C	509	-	10,10,10	0.11	0	9,9,9	0.10	0
4	HEX	A	506	-	5,5,5	0.14	0	4,4,4	0.15	0
5	UND	A	503	-	10,10,10	0.11	0	9,9,9	0.10	0
6	DD9	B	504	-	8,8,8	0.13	0	7,7,7	0.11	0
8	HP6	C	502	-	6,6,6	0.13	0	5,5,5	0.13	0
8	HP6	D	509	-	6,6,6	0.13	0	5,5,5	0.13	0
5	UND	C	510	-	10,10,10	0.11	0	9,9,9	0.10	0
8	HP6	A	505	-	6,6,6	0.13	0	5,5,5	0.13	0
3	NAG	E	504	2	14,14,15	0.63	1 (7%)	17,19,21	0.76	0
4	HEX	E	509	-	5,5,5	0.14	0	4,4,4	0.15	0
7	NBU	B	508	-	3,3,3	0.13	0	2,2,2	0.52	0
3	NAG	C	503	1	14,14,15	0.32	0	17,19,21	0.82	1 (5%)
5	UND	D	511	-	10,10,10	0.11	0	9,9,9	0.10	0
5	UND	C	505	-	10,10,10	0.11	0	9,9,9	0.10	0
7	NBU	D	510	-	3,3,3	0.22	0	2,2,2	0.42	0
5	UND	D	504	-	10,10,10	0.11	0	9,9,9	0.10	0
5	UND	D	503	-	10,10,10	0.11	0	9,9,9	0.10	0
3	NAG	B	501	-	14,14,15	0.21	0	17,19,21	0.43	0
6	DD9	B	505	-	8,8,8	0.12	0	7,7,7	0.11	0
5	UND	A	502	-	10,10,10	0.12	0	9,9,9	0.10	0
6	DD9	C	501	-	8,8,8	0.13	0	7,7,7	0.11	0
6	DD9	C	512	-	8,8,8	0.13	0	7,7,7	0.11	0
4	HEX	C	504	-	5,5,5	0.14	0	4,4,4	0.15	0
4	HEX	C	508	-	5,5,5	0.14	0	4,4,4	0.14	0
6	DD9	D	505	-	8,8,8	0.12	0	7,7,7	0.11	0
4	HEX	A	512	-	5,5,5	0.14	0	4,4,4	0.15	0
9	D10	C	507	-	9,9,9	0.11	0	8,8,8	0.15	0
6	DD9	B	509	-	8,8,8	0.13	0	7,7,7	0.11	0
6	DD9	A	508	-	8,8,8	0.21	0	7,7,7	0.12	0
4	HEX	B	503	-	5,5,5	0.14	0	4,4,4	0.14	0
4	HEX	A	507	-	5,5,5	0.14	0	4,4,4	0.15	0
4	HEX	B	506	-	5,5,5	0.14	0	4,4,4	0.15	0
6	DD9	A	511	-	8,8,8	0.12	0	7,7,7	0.11	0
8	HP6	E	503	-	6,6,6	0.13	0	5,5,5	0.13	0
5	UND	D	512	-	10,10,10	0.12	0	9,9,9	0.10	0
5	UND	E	511	-	10,10,10	0.11	0	9,9,9	0.10	0
4	HEX	A	510	-	5,5,5	0.14	0	4,4,4	0.15	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	HEX	D	507	-	5,5,5	0.14	0	4,4,4	0.14	0
3	NAG	A	501	-	14,14,15	0.37	0	17,19,21	1.23	2 (11%)
5	UND	A	509	-	10,10,10	0.11	0	9,9,9	0.10	0
6	DD9	B	507	-	8,8,8	0.13	0	7,7,7	0.11	0
6	DD9	C	513	-	8,8,8	0.13	0	7,7,7	0.11	0
4	HEX	D	513	-	5,5,5	0.14	0	4,4,4	0.15	0
5	UND	E	506	-	10,10,10	0.11	0	9,9,9	0.10	0
7	NBU	D	506	-	3,3,3	0.22	0	2,2,2	0.42	0
7	NBU	E	510	-	3,3,3	0.22	0	2,2,2	0.42	0
8	HP6	D	508	-	6,6,6	0.13	0	5,5,5	0.13	0
8	HP6	A	504	-	6,6,6	0.13	0	5,5,5	0.13	0
8	HP6	E	501	-	6,6,6	0.13	0	5,5,5	0.13	0
6	DD9	B	510	-	8,8,8	0.12	0	7,7,7	0.11	0
6	DD9	E	507	-	8,8,8	0.13	0	7,7,7	0.11	0
8	HP6	C	511	-	6,6,6	0.13	0	5,5,5	0.13	0
4	HEX	C	506	-	5,5,5	0.14	0	4,4,4	0.15	0
4	HEX	E	502	-	5,5,5	0.14	0	4,4,4	0.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	D	501	1	-	4/6/23/26	0/1/1/1
4	HEX	B	502	-	-	0/3/3/3	-
6	DD9	E	508	-	-	0/6/6/6	-
4	HEX	D	502	-	-	0/3/3/3	-
7	NBU	E	505	-	-	1/1/1/1	-
5	UND	C	509	-	-	0/8/8/8	-
4	HEX	A	506	-	-	0/3/3/3	-
5	UND	A	503	-	-	0/8/8/8	-
6	DD9	B	504	-	-	0/6/6/6	-
8	HP6	C	502	-	-	0/4/4/4	-
8	HP6	D	509	-	-	0/4/4/4	-
5	UND	C	510	-	-	0/8/8/8	-
8	HP6	A	505	-	-	0/4/4/4	-
3	NAG	E	504	2	-	3/6/23/26	0/1/1/1
4	HEX	E	509	-	-	0/3/3/3	-
7	NBU	B	508	-	-	1/1/1/1	-
3	NAG	C	503	1	-	2/6/23/26	0/1/1/1
5	UND	D	511	-	-	0/8/8/8	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	UND	C	505	-	-	0/8/8/8	-
7	NBU	D	510	-	-	1/1/1/1	-
5	UND	D	504	-	-	0/8/8/8	-
5	UND	D	503	-	-	0/8/8/8	-
3	NAG	B	501	-	-	1/6/23/26	0/1/1/1
6	DD9	B	505	-	-	0/6/6/6	-
5	UND	A	502	-	-	0/8/8/8	-
6	DD9	C	501	-	-	0/6/6/6	-
6	DD9	C	512	-	-	0/6/6/6	-
4	HEX	C	504	-	-	0/3/3/3	-
4	HEX	C	508	-	-	0/3/3/3	-
6	DD9	D	505	-	-	0/6/6/6	-
4	HEX	A	512	-	-	0/3/3/3	-
9	D10	C	507	-	-	0/7/7/7	-
6	DD9	B	509	-	-	0/6/6/6	-
6	DD9	A	508	-	-	3/6/6/6	-
4	HEX	B	503	-	-	0/3/3/3	-
4	HEX	A	507	-	-	0/3/3/3	-
4	HEX	B	506	-	-	0/3/3/3	-
6	DD9	A	511	-	-	0/6/6/6	-
8	HP6	E	503	-	-	0/4/4/4	-
5	UND	D	512	-	-	0/8/8/8	-
5	UND	E	511	-	-	0/8/8/8	-
4	HEX	A	510	-	-	0/3/3/3	-
4	HEX	D	507	-	-	0/3/3/3	-
3	NAG	A	501	-	-	2/6/23/26	0/1/1/1
5	UND	A	509	-	-	0/8/8/8	-
6	DD9	B	507	-	-	0/6/6/6	-
6	DD9	C	513	-	-	0/6/6/6	-
4	HEX	D	513	-	-	0/3/3/3	-
5	UND	E	506	-	-	0/8/8/8	-
7	NBU	D	506	-	-	1/1/1/1	-
7	NBU	E	510	-	-	1/1/1/1	-
8	HP6	D	508	-	-	0/4/4/4	-
8	HP6	A	504	-	-	0/4/4/4	-
8	HP6	E	501	-	-	0/4/4/4	-
6	DD9	B	510	-	-	0/6/6/6	-
6	DD9	E	507	-	-	0/6/6/6	-
8	HP6	C	511	-	-	0/4/4/4	-
4	HEX	C	506	-	-	0/3/3/3	-
4	HEX	E	502	-	-	0/3/3/3	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	504	NAG	O5-C1	-2.17	1.40	1.43

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	501	NAG	O5-C1-C2	-3.37	106.08	111.29
3	A	501	NAG	C2-N2-C7	-2.91	119.00	122.90
3	C	503	NAG	C1-O5-C5	2.61	115.68	112.19

There are no chirality outliers.

5 of 20 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	501	NAG	C1-C2-N2-C7
3	D	501	NAG	C8-C7-N2-C2
3	D	501	NAG	O7-C7-N2-C2
3	A	501	NAG	C8-C7-N2-C2
3	A	501	NAG	O7-C7-N2-C2

There are no ring outliers.

26 monomers are involved in 81 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	501	NAG	3	0
6	E	508	DD9	2	0
4	D	502	HEX	5	0
5	C	509	UND	19	0
3	E	504	NAG	1	0
5	C	505	UND	4	0
5	D	504	UND	3	0
5	D	503	UND	3	0
5	A	502	UND	1	0
6	C	501	DD9	1	0
6	C	512	DD9	1	0
4	A	512	HEX	5	0
9	C	507	D10	5	0
6	A	508	DD9	4	0
6	A	511	DD9	6	0
5	D	512	UND	4	0
5	E	511	UND	1	0



Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	507	HEX	1	0
3	A	501	NAG	1	0
5	A	509	UND	1	0
4	D	513	HEX	4	0
5	E	506	UND	2	0
8	E	501	HP6	4	0
6	B	510	DD9	1	0
6	E	507	DD9	6	0
4	E	502	HEX	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-27553. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 144




Y Index: 144




Z Index: 144


6.2.2 Raw map



X Index: 144



Y Index: 144




Z Index: 144


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 133




Y Index: 132




Z Index: 130


6.3.2 Raw map



X Index: 135



Y Index: 132




Z Index: 125


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 141 nm³; this corresponds to an approximate mass of 127 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.282 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.282 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.55	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.21	6.68	4.28

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.21 differs from the reported value 3.55 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-27553 and PDB model 8DN3. Per-residue inclusion information can be found in section 3 on page 18.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.28 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.28).













9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.28) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8410	 0.4820
A	 0.8430	 0.4790
B	 0.8540	 0.4820
C	 0.8480	 0.4870
D	 0.8530	 0.4840
E	 0.8290	 0.4780

