



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:59 PM UTC

PDB ID : 4DVX / pdb_00004dvx
Title : Crystal structure of clade A/E 93TH057 HIV-1 gp120 core in complex with MAE-II-188
Authors : Kwon, Y.D.; Kwong, P.D.
Deposited on : 2012-02-23
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	353	3% 73% 23% .
1	B	353	6% 63% 32% ..

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5826 atoms, of which 38 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called clade A/E 93TH057 HIV-1 gp120 core.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	339	Total	C	N	O	S	0	0	0
			2654	1666	460	507	21			
1	B	339	Total	C	N	O	S	0	0	0
			2654	1666	460	507	21			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	375	SER	HIS	engineered mutation	UNP A0A0M3KKW9
B	375	SER	HIS	engineered mutation	UNP A0A0M3KKW9

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is N-(4-chloro-3-fluorophenyl)-N'-{[(3R)-1-cyclopropylpyrrolidin-3-yl]methyl}ethanediamide (CCD ID: 0M5) (formula: $C_{16}H_{19}ClFN_3O_2$).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
3	A	1	Total	C	Cl	F	H	N	O	0	0
			42	16	1	1	19	3	2		
3	B	1	Total	C	Cl	F	H	N	O	0	0
			42	16	1	1	19	3	2		

- Molecule 4 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
4	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	63	Total	O	0	0
			63	63		
5	B	33	Total	O	0	0
			33	33		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: clade A/E 93TH057 HIV-1 gp120 core



- Molecule 1: clade A/E 93TH057 HIV-1 gp120 core



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	64.61Å 68.30Å 93.96Å 90.00° 91.47° 90.00°	Depositor
Resolution (Å)	28.46 – 2.40 28.46 – 2.40	Depositor EDS
% Data completeness (in resolution range)	83.5 (28.46-2.40) 78.7 (28.46-2.40)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 2.39Å)	Xtriage
Refinement program	PHENIX 1.8_1069	Depositor
R, R_{free}	0.200 , 0.263 0.215 , 0.269	Depositor DCC
R_{free} test set	1311 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	42.6	Xtriage
Anisotropy	0.364	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 48.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5826	wwPDB-VP
Average B, all atoms (Å ²)	77.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 0M5, NAG, EPE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.24	0/2709	0.68	1/3678 (0.0%)
1	B	0.25	0/2708	0.69	0/3675
All	All	0.24	0/5417	0.69	1/7353 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	448	ASN	CB-CA-C	-6.04	100.40	110.19

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2654	0	2588	69	0
1	B	2654	0	2588	107	0
2	A	154	0	143	7	0
2	B	154	0	143	3	0
3	A	23	19	19	1	0
3	B	23	19	19	2	0
4	A	15	0	17	2	0
4	B	15	0	17	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	63	0	0	6	0
5	B	33	0	0	5	0
All	All	5788	38	5534	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:343:LYS:HE2	1:B:396:ILE:HG22	1.33	1.02
1:B:124:GLY:HA2	1:B:198:GLY:HA3	1.42	1.00
1:A:65:VAL:HG11	1:A:208:ILE:HD12	1.40	0.98
2:A:511:NAG:H83	5:A:662:HOH:O	1.72	0.90
1:B:198:GLY:O	5:B:622:HOH:O	1.94	0.85
1:B:120:VAL:HG13	1:B:434:MET:HB3	1.57	0.84
1:B:378:CYS:HB3	1:B:383:PHE:CE1	2.18	0.79
1:B:332:GLU:C	1:B:333:ILE:HD12	2.09	0.78
1:A:293:GLU:OE1	5:A:648:HOH:O	2.03	0.77
1:B:97:LYS:NZ	1:B:275:GLU:OE2	2.18	0.77
1:B:423:ILE:C	1:B:424:ILE:HD12	2.08	0.77
1:B:106:GLU:OE1	5:B:620:HOH:O	2.05	0.75
1:B:428:GLN:OE1	1:B:428:GLN:N	2.20	0.75
2:A:508:NAG:H82	1:B:252:LYS:HE3	1.69	0.74
1:B:124:GLY:CA	1:B:198:GLY:HA3	2.18	0.74
1:A:421:LYS:HB3	1:A:421:LYS:NZ	2.04	0.73
1:B:65:VAL:HG11	1:B:115:SER:HB3	1.72	0.72
1:A:346:THR:HG23	1:A:359:ILE:HB	1.72	0.72
1:A:480:ARG:NH2	5:A:608:HOH:O	2.22	0.71
1:A:107:ASP:OD2	4:A:513:EPE:H72	1.90	0.70
1:A:82:GLN:OE1	1:A:82:GLN:N	2.21	0.70
1:B:485:LYS:NZ	5:B:629:HOH:O	2.06	0.70
1:B:481:SER:N	5:B:631:HOH:O	1.82	0.69
1:A:65:VAL:CG1	1:A:208:ILE:HD12	2.19	0.69
1:A:290:LYS:HE3	1:A:337:LYS:NZ	2.07	0.69
1:A:423:ILE:C	1:A:424:ILE:HD12	2.18	0.69
1:A:343:LYS:HD3	1:A:396:ILE:HG23	1.76	0.68
1:B:390:LEU:HD11	1:B:416:LEU:HD11	1.76	0.68
1:B:294:ILE:HG13	1:B:333:ILE:HD11	1.77	0.66
1:B:121:LYS:NZ	1:B:123:THR:HG22	2.10	0.66
1:B:357:LYS:HE3	1:B:464:SER:HA	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:111:LEU:C	1:A:111:LEU:HD23	2.20	0.66
1:B:103:GLN:HB3	4:B:513:EPE:O8	1.96	0.66
1:B:233:PHE:CE2	1:B:235:GLY:HA2	2.32	0.65
1:A:333:ILE:HD12	1:A:333:ILE:N	2.13	0.64
2:A:508:NAG:C8	1:B:252:LYS:HE3	2.28	0.64
1:B:121:LYS:HZ2	1:B:123:THR:HG22	1.62	0.64
1:B:82:GLN:H	1:B:82:GLN:CD	2.06	0.63
1:B:107:ASP:OD2	4:B:513:EPE:H72	1.98	0.63
1:A:355:ASN:ND2	2:A:508:NAG:H83	2.14	0.63
1:B:284:ILE:HD12	1:B:284:ILE:N	2.15	0.62
1:B:325:ASP:OD2	1:B:328:LYS:HG3	2.00	0.61
1:B:358:THR:OG1	1:B:464:SER:O	2.15	0.61
1:A:265:LEU:HD11	1:A:291:SER:OG	2.00	0.60
1:B:91:GLU:HG3	1:B:226:LEU:HD13	1.83	0.60
1:A:290:LYS:HE3	1:A:337:LYS:HZ2	1.67	0.60
1:B:376:PHE:HA	3:B:512:OM5:CL	2.39	0.60
1:A:332:GLU:C	1:A:333:ILE:HD12	2.27	0.59
1:B:378:CYS:HB3	1:B:383:PHE:CD1	2.38	0.59
1:A:101:VAL:HG21	1:A:480:ARG:HG2	1.84	0.59
1:B:124:GLY:HA2	1:B:198:GLY:CA	2.24	0.58
1:A:421:LYS:NZ	1:A:423:ILE:O	2.36	0.58
1:B:93:PHE:HB2	1:B:233:PHE:HZ	1.69	0.58
1:B:343:LYS:HE2	1:B:396:ILE:CG2	2.22	0.57
1:A:424:ILE:HD12	1:A:424:ILE:N	2.18	0.57
1:A:103:GLN:HB3	4:A:513:EPE:O8	2.04	0.57
1:B:103:GLN:OE1	4:B:513:EPE:O8	2.17	0.57
1:B:52:LEU:CD2	1:B:219:THR:HG22	2.35	0.57
1:B:45:TRP:NE1	1:B:91:GLU:OE2	2.38	0.57
1:B:65:VAL:CG1	1:B:115:SER:HB3	2.35	0.57
1:B:260:LEU:HD12	1:B:451:GLY:HA3	1.86	0.57
1:B:358:THR:OG1	1:B:465:ASN:ND2	2.38	0.57
1:B:116:LEU:HD21	1:B:208:ILE:HD11	1.87	0.57
1:B:491:ILE:HG22	1:B:492:GLU:N	2.20	0.56
1:A:354:ASN:OD1	2:A:508:NAG:H81	2.05	0.56
1:B:333:ILE:HD12	1:B:333:ILE:N	2.19	0.56
1:A:477:ASP:OD1	1:A:480:ARG:NH1	2.39	0.56
1:A:232:ASN:ND2	1:A:268:GLU:OE1	2.38	0.56
1:B:105:GLN:O	1:B:109:ILE:HG13	2.06	0.55
1:A:429:GLY:O	5:A:627:HOH:O	2.18	0.55
1:B:384:TYR:CE1	1:B:421:LYS:HB2	2.41	0.55
1:B:265:LEU:HD11	1:B:291:SER:OG	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:390:LEU:CD1	1:B:416:LEU:HD11	2.38	0.53
1:B:457:ASP:OD2	1:B:467:THR:OG1	2.24	0.53
1:B:116:LEU:CD2	1:B:208:ILE:HD11	2.39	0.53
1:B:325:ASP:HB3	1:B:328:LYS:HG3	1.91	0.53
1:A:426:MET:SD	1:A:430:THR:OG1	2.67	0.53
1:A:102:GLU:O	1:A:106:GLU:HG3	2.09	0.53
1:B:424:ILE:HD12	1:B:424:ILE:N	2.23	0.52
1:A:475:ILE:O	1:A:478:ASN:HB2	2.09	0.52
1:B:343:LYS:CE	1:B:396:ILE:HG22	2.24	0.52
1:B:231:LYS:NZ	1:B:267:GLU:OE1	2.42	0.51
1:A:348:LYS:NZ	5:A:661:HOH:O	2.26	0.51
1:B:65:VAL:HG11	1:B:208:ILE:HD12	1.93	0.51
1:B:69:TRP:CB	1:B:111:LEU:HD13	2.41	0.51
1:B:386:ASN:OD1	1:B:388:THR:HG23	2.10	0.51
1:A:421:LYS:HB3	1:A:421:LYS:HZ2	1.75	0.51
1:B:101:VAL:HG21	1:B:480:ARG:HG2	1.93	0.51
1:B:341:VAL:O	1:B:345:VAL:HG23	2.11	0.51
1:A:378:CYS:HB3	1:A:383:PHE:CE1	2.46	0.51
1:A:111:LEU:HD23	1:A:111:LEU:O	2.11	0.50
1:A:428:GLN:OE1	1:A:428:GLN:N	2.39	0.50
1:B:112:TRP:CE3	1:B:116:LEU:HD12	2.47	0.50
1:B:346:THR:HG22	1:B:350:LYS:HE2	1.93	0.49
1:B:198:GLY:N	5:B:622:HOH:O	2.44	0.49
1:A:64:GLU:OE1	1:A:66:HIS:HB2	2.12	0.49
1:A:116:LEU:HD12	1:A:116:LEU:N	2.27	0.49
1:A:269:GLU:HG2	2:A:505:NAG:H61	1.94	0.49
1:A:105:GLN:O	1:A:109:ILE:HG13	2.12	0.49
1:A:273:ARG:HB2	1:A:285:ILE:HB	1.95	0.49
1:A:386:ASN:HB3	1:A:417:PRO:HG2	1.94	0.48
1:B:118:PRO:HG3	1:B:433:ALA:HB1	1.95	0.48
1:A:82:GLN:H	1:A:82:GLN:CD	2.17	0.48
1:B:86:LEU:HB3	1:B:89:VAL:HG21	1.94	0.48
1:B:102:GLU:O	1:B:106:GLU:HG3	2.13	0.48
1:A:421:LYS:HB3	1:A:421:LYS:HZ3	1.76	0.48
1:A:87:GLU:O	1:A:89:VAL:HG23	2.14	0.48
1:B:376:PHE:CA	3:B:512:0M5:CL	2.99	0.48
1:A:376:PHE:HA	3:A:512:0M5:CL	2.51	0.48
1:B:294:ILE:O	1:B:294:ILE:HG23	2.13	0.47
1:B:233:PHE:O	1:B:273:ARG:NH1	2.40	0.47
1:A:291:SER:O	1:A:337:LYS:HE3	2.14	0.47
2:A:508:NAG:C8	1:B:252:LYS:CE	2.92	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:279:ASN:C	1:B:281:ALA:H	2.23	0.47
1:A:56:SER:OG	1:A:70:ALA:HB1	2.15	0.46
1:B:357:LYS:CE	1:B:464:SER:HA	2.44	0.46
1:A:52:LEU:CD2	1:A:219:THR:HG22	2.46	0.46
1:A:298:ARG:HD2	1:A:298:ARG:C	2.41	0.45
1:B:53:PHE:CZ	1:B:218:CYS:HB2	2.52	0.45
1:B:241:ASN:HD22	2:B:502:NAG:H83	1.81	0.45
1:B:361:PHE:H	1:B:393:ASN:HD21	1.64	0.45
1:A:65:VAL:HB	1:A:115:SER:OG	2.18	0.44
1:B:298:ARG:HD2	1:B:298:ARG:C	2.42	0.44
1:B:362:GLN:HB3	1:B:363:PRO:HD2	1.99	0.44
1:B:276:ASN:OD1	1:B:278:THR:OG1	2.34	0.44
1:B:327:ARG:O	1:B:419:LYS:HA	2.18	0.44
1:B:382:PHE:O	1:B:420:ILE:HA	2.17	0.44
1:B:258:GLN:HG2	1:B:470:PRO:HB2	1.99	0.44
1:A:294:ILE:O	1:A:294:ILE:HG23	2.17	0.44
1:A:370:GLU:OE1	1:A:370:GLU:N	2.39	0.44
1:A:476:LYS:O	1:A:480:ARG:HG3	2.18	0.44
1:B:227:LYS:HE3	1:B:485:LYS:HE3	1.99	0.43
1:B:364:PRO:HG2	1:B:372:THR:HA	2.00	0.43
1:A:384:TYR:OH	1:A:424:ILE:HG23	2.17	0.43
1:A:432:GLN:N	1:A:432:GLN:OE1	2.51	0.43
1:B:124:GLY:C	1:B:198:GLY:HA3	2.43	0.43
1:B:345:VAL:O	1:B:349:LEU:HG	2.18	0.43
1:B:362:GLN:O	1:B:469:ARG:HG2	2.18	0.43
1:B:270:ILE:O	1:B:348:LYS:HE2	2.18	0.43
4:B:513:EPE:H82	4:B:513:EPE:H51	1.88	0.43
1:B:360:ILE:HB	1:B:467:THR:HG22	2.00	0.43
1:A:341:VAL:O	1:A:345:VAL:HG23	2.19	0.42
1:B:65:VAL:HG23	1:B:66:HIS:N	2.33	0.42
1:A:348:LYS:HD3	5:A:634:HOH:O	2.19	0.42
1:B:457:ASP:OD1	1:B:469:ARG:NH1	2.53	0.42
1:A:265:LEU:HD21	1:A:450:THR:HG22	2.01	0.42
1:B:102:GLU:O	1:B:105:GLN:HB3	2.20	0.42
1:B:360:ILE:HG23	1:B:393:ASN:ND2	2.34	0.42
1:B:363:PRO:O	1:B:469:ARG:HD2	2.18	0.42
1:B:284:ILE:N	1:B:284:ILE:CD1	2.82	0.42
1:B:346:THR:HG23	1:B:359:ILE:HB	2.01	0.42
1:B:455:THR:HG23	1:B:471:GLY:HA3	2.02	0.42
1:A:115:SER:C	1:A:116:LEU:HD12	2.43	0.42
1:B:325:ASP:HB3	1:B:328:LYS:CG	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:491:ILE:HG22	1:B:492:GLU:H	1.84	0.42
1:A:93:PHE:HB2	1:A:233:PHE:HZ	1.85	0.42
1:A:75:VAL:HB	1:A:76:PRO:HD2	2.02	0.42
1:B:94:ASN:ND2	1:B:97:LYS:HD3	2.34	0.42
1:A:219:THR:HG23	1:A:225:ILE:CG1	2.50	0.42
1:A:427:TRP:CE3	1:A:475:ILE:HG13	2.56	0.41
1:B:353:PHE:O	1:B:357:LYS:HB2	2.20	0.41
1:A:361:PHE:O	1:A:393:ASN:ND2	2.44	0.41
1:B:75:VAL:HB	1:B:76:PRO:HD2	2.03	0.41
1:A:66:HIS:CD2	1:A:212:PRO:HA	2.56	0.41
2:B:510:NAG:H83	2:B:510:NAG:H2	1.91	0.41
1:A:65:VAL:HG11	1:A:115:SER:HB3	2.02	0.41
1:A:65:VAL:HG23	1:A:66:HIS:N	2.36	0.41
1:B:69:TRP:HB2	1:B:111:LEU:HD13	2.03	0.41
1:B:361:PHE:H	1:B:393:ASN:ND2	2.19	0.41
1:A:111:LEU:C	1:A:111:LEU:CD2	2.90	0.41
1:B:94:ASN:HD21	1:B:97:LYS:HD3	1.86	0.40
1:B:93:PHE:HB2	1:B:233:PHE:CZ	2.53	0.40
1:B:298:ARG:HA	1:B:299:PRO:HD2	1.94	0.40
1:B:354:ASN:O	1:B:355:ASN:C	2.64	0.40
1:A:390:LEU:HD11	1:A:416:LEU:HD11	2.02	0.40
1:A:280:ASN:HB2	1:A:456:ARG:O	2.21	0.40
1:A:381:GLU:HG3	1:A:443:ILE:HD13	2.04	0.40
1:B:277:LEU:HG	2:B:501:NAG:H83	2.02	0.40
1:B:393:ASN:HA	1:B:396:ILE:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	333/353 (94%)	322 (97%)	10 (3%)	1 (0%)	36	50

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	331/353 (94%)	313 (95%)	16 (5%)	2 (1%)	21	32
All	All	664/706 (94%)	635 (96%)	26 (4%)	3 (0%)	24	37

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	276	ASN
1	B	355	ASN
1	B	123	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	303/311 (97%)	302 (100%)	1 (0%)	86	93
1	B	303/311 (97%)	301 (99%)	2 (1%)	76	88
All	All	606/622 (97%)	603 (100%)	3 (0%)	81	91

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	333	ILE
1	B	120	VAL
1	B	284	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	301	ASN
1	B	117	GLN
1	B	203	GLN
1	B	422	GLN
1	B	432	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	507	1	14,14,15	0.54	0	17,19,21	0.58	0
2	NAG	B	506	1	14,14,15	0.55	0	17,19,21	0.56	0
4	EPE	B	513	-	15,15,15	0.82	1 (6%)	19,20,20	1.78	3 (15%)
2	NAG	B	510	1	14,14,15	0.52	0	17,19,21	0.60	0
2	NAG	B	509	1	14,14,15	0.52	0	17,19,21	0.57	0
2	NAG	A	510	1	14,14,15	0.52	0	17,19,21	0.59	0
2	NAG	B	501	1	14,14,15	0.32	0	17,19,21	0.69	1 (5%)
2	NAG	A	503	1	14,14,15	0.51	0	17,19,21	0.57	0
2	NAG	A	502	1	14,14,15	0.52	0	17,19,21	0.57	0
2	NAG	B	508	1	14,14,15	0.54	0	17,19,21	0.59	0
4	EPE	A	513	-	15,15,15	0.80	1 (6%)	19,20,20	1.72	4 (21%)
2	NAG	B	504	1	14,14,15	0.37	0	17,19,21	0.69	0
2	NAG	A	506	1	14,14,15	0.32	0	17,19,21	0.78	0
2	NAG	B	507	1	14,14,15	0.53	0	17,19,21	0.60	0
2	NAG	A	508	1	14,14,15	0.56	0	17,19,21	0.55	0
3	OM5	A	512	-	25,25,25	2.27	11 (44%)	33,35,35	2.96	10 (30%)
2	NAG	A	505	1	14,14,15	0.51	0	17,19,21	0.60	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	511	1	14,14,15	0.51	0	17,19,21	0.62	0
2	NAG	B	503	1	14,14,15	0.48	0	17,19,21	0.72	0
2	NAG	B	502	1	14,14,15	0.53	0	17,19,21	0.67	0
2	NAG	A	509	1	14,14,15	0.54	0	17,19,21	0.57	0
3	OM5	B	512	-	25,25,25	2.26	12 (48%)	33,35,35	2.95	10 (30%)
2	NAG	A	501	1	14,14,15	0.53	0	17,19,21	0.60	0
2	NAG	A	504	1	14,14,15	0.54	0	17,19,21	0.60	0
2	NAG	A	511	1	14,14,15	0.26	0	17,19,21	0.68	0
2	NAG	B	505	1	14,14,15	0.53	0	17,19,21	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	507	1	-	0/6/23/26	0/1/1/1
2	NAG	B	506	1	-	2/6/23/26	0/1/1/1
4	EPE	B	513	-	-	6/9/19/19	0/1/1/1
2	NAG	B	510	1	-	3/6/23/26	0/1/1/1
2	NAG	B	509	1	-	0/6/23/26	0/1/1/1
2	NAG	A	510	1	-	3/6/23/26	0/1/1/1
2	NAG	B	501	1	-	2/6/23/26	0/1/1/1
2	NAG	A	503	1	-	0/6/23/26	0/1/1/1
2	NAG	A	502	1	-	3/6/23/26	0/1/1/1
2	NAG	B	508	1	-	2/6/23/26	0/1/1/1
4	EPE	A	513	-	-	6/9/19/19	0/1/1/1
2	NAG	B	504	1	-	0/6/23/26	0/1/1/1
2	NAG	A	506	1	-	1/6/23/26	0/1/1/1
2	NAG	B	507	1	-	0/6/23/26	0/1/1/1
2	NAG	A	508	1	-	2/6/23/26	0/1/1/1
3	OM5	A	512	-	-	2/13/28/28	0/3/3/3
2	NAG	A	505	1	-	0/6/23/26	0/1/1/1
2	NAG	B	511	1	-	2/6/23/26	0/1/1/1
2	NAG	B	503	1	-	0/6/23/26	0/1/1/1
2	NAG	B	502	1	-	2/6/23/26	0/1/1/1
2	NAG	A	509	1	-	1/6/23/26	0/1/1/1
3	OM5	B	512	-	-	2/13/28/28	0/3/3/3
2	NAG	A	501	1	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	504	1	-	0/6/23/26	0/1/1/1
2	NAG	A	511	1	-	2/6/23/26	0/1/1/1
2	NAG	B	505	1	-	0/6/23/26	0/1/1/1

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	512	0M5	C08-N02	4.37	1.41	1.33
3	B	512	0M5	C08-N02	4.35	1.41	1.33
3	A	512	0M5	C07-N01	4.10	1.44	1.35
3	B	512	0M5	C07-N01	4.06	1.44	1.35
3	B	512	0M5	C05-N01	3.68	1.49	1.41
3	A	512	0M5	C05-N01	3.65	1.49	1.41
3	B	512	0M5	C08-C07	3.51	1.60	1.53
3	A	512	0M5	C08-C07	3.48	1.60	1.53
3	A	512	0M5	C15-C14	3.06	1.55	1.48
3	B	512	0M5	C15-C14	3.03	1.55	1.48
3	A	512	0M5	C-C14	2.97	1.55	1.48
3	B	512	0M5	C-C14	2.96	1.55	1.48
3	B	512	0M5	C04-C03	2.84	1.43	1.38
3	A	512	0M5	C04-C03	2.80	1.43	1.38
4	B	513	EPE	C10-S	2.72	1.81	1.77
4	A	513	EPE	C10-S	2.70	1.81	1.77
3	A	512	0M5	C11-C12	2.59	1.57	1.52
3	A	512	0M5	C06-C01	2.59	1.42	1.37
3	B	512	0M5	C11-C12	2.57	1.57	1.52
3	B	512	0M5	C06-C01	2.57	1.42	1.37
3	A	512	0M5	C09-C10	2.48	1.56	1.52
3	B	512	0M5	C09-C10	2.45	1.56	1.52
3	A	512	0M5	C04-C05	2.37	1.43	1.39
3	B	512	0M5	C04-C05	2.35	1.43	1.39
3	B	512	0M5	C06-C05	2.01	1.42	1.39

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	512	0M5	C08-C07-N01	7.84	125.50	112.25
3	A	512	0M5	C08-C07-N01	7.83	125.48	112.25
3	A	512	0M5	C07-C08-N02	7.68	122.62	113.48
3	B	512	0M5	C07-C08-N02	7.67	122.61	113.48
3	B	512	0M5	C12-N-C14	7.40	121.28	114.12
3	A	512	0M5	C12-N-C14	7.40	121.27	114.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	512	0M5	C05-C06-C01	5.02	123.02	118.82
4	A	513	EPE	C5-N4-C3	4.99	119.58	108.84
3	B	512	0M5	C05-C06-C01	4.97	122.98	118.82
4	B	513	EPE	C5-N4-C3	4.65	118.87	108.84
3	B	512	0M5	O01-C07-C08	-4.40	114.08	121.24
3	A	512	0M5	O01-C07-C08	-4.39	114.09	121.24
3	B	512	0M5	C13-N-C14	4.04	120.73	114.40
3	A	512	0M5	C13-N-C14	4.03	120.71	114.40
4	B	513	EPE	C7-N4-C3	3.46	120.45	111.24
3	A	512	0M5	C04-C05-C06	-3.26	115.72	119.66
3	B	512	0M5	C04-C05-C06	-3.23	115.75	119.66
4	B	513	EPE	C7-N4-C5	3.21	119.80	111.24
3	B	512	0M5	O-C08-C07	-3.00	116.35	121.24
3	A	512	0M5	O-C08-C07	-2.99	116.38	121.24
3	B	512	0M5	F-C01-C02	2.58	122.09	118.96
3	A	512	0M5	F-C01-C02	2.56	122.06	118.96
4	A	513	EPE	C7-N4-C3	2.31	117.38	111.24
3	A	512	0M5	C01-C02-CL	2.30	122.69	119.79
3	B	512	0M5	C01-C02-CL	2.28	122.67	119.79
2	B	501	NAG	O5-C1-C2	-2.12	108.01	111.29
4	A	513	EPE	C7-N4-C5	2.06	116.73	111.24
4	A	513	EPE	C5-C6-N1	-2.03	106.55	110.65

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	502	NAG	C3-C2-N2-C7
2	A	502	NAG	C8-C7-N2-C2
2	A	502	NAG	O7-C7-N2-C2
2	B	511	NAG	C8-C7-N2-C2
3	A	512	0M5	N02-C09-C10-C11
3	A	512	0M5	N02-C09-C10-C13
3	B	512	0M5	N02-C09-C10-C11
3	B	512	0M5	N02-C09-C10-C13
4	A	513	EPE	C10-C9-N1-C2
4	A	513	EPE	C8-C7-N4-C5
4	A	513	EPE	C9-C10-S-O1S
4	A	513	EPE	C9-C10-S-O2S
4	A	513	EPE	C9-C10-S-O3S
4	B	513	EPE	C8-C7-N4-C5
4	B	513	EPE	C9-C10-S-O2S

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	B	513	EPE	C9-C10-S-O3S
2	B	511	NAG	O7-C7-N2-C2
2	B	502	NAG	C8-C7-N2-C2
2	B	502	NAG	O7-C7-N2-C2
2	B	506	NAG	C8-C7-N2-C2
2	B	510	NAG	C8-C7-N2-C2
2	A	508	NAG	C8-C7-N2-C2
2	A	508	NAG	O7-C7-N2-C2
2	A	510	NAG	C8-C7-N2-C2
2	A	510	NAG	O7-C7-N2-C2
2	A	511	NAG	C8-C7-N2-C2
2	A	511	NAG	O7-C7-N2-C2
2	B	506	NAG	O7-C7-N2-C2
2	B	508	NAG	C8-C7-N2-C2
2	B	508	NAG	O7-C7-N2-C2
2	B	510	NAG	O7-C7-N2-C2
2	A	501	NAG	O5-C5-C6-O6
2	B	510	NAG	O5-C5-C6-O6
2	A	510	NAG	O5-C5-C6-O6
2	B	501	NAG	C4-C5-C6-O6
2	A	509	NAG	O5-C5-C6-O6
4	A	513	EPE	C10-C9-N1-C6
4	B	513	EPE	C10-C9-N1-C2
2	B	501	NAG	O5-C5-C6-O6
4	B	513	EPE	C9-C10-S-O1S
4	B	513	EPE	C10-C9-N1-C6
2	A	506	NAG	C4-C5-C6-O6

There are no ring outliers.

10 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	513	EPE	4	0
2	B	510	NAG	1	0
2	B	501	NAG	1	0
4	A	513	EPE	2	0
2	A	508	NAG	5	0
3	A	512	0M5	1	0
2	A	505	NAG	1	0
2	B	502	NAG	1	0
3	B	512	0M5	2	0
2	A	511	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	124:GLY	C	198:GLY	N	4.32

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	339/353 (96%)	0.35	9 (2%) 56 52	47, 65, 109, 133	0
1	B	339/353 (96%)	0.65	21 (6%) 26 23	51, 80, 131, 166	0
All	All	678/706 (96%)	0.50	30 (4%) 39 34	47, 71, 122, 166	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	124	GLY	4.4
1	A	392	ASN	3.9
1	A	430	THR	3.1
1	B	392	ASN	3.0
1	B	198	GLY	3.0
1	B	411	ASN	2.9
1	B	353	PHE	2.8
1	B	434	MET	2.8
1	B	424	ILE	2.8
1	B	473	GLY	2.6
1	B	396	ILE	2.6
1	B	82	GLN	2.6
1	B	358	THR	2.6
1	A	236	THR	2.6
1	A	324	GLY	2.5
1	B	61	HIS	2.5
1	A	411	ASN	2.5
1	B	232	ASN	2.4
1	B	123	THR	2.4
1	A	383	PHE	2.3
1	A	122	LEU	2.3
1	B	200	VAL	2.2
1	B	394	THR	2.2
1	B	472	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	276	ASN	2.2
1	A	295	ASN	2.2
1	B	430	THR	2.2
1	B	367	GLY	2.1
1	A	224	VAL	2.0
1	B	44	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	B	508	14/15	0.11	0.18	137,152,162,166	0
2	NAG	B	504	14/15	0.42	0.19	24,33,39,42	0
2	NAG	A	502	14/15	0.42	0.21	121,139,158,160	0
2	NAG	A	511	14/15	0.47	0.17	45,55,60,64	0
2	NAG	A	506	14/15	0.50	0.18	37,49,60,63	0
2	NAG	B	501	14/15	0.59	0.15	34,43,46,46	0
2	NAG	A	507	14/15	0.62	0.19	78,107,127,136	0
2	NAG	B	510	14/15	0.63	0.20	153,163,175,178	0
2	NAG	A	510	14/15	0.66	0.17	119,147,162,167	0
2	NAG	B	507	14/15	0.66	0.14	83,110,127,129	0
2	NAG	B	502	14/15	0.70	0.16	112,135,140,143	0
3	OM5	B	512	23/23	0.72	0.17	48,74,127,129	0
2	NAG	B	511	14/15	0.76	0.16	92,103,113,114	0
2	NAG	A	509	14/15	0.77	0.14	76,87,96,100	0
2	NAG	B	506	14/15	0.79	0.14	66,89,108,117	0
2	NAG	B	509	14/15	0.80	0.12	63,85,91,92	0
2	NAG	B	505	14/15	0.80	0.13	92,103,109,113	0

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	A	501	14/15	0.85	0.13	76,83,95,99	0
2	NAG	A	504	14/15	0.85	0.10	65,75,83,86	0
2	NAG	A	505	14/15	0.89	0.11	74,78,90,90	0
2	NAG	A	503	14/15	0.91	0.09	48,60,71,72	0
2	NAG	A	508	14/15	0.92	0.10	54,60,72,86	0
4	EPE	A	513	15/15	0.92	0.14	59,68,75,77	0
2	NAG	B	503	14/15	0.93	0.09	45,56,63,64	0
3	0M5	A	512	23/23	0.93	0.10	48,74,127,129	0
4	EPE	B	513	15/15	0.95	0.10	58,70,83,83	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 0M5 B 512:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 0M5 A 512:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.