



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2026 – 05:38 am BST

PDB ID : 1E18 / pdb_00001e18
Title : TUNGSTEN-SUSBSTITUTED DMSO REDUCTASE FROM RHODOBAC-
TER CAPSULATUS
Authors : Bailey, S.; Stewart, L.J.
Deposited on : 2000-04-28
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	823	 85% 8% • 5%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6475 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DMSO REDUCTASE..

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	779	Total	C	N	O	S	0	0	0
			5976	3800	1012	1137	27			

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	39	SER	THR	conflict	UNP Q52675
A	43	ALA	GLU	conflict	UNP Q52675
A	234	GLU	ASP	conflict	UNP Q52675
A	236	ILE	VAL	conflict	UNP Q52675
A	280	ASP	MET	conflict	UNP Q52675
A	294	GLU	SER	conflict	UNP Q52675
A	295	GLY	ASP	conflict	UNP Q52675
A	312	GLU	LYS	conflict	UNP Q52675
A	456	VAL	ILE	conflict	UNP Q52675
A	552	ALA	GLY	conflict	UNP Q52675

- Molecule 2 is ETHANOL (CCD ID: EOH) (formula: C₂H₆O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			3	2	1		
2	A	1	Total	C	O	0	0
			3	2	1		
2	A	1	Total	C	O	0	0
			3	2	1		

- Molecule 3 is bis-molybdopterin guanine dinucleotide oxo tungsten (CCD ID: DC9) (formula: $C_{40}H_{48}N_{20}O_{27}P_4S_4W$).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	W	0	0
			96	40	20	27	4	4	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	394	Total	O	0	0
			394	394		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: DMSO REDUCTASE.



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	80.92Å 80.92Å 229.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00	Depositor
% Data completeness (in resolution range)	98.0 (20.00-2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.142 , 0.192	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6475	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DC9, EOH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	0/6137	1.44	39/8353 (0.5%)

There are no bond length outliers.

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	383	THR	CA-C-O	10.92	129.28	119.34
1	A	383	THR	CA-C-N	8.23	137.26	121.54
1	A	383	THR	C-N-CA	8.23	137.26	121.54
1	A	458	HIS	CA-CB-CG	7.19	120.99	113.80
1	A	383	THR	CB-CA-C	-7.13	106.13	116.54
1	A	703	THR	CB-CA-C	-7.01	95.01	109.94
1	A	383	THR	N-CA-CB	-6.66	105.39	111.59
1	A	458	HIS	N-CA-CB	6.25	121.18	110.68
1	A	568	VAL	CB-CA-C	-6.25	101.21	110.33
1	A	161	THR	CA-CB-CG2	6.19	121.02	110.50
1	A	506	TYR	CB-CA-C	-6.17	109.45	116.54
1	A	389	LEU	CA-C-O	-6.08	113.95	120.75
1	A	391	ALA	N-CA-C	-6.06	97.89	110.80
1	A	361	SER	N-CA-C	5.86	119.51	111.54
1	A	434	ASN	OD1-CG-ND2	-5.80	116.80	122.60
1	A	391	ALA	CA-C-O	-5.78	112.24	120.51
1	A	360	TYR	N-CA-C	5.62	118.06	108.90
1	A	635	TYR	CB-CA-C	5.60	117.26	108.63
1	A	121	ARG	CD-NE-CZ	5.57	132.20	124.40
1	A	267	ASN	OD1-CG-ND2	-5.54	117.06	122.60
1	A	170	ALA	N-CA-C	5.50	117.83	110.35
1	A	606	ASN	N-CA-CB	-5.43	102.13	110.01
1	A	232	GLY	O-C-N	-5.36	117.69	122.57
1	A	757	VAL	CB-CA-C	-5.32	102.88	110.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	70	ASN	CA-CB-CG	-5.32	107.28	112.60
1	A	5	ASN	CA-C-N	-5.31	114.93	121.83
1	A	5	ASN	C-N-CA	-5.31	114.93	121.83
1	A	641	ALA	N-CA-CB	-5.27	103.81	110.45
1	A	29	PHE	CA-CB-CG	5.27	119.07	113.80
1	A	359	HIS	CA-CB-CG	-5.24	108.56	113.80
1	A	383	THR	N-CA-C	5.16	115.92	108.34
1	A	333	ALA	N-CA-C	5.15	116.58	111.07
1	A	438	HIS	CA-CB-CG	5.14	118.94	113.80
1	A	547	LYS	O-C-N	-5.10	116.72	122.12
1	A	568	VAL	N-CA-CB	5.09	118.95	111.52
1	A	675	ASP	N-CA-C	-5.08	105.82	111.36
1	A	408	ASN	CB-CA-C	-5.07	104.57	111.21
1	A	229	GLU	CB-CG-CD	5.02	121.13	112.60
1	A	700	VAL	N-CA-C	5.01	116.49	108.87

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5976	0	5784	36	0
2	A	9	0	18	1	0
3	A	96	0	0	2	0
4	A	394	0	0	2	0
All	All	6475	0	5802	36	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (36) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:97:VAL:HG22	1:A:427:MET:HE1	1.57	0.87

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:390:ALA:O	1:A:391:ALA:HB3	1.95	0.67
1:A:671:MET:HE1	1:A:761:VAL:HG11	1.85	0.59
1:A:703:THR:HG22	1:A:705:ALA:H	1.66	0.59
1:A:561:ALA:O	1:A:565:GLU:HG3	2.05	0.56
1:A:302:GLU:HG2	4:A:2154:HOH:O	2.07	0.55
1:A:390:ALA:O	1:A:391:ALA:CB	2.55	0.54
1:A:193:GLN:CD	2:A:901:EOH:H21	2.33	0.53
1:A:107:GLN:HG3	1:A:392:SER:HB3	1.92	0.52
1:A:390:ALA:C	1:A:391:ALA:O	2.52	0.49
1:A:379:GLY:O	1:A:383:THR:HG23	2.16	0.46
1:A:147:SER:HB3	3:A:904:DC9:S1	2.55	0.45
1:A:388:TRP:CE2	1:A:395:SER:HB3	2.52	0.45
1:A:216:LYS:NZ	1:A:234:GLU:OE1	2.50	0.45
1:A:389:LEU:O	1:A:390:ALA:C	2.60	0.44
1:A:39:SER:HA	1:A:40:PRO:HD3	1.90	0.44
1:A:389:LEU:O	1:A:389:LEU:HG	2.16	0.43
1:A:618:HIS:HB2	1:A:619:PRO:HD2	2.01	0.43
1:A:107:GLN:H	1:A:107:GLN:CD	2.26	0.43
1:A:121:ARG:HA	1:A:121:ARG:HD3	1.88	0.43
1:A:562:PHE:CD1	1:A:568:VAL:HG23	2.54	0.42
1:A:703:THR:CG2	1:A:705:ALA:H	2.31	0.42
1:A:276:LEU:HB3	1:A:277:PRO:HD3	2.00	0.42
1:A:635:TYR:HA	1:A:636:PRO:HD3	1.95	0.42
1:A:116:TRP:O	1:A:117:LYS:C	2.63	0.42
1:A:391:ALA:O	1:A:392:SER:CB	2.66	0.41
1:A:194:ILE:C	1:A:194:ILE:HD12	2.46	0.41
1:A:147:SER:CB	3:A:904:DC9:S1	3.08	0.41
1:A:389:LEU:C	1:A:390:ALA:O	2.62	0.41
1:A:653:ASN:ND2	1:A:718:TRP:H	2.18	0.41
1:A:170:ALA:HB1	1:A:172:PRO:HD2	2.03	0.40
1:A:603:TYR:OH	1:A:608:GLU:OE1	2.38	0.40
1:A:35:ASP:CG	1:A:201:HIS:HD1	2.29	0.40
1:A:224:ARG:HH11	1:A:224:ARG:HD3	1.72	0.40
1:A:386:PRO:HB2	1:A:388:TRP:HE3	1.86	0.40
1:A:634:LYS:NZ	4:A:2304:HOH:O	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	777/823 (94%)	754 (97%)	19 (2%)	4 (0%)	24	21

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	384	LYS
1	A	390	ALA
1	A	117	LYS
1	A	391	ALA

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	618/649 (95%)	608 (98%)	10 (2%)	55	62

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	65	LEU
1	A	200	GLU
1	A	307	LEU
1	A	389	LEU
1	A	419	ARG
1	A	430	TRP
1	A	547	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	703	THR
1	A	708	LYS
1	A	769	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	241	GLN
1	A	434	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EOH	A	903	-	2,2,2	0.18	0	1,1,1	0.26	0
2	EOH	A	902	-	2,2,2	0.19	0	1,1,1	0.36	0
2	EOH	A	901	-	2,2,2	0.34	0	1,1,1	0.96	0
3	DC9	A	904	1	97,109,109	2.48	29 (29%)	110,176,176	1.52	22 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DC9	A	904	1	-	5/44/156/156	0/14/14/14

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	904	DC9	C30-N10	8.49	1.44	1.35
3	A	904	DC9	W-S13	7.49	2.51	2.38
3	A	904	DC9	C21-N22	6.75	1.42	1.35
3	A	904	DC9	PB-O1B	5.74	1.71	1.50
3	A	904	DC9	PB1-O2	5.71	1.71	1.50
3	A	904	DC9	PA1-O7	5.43	1.70	1.50
3	A	904	DC9	W-S1	5.22	2.47	2.38
3	A	904	DC9	PA-O2A	5.21	1.69	1.50
3	A	904	DC9	C18-C20	4.37	1.57	1.52
3	A	904	DC9	PA1-O4	3.84	1.74	1.59
3	A	904	DC9	PA-O3A	3.76	1.74	1.59
3	A	904	DC9	C29-N6	3.66	1.42	1.34
3	A	904	DC9	C31-C26	3.40	1.56	1.53
3	A	904	DC9	C22-N21	3.40	1.42	1.34
3	A	904	DC9	PB-O5'	3.39	1.73	1.59
3	A	904	DC9	PB1-O1	3.12	1.70	1.55
3	A	904	DC9	PB1-O8	3.11	1.71	1.59
3	A	904	DC9	W-S12	3.11	2.43	2.38
3	A	904	DC9	C19-N19	3.02	1.41	1.34
3	A	904	DC9	C2-N2	2.91	1.41	1.34
3	A	904	DC9	PA1-O5	2.73	1.68	1.55
3	A	904	DC9	PB-O2B	2.65	1.67	1.55
3	A	904	DC9	W-S2	2.60	2.42	2.38
3	A	904	DC9	C24-S1	2.37	1.79	1.74
3	A	904	DC9	O11-C11	-2.28	1.40	1.43
3	A	904	DC9	W-O15	2.27	1.85	1.72
3	A	904	DC9	C2-N3	2.23	1.38	1.33
3	A	904	DC9	C13-S13	2.12	1.79	1.74
3	A	904	DC9	PA-O1A	2.06	1.65	1.55

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	904	DC9	C29-N8-C30	3.76	120.22	113.43
3	A	904	DC9	C2-N1-C6	-3.47	118.77	125.10
3	A	904	DC9	C5-C4-N3	-3.32	123.07	128.46
3	A	904	DC9	C19-N18-C17	-3.23	119.21	125.10
3	A	904	DC9	C13-C12-S12	-3.14	115.96	119.91
3	A	904	DC9	N6-C29-N5	3.06	123.22	116.71
3	A	904	DC9	C51-C41-N31	-3.05	123.52	128.46
3	A	904	DC9	C19-N20-C21	2.99	118.82	113.43
3	A	904	DC9	C3-O9-C15	-2.90	103.08	109.47
3	A	904	DC9	C17-C16-N15	2.84	124.37	116.76
3	A	904	DC9	C22-N31-C41	2.72	117.14	112.30
3	A	904	DC9	C16-C17-N18	2.69	120.32	112.31
3	A	904	DC9	C28-C27-N4	2.59	123.71	116.76
3	A	904	DC9	C51-C41-N91	2.33	109.86	105.63
3	A	904	DC9	C5-C4-N9	2.30	109.79	105.63
3	A	904	DC9	O4'-C1'-C2'	-2.23	101.77	106.64
3	A	904	DC9	C25-C24-S1	-2.17	117.18	119.91
3	A	904	DC9	C27-C28-N5	2.17	118.76	112.31
3	A	904	DC9	C12-C13-S13	2.16	122.63	119.91
3	A	904	DC9	C22-N11-C61	-2.12	121.23	125.10
3	A	904	DC9	O17-C17-C16	-2.08	122.47	127.24
3	A	904	DC9	C51-C61-N11	2.07	118.45	113.19

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	904	DC9	C5'-O5'-PB-O1B
3	A	904	DC9	C5'-O5'-PB-O2B
3	A	904	DC9	PA-O3B-PB-O5'
3	A	904	DC9	C5'-O5'-PB-O3B
3	A	904	DC9	O4'-C4'-C5'-O5'


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	901	EOH	1	0
3	A	904	DC9	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.