



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:39 PM UTC

PDB ID : 2E2D / pdb\_00002e2d  
Title : Flexibility and variability of TIMP binding: X-ray structure of the complex between collagenase-3/MMP-13 and TIMP-2  
Authors : Maskos, K.; Lang, R.; Tschesche, H.; Bode, W.  
Deposited on : 2006-11-11  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.



Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	165	 78% 18%
2	C	180	 71% 27%

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 3052 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Matrix metalloproteinase 13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	165	1317	855	213	244	5	19	0	0

- Molecule 2 is a protein called Metalloproteinase inhibitor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	180	1408	889	243	259	17	9	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	1001	CYS	-	cloning artifact	UNP P16368

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
3	A	2	2	2	0	0

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Ca		
4	A	2	2	2	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
5	A	149	149	149	0	0

*Continued on next page...*

*Continued from previous page...*


<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
5	C	174	Total 174	O 174	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: Matrix metallopeptidase 13

Chain A:  78% 18%



- Molecule 2: Metalloproteinase inhibitor 2

Chain C:  71% 27%



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	72.53Å 72.53Å 181.38Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	23.77 – 2.00	Depositor
% Data completeness (in resolution range)	100.0 (23.77-2.00)	Depositor
$R_{merge}$	0.06	Depositor
$R_{sym}$	0.06	Depositor
Refinement program	REFMAC 5.0	Depositor
R, $R_{free}$	0.200 , 0.231	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3052	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	1.11	2/1365 (0.1%)	1.00	2/1856 (0.1%)
2	C	0.72	0/1441	1.03	4/1944 (0.2%)
All	All	0.93	2/2806 (0.1%)	1.01	6/3800 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	250	SER	C-N	-29.57	0.94	1.33
1	A	247	THR	C-N	8.02	1.45	1.33

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	250	SER	O-C-N	-14.38	103.47	122.59
2	C	1086	ILE	N-CA-C	7.19	118.49	107.99
1	A	247	THR	O-C-N	7.16	131.05	122.96
2	C	1151	TRP	N-CA-C	5.15	117.29	111.11
2	C	1154	GLU	N-CA-C	-5.07	102.05	109.81
2	C	1173	GLY	N-CA-C	-5.02	104.92	112.60

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1317	0	1232	23	1
2	C	1408	0	1373	51	1
3	A	2	0	0	0	0
4	A	2	0	0	0	0
5	A	149	0	0	4	0
5	C	174	0	0	14	0
All	All	3052	0	2605	74	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:1058:GLN:NE2	2:C:1093:ASN:HB2	1.37	1.36
1:A:117:ASN:OD1	1:A:117:ASN:O	1.64	1.15
2:C:1061:GLU:HG3	5:C:294:HOH:O	1.41	1.15
2:C:1092:GLY:HA3	5:C:153:HOH:O	1.60	1.01
1:A:117:ASN:OD1	1:A:117:ASN:C	2.04	1.00
2:C:1058:GLN:NE2	2:C:1093:ASN:CB	2.24	0.99
2:C:1058:GLN:HE22	2:C:1093:ASN:CB	1.77	0.98
2:C:1173:GLY:HA2	5:C:307:HOH:O	1.66	0.95
2:C:1072:CYS:HB3	2:C:1099:THR:CG2	2.01	0.91
1:A:245:THR:HG21	5:A:629:HOH:O	1.75	0.86
1:A:184:LEU:HD12	1:A:184:LEU:N	1.88	0.85
2:C:1058:GLN:HE22	2:C:1093:ASN:HB2	1.03	0.83
2:C:1092:GLY:CA	5:C:153:HOH:O	2.23	0.83
2:C:1007:HIS:CD2	2:C:1008:PRO:HD2	2.15	0.81
2:C:1072:CYS:CB	2:C:1099:THR:HG23	2.12	0.80
1:A:109:ARG:NH2	1:A:264:SER:OG	2.17	0.76
2:C:1093:ASN:HB3	5:C:130:HOH:O	1.86	0.74
1:A:184:LEU:N	1:A:184:LEU:CD1	2.51	0.74
2:C:1058:GLN:CD	2:C:1093:ASN:HB2	2.12	0.74
2:C:1072:CYS:CB	2:C:1099:THR:CG2	2.65	0.73
2:C:1072:CYS:HB3	2:C:1099:THR:HG23	1.68	0.70
2:C:1030:ASP:OD1	2:C:1041:LYS:NZ	2.25	0.70
1:A:184:LEU:CD1	1:A:184:LEU:H	2.04	0.69
1:A:268:PRO:HG2	5:A:642:HOH:O	1.92	0.69
1:A:179:ASP:OD2	1:A:184:LEU:HD13	1.91	0.69
2:C:1158:ASN:O	2:C:1163:LYS:HE3	1.94	0.67
2:C:1026:LYS:NZ	5:C:248:HOH:O	2.23	0.67
2:C:1178:TYR:CZ	2:C:1180:GLY:HA2	2.33	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:1072:CYS:HB2	2:C:1099:THR:HG23	1.79	0.63
2:C:1121:ARG:CZ	5:C:229:HOH:O	2.47	0.62
1:A:184:LEU:HD12	1:A:184:LEU:H	1.64	0.62
2:C:1072:CYS:HB3	2:C:1099:THR:HG22	1.79	0.61
2:C:1115:LYS:HG3	2:C:1116:LYS:N	2.15	0.59
2:C:1049:GLN:NE2	2:C:1060:ILE:H	2.03	0.55
2:C:1114:GLN:HE22	2:C:1158:ASN:HD21	1.54	0.55
2:C:1007:HIS:HD2	2:C:1009:GLN:H	1.54	0.55
2:C:1007:HIS:CD2	2:C:1008:PRO:CD	2.87	0.54
2:C:1092:GLY:N	5:C:153:HOH:O	2.36	0.54
2:C:1050:ILE:O	2:C:1051:LYS:HD3	2.06	0.54
1:A:251:HIS:CG	1:A:251:HIS:O	2.61	0.53
2:C:1063:ILE:HA	2:C:1096:MET:O	2.11	0.51
2:C:1112:ALA:HA	2:C:1115:LYS:HG2	1.93	0.51
1:A:169:ILE:HG22	1:A:170:LYS:HD2	1.94	0.50
2:C:1062:PHE:HB2	2:C:1095:ASN:HD22	1.78	0.49
2:C:1099:THR:HG22	2:C:1100:LEU:N	2.28	0.48
1:A:119:THR:HB	1:A:156:LEU:HD22	1.95	0.48
2:C:1180:GLY:HA3	5:C:150:HOH:O	2.13	0.48
2:C:1026:LYS:HB2	2:C:1078:ILE:HD13	1.94	0.48
2:C:1050:ILE:HG22	2:C:1051:LYS:HG2	1.94	0.47
1:A:105:ASN:ND2	5:A:628:HOH:O	2.47	0.47
2:C:1148:TRP:HZ2	2:C:1157:ILE:O	1.98	0.47
2:C:1180:GLY:C	5:C:150:HOH:O	2.58	0.45
1:A:109:ARG:HE	1:A:265:LEU:HD23	1.81	0.45
1:A:222:HIS:CD2	1:A:222:HIS:C	2.95	0.45
2:C:1171:SER:OG	2:C:1172:ASP:N	2.50	0.45
2:C:1095:ASN:ND2	5:C:169:HOH:O	2.39	0.45
1:A:116:MET:SD	1:A:151:LEU:HD13	2.57	0.45
1:A:104:TYR:N	1:A:257:ASP:OD1	2.50	0.45
2:C:1121:ARG:NH2	5:C:229:HOH:O	2.51	0.44
2:C:1179:ARG:C	2:C:1180:GLY:OXT	2.60	0.44
1:A:107:PHE:O	1:A:108:PRO:C	2.59	0.43
1:A:140:LYS:NZ	5:A:543:HOH:O	2.51	0.43
1:A:236:PRO:HA	1:A:241:PHE:CG	2.54	0.43
2:C:1148:TRP:CH2	2:C:1157:ILE:HG23	2.54	0.43
1:A:195:TYR:O	1:A:196:GLY:C	2.61	0.43
2:C:1150:ASP:O	2:C:1154:GLU:O	2.37	0.43
2:C:1115:LYS:HG3	2:C:1116:LYS:H	1.81	0.42
2:C:1178:TYR:CE2	2:C:1180:GLY:CA	3.02	0.42
2:C:1107:TRP:HA	2:C:1110:LEU:HD23	2.02	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:1093:ASN:CB	5:C:130:HOH:O	2.57	0.41
1:A:149:THR:HB	1:A:150:PRO:CD	2.51	0.41
2:C:1007:HIS:CD2	2:C:1009:GLN:H	2.37	0.40
2:C:1106:PRO:HB2	2:C:1109:THR:HG23	2.03	0.40
2:C:1160:HIS:HE1	5:C:268:HOH:O	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:ILE:CD1	2:C:1153:THR:O[6_654]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	163/165 (99%)	154 (94%)	7 (4%)	2 (1%)	10 6
2	C	178/180 (99%)	167 (94%)	11 (6%)	0	100 100
All	All	341/345 (99%)	321 (94%)	18 (5%)	2 (1%)	21 17

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	248	GLY
1	A	108	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	141/141 (100%)	132 (94%)	9 (6%)	16	12
2	C	153/153 (100%)	147 (96%)	6 (4%)	28	28
All	All	294/294 (100%)	279 (95%)	15 (5%)	21	19

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	105	ASN
1	A	111	LEU
1	A	117	ASN
1	A	118	LEU
1	A	126	THR
1	A	144	VAL
1	A	151	LEU
1	A	156	LEU
1	A	160	ILE
2	C	1006	VAL
2	C	1022	LYS
2	C	1025	ASN
2	C	1026	LYS
2	C	1081	LYS
2	C	1174	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	117	ASN
1	A	260	GLN
2	C	1007	HIS
2	C	1025	ASN
2	C	1044	GLN
2	C	1049	GLN
2	C	1058	GLN
2	C	1095	ASN
2	C	1158	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	250:SER	C	251:HIS	N	0.94

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.