



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2026 – 03:46 am BST

PDB ID : 1E61 / pdb_00001e61
Title : OXIDIZED DMSO REDUCTASE EXPOSED TO HEPES - Structure II BUFFER
Authors : Bailey, S.; Bennett, B.; Adams, B.; Smith, A.T.; Bray, R.C.
Deposited on : 2000-08-06
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	823	
1	C	823	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	ZXR	A	903[B]	X	-	-	-
4	ZXR	C	903[B]	X	-	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12835 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dimethyl sulfoxide/trimethylamine N-oxide reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	766	Total	C	N	O	S	0	0	0
			5880	3737	995	1121	27			
1	C	767	Total	C	N	O	S	0	0	0
			5888	3743	996	1122	27			

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	39	SER	THR	conflict	UNP Q52675
A	43	ALA	GLU	conflict	UNP Q52675
A	107	GLU	GLN	conflict	UNP Q52675
A	234	GLU	ASP	conflict	UNP Q52675
A	236	ILE	VAL	conflict	UNP Q52675
A	280	ASP	MET	conflict	UNP Q52675
A	294	GLU	SER	conflict	UNP Q52675
A	295	GLY	ASP	conflict	UNP Q52675
A	312	GLU	ILE	conflict	UNP Q52675
A	374	ALA	SER	conflict	UNP Q52675
A	456	VAL	ILE	conflict	UNP Q52675
A	526	ALA	LYS	conflict	UNP Q52675
A	552	ALA	GLY	conflict	UNP Q52675
C	39	SER	THR	conflict	UNP Q52675
C	43	ALA	GLU	conflict	UNP Q52675
C	107	GLU	GLN	conflict	UNP Q52675
C	234	GLU	ASP	conflict	UNP Q52675
C	236	ILE	VAL	conflict	UNP Q52675
C	280	ASP	MET	conflict	UNP Q52675
C	294	GLU	SER	conflict	UNP Q52675
C	295	GLY	ASP	conflict	UNP Q52675
C	312	GLU	ILE	conflict	UNP Q52675
C	374	ALA	SER	conflict	UNP Q52675
C	456	VAL	ILE	conflict	UNP Q52675
C	526	ALA	LYS	conflict	UNP Q52675

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	552	ALA	GLY	conflict	UNP Q52675

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is bis-molybdopterin guanine dinucleotide dioxo molybdenum (CCD ID: BKG) (formula: C₄₀H₄₈MoN₂₀O₂₈P₄S₄).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
3	A	1	Total	C	Mo	N	O	P	S	0	1
			96	40	1	20	27	4	4		
3	C	1	Total	C	Mo	N	O	P	S	0	1
			96	40	1	20	27	4	4		

- Molecule 4 is molybdopterin (CCD ID: ZXR) (formula: $C_{20}H_{26}MoN_{10}O_{15}P_2S_2$).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
4	A	1	Total	C	Mo	N	O	P	S	0	1
			49	20	1	10	14	2	2		
4	C	1	Total	C	Mo	N	O	P	S	0	1
			49	20	1	10	14	2	2		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	428	Total 428	O 428	0	0
5	C	339	Total 339	O 339	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Dimethyl sulfoxide/trimethylamine N-oxide reductase



- Molecule 1: Dimethyl sulfoxide/trimethylamine N-oxide reductase



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	71.19Å 118.14Å 235.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90	Depositor
% Data completeness (in resolution range)	78.2 (20.00-1.90)	Depositor
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.178 , 0.216	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	12835	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, BKG, ZXR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.69	0/6037	1.45	37/8215 (0.5%)
1	C	0.68	0/6045	1.46	39/8226 (0.5%)
All	All	0.68	0/12082	1.46	76/16441 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (76) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	438	HIS	CA-CB-CG	10.48	124.28	113.80
1	A	438	HIS	CA-CB-CG	10.05	123.86	113.80
1	C	703	THR	CB-CA-C	-9.84	92.15	110.16
1	A	703	THR	CB-CA-C	-9.17	93.38	110.16
1	C	221	ASP	CA-CB-CG	9.08	121.68	112.60
1	C	458	HIS	CA-CB-CG	8.90	122.70	113.80
1	C	62	ARG	NE-CZ-NH2	-8.79	111.28	119.20
1	C	29	PHE	CA-CB-CG	8.44	122.24	113.80
1	A	458	HIS	CA-CB-CG	8.30	122.11	113.80
1	A	248	LEU	CA-C-N	7.75	128.58	119.98
1	A	248	LEU	C-N-CA	7.75	128.58	119.98
1	C	83	ARG	CD-NE-CZ	7.47	134.86	124.40
1	A	39	SER	CA-C-N	7.43	127.10	119.82
1	A	39	SER	C-N-CA	7.43	127.10	119.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	87	ASP	CA-CB-CG	-7.08	105.53	112.60
1	A	57	TYR	CB-CA-C	-6.96	99.06	109.56
1	C	62	ARG	NE-CZ-NH1	6.89	128.39	121.50
1	C	700	VAL	N-CA-C	6.86	118.93	108.71
1	A	311	PHE	CA-CB-CG	6.85	120.65	113.80
1	C	161	THR	N-CA-CB	6.78	123.48	111.69
1	A	276	LEU	CA-C-N	6.69	126.47	119.05
1	A	276	LEU	C-N-CA	6.69	126.47	119.05
1	C	568	VAL	CA-C-O	-6.46	113.74	120.27
1	A	32	TRP	CA-CB-CG	6.39	125.74	113.60
1	C	458	HIS	N-CA-CB	6.37	121.38	110.68
1	A	700	VAL	N-CA-C	6.34	117.83	109.21
1	A	757	VAL	N-CA-C	6.24	117.07	107.78
1	C	72	ASP	CA-CB-CG	6.19	118.79	112.60
1	C	404	ASP	CA-CB-CG	5.99	118.59	112.60
1	A	8	VAL	CA-C-O	-5.91	114.06	120.67
1	A	638	HIS	CA-C-O	-5.88	114.16	120.92
1	C	311	PHE	CA-CB-CG	5.88	119.67	113.80
1	A	357	SER	CA-C-O	-5.85	114.35	120.32
1	C	398	PRO	CA-C-O	-5.84	114.96	121.32
1	A	482	ASN	CA-C-O	-5.81	114.59	121.16
1	C	334	HIS	CA-CB-CG	-5.79	108.01	113.80
1	C	205	PRO	CA-C-N	5.79	126.40	119.98
1	C	205	PRO	C-N-CA	5.79	126.40	119.98
1	A	233	ALA	N-CA-C	5.68	118.03	110.53
1	A	703	THR	CA-CB-OG1	5.67	118.11	109.60
1	C	161	THR	CB-CA-C	-5.63	97.69	110.07
1	A	29	PHE	CA-CB-CG	5.62	119.42	113.80
1	A	161	THR	CB-CA-C	-5.62	98.14	110.67
1	A	161	THR	N-CA-CB	5.59	120.68	111.62
1	C	399	VAL	N-CA-C	5.55	116.95	110.62
1	A	425	VAL	N-CA-C	5.54	116.75	109.21
1	C	483	ASP	CA-CB-CG	5.52	118.12	112.60
1	C	8	VAL	CA-C-O	-5.51	114.74	120.64
1	A	757	VAL	CB-CA-C	-5.47	102.67	110.12
1	A	742	ASP	CA-CB-CG	5.44	118.04	112.60
1	A	653	ASN	OD1-CG-ND2	-5.43	117.17	122.60
1	C	297	SER	N-CA-C	5.42	119.61	112.89
1	A	326	ARG	NE-CZ-NH1	5.42	126.92	121.50
1	C	694	GLY	N-CA-C	5.38	118.39	110.80
1	C	720	ASP	CA-C-N	5.38	125.31	119.76
1	C	720	ASP	C-N-CA	5.38	125.31	119.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	656	VAL	CB-CA-C	-5.37	101.54	111.79
1	C	778	LYS	N-CA-C	5.30	117.75	111.33
1	A	732	LYS	CA-C-O	-5.29	112.75	119.31
1	A	399	VAL	N-CA-C	5.29	116.01	110.62
1	C	330	GLY	CA-C-N	5.27	127.87	120.28
1	C	330	GLY	C-N-CA	5.27	127.87	120.28
1	C	601	GLU	CA-C-O	5.23	126.36	120.92
1	A	693	ARG	CD-NE-CZ	5.23	131.72	124.40
1	C	296	ILE	CB-CA-C	-5.22	105.13	111.87
1	C	109	VAL	CB-CA-C	-5.21	103.35	110.96
1	A	508	ALA	O-C-N	-5.20	116.72	122.86
1	C	769	VAL	N-CA-CB	-5.19	102.88	112.43
1	C	774	PHE	CA-CB-CG	-5.18	108.62	113.80
1	A	769	VAL	N-CA-CB	-5.16	102.27	111.92
1	A	51	SER	CA-C-N	5.08	124.75	119.56
1	A	51	SER	C-N-CA	5.08	124.75	119.56
1	C	105	GLY	CA-C-N	5.08	124.74	119.56
1	C	105	GLY	C-N-CA	5.08	124.74	119.56
1	A	703	THR	CA-C-O	-5.04	115.34	120.89
1	C	229	GLU	CB-CA-C	-5.04	102.97	110.88

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	703	THR	Mainchain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5880	0	5680	18	0
1	C	5888	0	5691	17	0
2	A	5	0	0	0	0
2	C	5	0	0	0	0
3	A	96	0	0	0	0
3	C	96	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	49	0	0	0	0
4	C	49	0	0	2	0
5	A	428	0	0	4	0
5	C	339	0	0	2	0
All	All	12835	0	11371	39	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (39) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:671:MET:HE1	1:C:761:VAL:HG11	1.72	0.71
1:A:226:LYS:HG2	5:A:2137:HOH:O	1.89	0.71
4:C:903[B]:ZXR:OT1	4:C:903[B]:ZXR:MO	1.71	0.61
1:A:226:LYS:HD2	1:A:645:PHE:CZ	2.37	0.58
1:A:562:PHE:HD1	1:A:568:VAL:HG23	1.71	0.55
1:C:552:ALA:HB2	5:C:2214:HOH:O	2.07	0.54
1:A:555:GLU:O	1:A:555:GLU:HG3	2.07	0.53
1:C:562:PHE:CD1	1:C:568:VAL:HG23	2.46	0.51
1:C:696:ILE:HG22	1:C:731:ASP:HB3	1.92	0.50
1:A:5:ASN:HA	1:A:21:VAL:O	2.13	0.49
1:A:306:GLU:HG2	5:A:2185:HOH:O	2.11	0.49
1:C:595:THR:HB	1:C:596:PRO:HD2	1.96	0.47
1:C:252:HIS:CE1	1:C:289:THR:HG22	2.50	0.47
1:C:624:PRO:HG2	1:C:627:ARG:HB3	1.96	0.47
1:A:412:GLU:OE1	1:A:419:ARG:NH1	2.45	0.46
1:C:424:ASP:OD1	1:C:451:LYS:NZ	2.41	0.46
1:A:780:ALA:HB1	5:A:2027:HOH:O	2.16	0.46
1:C:184:TRP:O	1:C:185:ALA:HB3	2.15	0.46
1:C:401:ARG:NE	1:C:404:ASP:OD2	2.35	0.45
1:C:595:THR:HB	1:C:596:PRO:CD	2.47	0.45
1:A:407:GLU:OE1	1:A:444:ARG:NH2	2.35	0.45
1:C:171:TRP:HB2	1:C:172:PRO:HD3	2.00	0.44
1:C:226:LYS:HD3	5:C:2102:HOH:O	2.16	0.44
1:A:224:ARG:HD2	5:A:2140:HOH:O	2.18	0.44
1:A:371:PRO:HD2	1:A:570:PHE:CZ	2.52	0.44
1:A:535:MET:HE1	1:A:559:PHE:HZ	1.82	0.44
1:C:562:PHE:HD1	1:C:568:VAL:HG23	1.83	0.43
1:A:397:ILE:O	1:A:397:ILE:HG13	2.18	0.43
1:A:562:PHE:CD1	1:A:568:VAL:HG23	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:653:ASN:ND2	1:C:718:TRP:H	2.17	0.42
1:C:204:TYR:HB2	1:C:205:PRO:HD3	2.01	0.42
1:A:116:TRP:O	1:A:117:LYS:C	2.62	0.42
1:C:51:SER:HB2	1:C:52:PRO:CD	2.51	0.41
1:A:663:VAL:HB	1:A:699:GLY:HA3	2.03	0.40
1:A:171:TRP:N	1:A:172:PRO:HD2	2.37	0.40
1:A:194:ILE:C	1:A:194:ILE:HD12	2.45	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	762/823 (93%)	740 (97%)	22 (3%)	0	100	100
1	C	763/823 (93%)	742 (97%)	20 (3%)	1 (0%)	48	40
All	All	1525/1646 (93%)	1482 (97%)	42 (3%)	1 (0%)	48	40

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	734	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	609/648 (94%)	598 (98%)	11 (2%)	51	50
1	C	610/648 (94%)	598 (98%)	12 (2%)	48	46
All	All	1219/1296 (94%)	1196 (98%)	23 (2%)	50	47

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	THR
1	A	65	LEU
1	A	161	THR
1	A	176	GLU
1	A	200	GLU
1	A	307	LEU
1	A	430	TRP
1	A	703	THR
1	A	763	LYS
1	A	769	VAL
1	A	778	LYS
1	C	53	THR
1	C	65	LEU
1	C	161	THR
1	C	200	GLU
1	C	216	LYS
1	C	229	GLU
1	C	307	LEU
1	C	430	TRP
1	C	659	GLU
1	C	703	THR
1	C	708	LYS
1	C	769	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	434	ASN
1	A	606	ASN
1	A	737	ASN
1	C	241	GLN
1	C	606	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SO4	C	901	-	4,4,4	0.52	0	6,6,6	0.44	0
4	ZXR	A	903[B]	1,3	46,55,56	2.51	12 (26%)	54,86,89	1.78	13 (24%)
2	SO4	A	901	-	4,4,4	0.48	0	6,6,6	0.32	0
4	ZXR	C	903[B]	1,3	46,55,56	2.52	13 (28%)	54,86,89	2.20	7 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ZXR	A	903[B]	1,3	2/2/12/14	7/22/74/76	0/7/7/7
4	ZXR	C	903[B]	1,3	1/1/12/14	7/22/74/76	0/7/7/7

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	903[B]	ZXR	C13-C12	-8.64	1.35	1.56
4	A	903[B]	ZXR	C21-N22	7.86	1.44	1.35
4	A	903[B]	ZXR	C13-C12	-7.86	1.37	1.56
4	C	903[B]	ZXR	C21-N22	6.23	1.42	1.35
4	A	903[B]	ZXR	PA-O1A	5.97	1.72	1.50
4	C	903[B]	ZXR	PA-O1A	5.48	1.70	1.50
4	C	903[B]	ZXR	PB-O2B	5.31	1.69	1.50
4	A	903[B]	ZXR	PB-O2B	4.24	1.65	1.50
4	C	903[B]	ZXR	PA-O3A	4.10	1.75	1.59
4	A	903[B]	ZXR	C2-N2	3.74	1.43	1.34
4	A	903[B]	ZXR	PB-O5'	3.73	1.74	1.59
4	C	903[B]	ZXR	C19-N19	3.56	1.42	1.34
4	C	903[B]	ZXR	PB-O5'	3.49	1.73	1.59
4	A	903[B]	ZXR	PA-O3A	3.49	1.73	1.59
4	A	903[B]	ZXR	PB-O1B	3.32	1.70	1.55
4	C	903[B]	ZXR	PB-O1B	3.13	1.70	1.55
4	C	903[B]	ZXR	C4-N9	-3.03	1.34	1.37
4	A	903[B]	ZXR	PA-O2A	2.80	1.68	1.55
4	C	903[B]	ZXR	PA-O2A	2.75	1.68	1.55
4	C	903[B]	ZXR	C2-N2	2.68	1.40	1.34
4	C	903[B]	ZXR	C23-C14	2.54	1.55	1.53
4	A	903[B]	ZXR	C2-N1	2.25	1.38	1.33
4	C	903[B]	ZXR	C6-C5	-2.20	1.38	1.45
4	A	903[B]	ZXR	C4-N9	-2.14	1.35	1.37
4	A	903[B]	ZXR	C19-N20	2.11	1.38	1.33

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	903[B]	ZXR	C5-C4-N9	10.97	111.37	106.23
4	A	903[B]	ZXR	C5-C4-N9	6.63	109.34	106.23
4	C	903[B]	ZXR	C11-O11-C23	-6.06	104.30	112.52
4	C	903[B]	ZXR	C8-N9-C4	-5.06	102.49	106.71
4	A	903[B]	ZXR	O6-C6-N1	-4.26	112.97	120.23
4	A	903[B]	ZXR	C13-C14-N15	3.79	112.02	109.63
4	C	903[B]	ZXR	C19-N20-C21	2.91	118.67	113.43
4	A	903[B]	ZXR	N2-C2-N3	2.84	122.76	116.71
4	C	903[B]	ZXR	C17-C16-N15	2.77	124.18	116.76
4	A	903[B]	ZXR	C23-C14-N15	2.61	114.07	108.76
4	C	903[B]	ZXR	O6-C6-N1	-2.56	115.87	120.23
4	A	903[B]	ZXR	C19-N18-C17	-2.47	120.60	125.10
4	A	903[B]	ZXR	C11-O11-C23	-2.41	109.25	112.52
4	A	903[B]	ZXR	C8-N9-C4	-2.38	104.73	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	903[B]	ZXR	C16-C17-N18	2.34	119.27	112.31
4	A	903[B]	ZXR	C17-C16-N15	2.31	122.95	116.76
4	A	903[B]	ZXR	PA-O3B-PB	2.21	140.39	132.83
4	A	903[B]	ZXR	C4'-O4'-C1'	-2.12	104.81	109.47
4	A	903[B]	ZXR	C19-N20-C21	2.11	117.24	113.43
4	C	903[B]	ZXR	C23-C14-N15	2.00	112.84	108.76

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	903[B]	ZXR	C13
4	A	903[B]	ZXR	C12
4	C	903[B]	ZXR	C13

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	903[B]	ZXR	C5'-O5'-PB-O2B
4	A	903[B]	ZXR	C5'-O5'-PB-O1B
4	A	903[B]	ZXR	O3A-C10-C11-O11
4	A	903[B]	ZXR	O3A-C10-C11-C12
4	C	903[B]	ZXR	C5'-O5'-PB-O2B
4	C	903[B]	ZXR	C5'-O5'-PB-O1B
4	C	903[B]	ZXR	O3A-C10-C11-O11
4	C	903[B]	ZXR	O3A-C10-C11-C12
4	A	903[B]	ZXR	PA-O3B-PB-O5'
4	C	903[B]	ZXR	PA-O3B-PB-O5'
4	C	903[B]	ZXR	O4'-C4'-C5'-O5'
4	A	903[B]	ZXR	O4'-C4'-C5'-O5'
4	A	903[B]	ZXR	C5'-O5'-PB-O3B
4	C	903[B]	ZXR	C5'-O5'-PB-O3B



There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	903[B]	ZXR	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.