



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:25 AM UTC

PDB ID : 1E7E / pdb_00001e7e
Title : HUMAN SERUM ALBUMIN COMPLEXED WITH DECANOIC ACID
(CAPRIC ACID)
Authors : Bhattacharya, A.A.; Gruene, T.; Curry, S.
Deposited on : 2000-08-29
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	585	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4591 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SERUM ALBUMIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	582	Total	C	N	O	S	0	0	0
			4455	2821	747	846	41			

- Molecule 2 is DECANOIC ACID (CCD ID: DKA) (formula: $C_{10}H_{20}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			11	9	2		
2	A	1	Total	C	O	0	0
			10	8	2		
2	A	1	Total	C	O	0	0
			9	7	2		
2	A	1	Total	C	O	0	0
			12	10	2		
2	A	1	Total	C	O	0	0
			11	9	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 11 9 2	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C O 12 10 2	0	0
2	A	1	Total C O 12 10 2	0	0
2	A	1	Total C 8 8	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	30	Total O 30 30	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SERUM ALBUMIN



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	186.78Å 39.19Å 95.34Å 90.00° 105.15° 90.00°	Depositor
Resolution (Å)	40.00 – 2.50 40.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	97.1 (40.00-2.50) 97.1 (40.00-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.61 (at 2.51Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.220 , 0.271 0.213 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	51.2	Xtriage
Anisotropy	0.323	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 83.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4591	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DKA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/4542	0.96	18/6157 (0.3%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	94	GLN	N-CA-C	-11.19	95.76	110.53
1	A	95	GLU	N-CA-C	8.28	124.01	112.75
1	A	178	LEU	N-CA-C	7.28	118.91	110.97
1	A	541	LYS	N-CA-C	-6.96	104.27	112.89
1	A	207	GLY	N-CA-C	6.28	119.93	112.33
1	A	76	THR	N-CA-C	-6.14	105.77	113.20
1	A	443	ALA	N-CA-C	5.87	117.48	111.14
1	A	95	GLU	CA-C-N	-5.80	112.59	119.84
1	A	95	GLU	C-N-CA	-5.80	112.59	119.84
1	A	172	ALA	N-CA-C	-5.66	104.75	111.03
1	A	498	VAL	CA-C-N	5.47	126.68	119.84
1	A	498	VAL	C-N-CA	5.47	126.68	119.84
1	A	126	ALA	N-CA-C	-5.39	105.30	111.07
1	A	323	LYS	N-CA-C	5.30	117.80	111.71
1	A	365	ASP	CA-C-N	5.29	124.75	119.24
1	A	365	ASP	C-N-CA	5.29	124.75	119.24
1	A	339	PRO	N-CA-C	-5.13	107.94	114.35
1	A	157	PHE	N-CA-C	-5.04	105.50	111.69

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4455	0	4228	175	0
2	A	106	0	152	10	0
3	A	30	0	0	2	0
All	All	4591	0	4380	175	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (175) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:548:MET:HG2	2:A:1005:DKA:H41	1.50	0.92
1:A:479:GLU:HG3	1:A:480:SER:N	1.89	0.87
1:A:479:GLU:OE2	1:A:487:CYS:HB2	1.75	0.86
1:A:59:ALA:HB3	1:A:62:CYS:SG	2.18	0.82
1:A:267:ASN:HD22	1:A:267:ASN:N	1.79	0.81
1:A:19:PHE:O	1:A:23:VAL:HG23	1.83	0.78
1:A:151:ALA:HB3	1:A:152:PRO:HD3	1.69	0.74
1:A:114:ARG:NH2	1:A:116:VAL:HG12	2.02	0.73
1:A:118:PRO:HG2	1:A:123:MET:HG3	1.70	0.73
1:A:49:PHE:O	1:A:52:THR:HB	1.91	0.70
1:A:29:GLN:HG2	1:A:147:PRO:HA	1.72	0.69
1:A:521:ARG:O	1:A:525:LYS:HG3	1.92	0.69
1:A:138:TYR:O	1:A:142:ILE:HG12	1.93	0.68
1:A:81:ARG:O	1:A:85:GLY:HA2	1.92	0.68
1:A:95:GLU:O	1:A:96:PRO:C	2.32	0.68
1:A:138:TYR:HB3	2:A:1001:DKA:H72	1.74	0.67
1:A:366:PRO:C	1:A:368:GLU:H	2.01	0.67
1:A:485:ARG:HB3	1:A:486:PRO:HD3	1.77	0.66
1:A:424:VAL:O	1:A:428:ARG:HG3	1.95	0.65
1:A:475:LYS:O	1:A:479:GLU:HB3	1.97	0.65
1:A:385:GLN:HG3	1:A:446:MET:HE1	1.80	0.64
1:A:9:HIS:O	1:A:13:ASP:HB2	1.99	0.63
1:A:525:LYS:HD3	2:A:1005:DKA:H22	1.81	0.63
1:A:510:HIS:O	1:A:513:ILE:HG23	1.99	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:208:GLU:HG2	1:A:212:LYS:HD2	1.83	0.61
1:A:77:VAL:O	1:A:80:LEU:HB2	2.00	0.61
1:A:499:PRO:HB3	1:A:535:HIS:O	2.00	0.60
1:A:265:CYS:O	1:A:268:GLN:HG3	2.00	0.60
1:A:16:GLU:O	1:A:20:LYS:HG3	2.01	0.59
1:A:107:ASP:O	1:A:147:PRO:HG3	2.02	0.59
1:A:133:THR:O	1:A:137:LYS:HB2	2.02	0.59
1:A:161:TYR:CD1	1:A:185:LEU:HD23	2.37	0.59
1:A:567:CYS:O	1:A:571:GLU:HB2	2.04	0.58
1:A:344:VAL:HG22	1:A:450:GLU:OE2	2.04	0.58
1:A:323:LYS:HE3	3:A:2026:HOH:O	2.04	0.58
1:A:446:MET:HB3	1:A:447:PRO:HD3	1.85	0.58
1:A:177:CYS:O	1:A:180:PRO:HD2	2.04	0.58
1:A:86:GLU:O	1:A:89:ASP:HB2	2.04	0.57
1:A:233:LYS:HE2	1:A:237:ASP:OD2	2.03	0.57
1:A:420:THR:N	1:A:421:PRO:HD2	2.18	0.57
1:A:513:ILE:HA	1:A:516:LEU:HD12	1.87	0.57
1:A:317:LYS:HG3	1:A:318:ASN:N	2.19	0.56
1:A:430:LEU:HD12	1:A:456:VAL:HG11	1.87	0.56
1:A:420:THR:O	1:A:424:VAL:HG23	2.04	0.56
1:A:420:THR:HG23	1:A:530:VAL:HG11	1.87	0.56
1:A:284:LEU:HD12	2:A:1002:DKA:H42	1.87	0.56
1:A:366:PRO:C	1:A:368:GLU:N	2.64	0.56
1:A:245:CYS:HA	1:A:253:CYS:HB2	1.88	0.56
1:A:540:THR:O	1:A:544:LEU:HB2	2.06	0.55
1:A:95:GLU:OE2	1:A:99:ASN:HB2	2.07	0.55
1:A:241:VAL:HG22	1:A:256:ASP:HB3	1.89	0.55
1:A:306:ALA:HA	1:A:310:VAL:HG23	1.89	0.55
1:A:114:ARG:HH21	1:A:116:VAL:HA	1.70	0.55
1:A:79:THR:HB	1:A:83:THR:OG1	2.07	0.55
1:A:378:LYS:O	1:A:382:GLU:HG3	2.07	0.55
1:A:488:PHE:HB3	2:A:1004:DKA:H52	1.89	0.54
1:A:511:ALA:O	1:A:514:CYS:SG	2.65	0.54
1:A:549:ASP:O	1:A:552:ALA:HB3	2.08	0.54
1:A:299:PRO:HB2	1:A:302:LEU:CD2	2.38	0.54
1:A:360:CYS:O	1:A:366:PRO:HG3	2.07	0.53
1:A:5:SER:HA	1:A:62:CYS:O	2.08	0.53
1:A:510:HIS:C	1:A:512:ASP:H	2.17	0.53
1:A:115:LEU:HD13	1:A:145:ARG:CZ	2.39	0.52
1:A:73:LYS:O	1:A:76:THR:HB	2.09	0.52
1:A:480:SER:HB2	2:A:1006:DKA:O2	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:510:HIS:O	1:A:512:ASP:N	2.43	0.52
1:A:36:PHE:CE1	1:A:137:LYS:HA	2.45	0.52
1:A:81:ARG:O	1:A:81:ARG:HG3	2.09	0.52
1:A:21:ALA:O	1:A:25:ILE:HG13	2.10	0.52
1:A:366:PRO:O	1:A:368:GLU:N	2.43	0.51
1:A:430:LEU:CD1	1:A:456:VAL:HG11	2.40	0.51
1:A:392:CYS:O	1:A:396:GLU:HG2	2.10	0.51
1:A:220:SER:HB2	1:A:335:ALA:HB3	1.92	0.51
1:A:513:ILE:HD11	1:A:555:VAL:CG1	2.41	0.51
1:A:302:LEU:O	1:A:303:PRO:O	2.28	0.51
1:A:400:GLU:O	1:A:404:GLN:HG3	2.11	0.50
1:A:465:GLU:O	1:A:468:PRO:HD3	2.10	0.50
1:A:227:GLU:O	1:A:230:GLU:N	2.44	0.50
1:A:306:ALA:HA	1:A:310:VAL:CG2	2.41	0.50
1:A:291:ALA:HA	2:A:1007:DKA:H82	1.93	0.50
1:A:487:CYS:O	1:A:490:ALA:HB3	2.12	0.50
1:A:33:GLN:HB2	1:A:84:TYR:CZ	2.47	0.49
1:A:214:TRP:CD1	1:A:343:VAL:HG11	2.47	0.49
1:A:240:LYS:HE3	1:A:244:GLU:OE2	2.12	0.49
1:A:32:GLN:HE22	1:A:107:ASP:H	1.61	0.49
1:A:224:PRO:HD2	1:A:296:ASP:HB3	1.95	0.49
1:A:513:ILE:HD11	1:A:555:VAL:HG13	1.94	0.49
1:A:77:VAL:HG12	1:A:80:LEU:H	1.78	0.48
1:A:415:VAL:HG23	1:A:415:VAL:O	2.13	0.48
1:A:214:TRP:CZ2	1:A:218:ARG:HD3	2.48	0.48
1:A:495:GLU:HA	1:A:495:GLU:OE1	2.13	0.48
1:A:480:SER:OG	1:A:483:ASN:HB2	2.14	0.48
1:A:483:ASN:C	1:A:486:PRO:HD2	2.39	0.48
1:A:87:MET:HE2	1:A:105:HIS:HB3	1.94	0.48
1:A:11:PHE:CZ	1:A:51:LYS:HD2	2.49	0.48
1:A:532:LEU:HD12	1:A:532:LEU:O	2.13	0.48
1:A:558:CYS:C	1:A:560:LYS:H	2.22	0.48
1:A:296:ASP:OD1	1:A:297:GLU:N	2.46	0.47
1:A:225:LYS:HE3	1:A:297:GLU:O	2.14	0.47
1:A:10:ARG:O	1:A:14:LEU:HB2	2.15	0.47
1:A:267:ASN:O	1:A:271:ILE:HD12	2.15	0.47
1:A:433:VAL:HG22	1:A:452:TYR:HB3	1.96	0.47
1:A:5:SER:OG	1:A:62:CYS:HB3	2.14	0.47
1:A:267:ASN:N	1:A:267:ASN:ND2	2.49	0.47
1:A:560:LYS:HB3	1:A:560:LYS:HE2	1.60	0.47
1:A:564:LYS:C	1:A:566:THR:H	2.23	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:6:GLU:O	1:A:10:ARG:HG2	2.14	0.47
1:A:160:ARG:NH2	1:A:188:GLU:OE1	2.39	0.47
1:A:480:SER:OG	1:A:483:ASN:N	2.47	0.47
1:A:161:TYR:CE1	1:A:185:LEU:HD23	2.49	0.46
1:A:165:PHE:CE1	1:A:178:LEU:HD21	2.50	0.46
1:A:194:ALA:HB2	2:A:1008:DKA:H91	1.97	0.46
1:A:459:GLN:HG3	2:A:1008:DKA:H72	1.97	0.46
1:A:575:LEU:C	1:A:577:ALA:N	2.73	0.45
1:A:16:GLU:OE1	1:A:51:LYS:HE2	2.15	0.45
1:A:311:GLU:O	1:A:312:SER:C	2.59	0.45
1:A:383:GLU:HB3	1:A:384:PRO:HD3	1.98	0.45
1:A:516:LEU:HD22	1:A:520:GLU:CB	2.47	0.45
1:A:80:LEU:HA	1:A:84:TYR:HD2	1.81	0.45
1:A:33:GLN:HB2	1:A:84:TYR:CE1	2.52	0.45
1:A:39:HIS:HD2	1:A:140:TYR:CE2	2.34	0.45
1:A:61:ASN:C	1:A:63:ASP:N	2.74	0.45
1:A:518:GLU:O	1:A:522:GLN:HG3	2.17	0.45
1:A:383:GLU:HB3	1:A:384:PRO:CD	2.47	0.45
1:A:315:VAL:HG12	1:A:316:CYS:N	2.32	0.44
1:A:76:THR:HG22	1:A:76:THR:O	2.17	0.44
1:A:5:SER:HB3	1:A:8:ALA:HB3	1.98	0.44
1:A:214:TRP:CH2	1:A:218:ARG:HD3	2.52	0.44
1:A:479:GLU:HG3	1:A:480:SER:H	1.80	0.44
1:A:420:THR:HG23	1:A:530:VAL:CG1	2.47	0.44
1:A:420:THR:N	1:A:421:PRO:CD	2.80	0.44
1:A:409:VAL:O	1:A:413:LYS:HG3	2.17	0.44
1:A:360:CYS:C	1:A:362:ALA:H	2.26	0.44
1:A:464:HIS:CE1	1:A:469:VAL:H	2.36	0.44
1:A:412:THR:OG1	1:A:423:LEU:HD13	2.18	0.43
1:A:77:VAL:HG12	1:A:80:LEU:HB2	2.00	0.43
1:A:87:MET:HE2	1:A:105:HIS:CB	2.47	0.43
1:A:366:PRO:O	1:A:369:CYS:N	2.50	0.43
1:A:530:VAL:HG12	1:A:534:LYS:HE3	1.99	0.43
1:A:257:ARG:HH21	1:A:287:SER:CB	2.32	0.43
1:A:459:GLN:O	1:A:463:LEU:HG	2.18	0.43
1:A:61:ASN:C	1:A:63:ASP:H	2.27	0.43
1:A:426:VAL:O	1:A:430:LEU:HD13	2.19	0.43
1:A:583:LEU:O	1:A:584:GLY:O	2.37	0.43
1:A:118:PRO:HG2	1:A:123:MET:CG	2.45	0.42
1:A:441:PRO:O	1:A:443:ALA:N	2.51	0.42
1:A:481:LEU:HD12	2:A:1009:DKA:H81	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:408:LEU:HD13	1:A:427:SER:CB	2.49	0.42
1:A:579:SER:O	1:A:580:GLN:C	2.61	0.42
1:A:14:LEU:CD1	1:A:283:LEU:HD21	2.50	0.42
1:A:119:GLU:O	1:A:120:VAL:C	2.63	0.42
1:A:37:GLU:H	1:A:37:GLU:CD	2.27	0.42
1:A:34:CYS:HA	1:A:35:PRO:HD3	1.88	0.42
1:A:192:SER:O	1:A:196:GLN:HG3	2.19	0.42
1:A:234:LEU:O	1:A:238:LEU:HB2	2.20	0.42
1:A:510:HIS:C	1:A:512:ASP:N	2.78	0.42
1:A:201:ALA:O	1:A:205:LYS:HB2	2.19	0.42
1:A:564:LYS:C	1:A:566:THR:N	2.78	0.41
1:A:314:ASP:O	1:A:315:VAL:C	2.62	0.41
1:A:441:PRO:C	1:A:443:ALA:N	2.77	0.41
1:A:378:LYS:CB	1:A:379:PRO:HD3	2.51	0.41
1:A:251:LEU:HD23	1:A:251:LEU:HA	1.75	0.41
1:A:408:LEU:CD2	1:A:526:GLN:HG2	2.50	0.41
1:A:66:LEU:HD23	1:A:66:LEU:HA	1.83	0.41
1:A:257:ARG:HE	1:A:257:ARG:HB3	1.68	0.41
1:A:357:LEU:HD23	1:A:357:LEU:HA	1.90	0.41
1:A:59:ALA:O	1:A:62:CYS:HB2	2.20	0.41
1:A:136:LYS:HA	1:A:136:LYS:HD2	1.66	0.41
1:A:299:PRO:HB2	1:A:302:LEU:HD23	2.03	0.41
1:A:442:GLU:HA	1:A:445:ARG:HD2	2.02	0.41
1:A:240:LYS:O	1:A:244:GLU:HG3	2.20	0.40
1:A:79:THR:O	1:A:80:LEU:C	2.64	0.40
1:A:95:GLU:HG3	3:A:2006:HOH:O	2.22	0.40
1:A:564:LYS:O	1:A:566:THR:N	2.54	0.40
1:A:299:PRO:O	1:A:302:LEU:HD21	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	580/585 (99%)	520 (90%)	47 (8%)	13 (2%)	5 9

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	303	PRO
1	A	364	ALA
1	A	511	ALA
1	A	293	VAL
1	A	367	HIS
1	A	312	SER
1	A	314	ASP
1	A	442	GLU
1	A	497	TYR
1	A	565	GLU
1	A	499	PRO
1	A	120	VAL
1	A	85	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	460/511 (90%)	388 (84%)	72 (16%)	2 5

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	SER
1	A	7	VAL
1	A	14	LEU
1	A	31	LEU
1	A	46	VAL
1	A	51	LYS
1	A	52	THR
1	A	60	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	74	LEU
1	A	81	ARG
1	A	93	LYS
1	A	100	GLU
1	A	103	LEU
1	A	107	ASP
1	A	114	ARG
1	A	115	LEU
1	A	116	VAL
1	A	131	GLU
1	A	132	GLU
1	A	136	LYS
1	A	137	LYS
1	A	138	TYR
1	A	153	GLU
1	A	166	THR
1	A	179	LEU
1	A	185	LEU
1	A	202	SER
1	A	203	LEU
1	A	205	LYS
1	A	230	GLU
1	A	233	LYS
1	A	238	LEU
1	A	262	LYS
1	A	267	ASN
1	A	274	LYS
1	A	283	LEU
1	A	293	VAL
1	A	302	LEU
1	A	315	VAL
1	A	317	LYS
1	A	325	VAL
1	A	329	MET
1	A	337	ARG
1	A	355	THR
1	A	357	LEU
1	A	359	LYS
1	A	373	VAL
1	A	376	GLU
1	A	380	LEU
1	A	387	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	398	LEU
1	A	400	GLU
1	A	408	LEU
1	A	419	SER
1	A	425	GLU
1	A	428	ARG
1	A	435	SER
1	A	436	LYS
1	A	450	GLU
1	A	453	LEU
1	A	457	LEU
1	A	479	GLU
1	A	480	SER
1	A	481	LEU
1	A	484	ARG
1	A	498	VAL
1	A	512	ASP
1	A	513	ILE
1	A	525	LYS
1	A	540	THR
1	A	544	LEU
1	A	548	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	GLN
1	A	39	HIS
1	A	105	HIS
1	A	242	HIS
1	A	247	HIS
1	A	267	ASN
1	A	338	HIS
1	A	535	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	DKA	A	1005	-	10,10,11	0.76	0	10,10,11	1.10	1 (10%)
2	DKA	A	1003	-	8,8,11	0.85	0	8,8,11	1.24	1 (12%)
2	DKA	A	1009	-	11,11,11	0.70	0	11,11,11	1.10	1 (9%)
2	DKA	A	1010	-	7,7,11	0.27	0	6,6,11	0.48	0
2	DKA	A	1006	-	10,10,11	0.72	0	10,10,11	1.15	1 (10%)
2	DKA	A	1002	-	9,9,11	0.81	0	9,9,11	1.15	1 (11%)
2	DKA	A	1004	-	11,11,11	0.75	0	11,11,11	1.06	1 (9%)
2	DKA	A	1007	-	9,9,11	0.35	0	8,8,11	0.54	0
2	DKA	A	1001	-	10,10,11	0.81	0	10,10,11	1.11	1 (10%)
2	DKA	A	1008	-	11,11,11	0.68	0	11,11,11	1.12	1 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DKA	A	1005	-	-	5/8/8/9	-
2	DKA	A	1003	-	-	4/6/6/9	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DKA	A	1009	-	-	6/9/9/9	-
2	DKA	A	1010	-	-	1/5/5/9	-
2	DKA	A	1006	-	-	7/8/8/9	-
2	DKA	A	1002	-	-	4/7/7/9	-
2	DKA	A	1004	-	-	6/9/9/9	-
2	DKA	A	1007	-	-	5/7/7/9	-
2	DKA	A	1001	-	-	5/8/8/9	-
2	DKA	A	1008	-	-	9/9/9/9	-

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1002	DKA	C4-C3-C2	-2.42	104.22	113.13
2	A	1005	DKA	C4-C3-C2	-2.38	104.40	113.13
2	A	1001	DKA	C4-C3-C2	-2.36	104.45	113.13
2	A	1004	DKA	C4-C3-C2	-2.32	104.60	113.13
2	A	1009	DKA	C4-C3-C2	-2.31	104.62	113.13
2	A	1008	DKA	C4-C3-C2	-2.28	104.74	113.13
2	A	1006	DKA	C4-C3-C2	-2.26	104.83	113.13
2	A	1003	DKA	C4-C3-C2	-2.18	105.11	113.13

There are no chirality outliers.

All (52) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1008	DKA	C1-C2-C3-C4
2	A	1002	DKA	C1-C2-C3-C4
2	A	1005	DKA	C1-C2-C3-C4
2	A	1004	DKA	C1-C2-C3-C4
2	A	1003	DKA	C1-C2-C3-C4
2	A	1009	DKA	C5-C6-C7-C8
2	A	1005	DKA	C2-C3-C4-C5
2	A	1004	DKA	C3-C4-C5-C6
2	A	1006	DKA	C2-C3-C4-C5
2	A	1008	DKA	C2-C3-C4-C5
2	A	1008	DKA	C3-C4-C5-C6
2	A	1002	DKA	C2-C3-C4-C5
2	A	1007	DKA	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	1008	DKA	C5-C6-C7-C8
2	A	1004	DKA	C6-C7-C8-C9
2	A	1010	DKA	C4-C5-C6-C7
2	A	1006	DKA	C1-C2-C3-C4
2	A	1001	DKA	C4-C5-C6-C7
2	A	1006	DKA	C4-C5-C6-C7
2	A	1001	DKA	C3-C4-C5-C6
2	A	1008	DKA	C6-C7-C8-C9
2	A	1004	DKA	C7-C8-C9-C10
2	A	1009	DKA	C7-C8-C9-C10
2	A	1009	DKA	C2-C3-C4-C5
2	A	1007	DKA	C6-C7-C8-C9
2	A	1005	DKA	C3-C4-C5-C6
2	A	1006	DKA	C6-C7-C8-C9
2	A	1003	DKA	C3-C4-C5-C6
2	A	1005	DKA	C5-C6-C7-C8
2	A	1009	DKA	C6-C7-C8-C9
2	A	1009	DKA	O2-C1-C2-C3
2	A	1001	DKA	C5-C6-C7-C8
2	A	1009	DKA	O1-C1-C2-C3
2	A	1006	DKA	O1-C1-C2-C3
2	A	1006	DKA	O2-C1-C2-C3
2	A	1007	DKA	C4-C5-C6-C7
2	A	1008	DKA	O1-C1-C2-C3
2	A	1003	DKA	O1-C1-C2-C3
2	A	1006	DKA	C3-C4-C5-C6
2	A	1003	DKA	O2-C1-C2-C3
2	A	1008	DKA	O2-C1-C2-C3
2	A	1004	DKA	O2-C1-C2-C3
2	A	1004	DKA	O1-C1-C2-C3
2	A	1002	DKA	O2-C1-C2-C3
2	A	1001	DKA	O2-C1-C2-C3
2	A	1007	DKA	C2-C3-C4-C5
2	A	1001	DKA	O1-C1-C2-C3
2	A	1002	DKA	O1-C1-C2-C3
2	A	1008	DKA	C7-C8-C9-C10
2	A	1007	DKA	C7-C8-C9-C10
2	A	1005	DKA	C4-C5-C6-C7
2	A	1008	DKA	C4-C5-C6-C7

There are no ring outliers.

8 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1005	DKA	2	0
2	A	1009	DKA	1	0
2	A	1006	DKA	1	0
2	A	1002	DKA	1	0
2	A	1004	DKA	1	0
2	A	1007	DKA	1	0
2	A	1001	DKA	1	0
2	A	1008	DKA	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	582/585 (99%)	0.24	18 (3%)	51 47	26, 54, 93, 100	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	558	CYS	4.2
1	A	554	PHE	3.2
1	A	562	ASP	2.8
1	A	479	GLU	2.7
1	A	556	GLU	2.7
1	A	515	THR	2.5
1	A	509	PHE	2.5
1	A	563	ASP	2.5
1	A	443	ALA	2.5
1	A	516	LEU	2.4
1	A	312	SER	2.4
1	A	76	THR	2.3
1	A	364	ALA	2.2
1	A	96	PRO	2.2
1	A	303	PRO	2.2
1	A	365	ASP	2.1
1	A	307	ALA	2.1
1	A	95	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	DKA	A	1006	11/12	0.77	0.15	64,77,91,92	0
2	DKA	A	1007	10/12	0.81	0.20	70,74,78,78	0
2	DKA	A	1005	11/12	0.86	0.11	54,59,74,75	0
2	DKA	A	1008	12/12	0.87	0.15	73,76,86,86	0
2	DKA	A	1003	9/12	0.88	0.14	62,64,69,71	0
2	DKA	A	1009	12/12	0.90	0.15	73,76,87,88	0
2	DKA	A	1010	8/12	0.90	0.15	47,52,60,60	0
2	DKA	A	1001	11/12	0.91	0.14	75,79,80,80	0
2	DKA	A	1002	10/12	0.92	0.10	45,47,58,61	0
2	DKA	A	1004	12/12	0.92	0.13	53,58,62,63	0

6.5 Other polymers [i](#)

There are no such residues in this entry.