



wwPDB EM Validation Summary Report ⓘ

Mar 17, 2026 – 06:35 PM UTC

PDB ID : 9E8H / pdb_00009e8h
EMDB ID : EMD-47720
Title : Human proteasome in resting state conformation bound to TXNL1 in backward conformation
Authors : Arkinson, C.; Gee, C.L.; Martin, A.
Deposited on : 2024-11-05
Resolution : 2.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13054 (2.40 - 3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	433	
2	B	440	
3	C	406	
4	D	418	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	389	
6	F	439	
7	G	246	
8	H	234	
9	I	261	
10	J	248	
11	K	241	
12	L	263	
13	M	255	
14	U	953	
15	V	534	
16	W	456	
17	X	422	
18	Y	389	
19	Z	324	
20	a	376	
21	b	377	
22	c	424	
23	d	350	
24	e	65	
25	f	908	
26	g	601	
27	u	289	

2 Entry composition

There are 31 unique types of molecules in this entry. The entry contains 71304 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 26S proteasome regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	395	Total	C	N	O	S	0	0
			3107	1956	547	586	18		

- Molecule 2 is a protein called 26S proteasome regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	405	Total	C	N	O	S	0	0
			3192	2012	546	619	15		

- Molecule 3 is a protein called 26S protease regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	366	Total	C	N	O	S	0	0
			2895	1824	518	536	17		

- Molecule 4 is a protein called 26S proteasome regulatory subunit 6B.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	380	Total	C	N	O	S	0	0
			3039	1923	524	579	13		

- Molecule 5 is a protein called 26S protease regulatory subunit 10B.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	354	Total	C	N	O	S	0	0
			2797	1761	495	525	16		

- Molecule 6 is a protein called 26S proteasome regulatory subunit 6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	351	Total	C	N	O	S	0	0
			2743	1733	472	522	16		

- Molecule 7 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	242	Total	C	N	O	S	0	0
			1886	1197	315	361	13		

- Molecule 8 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	230	Total	C	N	O	S	0	0
			1793	1147	302	338	6		

- Molecule 9 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	236	Total	C	N	O	S	1	0
			1841	1161	316	354	10		

- Molecule 10 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	239	Total	C	N	O	S	0	0
			1887	1183	334	365	5		

- Molecule 11 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	234	Total	C	N	O	S	0	0
			1790	1125	295	359	11		

- Molecule 12 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	237	Total	C	N	O	S	0	0
			1864	1167	335	351	11		

- Molecule 13 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	240	Total	C	N	O	S	0	0
			1881	1193	321	356	11		

- Molecule 14 is a protein called 26S proteasome non-ATPase regulatory subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	U	838	Total	C	N	O	S	0	0
			6515	4135	1106	1230	44		

- Molecule 15 is a protein called 26S proteasome non-ATPase regulatory subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	V	470	Total	C	N	O	S	0	0
			3841	2438	685	704	14		

- Molecule 16 is a protein called 26S proteasome non-ATPase regulatory subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	W	438	Total	C	N	O	S	0	0
			3570	2261	609	677	23		

- Molecule 17 is a protein called 26S proteasome non-ATPase regulatory subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	X	419	Total	C	N	O	S	0	0
			3317	2105	564	636	12		

- Molecule 18 is a protein called 26S proteasome non-ATPase regulatory subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	Y	386	Total	C	N	O	S	0	0
			3179	2025	542	595	17		

- Molecule 19 is a protein called 26S proteasome non-ATPase regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	Z	286	Total	C	N	O	S	0	0
			2285	1461	392	427	5		

- Molecule 20 is a protein called 26S proteasome non-ATPase regulatory subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	a	373	Total	C	N	O	S	0	0
			2995	1911	510	559	15		

- Molecule 21 is a protein called 26S proteasome non-ATPase regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	b	189	Total	C	N	O	S	0	0
			1446	903	259	277	7		

- Molecule 22 is a protein called 26S proteasome non-ATPase regulatory subunit 14.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	c	290	Total	C	N	O	S	0	0
			2282	1447	392	424	19		

There are 114 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
c	311	LEU	-	expression tag	UNP O00487
c	312	ILE	-	expression tag	UNP O00487
c	313	ASN	-	expression tag	UNP O00487
c	314	HIS	-	expression tag	UNP O00487
c	315	HIS	-	expression tag	UNP O00487
c	316	HIS	-	expression tag	UNP O00487
c	317	HIS	-	expression tag	UNP O00487
c	318	HIS	-	expression tag	UNP O00487
c	319	HIS	-	expression tag	UNP O00487
c	320	ASP	-	expression tag	UNP O00487
c	321	TYR	-	expression tag	UNP O00487
c	322	ASP	-	expression tag	UNP O00487
c	323	ILE	-	expression tag	UNP O00487
c	324	PRO	-	expression tag	UNP O00487
c	325	THR	-	expression tag	UNP O00487
c	326	THR	-	expression tag	UNP O00487
c	327	ALA	-	expression tag	UNP O00487
c	328	SER	-	expression tag	UNP O00487
c	329	GLU	-	expression tag	UNP O00487
c	330	ASN	-	expression tag	UNP O00487
c	331	LEU	-	expression tag	UNP O00487
c	332	TYR	-	expression tag	UNP O00487
c	333	PHE	-	expression tag	UNP O00487
c	334	GLN	-	expression tag	UNP O00487
c	335	GLY	-	expression tag	UNP O00487
c	336	GLU	-	expression tag	UNP O00487
c	337	LEU	-	expression tag	UNP O00487
c	338	GLY	-	expression tag	UNP O00487
c	339	MET	-	expression tag	UNP O00487
c	340	ARG	-	expression tag	UNP O00487
c	341	GLY	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	342	SER	-	expression tag	UNP O00487
c	343	ALA	-	expression tag	UNP O00487
c	344	GLY	-	expression tag	UNP O00487
c	345	LYS	-	expression tag	UNP O00487
c	346	ALA	-	expression tag	UNP O00487
c	347	GLY	-	expression tag	UNP O00487
c	348	GLU	-	expression tag	UNP O00487
c	349	GLY	-	expression tag	UNP O00487
c	350	GLU	-	expression tag	UNP O00487
c	351	ILE	-	expression tag	UNP O00487
c	352	PRO	-	expression tag	UNP O00487
c	353	ALA	-	expression tag	UNP O00487
c	354	PRO	-	expression tag	UNP O00487
c	355	LEU	-	expression tag	UNP O00487
c	356	ALA	-	expression tag	UNP O00487
c	357	GLY	-	expression tag	UNP O00487
c	358	THR	-	expression tag	UNP O00487
c	359	VAL	-	expression tag	UNP O00487
c	360	SER	-	expression tag	UNP O00487
c	361	LYS	-	expression tag	UNP O00487
c	362	ILE	-	expression tag	UNP O00487
c	363	LEU	-	expression tag	UNP O00487
c	364	VAL	-	expression tag	UNP O00487
c	365	LYS	-	expression tag	UNP O00487
c	366	GLU	-	expression tag	UNP O00487
c	367	GLY	-	expression tag	UNP O00487
c	368	ASP	-	expression tag	UNP O00487
c	369	THR	-	expression tag	UNP O00487
c	370	VAL	-	expression tag	UNP O00487
c	371	LYS	-	expression tag	UNP O00487
c	372	ALA	-	expression tag	UNP O00487
c	373	GLY	-	expression tag	UNP O00487
c	374	GLN	-	expression tag	UNP O00487
c	375	THR	-	expression tag	UNP O00487
c	376	VAL	-	expression tag	UNP O00487
c	377	LEU	-	expression tag	UNP O00487
c	378	VAL	-	expression tag	UNP O00487
c	379	LEU	-	expression tag	UNP O00487
c	380	GLU	-	expression tag	UNP O00487
c	381	ALA	-	expression tag	UNP O00487
c	382	MET	-	expression tag	UNP O00487
c	383	LYS	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	384	MET	-	expression tag	UNP O00487
c	385	GLU	-	expression tag	UNP O00487
c	386	THR	-	expression tag	UNP O00487
c	387	GLU	-	expression tag	UNP O00487
c	388	ILE	-	expression tag	UNP O00487
c	389	ASN	-	expression tag	UNP O00487
c	390	ALA	-	expression tag	UNP O00487
c	391	PRO	-	expression tag	UNP O00487
c	392	THR	-	expression tag	UNP O00487
c	393	ASP	-	expression tag	UNP O00487
c	394	GLY	-	expression tag	UNP O00487
c	395	LYS	-	expression tag	UNP O00487
c	396	VAL	-	expression tag	UNP O00487
c	397	GLU	-	expression tag	UNP O00487
c	398	LYS	-	expression tag	UNP O00487
c	399	VAL	-	expression tag	UNP O00487
c	400	LEU	-	expression tag	UNP O00487
c	401	VAL	-	expression tag	UNP O00487
c	402	LYS	-	expression tag	UNP O00487
c	403	GLU	-	expression tag	UNP O00487
c	404	ARG	-	expression tag	UNP O00487
c	405	ASP	-	expression tag	UNP O00487
c	406	ALA	-	expression tag	UNP O00487
c	407	VAL	-	expression tag	UNP O00487
c	408	GLN	-	expression tag	UNP O00487
c	409	GLY	-	expression tag	UNP O00487
c	410	GLY	-	expression tag	UNP O00487
c	411	GLN	-	expression tag	UNP O00487
c	412	GLY	-	expression tag	UNP O00487
c	413	LEU	-	expression tag	UNP O00487
c	414	ILE	-	expression tag	UNP O00487
c	415	LYS	-	expression tag	UNP O00487
c	416	ILE	-	expression tag	UNP O00487
c	417	GLY	-	expression tag	UNP O00487
c	418	VAL	-	expression tag	UNP O00487
c	419	HIS	-	expression tag	UNP O00487
c	420	HIS	-	expression tag	UNP O00487
c	421	HIS	-	expression tag	UNP O00487
c	422	HIS	-	expression tag	UNP O00487
c	423	HIS	-	expression tag	UNP O00487
c	424	HIS	-	expression tag	UNP O00487

- Molecule 23 is a protein called 26S proteasome non-ATPase regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	d	265	Total	C	N	O	S	0	0
			2166	1402	355	400	9		

- Molecule 24 is a protein called 26S proteasome complex subunit SEM1.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	e	50	Total	C	N	O	0	0
			425	260	65	100		

- Molecule 25 is a protein called 26S proteasome non-ATPase regulatory subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	f	831	Total	C	N	O	S	0	0
			6433	4071	1089	1228	45		


- Molecule 26 is a protein called Isoform 2 of NEDD8 ultimate buster 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	g	91	Total	C	N	O	S	0	0
			736	466	134	135	1		

- Molecule 27 is a protein called Thioredoxin-like protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	u	151	Total	C	N	O	S	0	0
			1210	765	194	243	8		

- Molecule 28 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
28	A	1	Total 31	C 10	N 5	O 13	P 3	0
28	B	1	Total 31	C 10	N 5	O 13	P 3	0
28	D	1	Total 31	C 10	N 5	O 13	P 3	0
28	E	1	Total 31	C 10	N 5	O 13	P 3	0
28	F	1	Total 31	C 10	N 5	O 13	P 3	0


- Molecule 29 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
29	A	1	Total Mg 1 1	0
29	B	1	Total Mg 1 1	0
29	C	1	Total Mg 1 1	0
29	D	1	Total Mg 1 1	0
29	E	1	Total Mg 1 1	0
29	F	1	Total Mg 1 1	0


- # ADP

- Molecule 31 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	AltConf
31	c	1	Total Zn 1 1	0




• Molecule 4: 26S proteasome regulatory subunit 6B




• Molecule 5: 26S protease regulatory subunit 10B




- Molecule 6: 26S proteasome regulatory subunit 6A



- Molecule 7: Proteasome subunit alpha type-6




- Molecule 8: Proteasome subunit alpha type-2




- Molecule 9: Proteasome subunit alpha type-4








• Molecule 10: Proteasome subunit alpha type-7



• Molecule 11: Proteasome subunit alpha type-5




• Molecule 12: Proteasome subunit alpha type-1




• Molecule 13: Proteasome subunit alpha type-3









- Molecule 14: 26S proteasome non-ATPase regulatory subunit 1




- Molecule 15: 26S proteasome non-ATPase regulatory subunit 3






- Molecule 18: 26S proteasome non-ATPase regulatory subunit 6

Chain Y: 77% 22%




- Molecule 19: 26S proteasome non-ATPase regulatory subunit 7


Chain Z: 69% 19% 12%





- Molecule 20: 26S proteasome non-ATPase regulatory subunit 13

Chain a: 7% 68% 30%







• Molecule 21: 26S proteasome non-ATPase regulatory subunit 4




• Molecule 22: 26S proteasome non-ATPase regulatory subunit 14





• Molecule 23: 26S proteasome non-ATPase regulatory subunit 8




- Molecule 24: 26S proteasome complex subunit SEM1




- Molecule 25: 26S proteasome non-ATPase regulatory subunit 2





- Molecule 27: Thioredoxin-like protein 1



E254	E255	E256	T257	T258	T259	I260	S261	Y262	F263	T264	F265	T268	P269	V270	GLN	ALA	THR	ASN	MET	ASN	ASP	PHE	LYS	ARG	VAL	VAL	GLY	LYS	GLY	GLU	SER	SER	HIS																											
D186	N187	G188	Q189	K192	K195	I196	F197	I198	R202	S203	M204	E207	E208	A209	E210	R211	S212	E213	E214	T215	Q216	A217	L218	F219	L220	D223	D224	I225	K226	E227	D228	Q229	I230	V231	P232	L233	K234	Y235	V236	Q239	N240	V241	N242	S243	V244	I246	F247	V248	Q249	N251										
K121	G122	D125	L126	M127	P128	F129	I130	N131	K132	A133	G134	G135	E136	G137	L138	M139	D142	E143	F146	D147	N148	G149	L150	R151	K152	D153	T154	T155	F156	L157	D160	C161	D162	E163	Q164	L165	L166	I167	T168	V169	A170	F171	N172	Q173	K176	L177	Y178	S179	M180	K181	F182	Q183	G184	P185						
MET	VAL	HIS	GLN	CYS	GLN	GLY	THR	ALA	ALA	THR	THR	PRO	THR	PHE	LEU	PHE	PHE	ARG	ASN	LYS	VAL	VAL	ARG	ILE	LYS	PHE	THR	MET	GLN	ARG	GLY	ALA	ASP	VAL	GLY	LEU	ARG	ILE	ALA	PRO	ALA	PHE	SER	SER	MET	SER	ASN	LYS	TYR	PRO	GLY	GLN	ASN	ALA	VAL	PHE	LEU	GLU	VAL	ASP

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	53010	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1700	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.991	Depositor
Minimum map value	-0.391	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.038	Depositor
Recommended contour level	0.15	Depositor
Map size ($\text{\AA}$)	356.32, 356.32, 356.32	wwPDB
Map dimensions	340, 340, 340	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.048, 1.048, 1.048	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, MG, ADP, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.19	0/3159	0.34	0/4265
2	B	0.11	0/3241	0.28	0/4372
3	C	0.11	0/2933	0.27	0/3946
4	D	0.11	0/3089	0.25	0/4168
5	E	0.12	0/2842	0.26	0/3832
6	F	0.12	0/2781	0.26	0/3748
7	G	0.11	0/1920	0.26	0/2595
8	H	0.11	0/1832	0.26	0/2481
9	I	0.13	0/1867	0.27	0/2509
10	J	0.14	0/1913	0.27	0/2581
11	K	0.11	0/1818	0.27	0/2455
12	L	0.11	0/1899	0.26	0/2567
13	M	0.10	0/1916	0.27	0/2580
14	U	0.13	0/6630	0.33	0/8977
15	V	0.11	0/3913	0.29	0/5277
16	W	0.11	0/3618	0.27	0/4868
17	X	0.11	0/3363	0.27	0/4534
18	Y	0.10	0/3237	0.24	0/4360
19	Z	0.12	0/2328	0.26	0/3156
20	a	0.12	0/3053	0.31	0/4133
21	b	0.12	0/1466	0.31	0/1986
22	c	0.12	0/2325	0.29	0/3143
23	d	0.12	0/2212	0.33	0/2988
24	e	0.12	0/437	0.33	0/595
25	f	0.13	0/6542	0.37	1/8856 (0.0%)
26	g	0.21	0/743	0.44	0/994
27	u	0.16	0/1235	0.48	0/1669
All	All	0.12	0/72312	0.30	1/97635 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	f	836	GLU	CA-CB-CG	5.27	124.65	114.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3107	0	3160	97	0
2	B	3192	0	3276	81	0
3	C	2895	0	3007	71	0
4	D	3039	0	3075	82	0
5	E	2797	0	2856	95	0
6	F	2743	0	2820	81	0
7	G	1886	0	1891	44	0
8	H	1793	0	1787	38	0
9	I	1841	0	1872	41	0
10	J	1887	0	1905	31	0
11	K	1790	0	1773	30	0
12	L	1864	0	1852	42	0
13	M	1881	0	1868	40	0
14	U	6515	0	6547	195	0
15	V	3841	0	3889	98	0
16	W	3570	0	3685	66	0
17	X	3317	0	3413	56	0
18	Y	3179	0	3174	59	0
19	Z	2285	0	2320	46	0
20	a	2995	0	3012	85	0
21	b	1446	0	1490	51	0
22	c	2282	0	2306	67	0
23	d	2166	0	2196	64	0
24	e	425	0	328	8	0
25	f	6433	0	6458	229	0
26	g	736	0	784	24	0
27	u	1210	0	1162	53	0
28	A	31	0	12	1	0
28	B	31	0	12	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
28	D	31	0	12	4	0
28	E	31	0	12	2	0
28	F	31	0	12	4	0
29	A	1	0	0	0	0
29	B	1	0	0	0	0
29	C	1	0	0	0	0
29	D	1	0	0	0	0
29	E	1	0	0	0	0
29	F	1	0	0	0	0
30	C	27	0	12	1	0
31	c	1	0	0	0	0
All	All	71304	0	71978	1669	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 1669 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:ILE:HD11	1:A:74:PRO:CA	1.33	1.53
1:A:65:ILE:CD1	1:A:74:PRO:HA	1.04	1.51
1:A:65:ILE:CD1	1:A:74:PRO:CA	1.88	1.33
1:A:65:ILE:HD13	1:A:75:PRO:CD	1.72	1.20
1:A:65:ILE:HD13	1:A:75:PRO:HD2	1.37	1.02

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	393/433 (91%)	379 (96%)	12 (3%)	2 (0%)	24 54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	403/440 (92%)	391 (97%)	12 (3%)	0	100	100
3	C	362/406 (89%)	355 (98%)	7 (2%)	0	100	100
4	D	378/418 (90%)	368 (97%)	10 (3%)	0	100	100
5	E	352/389 (90%)	347 (99%)	5 (1%)	0	100	100
6	F	347/439 (79%)	333 (96%)	14 (4%)	0	100	100
7	G	240/246 (98%)	232 (97%)	8 (3%)	0	100	100
8	H	228/234 (97%)	226 (99%)	2 (1%)	0	100	100
9	I	231/261 (88%)	226 (98%)	5 (2%)	0	100	100
10	J	237/248 (96%)	236 (100%)	1 (0%)	0	100	100
11	K	232/241 (96%)	226 (97%)	6 (3%)	0	100	100
12	L	235/263 (89%)	229 (97%)	6 (3%)	0	100	100
13	M	238/255 (93%)	233 (98%)	5 (2%)	0	100	100
14	U	830/953 (87%)	810 (98%)	20 (2%)	0	100	100
15	V	468/534 (88%)	460 (98%)	8 (2%)	0	100	100
16	W	436/456 (96%)	427 (98%)	9 (2%)	0	100	100
17	X	417/422 (99%)	407 (98%)	10 (2%)	0	100	100
18	Y	384/389 (99%)	383 (100%)	1 (0%)	0	100	100
19	Z	284/324 (88%)	280 (99%)	4 (1%)	0	100	100
20	a	371/376 (99%)	363 (98%)	8 (2%)	0	100	100
21	b	187/377 (50%)	181 (97%)	6 (3%)	0	100	100
22	c	288/424 (68%)	286 (99%)	2 (1%)	0	100	100
23	d	263/350 (75%)	249 (95%)	14 (5%)	0	100	100
24	e	48/65 (74%)	41 (85%)	7 (15%)	0	100	100
25	f	825/908 (91%)	802 (97%)	23 (3%)	0	100	100
26	g	89/601 (15%)	83 (93%)	5 (6%)	1 (1%)	11	36
27	u	149/289 (52%)	139 (93%)	10 (7%)	0	100	100
All	All	8915/10741 (83%)	8692 (98%)	220 (2%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	65	ILE
1	A	68	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	g	160	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	340/372 (91%)	327 (96%)	13 (4%)	29	64
2	B	359/385 (93%)	354 (99%)	5 (1%)	59	85
3	C	320/352 (91%)	314 (98%)	6 (2%)	50	79
4	D	333/366 (91%)	325 (98%)	8 (2%)	43	75
5	E	309/341 (91%)	303 (98%)	6 (2%)	50	79
6	F	299/379 (79%)	287 (96%)	12 (4%)	28	62
7	G	206/210 (98%)	199 (97%)	7 (3%)	32	66
8	H	188/191 (98%)	186 (99%)	2 (1%)	65	88
9	I	197/221 (89%)	193 (98%)	4 (2%)	48	78
10	J	203/211 (96%)	196 (97%)	7 (3%)	32	66
11	K	196/203 (97%)	190 (97%)	6 (3%)	35	69
12	L	203/224 (91%)	196 (97%)	7 (3%)	32	66
13	M	198/212 (93%)	192 (97%)	6 (3%)	36	70
14	U	712/816 (87%)	695 (98%)	17 (2%)	43	75
15	V	415/460 (90%)	402 (97%)	13 (3%)	35	69
16	W	403/416 (97%)	395 (98%)	8 (2%)	48	78
17	X	361/362 (100%)	360 (100%)	1 (0%)	86	96
18	Y	341/344 (99%)	339 (99%)	2 (1%)	78	93
19	Z	258/295 (88%)	252 (98%)	6 (2%)	44	76
20	a	333/336 (99%)	324 (97%)	9 (3%)	39	73
21	b	166/312 (53%)	162 (98%)	4 (2%)	43	75
22	c	255/359 (71%)	249 (98%)	6 (2%)	43	75
23	d	235/294 (80%)	231 (98%)	4 (2%)	53	82

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
24	e	44/58 (76%)	42 (96%)	2 (4%)	24	58
25	f	701/763 (92%)	683 (97%)	18 (3%)	40	73
26	g	81/527 (15%)	79 (98%)	2 (2%)	42	74
27	u	138/253 (54%)	130 (94%)	8 (6%)	18	49
All	All	7794/9262 (84%)	7605 (98%)	189 (2%)	43	75

5 of 189 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
15	V	469	THR
20	a	287	ASN
16	W	76	GLU
19	Z	29	VAL
22	c	99	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 75 such sidechains are listed below:

Mol	Chain	Res	Type
20	a	244	ASN
25	f	611	GLN
21	b	104	ASN
23	d	195	ASN
12	L	4	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 13 ligands modelled in this entry, 7 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
28	ATP	B	501	29	32,33,33	0.29	0	48,52,52	0.34	0
30	ADP	C	501	29	28,29,29	1.39	4 (14%)	43,45,45	1.84	8 (18%)
28	ATP	E	402	29	32,33,33	0.29	0	48,52,52	0.34	0
28	ATP	D	501	29	32,33,33	0.32	0	48,52,52	0.38	0
28	ATP	F	501	29	32,33,33	0.30	0	48,52,52	0.33	0
28	ATP	A	501	29	32,33,33	0.29	0	48,52,52	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
28	ATP	B	501	29	-	5/22/38/38	0/3/3/3
30	ADP	C	501	29	-	5/16/32/32	0/3/3/3
28	ATP	E	402	29	-	4/22/38/38	0/3/3/3
28	ATP	D	501	29	-	5/22/38/38	0/3/3/3
28	ATP	F	501	29	-	4/22/38/38	0/3/3/3
28	ATP	A	501	29	-	5/22/38/38	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	C	501	ADP	C5-C4	4.64	1.47	1.39
30	C	501	ADP	C5-C6	2.60	1.48	1.41
30	C	501	ADP	C5-N7	-2.35	1.34	1.39
30	C	501	ADP	C8-N7	2.32	1.36	1.31

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	C	501	ADP	C5-C4-N3	-5.90	118.60	126.72
30	C	501	ADP	N3-C4-N9	4.67	135.12	127.17
30	C	501	ADP	C2-N3-C4	3.67	120.79	111.83
30	C	501	ADP	C4-C5-N7	-3.43	106.66	110.58
30	C	501	ADP	N3-C2-N1	-3.18	123.77	128.58

There are no chirality outliers.

5 of 28 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
28	B	501	ATP	PB-O3B-PG-O2G
28	B	501	ATP	C5'-O5'-PA-O1A
28	B	501	ATP	C5'-O5'-PA-O2A
28	B	501	ATP	C5'-O5'-PA-O3A
28	D	501	ATP	C5'-O5'-PA-O1A


There are no ring outliers.

6 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
28	B	501	ATP	2	0
30	C	501	ADP	1	0
28	E	402	ATP	2	0
28	D	501	ATP	4	0
28	F	501	ATP	4	0
28	A	501	ATP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand ATP B 501





Ligand ADP C 501











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-47720. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 170




Y Index: 170




Z Index: 170


6.2.2 Raw map



X Index: 170



Y Index: 170




Z Index: 170


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 178




Y Index: 164




Z Index: 192


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.15. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 536 nm³; this corresponds to an approximate mass of 484 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.345 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.345 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.90	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.83	6.67	3.96

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.83 differs from the reported value 2.9 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-47720 and PDB model 9E8H. Per-residue inclusion information can be found in section [3](#) on page [13](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.15 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.15).

9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.15) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7240	 0.4710
A	 0.7780	 0.5150
B	 0.7170	 0.4860
C	 0.7980	 0.5340
D	 0.7970	 0.5350
E	 0.8290	 0.5390
F	 0.8230	 0.5360
G	 0.7990	 0.5210
H	 0.8000	 0.5220
I	 0.7660	 0.4990
J	 0.7740	 0.5010
K	 0.7740	 0.5200
L	 0.8010	 0.5250
M	 0.8020	 0.5230
U	 0.7630	 0.4810
V	 0.7110	 0.4410
W	 0.7720	 0.4710
X	 0.7070	 0.4560
Y	 0.8220	 0.5120
Z	 0.7770	 0.5120
a	 0.7400	 0.4400
b	 0.6510	 0.4080
c	 0.7810	 0.5180
d	 0.7110	 0.4080
e	 0.6210	 0.3800
f	 0.4240	 0.3080
g	 0.0080	 0.1530
u	 0.4850	 0.3850

