



## Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:45 AM UTC

PDB ID : 3EAH / pdb\_00003eah  
Title : Structure of inhibited human eNOS oxygenase domain  
Authors : Garcin, E.D.; Arvai, A.S.; Rosenfeld, R.J.; Kroeger, M.D.; Crane, B.R.; Andersson, G.; Andrews, G.; Hamley, P.J.; Mallinder, P.R.; Nicholls, D.J.; St-Gallay, S.A.; Tinker, A.C.; Gensmantel, N.P.; Mete, A.; Cheshire, D.R.; Connolly, S.; Stuehr, D.J.; Aberg, A.; Wallace, A.V.; Tainer, J.A.; Getzoff, E.D.  
Deposited on : 2008-08-25  
Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	2340 (2.46-2.42)
Clashscore	190562	2400 (2.46-2.42)
Ramachandran outliers	187476	2379 (2.46-2.42)
Sidechain outliers	187428	2379 (2.46-2.42)
RSRZ outliers	180081	2340 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	427	<div> <div>2%</div> <div> <div></div> <div>72%</div> <div>21%</div> <div>• 7%</div> </div> </div>
1	B	427	<div> <div>%</div> <div> <div></div> <div>69%</div> <div>22%</div> <div>• 6%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	327	A	864	-	-	X	-
6	CL	A	1865	-	-	X	-
6	CL	B	865	-	-	X	-

## 2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 6620 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitric oxide synthase, endothelial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	399	Total	C	N	O	S	0	0	0
			3157	2015	553	573	16			
1	B	401	Total	C	N	O	S	0	0	0
			3171	2025	554	576	16			

- Molecule 2 is HEME C (CCD ID: HEC) (formula:  $C_{34}H_{34}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula:  $Zn$ ).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		

- Molecule 4 is (3S,5E)-3-propyl-3,4-dihydrothieno[2,3-f][1,4]oxazepin-5(2H)-imine (CCD ID: 327) (formula: C<sub>10</sub>H<sub>14</sub>N<sub>2</sub>OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			14	10	2	1	1		
4	B	1	Total	C	N	O	S	0	0
			14	10	2	1	1		

- Molecule 5 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 8 6 2	0	0
5	A	1	Total C O 8 6 2	0	0
5	A	1	Total C O 8 6 2	0	0
5	B	1	Total C O 8 6 2	0	0

- Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Cl 1 1	0	0
6	B	1	Total Cl 1 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	78	Total O 78 78	0	0
7	B	65	Total O 65 65	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nitric oxide synthase, endothelial



- Molecule 1: Nitric oxide synthase, endothelial





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	71.09Å 90.15Å 156.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.44 25.00 – 2.44	Depositor EDS
% Data completeness (in resolution range)	95.3 (25.00-2.44) 95.3 (25.00-2.44)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.72 (at 2.44Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.213 , 0.258 0.206 , 0.253	Depositor DCC
$R_{free}$ test set	1803 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	39.9	Xtriage
Anisotropy	0.517	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 30.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6620	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.88% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CL, 327, HEC, MPD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.44	0/3248	1.00	17/4430 (0.4%)
1	B	0.44	0/3263	0.99	17/4451 (0.4%)
All	All	0.44	0/6511	0.99	34/8881 (0.4%)

There are no bond length outliers.

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	324	MET	N-CA-C	-7.64	96.07	108.52
1	B	324	MET	N-CA-C	-7.62	96.80	109.07
1	B	265	PRO	N-CA-C	-7.15	102.93	110.58
1	B	61	GLY	CA-C-N	6.99	126.60	119.19
1	B	61	GLY	C-N-CA	6.99	126.60	119.19
1	B	323	TYR	N-CA-C	6.77	119.69	110.55
1	A	248	GLY	N-CA-C	-6.69	103.04	112.60
1	A	299	LEU	N-CA-C	6.46	120.32	108.69
1	A	156	TRP	N-CA-C	6.37	119.91	111.75
1	B	156	TRP	N-CA-C	6.12	118.74	111.33
1	A	209	ILE	N-CA-C	-6.12	98.93	107.80
1	B	147	ALA	CA-C-N	5.99	125.70	119.05
1	B	147	ALA	C-N-CA	5.99	125.70	119.05
1	A	61	GLY	CA-C-N	5.89	125.59	119.64
1	A	61	GLY	C-N-CA	5.89	125.59	119.64
1	B	349	MET	N-CA-C	-5.80	106.17	113.18
1	B	299	LEU	N-CA-C	5.71	118.97	108.69
1	B	58	GLN	N-CA-C	5.60	117.47	111.36
1	B	190	LEU	N-CA-C	5.59	118.33	110.23
1	A	246	THR	N-CA-C	-5.50	101.59	109.24
1	A	153	ARG	N-CA-C	5.46	119.69	113.19
1	A	323	TYR	N-CA-C	5.43	118.52	110.48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	87	GLU	N-CA-C	-5.36	106.00	112.54
1	A	394	MET	N-CA-C	-5.36	105.44	111.28
1	B	422	LEU	N-CA-C	-5.32	106.63	113.23
1	A	265	PRO	N-CA-C	-5.32	104.21	110.70
1	A	207	PHE	N-CA-C	-5.30	101.83	110.20
1	A	201	CYS	N-CA-C	5.28	118.72	109.48
1	A	349	MET	N-CA-C	-5.28	106.86	113.15
1	A	260	GLN	N-CA-C	5.24	116.94	108.41
1	B	132	ARG	N-CA-C	-5.17	102.40	110.42
1	B	244	GLY	N-CA-C	5.15	122.46	115.30
1	B	104	ILE	N-CA-C	-5.06	107.53	112.29
1	B	261	ALA	N-CA-C	-5.02	103.87	110.39

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3157	0	3042	75	0
1	B	3171	0	3057	89	1
2	A	43	0	32	6	0
2	B	43	0	32	2	0
3	A	1	0	0	0	0
4	A	14	0	13	6	0
4	B	14	0	13	5	0
5	A	24	0	42	5	0
5	B	8	0	14	0	0
6	A	1	0	0	2	0
6	B	1	0	0	3	0
7	A	78	0	0	0	1
7	B	65	0	0	1	0
All	All	6620	0	6245	160	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:221:ARG:HE	1:B:234:VAL:HG11	1.18	1.04
1:A:258:LEU:HD13	1:A:268:LEU:HD23	1.50	0.92
1:B:221:ARG:NE	1:B:234:VAL:HG11	1.83	0.92
1:A:432:ASN:HD22	1:A:433:TYR:N	1.77	0.83
1:A:258:LEU:HD13	1:A:268:LEU:CD2	2.09	0.82
1:A:210:TRP:HB2	1:A:258:LEU:HB3	1.63	0.81
1:B:144:TRP:HB2	2:B:1861:HEC:HBC3	1.67	0.77
1:B:272:PRO:HD2	1:B:275:LEU:HD12	1.67	0.75
1:A:432:ASN:HD22	1:A:432:ASN:C	1.97	0.72
1:A:90:LEU:HD23	1:A:94:ARG:NH2	2.05	0.72
1:A:223:GLN:OE1	1:A:223:GLN:HA	1.89	0.71
6:B:865:CL:CL	4:B:1864:327:H10B	2.28	0.71
1:B:394:MET:HE1	1:B:428:GLN:HE21	1.56	0.70
1:B:334:CYS:SG	1:B:342:LEU:HD13	2.31	0.70
4:A:864:327:H10B	6:A:1865:CL:CL	2.30	0.69
1:A:213:GLN:CD	4:A:864:327:H10	2.19	0.68
1:B:110:GLN:HE21	1:B:114:GLN:HE21	1.41	0.67
1:B:336:PRO:HA	1:B:340:ASN:HB2	1.78	0.66
1:B:256:PRO:HB3	1:B:270:LEU:HD23	1.77	0.66
1:B:144:TRP:CZ3	1:B:156:TRP:HA	2.32	0.65
1:B:342:LEU:HB2	7:B:1867:HOH:O	1.98	0.64
1:A:119:VAL:O	1:A:123:VAL:HG23	1.98	0.63
1:B:144:TRP:CE3	1:B:156:TRP:HA	2.33	0.63
1:B:210:TRP:HB2	1:B:258:LEU:HB3	1.80	0.63
1:A:211:ASN:HA	1:A:236:ILE:CD1	2.29	0.63
1:A:366:VAL:O	1:A:370:VAL:HG23	1.99	0.63
1:A:37:PHE:CD2	1:A:52:THR:HA	2.34	0.62
1:A:144:TRP:HB2	2:A:861:HEC:HBC3	1.80	0.62
1:B:69:LEU:HB3	1:B:72:LEU:HD12	1.81	0.62
1:B:331:ARG:NH1	1:B:335:ASP:OD2	2.33	0.61
1:A:429:GLU:OE2	1:B:72:LEU:HD23	2.00	0.61
1:B:213:GLN:CD	1:B:216:ARG:HD3	2.26	0.60
1:A:182:LYS:HG3	1:A:275:LEU:HD22	1.83	0.60
1:B:208:ARG:NH2	1:B:445:PRO:HD3	2.17	0.60
1:B:325:SER:OG	1:B:385:ASP:HA	2.02	0.60
1:A:211:ASN:HA	1:A:236:ILE:HD12	1.84	0.59
1:A:364:ALA:O	1:A:368:ILE:HG13	2.02	0.59
1:A:213:GLN:NE2	4:A:864:327:H10	2.18	0.59
1:A:37:PHE:HD2	1:A:52:THR:HA	1.68	0.59
1:A:215:VAL:O	1:A:216:ARG:HG2	2.03	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:190:LEU:HD12	1:B:322:TRP:HB3	1.84	0.58
1:B:221:ARG:HE	1:B:234:VAL:CG1	2.04	0.58
1:A:429:GLU:CD	1:B:72:LEU:HD23	2.29	0.58
1:A:441:TYR:OH	2:A:861:HEC:O2D	2.19	0.56
1:B:90:LEU:HD23	1:B:94:ARG:NH2	2.21	0.56
1:B:182:LYS:HG3	1:B:275:LEU:HD21	1.86	0.56
1:A:426:PHE:O	5:A:866:MPD:H12	2.05	0.55
1:A:37:PHE:CD2	1:A:52:THR:HG22	2.41	0.55
1:A:213:GLN:HB2	1:A:216:ARG:CG	2.37	0.55
1:A:169:SER:OG	1:A:172:GLU:HG3	2.07	0.54
1:A:281:LEU:HG	1:A:295:ARG:HA	1.89	0.54
1:A:436:SER:HA	1:A:437:PRO:C	2.33	0.54
1:A:412:ALA:HB1	5:A:1867:MPD:H52	1.90	0.54
1:A:144:TRP:CE3	1:A:156:TRP:HA	2.43	0.53
1:B:272:PRO:O	1:B:275:LEU:HB2	2.08	0.53
1:B:256:PRO:HB3	1:B:270:LEU:CD2	2.37	0.53
1:B:216:ARG:HG3	1:B:216:ARG:HH11	1.73	0.53
1:B:221:ARG:CZ	1:B:234:VAL:HG11	2.38	0.53
1:A:321:GLY:N	4:A:864:327:H5	2.22	0.53
1:A:144:TRP:CZ3	1:A:156:TRP:HA	2.43	0.53
1:B:42:ASN:HD22	1:B:428:GLN:NE2	2.07	0.53
1:A:274:GLU:CD	1:A:274:GLU:N	2.67	0.53
1:A:213:GLN:HB2	1:A:216:ARG:HG2	1.90	0.53
1:A:330:THR:O	1:A:334:CYS:HB2	2.09	0.52
1:B:213:GLN:HB2	1:B:216:ARG:HD3	1.90	0.52
1:A:306:LEU:C	1:A:306:LEU:HD23	2.35	0.52
1:A:63:CYS:HB3	1:B:63:CYS:CB	2.40	0.52
1:A:245:TRP:HB2	1:A:268:LEU:HD13	1.91	0.52
1:A:274:GLU:CD	1:A:274:GLU:H	2.18	0.52
1:B:221:ARG:NE	1:B:234:VAL:CG1	2.66	0.52
1:B:321:GLY:N	4:B:1864:327:H5	2.25	0.51
1:A:73:VAL:CG2	5:A:1867:MPD:HM2	2.41	0.51
1:B:203:GLY:O	1:B:204:ARG:HB2	2.09	0.51
1:B:90:LEU:O	1:B:94:ARG:HG3	2.10	0.51
1:B:364:ALA:O	1:B:368:ILE:HG13	2.10	0.51
4:A:864:327:C10	6:A:1865:CL:CL	2.96	0.51
1:B:213:GLN:CD	4:B:1864:327:H10	2.36	0.51
1:B:330:THR:HG21	1:B:418:ILE:HG23	1.92	0.51
1:B:213:GLN:OE1	4:B:1864:327:H10	2.12	0.50
1:A:324:MET:HE3	1:A:326:THR:OG1	2.11	0.50
1:A:149:ARG:HB2	2:A:861:HEC:HAD2	1.93	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:115:ARG:O	1:B:119:VAL:HG13	2.12	0.50
1:B:286:LEU:HD13	1:B:288:TRP:CZ2	2.47	0.50
1:A:432:ASN:C	1:A:432:ASN:ND2	2.68	0.49
1:B:190:LEU:HD12	1:B:322:TRP:CB	2.42	0.49
1:B:283:HIS:CG	1:B:284:PRO:HD2	2.47	0.49
1:B:419:SER:HB3	1:B:422:LEU:HD12	1.94	0.48
1:A:195:THR:O	1:A:317:ALA:HA	2.14	0.48
1:B:223:GLN:O	1:B:224:ASP:HB3	2.14	0.48
1:A:429:GLU:OE2	1:B:72:LEU:CD2	2.60	0.48
1:B:146:ASN:O	1:B:148:PRO:HD3	2.14	0.48
1:B:340:ASN:O	1:B:340:ASN:CG	2.57	0.47
1:B:345:VAL:O	1:B:349:MET:HG3	2.14	0.47
1:B:38:PRO:HD2	1:B:51:ASP:O	2.14	0.47
1:B:130:GLN:N	1:B:130:GLN:OE1	2.47	0.47
1:A:258:LEU:HD13	1:A:268:LEU:HD21	1.96	0.47
1:B:306:LEU:C	1:B:306:LEU:HD23	2.40	0.47
5:A:866:MPD:H53	1:B:412:ALA:HB1	1.97	0.47
1:B:436:SER:HA	1:B:437:PRO:C	2.40	0.47
1:B:216:ARG:HG3	1:B:216:ARG:NH1	2.30	0.46
6:B:865:CL:CL	4:B:1864:327:C10	2.97	0.46
1:A:197:PHE:HB3	1:A:198:PRO:HD2	1.98	0.46
1:A:325:SER:OG	1:A:385:ASP:HA	2.15	0.46
1:B:129:TYR:C	1:B:130:GLN:OE1	2.59	0.46
1:A:44:GLU:HG3	1:B:336:PRO:HG2	1.96	0.46
1:A:228:ARG:NH1	1:A:251:ARG:HG3	2.30	0.46
1:A:409:ALA:HB3	1:A:430:MET:HB3	1.97	0.46
1:A:256:PRO:HB3	1:A:270:LEU:CD2	2.47	0.45
1:B:90:LEU:HD11	1:B:120:GLU:HA	1.98	0.45
1:B:118:GLU:OE1	1:B:132:ARG:NH2	2.48	0.45
1:B:213:GLN:HB2	1:B:216:ARG:HG2	1.99	0.45
1:A:63:CYS:HB3	1:B:63:CYS:HB3	1.99	0.45
1:A:283:HIS:CG	1:A:284:PRO:HD2	2.52	0.45
1:B:93:ALA:O	1:B:97:ILE:HG12	2.17	0.45
1:A:213:GLN:NE2	4:A:864:327:C10	2.80	0.44
1:B:201:CYS:HA	1:B:202:PRO:HD3	1.84	0.44
1:B:149:ARG:HB2	2:B:1861:HEC:HAD2	2.00	0.44
1:A:348:CYS:C	1:A:350:ASP:H	2.25	0.44
1:B:182:LYS:CG	1:B:275:LEU:HD21	2.48	0.44
1:A:435:LEU:O	1:A:438:ALA:HB2	2.18	0.44
1:B:177:ILE:O	1:B:181:ILE:HG13	2.18	0.44
1:B:330:THR:O	1:B:334:CYS:HB2	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:386:HIS:O	1:B:390:THR:HG23	2.17	0.43
1:A:89:LEU:HD12	1:A:89:LEU:O	2.18	0.43
1:A:412:ALA:HB1	5:A:1867:MPD:C5	2.48	0.43
2:A:861:HEC:HHC	2:A:861:HEC:HBB3	2.00	0.43
1:B:283:HIS:ND1	1:B:284:PRO:HD2	2.34	0.43
1:B:339:TYR:O	1:B:340:ASN:C	2.61	0.43
1:A:362:ASP:O	1:A:366:VAL:HG23	2.18	0.43
1:B:373:LEU:O	1:B:377:GLN:HG3	2.19	0.43
1:A:144:TRP:HB2	2:A:861:HEC:CBC	2.47	0.43
1:B:274:GLU:H	1:B:274:GLU:HG3	1.46	0.43
1:B:333:LEU:O	1:B:341:ILE:HG12	2.19	0.43
1:A:201:CYS:HA	1:A:202:PRO:HD3	1.89	0.42
1:A:63:CYS:CB	1:B:63:CYS:HB3	2.49	0.42
1:B:330:THR:HG21	1:B:417:PRO:HB2	2.01	0.42
1:A:150:CYS:HB2	2:A:861:HEC:ND	2.34	0.42
1:B:324:MET:HA	1:B:384:VAL:O	2.20	0.42
1:B:223:GLN:O	1:B:224:ASP:CB	2.67	0.42
1:B:332:ASN:ND2	6:B:865:CL:CL	2.85	0.42
1:B:104:ILE:HD12	1:B:106:ARG:HG3	2.02	0.42
1:A:180:HIS:ND1	1:A:195:THR:OG1	2.44	0.41
1:A:434:PHE:CD2	1:A:434:PHE:C	2.98	0.41
1:B:197:PHE:HB3	1:B:198:PRO:HD2	2.02	0.41
1:B:326:THR:HB	1:B:417:PRO:HG2	2.01	0.41
1:A:228:ARG:HD3	1:A:249:ASN:O	2.19	0.41
1:A:306:LEU:HD23	1:A:307:LEU:N	2.35	0.41
1:A:182:LYS:HG3	1:A:275:LEU:CD2	2.50	0.41
1:A:197:PHE:HB3	1:A:198:PRO:CD	2.50	0.41
1:A:427:HIS:HE1	1:B:331:ARG:NH1	2.19	0.41
1:A:211:ASN:HA	1:A:236:ILE:HD11	1.99	0.41
1:B:362:ASP:O	1:B:366:VAL:HG23	2.20	0.41
1:A:256:PRO:HB3	1:A:270:LEU:HD23	2.03	0.41
1:B:147:ALA:HA	1:B:148:PRO:HD3	1.89	0.41
1:B:205:GLY:O	1:B:262:PRO:HB3	2.21	0.41
1:B:302:VAL:HB	1:B:319:PHE:CE1	2.55	0.41
1:B:69:LEU:HB3	1:B:72:LEU:CD1	2.50	0.41
1:A:419:SER:HB3	1:A:422:LEU:HD12	2.03	0.40
1:B:195:THR:O	1:B:317:ALA:HA	2.21	0.40
1:A:63:CYS:HB3	1:B:63:CYS:HB2	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:113:GLU:OE2	7:A:1906:HOH:O[3_545]	1.89	0.31

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	395/427 (92%)	377 (95%)	17 (4%)	1 (0%)	36	44
1	B	397/427 (93%)	371 (94%)	24 (6%)	2 (0%)	24	29
All	All	792/854 (93%)	748 (94%)	41 (5%)	3 (0%)	30	36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	224	ASP
1	B	224	ASP
1	B	204	ARG

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	332/359 (92%)	328 (99%)	4 (1%)	63	74
1	B	334/359 (93%)	330 (99%)	4 (1%)	63	74
All	All	666/718 (93%)	658 (99%)	8 (1%)	63	74

All (8) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	A	95	ASP
1	A	115	ARG
1	A	223	GLN
1	A	258	LEU
1	B	201	CYS
1	B	223	GLN
1	B	258	LEU
1	B	274	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	99	GLN
1	A	155	GLN
1	A	199	GLN
1	A	222	GLN
1	A	401	GLN
1	A	432	ASN
1	B	110	GLN
1	B	186	ASN
1	B	199	GLN
1	B	213	GLN
1	B	222	GLN
1	B	223	GLN
1	B	428	GLN
1	B	432	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

Of 11 ligands modelled in this entry, 3 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	MPD	B	867	-	7,7,7	0.63	0	9,10,10	0.44	0
5	MPD	A	1866	-	7,7,7	0.57	0	9,10,10	0.64	0
2	HEC	A	861	1	46,50,50	1.84	8 (17%)	58,82,82	1.53	8 (13%)
2	HEC	B	1861	1	46,50,50	1.85	10 (21%)	58,82,82	1.62	7 (12%)
4	327	A	864	-	12,15,15	1.90	2 (16%)	8,20,20	7.29	2 (25%)
5	MPD	A	866	-	7,7,7	0.66	0	9,10,10	0.47	0
4	327	B	1864	-	12,15,15	1.91	1 (8%)	8,20,20	7.34	2 (25%)
5	MPD	A	1867	-	7,7,7	0.42	0	9,10,10	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MPD	B	867	-	-	0/5/5/5	-
5	MPD	A	1866	-	-	3/5/5/5	-
2	HEC	A	861	1	-	8/14/54/54	-
2	HEC	B	1861	1	-	9/14/54/54	-
4	327	A	864	-	-	3/3/16/16	0/1/2/2
5	MPD	A	866	-	-	3/5/5/5	-
4	327	B	1864	-	-	3/3/16/16	0/1/2/2
5	MPD	A	1867	-	-	3/5/5/5	-

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	861	HEC	CAB-C3B	6.25	1.55	1.35
2	B	1861	HEC	CAB-C3B	6.02	1.54	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	861	HEC	CAC-C3C	5.87	1.54	1.35
2	B	1861	HEC	CAC-C3C	5.80	1.53	1.35
4	B	1864	327	C7-C1	5.65	1.59	1.51
4	A	864	327	C7-C1	5.46	1.59	1.51
2	B	1861	HEC	C1D-C2D	3.43	1.51	1.43
2	B	1861	HEC	C4D-C3D	3.31	1.51	1.44
2	A	861	HEC	C4D-C3D	3.26	1.51	1.44
2	A	861	HEC	C1D-C2D	3.17	1.50	1.43
2	A	861	HEC	CMC-C2C	2.65	1.56	1.50
2	B	1861	HEC	CMC-C2C	2.59	1.56	1.50
2	B	1861	HEC	C1A-C2A	2.45	1.49	1.45
2	B	1861	HEC	CMA-C3A	2.41	1.55	1.50
2	B	1861	HEC	CMB-C2B	2.39	1.55	1.50
2	A	861	HEC	CMA-C3A	2.31	1.55	1.50
2	A	861	HEC	CMB-C2B	2.23	1.55	1.50
2	B	1861	HEC	CAA-C2A	2.18	1.57	1.51
2	B	1861	HEC	C1C-C2C	2.18	1.48	1.43
2	A	861	HEC	CAA-C2A	2.02	1.56	1.51
4	A	864	327	O1-C7	2.02	1.47	1.45

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1864	327	C9-C8-C1	-20.36	96.62	114.95
4	A	864	327	C9-C8-C1	-20.23	96.73	114.95
2	B	1861	HEC	CBD-CAD-C3D	-6.80	93.73	112.53
2	A	861	HEC	CBD-CAD-C3D	-6.17	95.47	112.53
2	B	1861	HEC	O1D-CGD-CBD	-4.05	110.24	123.09
2	A	861	HEC	O1D-CGD-CBD	-3.95	110.55	123.09
2	B	1861	HEC	CAD-CBD-CGD	3.45	122.81	113.67
4	B	1864	327	C7-O1-C3	3.42	122.74	115.67
2	B	1861	HEC	CBB-CAB-C3B	-3.12	121.20	127.43
4	A	864	327	C7-O1-C3	3.08	122.04	115.67
2	A	861	HEC	CAD-CBD-CGD	3.02	121.68	113.67
2	A	861	HEC	CBB-CAB-C3B	-2.87	121.70	127.43
2	B	1861	HEC	O2D-CGD-CBD	2.56	122.07	114.00
2	A	861	HEC	O2D-CGD-CBD	2.45	121.75	114.00
2	B	1861	HEC	C3D-C4D-ND	2.44	112.86	110.15
2	A	861	HEC	C3D-C4D-ND	2.34	112.75	110.15
2	A	861	HEC	C4D-C3D-C2D	-2.16	103.52	106.87
2	B	1861	HEC	C4D-C3D-C2D	-2.15	103.54	106.87
2	A	861	HEC	C4D-CHA-C1A	2.06	131.03	124.66

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	861	HEC	C2B-C3B-CAB-CBB
2	A	861	HEC	C4B-C3B-CAB-CBB
2	A	861	HEC	C2C-C3C-CAC-CBC
2	B	1861	HEC	C2B-C3B-CAB-CBB
2	B	1861	HEC	C4B-C3B-CAB-CBB
2	B	1861	HEC	C2C-C3C-CAC-CBC
2	B	1861	HEC	C4C-C3C-CAC-CBC
4	A	864	327	C7-C1-C8-C9
4	A	864	327	N1-C1-C8-C9
4	B	1864	327	C7-C1-C8-C9
4	B	1864	327	N1-C1-C8-C9
5	A	866	MPD	CM-C2-C3-C4
5	A	1866	MPD	C1-C2-C3-C4
2	A	861	HEC	C2A-CAA-CBA-CGA
4	A	864	327	C1-C8-C9-C10
2	B	1861	HEC	C2A-CAA-CBA-CGA
2	A	861	HEC	C1A-C2A-CAA-CBA
2	A	861	HEC	C3A-C2A-CAA-CBA
4	B	1864	327	C1-C8-C9-C10
2	B	1861	HEC	C1A-C2A-CAA-CBA
5	A	1866	MPD	O2-C2-C3-C4
5	A	866	MPD	C1-C2-C3-C4
5	A	1866	MPD	CM-C2-C3-C4
2	A	861	HEC	C4C-C3C-CAC-CBC
2	B	1861	HEC	C3A-C2A-CAA-CBA
5	A	866	MPD	O2-C2-C3-C4
5	A	1867	MPD	O2-C2-C3-C4
5	A	1867	MPD	C1-C2-C3-C4
5	A	1867	MPD	CM-C2-C3-C4
2	B	1861	HEC	CAA-CBA-CGA-O1A
2	B	1861	HEC	CAA-CBA-CGA-O2A
2	A	861	HEC	CAD-CBD-CGD-O2D

There are no ring outliers.

6 monomers are involved in 24 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	861	HEC	6	0
2	B	1861	HEC	2	0
4	A	864	327	6	0


*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	866	MPD	2	0
4	B	1864	327	5	0
5	A	1867	MPD	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	399/427 (93%)	-0.19	9 (2%) 61 62	24, 36, 54, 66	0
1	B	401/427 (93%)	-0.08	6 (1%) 72 73	23, 40, 58, 70	0
All	All	800/854 (93%)	-0.13	15 (1%) 66 67	23, 38, 56, 70	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	59	GLN	6.5
1	A	58	GLN	3.7
1	B	58	GLN	3.4
1	B	59	GLN	3.4
1	A	223	GLN	2.6
1	A	86	PRO	2.5
1	A	355	THR	2.5
1	B	223	GLN	2.3
1	B	249	ASN	2.2
1	A	37	PHE	2.2
1	B	86	PRO	2.1
1	A	350	ASP	2.1
1	A	201	CYS	2.1
1	A	202	PRO	2.1
1	B	225	GLY	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.



## 6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	MPD	A	866	8/8	0.80	0.20	66,67,69,71	0
5	MPD	A	1866	8/8	0.86	0.14	54,56,57,58	0
5	MPD	A	1867	8/8	0.86	0.19	52,53,54,54	0
5	MPD	B	867	8/8	0.86	0.12	54,56,56,58	0
6	CL	B	865	1/1	0.87	0.15	71,71,71,71	0
4	327	B	1864	14/14	0.89	0.15	43,45,50,53	0
4	327	A	864	14/14	0.89	0.17	42,46,49,53	0
6	CL	A	1865	1/1	0.93	0.14	52,52,52,52	0
2	HEC	B	1861	43/43	0.94	0.10	30,34,51,59	0
2	HEC	A	861	43/43	0.95	0.10	33,35,48,53	0
3	ZN	A	862	1/1	1.00	0.03	39,39,39,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around HEC B 1861:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEC A 861:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.