



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:34 PM UTC

PDB ID : 4EAK / pdb_00004eak
Title : Co-crystal structure of an AMPK core with ATP
Authors : Chen, L.; Wang, J.; Zhang, Y.-Y.; Yan, S.F.; Neumann, D.; Schlattner, U.;
Wang, Z.-X.; Wu, J.-W.
Deposited on : 2012-03-22
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	106	
2	B	72	
3	C	330	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	TAM	C	403	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 3536 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-AMP-activated protein kinase catalytic subunit alpha-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	92	770	492	136	137	5	0	0	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	389	GLY	-	expression tag	UNP P54645
A	390	PRO	-	expression tag	UNP P54645
A	391	HIS	-	expression tag	UNP P54645
A	392	MET	-	expression tag	UNP P54645
A	393	GLY	-	expression tag	UNP P54645
A	523	GLY	-	linker	UNP P54645
A	524	GLY	-	linker	UNP P54645
A	525	GLY	-	linker	UNP P54645
A	526	GLY	-	linker	UNP P54645
A	527	GLY	-	linker	UNP P54645
A	528	GLY	-	linker	UNP P54645

- Molecule 2 is a protein called 5'-AMP-activated protein kinase subunit beta-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	42	340	226	57	55	2	0	0	0


There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	199	MET	-	expression tag	UNP P80386

- Molecule 3 is a protein called 5'-AMP-activated protein kinase subunit gamma-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	285	2279	1475	383	414	7	0	0	0

- Molecule 4 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	C	1	11	7	1	3	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	10	Total	O	0	0
			10	10		
6	B	11	Total	O	0	0
			11	11		
6	C	53	Total	O	0	0
			53	53		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'-AMP-activated protein kinase catalytic subunit alpha-1

Chain A: 




- Molecule 2: 5'-AMP-activated protein kinase subunit beta-1

Chain B: 



- Molecule 3: 5'-AMP-activated protein kinase subunit gamma-1

Chain C: 



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	176.56Å 40.51Å 77.60Å 90.00° 105.11° 90.00°	Depositor
Resolution (Å)	28.63 – 2.50 28.63 – 2.50	Depositor EDS
% Data completeness (in resolution range)	95.2 (28.63-2.50) 99.9 (28.63-2.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.22 (at 2.51Å)	Xtrriage
Refinement program	REFMAC, PHENIX 1.5_2	Depositor
R, R_{free}	0.237 , 0.254 0.235 , 0.246	Depositor DCC
R_{free} test set	947 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	59.8	Xtrriage
Anisotropy	0.302	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 70.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3536	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, TAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.40	0/786	0.81	0/1058
2	B	0.75	1/348 (0.3%)	0.94	3/469 (0.6%)
3	C	0.52	0/2321	0.77	1/3146 (0.0%)
All	All	0.53	1/3455 (0.0%)	0.80	4/4673 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	258	LYS	C-O	-5.28	1.19	1.24

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	225	SER	N-CA-C	7.10	118.81	111.14
2	B	203	PRO	CA-C-N	5.54	125.45	119.85
2	B	203	PRO	C-N-CA	5.54	125.45	119.85
2	B	258	LYS	CB-CA-C	-5.38	110.39	116.63

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	770	0	772	77	0
2	B	340	0	366	36	0
3	C	2279	0	2359	100	0
4	C	62	0	24	7	0
5	C	11	0	17	6	0
6	A	10	0	0	0	0
6	B	11	0	0	0	0
6	C	53	0	0	1	0
All	All	3536	0	3538	203	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 29.

All (203) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:431:TYR:HD1	1:A:432:LEU:N	1.36	1.22
2:B:202:ALA:CB	2:B:203:PRO:HD2	1.72	1.19
2:B:202:ALA:CB	2:B:203:PRO:CD	2.30	1.09
3:C:24:ASN:O	3:C:27:VAL:HG22	1.55	1.06
1:A:428:ASN:HB3	1:A:431:TYR:HB3	1.38	1.04
3:C:302:VAL:CG2	3:C:306:ASP:C	2.30	1.03
2:B:202:ALA:HB3	2:B:203:PRO:HD2	1.36	1.03
1:A:431:TYR:CD1	1:A:432:LEU:N	2.28	1.02
3:C:303:ASP:OD1	3:C:309:LYS:HE3	1.58	1.02
2:B:202:ALA:HB1	2:B:203:PRO:CD	1.87	1.01
3:C:57:LYS:HB3	3:C:109:GLU:HB2	1.41	1.00
1:A:430:TYR:HD2	2:B:203:PRO:HG3	1.35	0.92
3:C:205:MET:SD	3:C:308:VAL:HG11	2.10	0.91
1:A:430:TYR:CD2	2:B:203:PRO:HG3	2.06	0.91
3:C:303:ASP:OD1	3:C:309:LYS:HG3	1.71	0.91
3:C:302:VAL:HG21	3:C:306:ASP:C	1.95	0.90
3:C:302:VAL:HG23	3:C:307:VAL:O	1.72	0.90
3:C:302:VAL:HG21	3:C:306:ASP:O	1.73	0.89
5:C:403:TAM:H52	5:C:403:TAM:C4	2.05	0.86
1:A:450:GLN:NE2	2:B:204:PRO:HG2	1.93	0.84
3:C:303:ASP:CG	3:C:309:LYS:HE3	2.05	0.82
1:A:431:TYR:HD1	1:A:431:TYR:C	1.89	0.80
2:B:205:ILE:CG2	2:B:205:ILE:O	2.30	0.80
3:C:32:MET:HE3	3:C:137:LEU:HB3	1.64	0.80
3:C:302:VAL:CG2	3:C:307:VAL:O	2.30	0.80
3:C:303:ASP:OD1	3:C:309:LYS:CE	2.30	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:259:VAL:HG13	3:C:263:LYS:HE2	1.65	0.79
1:A:410:MET:HE1	1:A:451:LEU:HD22	1.64	0.79
1:A:428:ASN:OD1	1:A:429:PRO:CD	2.30	0.79
3:C:303:ASP:OD1	3:C:309:LYS:CG	2.30	0.79
3:C:302:VAL:HG23	3:C:307:VAL:C	2.09	0.77
3:C:218:ILE:HD11	3:C:227:LEU:HD21	1.66	0.77
1:A:435:ARG:HG2	1:A:446:LYS:HD2	1.66	0.77
3:C:302:VAL:CG2	3:C:306:ASP:O	2.30	0.77
2:B:202:ALA:HB1	2:B:203:PRO:HD3	1.63	0.76
3:C:232:GLU:H	3:C:232:GLU:CD	1.93	0.76
5:C:403:TAM:H52	5:C:403:TAM:H41	1.66	0.76
1:A:431:TYR:CD1	1:A:431:TYR:C	2.62	0.76
3:C:304:GLU:H	3:C:304:GLU:CD	1.90	0.75
3:C:302:VAL:HG22	3:C:306:ASP:C	2.11	0.74
1:A:405:ARG:HG3	1:A:408:ASP:OD2	1.87	0.73
2:B:205:ILE:O	2:B:205:ILE:HG22	1.88	0.73
3:C:72:PRO:HG3	3:C:165:ILE:HD11	1.70	0.72
3:C:293:GLU:HG3	3:C:294:ALA:N	2.04	0.72
1:A:431:TYR:O	1:A:432:LEU:HD23	1.90	0.72
1:A:413:VAL:O	1:A:417:ILE:HG13	1.89	0.72
1:A:431:TYR:HD1	1:A:432:LEU:H	1.31	0.71
2:B:202:ALA:HB1	2:B:203:PRO:HD2	1.49	0.70
3:C:176:LYS:HG3	3:C:292:VAL:HG21	1.72	0.70
1:A:430:TYR:CD2	2:B:203:PRO:HD3	2.26	0.70
3:C:24:ASN:HA	3:C:27:VAL:HG13	1.74	0.70
1:A:438:ASN:HD22	1:A:438:ASN:C	1.99	0.69
1:A:428:ASN:OD1	1:A:429:PRO:HD2	1.93	0.69
1:A:430:TYR:CE2	2:B:203:PRO:HD3	2.27	0.69
5:C:403:TAM:C4	5:C:403:TAM:C5	2.70	0.69
1:A:447:MET:HE2	1:A:538:MET:HB3	1.74	0.69
5:C:403:TAM:H52	5:C:403:TAM:H42	1.75	0.68
3:C:268:ARG:NH1	6:C:551:HOH:O	2.26	0.68
3:C:207:ARG:HH11	3:C:232:GLU:HB3	1.57	0.68
3:C:305:HIS:O	3:C:306:ASP:HB2	1.92	0.68
2:B:244:ILE:H	2:B:244:ILE:HD12	1.59	0.67
3:C:302:VAL:CG2	3:C:306:ASP:HA	2.24	0.67
1:A:450:GLN:HE21	2:B:204:PRO:HG2	1.57	0.67
1:A:430:TYR:HD2	2:B:203:PRO:CG	2.05	0.66
3:C:303:ASP:OD1	3:C:309:LYS:CD	2.44	0.66
2:B:236:LEU:O	2:B:237:ASN:HB2	1.95	0.66
1:A:438:ASN:HD22	1:A:439:PRO:N	1.94	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:428:ASN:OD1	1:A:429:PRO:N	2.29	0.65
3:C:182:PHE:CG	3:C:183:PRO:HD2	2.30	0.65
3:C:207:ARG:NH1	3:C:232:GLU:HB3	2.12	0.64
3:C:302:VAL:HG21	3:C:306:ASP:CA	2.27	0.64
3:C:188:MET:HE3	3:C:285:GLU:HB2	1.80	0.64
3:C:182:PHE:CD1	3:C:183:PRO:HD2	2.32	0.64
3:C:302:VAL:CG2	3:C:306:ASP:CA	2.75	0.64
3:C:260:SER:OG	3:C:263:LYS:HD3	1.98	0.64
3:C:303:ASP:HB3	3:C:304:GLU:OE1	1.98	0.63
3:C:87:ILE:HD11	3:C:246:ILE:HG13	1.79	0.63
1:A:430:TYR:CD2	2:B:203:PRO:CG	2.80	0.62
1:A:410:MET:HE2	1:A:410:MET:N	2.15	0.62
1:A:410:MET:HE1	1:A:451:LEU:CD2	2.29	0.62
3:C:108:LEU:HA	3:C:116:TRP:HZ2	1.66	0.60
1:A:450:GLN:NE2	2:B:204:PRO:CG	2.64	0.60
3:C:224:VAL:HG21	4:C:402:ATP:C5	2.37	0.60
3:C:218:ILE:HD11	3:C:227:LEU:CD2	2.32	0.59
1:A:420:LEU:HD22	1:A:545:ILE:HD12	1.85	0.59
3:C:308:VAL:O	3:C:308:VAL:HG13	2.01	0.59
1:A:410:MET:O	1:A:413:VAL:HG22	2.03	0.58
3:C:24:ASN:O	3:C:27:VAL:CG2	2.41	0.58
3:C:69:ARG:HD3	5:C:403:TAM:H42	1.86	0.57
5:C:403:TAM:H41	5:C:403:TAM:C5	2.30	0.57
1:A:429:PRO:O	1:A:430:TYR:HD1	1.88	0.56
1:A:426:VAL:HG12	1:A:428:ASN:O	2.05	0.56
1:A:451:LEU:HD12	1:A:452:TYR:N	2.21	0.56
1:A:431:TYR:HB2	1:A:450:GLN:OE1	2.05	0.56
1:A:451:LEU:HD11	1:A:459:TYR:HB3	1.87	0.56
1:A:420:LEU:HD23	1:A:542:LEU:HD22	1.87	0.56
3:C:232:GLU:CD	3:C:232:GLU:N	2.63	0.55
2:B:202:ALA:HB3	2:B:203:PRO:CD	2.16	0.55
1:A:450:GLN:HE22	2:B:204:PRO:CG	2.19	0.55
2:B:270:ILE:O	2:B:270:ILE:HG22	2.07	0.55
1:A:406:PRO:HG3	1:A:459:TYR:CZ	2.42	0.55
3:C:28:TYR:O	3:C:32:MET:HG2	2.06	0.54
1:A:429:PRO:C	1:A:430:TYR:CD1	2.85	0.54
1:A:430:TYR:CD2	2:B:203:PRO:CD	2.90	0.54
3:C:302:VAL:HG21	3:C:306:ASP:HA	1.86	0.54
3:C:278:CYS:HB3	3:C:299:LEU:HD13	1.89	0.54
1:A:431:TYR:O	1:A:432:LEU:CD2	2.55	0.53
1:A:438:ASN:HB3	1:A:443:THR:H	1.72	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:291:LEU:CD1	3:C:299:LEU:HG	2.38	0.53
3:C:87:ILE:CD1	3:C:246:ILE:HG13	2.37	0.53
3:C:302:VAL:HG22	3:C:306:ASP:CA	2.38	0.53
3:C:108:LEU:HA	3:C:116:TRP:CZ2	2.43	0.53
3:C:291:LEU:HD11	3:C:299:LEU:HG	1.90	0.52
2:B:270:ILE:O	2:B:270:ILE:CG2	2.57	0.52
2:B:244:ILE:HD12	2:B:244:ILE:N	2.24	0.52
1:A:415:ARG:O	1:A:419:GLN:HG3	2.10	0.52
1:A:438:ASN:N	1:A:443:THR:O	2.41	0.52
2:B:235:MET:HA	2:B:238:HIS:HD2	1.76	0.51
1:A:417:ILE:HG23	1:A:422:TYR:HB2	1.92	0.51
3:C:214:VAL:O	3:C:218:ILE:HG23	2.10	0.51
3:C:256:ASN:O	3:C:257:LEU:HB2	2.09	0.51
3:C:185:PRO:HD2	3:C:188:MET:HG3	1.92	0.51
1:A:406:PRO:HG3	1:A:459:TYR:CE1	2.46	0.51
4:C:402:ATP:O2B	4:C:402:ATP:O1A	2.29	0.51
3:C:265:LEU:HD22	3:C:268:ARG:NH1	2.26	0.51
1:A:447:MET:HG2	1:A:538:MET:HE2	1.93	0.50
3:C:202:ASN:HD22	3:C:202:ASN:N	2.09	0.50
3:C:302:VAL:HG22	3:C:306:ASP:HA	1.92	0.50
1:A:430:TYR:CE2	2:B:203:PRO:CD	2.94	0.50
3:C:225:SER:OG	4:C:402:ATP:O2A	2.28	0.50
1:A:429:PRO:O	1:A:430:TYR:CD1	2.65	0.50
1:A:451:LEU:O	2:B:204:PRO:HD2	2.11	0.50
3:C:51:ASP:O	3:C:54:LEU:HB2	2.12	0.50
3:C:57:LYS:HG2	3:C:58:LYS:H	1.77	0.50
3:C:278:CYS:SG	3:C:301:VAL:HG22	2.52	0.50
1:A:532:THR:H	3:C:161:ASN:HD21	1.60	0.49
3:C:69:ARG:HG3	3:C:151:ARG:HH22	1.77	0.49
1:A:450:GLN:HG2	1:A:452:TYR:CZ	2.47	0.49
1:A:447:MET:HE2	1:A:538:MET:HE2	1.94	0.49
3:C:23:SER:O	3:C:27:VAL:HG13	2.13	0.49
1:A:428:ASN:CG	1:A:429:PRO:HD2	2.38	0.49
3:C:125:PHE:O	3:C:127:PRO:HD3	2.13	0.48
2:B:235:MET:O	2:B:236:LEU:C	2.55	0.48
1:A:418:LYS:O	1:A:418:LYS:HD3	2.13	0.48
3:C:319:GLN:HA	3:C:323:LEU:HB2	1.95	0.47
2:B:205:ILE:O	2:B:205:ILE:HG23	2.11	0.47
3:C:204:ALA:HB1	3:C:218:ILE:CD1	2.44	0.47
3:C:302:VAL:HG22	3:C:307:VAL:O	2.13	0.47
1:A:428:ASN:OD1	1:A:429:PRO:CG	2.61	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:248:LEU:O	3:C:251:GLU:HB3	2.15	0.47
1:A:438:ASN:O	1:A:442:SER:HA	2.13	0.47
2:B:252:SER:HA	2:B:264:THR:O	2.15	0.47
1:A:438:ASN:C	1:A:438:ASN:ND2	2.71	0.47
3:C:125:PHE:C	3:C:127:PRO:HD3	2.40	0.47
4:C:402:ATP:O2B	4:C:402:ATP:O1G	2.30	0.46
1:A:426:VAL:CG1	1:A:428:ASN:O	2.63	0.46
3:C:95:HIS:CD2	3:C:220:VAL:HG21	2.50	0.46
1:A:413:VAL:HG23	1:A:414:CYS:N	2.31	0.46
3:C:302:VAL:HG22	3:C:303:ASP:N	2.31	0.46
1:A:454:VAL:CG2	1:A:460:LEU:HB2	2.46	0.45
1:A:430:TYR:HD2	2:B:203:PRO:CD	2.29	0.45
3:C:290:ARG:O	3:C:293:GLU:HG2	2.17	0.45
1:A:396:TRP:CZ3	2:B:242:LEU:HG	2.51	0.45
1:A:428:ASN:OD1	1:A:429:PRO:HG2	2.17	0.45
3:C:57:LYS:CG	3:C:58:LYS:N	2.79	0.45
1:A:406:PRO:HB3	2:B:203:PRO:HG2	2.00	0.44
1:A:451:LEU:HD12	1:A:460:LEU:O	2.17	0.44
4:C:401:ATP:O2G	4:C:401:ATP:O1B	2.35	0.44
1:A:409:ILE:O	1:A:413:VAL:HG13	2.18	0.44
3:C:304:GLU:OE1	3:C:304:GLU:N	2.30	0.44
3:C:322:VAL:C	3:C:324:THR:H	2.26	0.44
3:C:48:VAL:O	3:C:72:PRO:HD2	2.17	0.44
3:C:191:SER:OG	3:C:194:GLU:HB2	2.18	0.44
3:C:60:PHE:HD1	3:C:61:PHE:CD1	2.36	0.43
1:A:430:TYR:HB3	1:A:451:LEU:HB3	2.00	0.43
3:C:262:THR:O	3:C:266:GLN:HG2	2.18	0.43
3:C:94:LEU:HD22	3:C:94:LEU:O	2.18	0.43
3:C:56:VAL:HG21	3:C:116:TRP:CD1	2.54	0.43
3:C:86:THR:OG1	4:C:401:ATP:H3'	2.18	0.43
3:C:167:THR:OG1	3:C:170:ARG:HG3	2.18	0.43
3:C:207:ARG:NH1	3:C:232:GLU:CB	2.80	0.43
3:C:115:THR:O	3:C:119:VAL:HG23	2.19	0.43
2:B:256:ARG:HG3	2:B:261:TYR:CE2	2.54	0.43
3:C:200:TYR:CD2	3:C:310:GLY:HA3	2.55	0.42
3:C:57:LYS:HG2	3:C:58:LYS:N	2.35	0.42
3:C:218:ILE:O	3:C:218:ILE:HD12	2.20	0.42
3:C:291:LEU:HA	3:C:291:LEU:HD12	1.80	0.42
1:A:455:ASP:OD1	1:A:458:THR:N	2.53	0.41
1:A:533:ILE:HG21	3:C:74:TRP:CD2	2.55	0.41
3:C:304:GLU:CD	3:C:304:GLU:N	2.67	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:279:TYR:HB2	3:C:282:GLU:HG3	2.03	0.41
3:C:302:VAL:CG2	3:C:307:VAL:C	2.84	0.41
3:C:151:ARG:NE	4:C:401:ATP:O3G	2.54	0.41
1:A:410:MET:HE2	1:A:410:MET:CA	2.50	0.41
1:A:420:LEU:CD2	1:A:542:LEU:HD22	2.51	0.41
1:A:426:VAL:HG13	1:A:432:LEU:HD21	2.03	0.41
2:B:235:MET:HE2	2:B:240:TYR:OH	2.20	0.41
1:A:432:LEU:N	1:A:449:LEU:O	2.54	0.41
1:A:460:LEU:HD13	1:A:460:LEU:C	2.46	0.41
1:A:465:SER:HB3	1:A:535:PHE:CD1	2.56	0.40
3:C:185:PRO:HD2	3:C:188:MET:CG	2.51	0.40
3:C:308:VAL:O	3:C:308:VAL:CG1	2.70	0.40
1:A:426:VAL:HA	1:A:432:LEU:HD23	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	88/106 (83%)	84 (96%)	4 (4%)	0	100	100
2	B	38/72 (53%)	35 (92%)	3 (8%)	0	100	100
3	C	277/330 (84%)	268 (97%)	8 (3%)	1 (0%)	30	49
All	All	403/508 (79%)	387 (96%)	15 (4%)	1 (0%)	43	63

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	268	ARG

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	86/91 (94%)	75 (87%)	11 (13%)	4	9
2	B	38/66 (58%)	35 (92%)	3 (8%)	11	24
3	C	262/299 (88%)	232 (88%)	30 (12%)	5	11
All	All	386/456 (85%)	342 (89%)	44 (11%)	5	12

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	405	ARG
1	A	410	MET
1	A	412	GLU
1	A	418	LYS
1	A	420	LEU
1	A	423	GLU
1	A	431	TYR
1	A	442	SER
1	A	460	LEU
1	A	542	LEU
1	A	546	LEU
2	B	236	LEU
2	B	248	VAL
2	B	270	ILE
3	C	27	VAL
3	C	40	LEU
3	C	54	LEU
3	C	69	ARG
3	C	94	LEU
3	C	109	GLU
3	C	118	GLU
3	C	126	LYS
3	C	137	LEU
3	C	158	GLU
3	C	166	LEU
3	C	175	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	176	LYS
3	C	192	LEU
3	C	193	GLU
3	C	199	THR
3	C	202	ASN
3	C	216	LEU
3	C	218	ILE
3	C	224	VAL
3	C	225	SER
3	C	261	VAL
3	C	284	LEU
3	C	287	ILE
3	C	290	ARG
3	C	291	LEU
3	C	296	VAL
3	C	304	GLU
3	C	318	LEU
3	C	323	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	397	HIS
1	A	419	GLN
1	A	438	ASN
1	A	450	GLN
1	A	453	GLN
2	B	238	HIS
3	C	24	ASN
3	C	35	HIS
3	C	134	ASN
3	C	161	ASN
3	C	202	ASN
3	C	256	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ATP	C	402	-	32,33,33	2.17	9 (28%)	48,52,52	1.98	11 (22%)
4	ATP	C	401	-	32,33,33	1.85	11 (34%)	48,52,52	1.78	11 (22%)
5	TAM	C	403	-	10,10,10	1.05	1 (10%)	12,12,12	2.40	5 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ATP	C	402	-	-	9/22/38/38	0/3/3/3
4	ATP	C	401	-	-	0/22/38/38	0/3/3/3
5	TAM	C	403	-	-	7/12/12/12	-

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	402	ATP	PB-O3B	-5.58	1.53	1.59
4	C	402	ATP	PB-O3A	-4.66	1.54	1.59
4	C	402	ATP	PA-O3A	-4.08	1.55	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	402	ATP	C5-N7	-3.87	1.32	1.39
4	C	401	ATP	C8-N9	-3.69	1.31	1.37
4	C	401	ATP	C5-N7	-3.63	1.32	1.39
4	C	401	ATP	C4-N9	-3.46	1.30	1.37
4	C	402	ATP	C4-N9	-3.07	1.31	1.37
4	C	402	ATP	C8-N9	-3.03	1.32	1.37
4	C	402	ATP	C5-C4	3.03	1.44	1.39
4	C	401	ATP	PB-O3B	-2.84	1.56	1.59
4	C	401	ATP	C5-C4	2.70	1.43	1.39
4	C	401	ATP	PG-O2G	-2.31	1.46	1.54
4	C	401	ATP	PA-O2A	-2.28	1.44	1.55
5	C	403	TAM	C3-C	-2.28	1.50	1.53
4	C	401	ATP	PB-O2B	-2.22	1.45	1.55
4	C	401	ATP	O4'-C4'	-2.12	1.40	1.45
4	C	402	ATP	O4'-C4'	-2.09	1.40	1.45
4	C	402	ATP	C5-C6	2.07	1.46	1.41
4	C	401	ATP	PG-O3G	-2.03	1.47	1.54
4	C	401	ATP	PA-O1A	-2.03	1.43	1.50

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	402	ATP	C5-C4-N3	-6.33	118.00	126.72
5	C	403	TAM	C6-C3-C	-5.96	108.94	115.97
4	C	401	ATP	C5-C4-N3	-5.11	119.69	126.72
4	C	402	ATP	N3-C4-N9	4.33	134.53	127.17
4	C	401	ATP	N3-C4-N9	4.28	134.44	127.17
4	C	402	ATP	O2G-PG-O3B	-4.13	90.77	104.64
4	C	402	ATP	C2-N3-C4	4.13	121.92	111.83
4	C	402	ATP	C4-C5-N7	-4.05	105.95	110.58
4	C	401	ATP	N3-C2-N1	-3.78	122.86	128.58
4	C	401	ATP	C4-C5-N7	-3.68	106.38	110.58
4	C	401	ATP	C2-N3-C4	3.49	120.36	111.83
4	C	402	ATP	N3-C2-N1	-3.44	123.38	128.58
4	C	401	ATP	C4-N9-C8	3.27	109.18	105.74
5	C	403	TAM	C5-C2-C	-3.09	112.32	115.97
4	C	401	ATP	C2-N1-C6	3.04	123.72	118.73
4	C	401	ATP	C5-N7-C8	2.64	107.60	103.45
4	C	402	ATP	C5-N7-C8	2.61	107.55	103.45
4	C	402	ATP	O2B-PB-O1B	2.60	124.55	112.44
4	C	402	ATP	C6-C5-N7	2.57	137.04	132.09
4	C	401	ATP	C6-C5-N7	2.56	137.02	132.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	402	ATP	O2'-C2'-C3'	-2.56	103.62	111.82
5	C	403	TAM	C4-C1-C	-2.48	113.05	115.97
5	C	403	TAM	C3-C-C1	-2.27	106.50	110.50
4	C	402	ATP	O3G-PG-O2G	2.23	116.17	107.80
4	C	401	ATP	O3G-PG-O2G	2.23	116.15	107.80
5	C	403	TAM	O4-C4-C1	-2.20	105.15	111.33
4	C	401	ATP	N9-C8-N7	-2.09	110.97	113.94

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	402	ATP	C5'-O5'-PA-O2A
5	C	403	TAM	C2-C-C1-C4
5	C	403	TAM	C3-C-C1-C4
5	C	403	TAM	N-C-C1-C4
5	C	403	TAM	C1-C-C3-C6
5	C	403	TAM	C2-C-C3-C6
5	C	403	TAM	N-C-C3-C6
4	C	402	ATP	O4'-C4'-C5'-O5'
4	C	402	ATP	C3'-C4'-C5'-O5'
5	C	403	TAM	C-C3-C6-O6
4	C	402	ATP	C5'-O5'-PA-O1A
4	C	402	ATP	C5'-O5'-PA-O3A
4	C	402	ATP	C2'-C1'-N9-C8
4	C	402	ATP	PA-O3A-PB-O1B
4	C	402	ATP	PA-O3A-PB-O2B
4	C	402	ATP	PB-O3A-PA-O2A


There are no ring outliers.


3 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	402	ATP	4	0
4	C	401	ATP	3	0
5	C	403	TAM	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	92/106 (86%)	0.99	10 (10%) 10 9	38, 94, 127, 134	0
2	B	42/72 (58%)	0.70	6 (14%) 6 5	38, 61, 131, 140	0
3	C	285/330 (86%)	0.41	18 (6%) 26 23	34, 61, 113, 163	0
All	All	419/508 (82%)	0.57	34 (8%) 18 15	34, 65, 122, 163	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	202	ALA	3.4
3	C	25	SER	3.4
3	C	61	PHE	3.4
2	B	240	TYR	3.4
2	B	205	ILE	3.4
3	C	253	THR	3.4
3	C	182	PHE	3.3
1	A	529	GLY	3.3
3	C	256	ASN	3.1
2	B	234	VAL	3.0
1	A	436	ARG	2.9
3	C	107	GLU	2.9
1	A	445	SER	2.8
1	A	430	TYR	2.7
1	A	427	VAL	2.7
1	A	444	PHE	2.5
2	B	233	HIS	2.5
3	C	108	LEU	2.5
3	C	294	ALA	2.5
3	C	181	GLU	2.4
3	C	23	SER	2.4
3	C	189	SER	2.4
3	C	232	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	467	ASP	2.3
3	C	269	SER	2.3
3	C	24	ASN	2.3
3	C	183	PRO	2.3
2	B	246	ASP	2.2
3	C	303	ASP	2.2
3	C	132	SER	2.2
3	C	275	VAL	2.1
1	A	439	PRO	2.1
1	A	416	ALA	2.0
1	A	530	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	TAM	C	403	11/11	0.62	0.18	71,89,93,94	0
4	ATP	C	402	31/31	0.92	0.09	44,61,81,96	2
4	ATP	C	401	31/31	0.96	0.06	38,46,62,77	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ATP C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.