



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 12:10 PM UTC

PDB ID : 3EJB / pdb_00003ejb
Title : Crystal Structure of P450BioI in complex with tetradecanoic acid ligated Acyl Carrier Protein
Authors : Cryle, M.J.; Schlichting, I.
Deposited on : 2008-09-18
Resolution : 2.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	97	
1	C	97	
1	E	97	
1	G	97	
2	B	404	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	404	 85% 9% . .
2	F	404	 83% 10% 6%
2	H	404	 82% 14% .

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 16422 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acyl carrier protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	78	Total	C	N	O	S	0	0	0
			606	374	95	135	2			
1	C	77	Total	C	N	O	S	0	0	0
			596	368	92	134	2			
1	E	78	Total	C	N	O	S	0	0	0
			606	374	95	135	2			
1	G	77	Total	C	N	O	S	0	0	0
			596	368	92	134	2			

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP P0A6A8
A	2	SER	-	expression tag	UNP P0A6A8
A	3	SER	-	expression tag	UNP P0A6A8
A	4	HIS	-	expression tag	UNP P0A6A8
A	5	HIS	-	expression tag	UNP P0A6A8
A	6	HIS	-	expression tag	UNP P0A6A8
A	7	HIS	-	expression tag	UNP P0A6A8
A	8	HIS	-	expression tag	UNP P0A6A8
A	9	HIS	-	expression tag	UNP P0A6A8
A	10	SER	-	expression tag	UNP P0A6A8
A	11	SER	-	expression tag	UNP P0A6A8
A	12	GLY	-	expression tag	UNP P0A6A8
A	13	LEU	-	expression tag	UNP P0A6A8
A	14	VAL	-	expression tag	UNP P0A6A8
A	15	PRO	-	expression tag	UNP P0A6A8
A	16	ARG	-	expression tag	UNP P0A6A8
A	17	GLY	-	expression tag	UNP P0A6A8
A	18	SER	-	expression tag	UNP P0A6A8
A	19	HIS	-	expression tag	UNP P0A6A8
C	1	GLY	-	expression tag	UNP P0A6A8
C	2	SER	-	expression tag	UNP P0A6A8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	3	SER	-	expression tag	UNP P0A6A8
C	4	HIS	-	expression tag	UNP P0A6A8
C	5	HIS	-	expression tag	UNP P0A6A8
C	6	HIS	-	expression tag	UNP P0A6A8
C	7	HIS	-	expression tag	UNP P0A6A8
C	8	HIS	-	expression tag	UNP P0A6A8
C	9	HIS	-	expression tag	UNP P0A6A8
C	10	SER	-	expression tag	UNP P0A6A8
C	11	SER	-	expression tag	UNP P0A6A8
C	12	GLY	-	expression tag	UNP P0A6A8
C	13	LEU	-	expression tag	UNP P0A6A8
C	14	VAL	-	expression tag	UNP P0A6A8
C	15	PRO	-	expression tag	UNP P0A6A8
C	16	ARG	-	expression tag	UNP P0A6A8
C	17	GLY	-	expression tag	UNP P0A6A8
C	18	SER	-	expression tag	UNP P0A6A8
C	19	HIS	-	expression tag	UNP P0A6A8
E	1	GLY	-	expression tag	UNP P0A6A8
E	2	SER	-	expression tag	UNP P0A6A8
E	3	SER	-	expression tag	UNP P0A6A8
E	4	HIS	-	expression tag	UNP P0A6A8
E	5	HIS	-	expression tag	UNP P0A6A8
E	6	HIS	-	expression tag	UNP P0A6A8
E	7	HIS	-	expression tag	UNP P0A6A8
E	8	HIS	-	expression tag	UNP P0A6A8
E	9	HIS	-	expression tag	UNP P0A6A8
E	10	SER	-	expression tag	UNP P0A6A8
E	11	SER	-	expression tag	UNP P0A6A8
E	12	GLY	-	expression tag	UNP P0A6A8
E	13	LEU	-	expression tag	UNP P0A6A8
E	14	VAL	-	expression tag	UNP P0A6A8
E	15	PRO	-	expression tag	UNP P0A6A8
E	16	ARG	-	expression tag	UNP P0A6A8
E	17	GLY	-	expression tag	UNP P0A6A8
E	18	SER	-	expression tag	UNP P0A6A8
E	19	HIS	-	expression tag	UNP P0A6A8
G	1	GLY	-	expression tag	UNP P0A6A8
G	2	SER	-	expression tag	UNP P0A6A8
G	3	SER	-	expression tag	UNP P0A6A8
G	4	HIS	-	expression tag	UNP P0A6A8
G	5	HIS	-	expression tag	UNP P0A6A8
G	6	HIS	-	expression tag	UNP P0A6A8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	7	HIS	-	expression tag	UNP P0A6A8
G	8	HIS	-	expression tag	UNP P0A6A8
G	9	HIS	-	expression tag	UNP P0A6A8
G	10	SER	-	expression tag	UNP P0A6A8
G	11	SER	-	expression tag	UNP P0A6A8
G	12	GLY	-	expression tag	UNP P0A6A8
G	13	LEU	-	expression tag	UNP P0A6A8
G	14	VAL	-	expression tag	UNP P0A6A8
G	15	PRO	-	expression tag	UNP P0A6A8
G	16	ARG	-	expression tag	UNP P0A6A8
G	17	GLY	-	expression tag	UNP P0A6A8
G	18	SER	-	expression tag	UNP P0A6A8
G	19	HIS	-	expression tag	UNP P0A6A8

- Molecule 2 is a protein called Biotin biosynthesis cytochrome P450-like enzyme.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	380	Total	C	N	O	S	0	2	0
			3057	1947	531	565	14			
2	D	386	Total	C	N	O	S	0	1	0
			3097	1968	539	576	14			
2	F	378	Total	C	N	O	S	0	0	0
			3028	1930	525	559	14			
2	H	387	Total	C	N	O	S	0	0	0
			3097	1968	538	577	14			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	395	ALA	-	expression tag	UNP P53554
B	396	SER	-	expression tag	UNP P53554
B	397	TRP	-	expression tag	UNP P53554
B	398	SER	-	expression tag	UNP P53554
B	399	HIS	-	expression tag	UNP P53554
B	400	PRO	-	expression tag	UNP P53554
B	401	GLN	-	expression tag	UNP P53554
B	402	PHE	-	expression tag	UNP P53554
B	403	GLU	-	expression tag	UNP P53554
B	404	LYS	-	expression tag	UNP P53554
D	395	ALA	-	expression tag	UNP P53554
D	396	SER	-	expression tag	UNP P53554
D	397	TRP	-	expression tag	UNP P53554

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	398	SER	-	expression tag	UNP P53554
D	399	HIS	-	expression tag	UNP P53554
D	400	PRO	-	expression tag	UNP P53554
D	401	GLN	-	expression tag	UNP P53554
D	402	PHE	-	expression tag	UNP P53554
D	403	GLU	-	expression tag	UNP P53554
D	404	LYS	-	expression tag	UNP P53554
F	395	ALA	-	expression tag	UNP P53554
F	396	SER	-	expression tag	UNP P53554
F	397	TRP	-	expression tag	UNP P53554
F	398	SER	-	expression tag	UNP P53554
F	399	HIS	-	expression tag	UNP P53554
F	400	PRO	-	expression tag	UNP P53554
F	401	GLN	-	expression tag	UNP P53554
F	402	PHE	-	expression tag	UNP P53554
F	403	GLU	-	expression tag	UNP P53554
F	404	LYS	-	expression tag	UNP P53554
H	395	ALA	-	expression tag	UNP P53554
H	396	SER	-	expression tag	UNP P53554
H	397	TRP	-	expression tag	UNP P53554
H	398	SER	-	expression tag	UNP P53554
H	399	HIS	-	expression tag	UNP P53554
H	400	PRO	-	expression tag	UNP P53554
H	401	GLN	-	expression tag	UNP P53554
H	402	PHE	-	expression tag	UNP P53554
H	403	GLU	-	expression tag	UNP P53554
H	404	LYS	-	expression tag	UNP P53554

- Molecule 3 is S-[2-({N-[(2S)-2-hydroxy-3,3-dimethyl-4-(phosphonooxy)butanoyl]-beta-alanyl}amino)ethyl] tetradecanethioate (CCD ID: ZMP) (formula: C₂₅H₄₉N₂O₈PS).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			36	25	2	7	1	1		
3	C	1	Total	C	N	O	P	S	0	0
			36	25	2	7	1	1		
3	E	1	Total	C	N	O	P	S	0	0
			36	25	2	7	1	1		
3	G	1	Total	C	N	O	P	S	0	0
			36	25	2	7	1	1		

- Molecule 4 is heptyl 1-thio-beta-D-glucopyranoside (CCD ID: HTG) (formula: C₁₃H₂₆O₅S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total 14	C 8	O 5	S 1	0	0
4	A	1	Total 6	C 6			0	0
4	C	1	Total 15	C 9	O 5	S 1	0	0
4	D	1	Total 5	C 5			0	0
4	E	1	Total 16	C 10	O 5	S 1	0	0
4	F	1	Total 5	C 4	S 1		0	0
4	G	1	Total 15	C 9	O 5	S 1	0	0
4	H	1	Total 7	C 6	S 1		0	0

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $\text{C}_{34}\text{H}_{32}\text{FeN}_4\text{O}_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	F	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
5	H	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total 1	Cl 1	0	0
6	F	1	Total 1	Cl 1	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	78	Total 78	O 78	0	0
7	B	290	Total 290	O 290	0	0
7	C	67	Total 67	O 67	0	0
7	D	241	Total 241	O 241	0	0
7	E	81	Total 81	O 81	0	0
7	F	289	Total 289	O 289	0	0
7	G	78	Total 78	O 78	0	0
7	H	214	Total 214	O 214	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acyl carrier protein

Chain A: 



- Molecule 1: Acyl carrier protein

Chain C: 



- Molecule 1: Acyl carrier protein

Chain E: 




- Molecule 1: Acyl carrier protein

Chain G: 




- Molecule 2: Biotin biosynthesis cytochrome P450-like enzyme

Chain B: 




- Molecule 2: Biotin biosynthesis cytochrome P450-like enzyme

Chain D:  85% 9% . .




- Molecule 2: Biotin biosynthesis cytochrome P450-like enzyme

Chain F:  83% 10% 6%



- Molecule 2: Biotin biosynthesis cytochrome P450-like enzyme

Chain H:  82% 14% .



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	61.30Å 92.10Å 107.70Å 109.00° 89.20° 90.10°	Depositor
Resolution (Å)	20.00 – 2.00 20.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.7 (20.00-2.00) 93.8 (20.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.00 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.222 , 0.266 0.223 , 0.268	Depositor DCC
R_{free} test set	7336 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	26.4	Xtriage
Anisotropy	0.020	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 34.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.157 for h,-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	16422	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZMP, CL, HEM, HTG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.27	0/611	0.65	0/826
1	C	0.28	0/600	0.64	0/811
1	E	0.27	0/611	0.65	0/826
1	G	0.30	0/600	0.65	0/811
2	B	0.30	0/3129	0.67	0/4239
2	D	0.29	0/3164	0.68	0/4289
2	F	0.31	1/3094 (0.0%)	0.67	0/4193
2	H	0.29	0/3164	0.68	0/4288
All	All	0.29	1/14973 (0.0%)	0.67	0/20283

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	F	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	257	LEU	C-N	-5.67	1.26	1.33

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	F	329	ARG	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	F	330	SER	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	606	0	578	6	0
1	C	596	0	571	4	0
1	E	606	0	578	6	0
1	G	596	0	571	6	0
2	B	3057	0	3064	27	0
2	D	3097	0	3097	33	0
2	F	3028	0	3032	41	1
2	H	3097	0	3095	40	1
3	A	36	0	45	2	0
3	C	36	0	45	2	0
3	E	36	0	45	4	0
3	G	36	0	45	2	0
4	A	20	0	24	0	0
4	C	15	0	15	0	0
4	D	5	0	9	0	0
4	E	16	0	17	0	0
4	F	5	0	6	1	0
4	G	15	0	15	0	0
4	H	7	0	10	0	0
5	B	43	0	30	1	0
5	D	43	0	30	1	0
5	F	43	0	30	3	0
5	H	43	0	30	1	0
6	B	1	0	0	0	0
6	F	1	0	0	1	0
7	A	78	0	0	2	0
7	B	290	0	0	4	0
7	C	67	0	0	0	0
7	D	241	0	0	2	0
7	E	81	0	0	0	0
7	F	289	0	0	6	0
7	G	78	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	H	214	0	0	1	0
All	All	16422	0	14982	166	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 166 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:330:SER:HB2	2:F:331:PRO:HD2	1.34	1.07
2:D:94:LEU:HD13	2:D:219:LEU:HD13	1.44	0.98
2:H:375:TRP:HE1	2:H:389:LEU:HD12	1.30	0.96
2:H:263:ASN:ND2	2:H:266:LEU:HG	1.87	0.90
1:G:92:ILE:O	1:G:93:ASN:HB2	1.75	0.87

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:263:ASN:OD1	2:H:263:ASN:ND2[1_544]	1.99	0.21

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	76/97 (78%)	73 (96%)	3 (4%)	0	100	100
1	C	75/97 (77%)	75 (100%)	0	0	100	100
1	E	76/97 (78%)	73 (96%)	3 (4%)	0	100	100
1	G	75/97 (77%)	75 (100%)	0	0	100	100
2	B	376/404 (93%)	368 (98%)	8 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	383/404 (95%)	367 (96%)	16 (4%)	0	100	100
2	F	372/404 (92%)	364 (98%)	7 (2%)	1 (0%)	36	35
2	H	383/404 (95%)	367 (96%)	16 (4%)	0	100	100
All	All	1816/2004 (91%)	1762 (97%)	53 (3%)	1 (0%)	48	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	330	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	68/83 (82%)	68 (100%)	0	100	100
1	C	67/83 (81%)	67 (100%)	0	100	100
1	E	68/83 (82%)	66 (97%)	2 (3%)	37	40
1	G	67/83 (81%)	67 (100%)	0	100	100
2	B	336/355 (95%)	335 (100%)	1 (0%)	86	91
2	D	340/355 (96%)	334 (98%)	6 (2%)	51	58
2	F	332/355 (94%)	332 (100%)	0	100	100
2	H	340/355 (96%)	337 (99%)	3 (1%)	70	78
All	All	1618/1752 (92%)	1606 (99%)	12 (1%)	76	82

5 of 12 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	37	VAL
1	E	50	GLU
2	H	211	LEU
2	H	123	GLN
2	D	214	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
2	F	241	ASN
2	F	341	HIS
2	H	201	HIS
1	G	93	ASN
2	D	252	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 2 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	HTG	H	406	-	6,6,19	1.54	1 (16%)	5,5,24	1.22	1 (20%)
5	HEM	D	405	2	50,50,50	1.93	9 (18%)	67,82,82	1.29	4 (5%)
5	HEM	F	405	2	50,50,50	1.89	9 (18%)	67,82,82	1.29	4 (5%)
4	HTG	C	100	-	15,15,19	3.44	2 (13%)	19,20,24	1.12	1 (5%)
3	ZMP	A	99	1	30,35,36	2.18	6 (20%)	34,42,45	1.84	8 (23%)
4	HTG	E	100	-	16,16,19	3.32	2 (12%)	20,21,24	1.15	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	HTG	F	406	-	4,4,19	1.77	1 (25%)	3,3,24	0.78	0
4	HTG	G	100	-	15,15,19	3.43	2 (13%)	19,20,24	1.19	1 (5%)
4	HTG	A	101	-	5,5,19	0.63	0	4,4,24	0.59	0
5	HEM	B	405	2	50,50,50	1.90	9 (18%)	67,82,82	1.28	4 (5%)
5	HEM	H	405	2	50,50,50	1.90	10 (20%)	67,82,82	1.30	4 (5%)
3	ZMP	G	99	1	30,35,36	2.20	5 (16%)	34,42,45	1.80	8 (23%)
3	ZMP	E	99	1	30,35,36	2.20	5 (16%)	34,42,45	1.82	8 (23%)
3	ZMP	C	99	1	30,35,36	2.19	6 (20%)	34,42,45	1.82	8 (23%)
4	HTG	A	100	-	14,14,19	2.30	2 (14%)	18,19,24	1.36	1 (5%)
4	HTG	D	406	-	4,4,19	0.56	0	3,3,24	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HTG	H	406	-	-	1/4/4/30	-
5	HEM	D	405	2	-	5/14/54/54	-
5	HEM	F	405	2	-	4/14/54/54	-
4	HTG	C	100	-	-	0/6/26/30	0/1/1/1
3	ZMP	A	99	1	-	22/40/42/43	-
4	HTG	E	100	-	-	2/7/27/30	0/1/1/1
4	HTG	F	406	-	-	2/2/2/30	-
4	HTG	G	100	-	-	1/6/26/30	0/1/1/1
4	HTG	A	101	-	-	1/3/3/30	-
5	HEM	B	405	2	-	3/14/54/54	-
5	HEM	H	405	2	-	6/14/54/54	-
3	ZMP	G	99	1	-	24/40/42/43	-
3	ZMP	E	99	1	-	22/40/42/43	-
3	ZMP	C	99	1	-	19/40/42/43	-
4	HTG	A	100	-	-	1/5/25/30	0/1/1/1
4	HTG	D	406	-	-	0/2/2/30	-

The worst 5 of 69 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	100	HTG	C1'-S1	-10.48	1.66	1.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	100	HTG	C1'-S1	-10.47	1.66	1.81
4	C	100	HTG	C1'-S1	-10.45	1.66	1.81
4	C	100	HTG	C1-S1	-8.18	1.67	1.80
4	G	100	HTG	C1-S1	-8.11	1.67	1.80

The worst 5 of 53 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	99	ZMP	C9-C10-S1	5.57	120.05	113.40
3	C	99	ZMP	C9-C10-S1	5.49	119.95	113.40
5	H	405	HEM	C4D-ND-C1D	5.38	111.58	105.21
5	B	405	HEM	C4D-ND-C1D	5.24	111.42	105.21
5	F	405	HEM	C4D-ND-C1D	5.20	111.37	105.21

There are no chirality outliers.

5 of 113 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	99	ZMP	C19-C18-C21-O5
3	A	99	ZMP	C20-C18-C21-O5
3	A	99	ZMP	C17-C18-C21-O5
3	A	99	ZMP	O4-C17-C18-C21
3	A	99	ZMP	C16-C17-C18-C21


There are no ring outliers.


9 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	405	HEM	1	0
5	F	405	HEM	3	0
3	A	99	ZMP	2	0
4	F	406	HTG	1	0
5	B	405	HEM	1	0
5	H	405	HEM	1	0
3	G	99	ZMP	2	0
3	E	99	ZMP	4	0
3	C	99	ZMP	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will



also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	78/97 (80%)	-1.46	0 100 100	20, 32, 47, 49	0
1	C	77/97 (79%)	-1.34	0 100 100	21, 36, 43, 44	0
1	E	78/97 (80%)	-1.43	0 100 100	20, 31, 44, 47	0
1	G	77/97 (79%)	-1.47	0 100 100	20, 29, 37, 38	0
2	B	380/404 (94%)	-1.52	0 100 100	13, 24, 35, 42	2 (0%)
2	D	386/404 (95%)	-1.47	0 100 100	11, 26, 42, 49	1 (0%)
2	F	378/404 (93%)	-1.51	0 100 100	15, 25, 35, 38	0
2	H	387/404 (95%)	-1.35	0 100 100	17, 31, 43, 51	1 (0%)
All	All	1841/2004 (91%)	-1.46	0 100 100	11, 28, 41, 51	4 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	HTG	A	101	6/19	0.97	0.08	33,33,33,33	0
4	HTG	F	406	5/19	0.98	0.05	39,39,40,42	0
6	CL	F	407	1/1	0.98	0.05	53,53,53,53	0
3	ZMP	G	99	36/37	0.99	0.04	29,31,35,36	0
4	HTG	A	100	14/19	0.99	0.03	28,29,29,29	0
3	ZMP	A	99	36/37	0.99	0.04	24,27,33,34	0
4	HTG	C	100	15/19	0.99	0.03	38,39,40,40	0
4	HTG	D	406	5/19	0.99	0.05	23,24,24,25	0
4	HTG	E	100	16/19	0.99	0.03	30,31,32,32	0
3	ZMP	C	99	36/37	0.99	0.03	25,28,32,33	0
4	HTG	G	100	15/19	0.99	0.03	31,33,33,34	0
4	HTG	H	406	7/19	0.99	0.04	41,42,43,43	0
6	CL	B	406	1/1	0.99	0.06	53,53,53,53	0
3	ZMP	E	99	36/37	0.99	0.04	20,25,31,32	0
5	HEM	F	405	43/43	1.00	0.02	13,15,17,19	0
5	HEM	H	405	43/43	1.00	0.03	15,16,18,19	0
5	HEM	B	405	43/43	1.00	0.02	13,14,15,18	0
5	HEM	D	405	43/43	1.00	0.02	12,13,16,16	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around HTG A 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around HTG F 406:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZMP G 99:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG A 100:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZMP A 99:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG C 100:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HTG E 100:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZMP C 99:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG G 100:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG H 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ZMP E 99:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM F 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM H 405:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM B 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.