



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 09:36 AM UTC

PDB ID : 2F34 / pdb_00002f34
Title : Crystal Structure of the GluR5 Ligand Binding Core Dimer with UBP310 At
1.74 Angstroms Resolution
Authors : Mayer, M.L.
Deposited on : 2005-11-18
Resolution : 1.74 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1187 (1.74-1.74)
Clashscore	190562	1207 (1.74-1.74)
Ramachandran outliers	187476	1200 (1.74-1.74)
Sidechain outliers	187428	1200 (1.74-1.74)
RSRZ outliers	180081	1188 (1.74-1.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	258	14% 74% 22% ..
1	B	258	20% 73% 23% ..

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4917 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLUTAMATE RECEPTOR, IONOTROPIC KAINATE 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	251	Total	C	N	O	S	0	19	0
			2165	1379	362	410	14			
1	B	251	Total	C	N	O	S	0	21	0
			2188	1392	369	411	16			


There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	cloning artifact	UNP P22756
A	2	SER	-	cloning artifact	UNP P22756
A	117	GLY	-	linker	UNP P22756
A	118	THR	-	linker	UNP P22756
A	258	SER	GLU	engineered mutation	UNP P22756
B	1	GLY	-	cloning artifact	UNP P22756
B	2	SER	-	cloning artifact	UNP P22756
B	117	GLY	-	linker	UNP P22756
B	118	THR	-	linker	UNP P22756
B	258	SER	GLU	engineered mutation	UNP P22756

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		
2	B	1	Total	Cl	0	0
			1	1		

- Molecule 3 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			16	10	6		
3	B	1	Total	C	O	0	0
			16	10	6		

- Molecule 4 is (S)-1-(2-AMINO-2-CARBOXYETHYL)-3(2-CARBOXYTHIOPHENE-3-YL-METHYL)-5-METHYLPYRIMIDINE-2,4-DIONE (CCD ID: UBA) (formula: $C_{14}H_{15}N_3O_6S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			24	14	3	6	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	S	0	0
			24	14	3	6	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	239	Total	O	0	8
			239	239		
5	B	243	Total	O	0	9
			243	243		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: GLUTAMATE RECEPTOR, IONOTROPIC KAINATE 1



• Molecule 1: GLUTAMATE RECEPTOR, IONOTROPIC KAINATE 1



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	97.70Å 97.95Å 129.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	33.41 – 1.74 33.41 – 1.74	Depositor EDS
% Data completeness (in resolution range)	99.9 (33.41-1.74) 99.2 (33.41-1.74)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.11 (at 1.74Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.181 , 0.211 0.183 , 0.187	Depositor DCC
R_{free} test set	3211 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	23.8	Xtriage
Anisotropy	0.086	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 84.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.460 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4917	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CL, 1PE, UBA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.66	0/2203	0.93	1/2963 (0.0%)
1	B	0.95	3/2226 (0.1%)	0.94	3/2991 (0.1%)
All	All	0.82	3/4429 (0.1%)	0.93	4/5954 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	132	ILE	C-O	19.64	1.46	1.24
1	B	132	ILE	C-N	19.64	1.59	1.33
1	B	183	THR	C-O	8.00	1.34	1.24

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	164	ARG	N-CA-C	-6.51	105.22	112.57
1	B	98	VAL	N-CA-C	6.18	119.58	113.53
1	B	132	ILE	O-C-N	5.84	131.34	122.76
1	B	164	ARG	N-CA-C	-5.29	106.60	112.57

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2165	0	2187	87	0
1	B	2188	0	2214	86	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	16	0	22	0	1
3	B	16	0	22	0	2
4	A	24	0	13	0	0
4	B	24	0	13	0	0
5	A	239	0	0	14	1
5	B	243	0	0	18	3
All	All	4917	0	4471	170	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:173:SER:OG	1:B:189[B]:MET:HE1	1.40	1.21
1:A:173:SER:OG	1:A:189[B]:MET:HE1	1.50	1.11
1:A:238[B]:GLN:HG3	5:A:1039[B]:HOH:O	1.62	0.97
1:A:248[A]:GLU:O	1:A:252:ARG:HG3	1.65	0.96
1:B:164:ARG:HH11	1:B:164:ARG:HG2	1.27	0.94
1:A:248[B]:GLU:O	1:A:252:ARG:HG3	1.67	0.93
1:B:166:GLN:HE21	1:B:166:GLN:H	1.14	0.92
1:A:108:LEU:HD12	1:A:190[A]:GLU:HG3	1.49	0.92
1:B:166:GLN:H	1:B:166:GLN:NE2	1.68	0.91
1:A:164:ARG:HG2	1:A:164:ARG:HH11	1.34	0.90
1:A:162:SER:O	1:A:165:GLN:HB2	1.72	0.89
1:A:221:PRO:HG3	5:A:1008:HOH:O	1.72	0.88
1:B:221:PRO:HG3	5:B:1012:HOH:O	1.74	0.86
1:B:245[B]:MET:HG3	5:B:808:HOH:O	1.75	0.86
1:A:164:ARG:HH11	1:A:164:ARG:CG	1.91	0.83
1:B:164:ARG:HH11	1:B:164:ARG:CG	1.92	0.82
1:A:108:LEU:HD12	1:A:190[A]:GLU:CG	2.12	0.80
1:A:97[B]:LYS:HD2	5:A:954:HOH:O	1.82	0.79
1:B:189[A]:MET:HG3	1:B:194:ILE:HG13	1.64	0.79
1:B:245[B]:MET:CG	5:B:808:HOH:O	2.30	0.79
1:A:189[A]:MET:CG	1:A:194:ILE:HG13	2.12	0.79
1:B:173:SER:HG	1:B:189[B]:MET:HE1	1.45	0.78
1:B:115:ARG:H	1:B:115:ARG:NH1	1.81	0.78
1:B:75[A]:LYS:HE3	1:B:79:ASP:OD2	1.84	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:187:LEU:CD2	1:B:189[A]:MET:HE3	2.15	0.76
1:B:181:LEU:CD2	1:B:204:LEU:HD11	2.16	0.75
1:A:189[A]:MET:HG2	1:A:194:ILE:HG13	1.69	0.75
1:A:252:ARG:O	1:A:252:ARG:HD2	1.87	0.74
1:A:236[A]:GLN:O	1:A:240[A]:GLU:HG2	1.87	0.74
1:A:115:ARG:H	1:A:115:ARG:NH1	1.86	0.73
1:B:181:LEU:HD23	1:B:204:LEU:HD11	1.70	0.73
1:A:108:LEU:CD1	1:A:190[A]:GLU:HG3	2.19	0.72
1:B:116:LYS:NZ	1:B:202:CYS:O	2.17	0.72
1:A:189[A]:MET:HG2	1:A:194:ILE:CG1	2.20	0.71
1:B:189[A]:MET:HG3	1:B:194:ILE:CG1	2.20	0.71
1:A:115:ARG:N	1:A:115:ARG:HH11	1.90	0.70
1:B:93:TYR:CD1	1:B:97[B]:LYS:NZ	2.56	0.70
1:B:115:ARG:NH1	1:B:180:VAL:HG13	2.08	0.69
1:B:115:ARG:HH11	1:B:115:ARG:N	1.91	0.69
1:A:245:MET:HE3	5:A:838:HOH:O	1.93	0.68
1:B:115:ARG:NH1	1:B:115:ARG:N	2.42	0.67
1:B:187:LEU:HD23	1:B:189[A]:MET:HE3	1.76	0.66
1:B:240[A]:GLU:HG3	1:B:242:LYS:HG3	1.78	0.65
1:B:125:ASP:HA	1:B:128:LYS:NZ	2.11	0.65
1:B:232[B]:ILE:HG22	1:B:236[B]:GLN:HE21	1.61	0.65
1:A:232[B]:ILE:O	1:A:236[B]:GLN:HG3	1.97	0.64
1:A:130:THR:HG23	1:A:160:PHE:HE1	1.63	0.64
1:B:93:TYR:O	1:B:97[B]:LYS:HD3	1.97	0.64
1:A:97[B]:LYS:CD	5:A:954:HOH:O	2.43	0.63
1:B:187:LEU:HD21	1:B:189[A]:MET:HE3	1.80	0.63
1:B:181:LEU:HD21	1:B:201[A]:ASN:ND2	2.14	0.63
1:A:115:ARG:NH1	1:A:115:ARG:N	2.47	0.63
1:B:80:HIS:HD2	5:B:998:HOH:O	1.82	0.62
1:A:125:ASP:HA	1:A:128:LYS:HZ3	1.64	0.62
1:A:137:VAL:CG2	1:A:189[B]:MET:HE3	2.29	0.62
1:B:39:LEU:HA	1:B:246[A]:MET:HE1	1.81	0.61
1:B:173:SER:OG	1:B:189[B]:MET:CE	2.33	0.61
1:A:115:ARG:NH1	1:A:180:VAL:HG13	2.15	0.61
1:B:80:HIS:HA	5:B:1012:HOH:O	2.00	0.61
1:B:97[A]:LYS:HD2	5:B:1022:HOH:O	2.01	0.60
1:B:166:GLN:HE21	1:B:166:GLN:N	1.93	0.60
1:B:20[A]:ARG:HD3	1:B:33:GLU:HB3	1.84	0.60
1:B:181:LEU:HD21	1:B:201[A]:ASN:HD21	1.66	0.60
1:B:80:HIS:CD2	5:B:998:HOH:O	2.55	0.59
1:B:162:SER:O	1:B:165:GLN:HB2	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:ASP:HA	1:A:128:LYS:NZ	2.17	0.57
1:B:112:ILE:HB	1:B:207:ILE:HB	1.84	0.57
1:A:80:HIS:CE1	5:A:1030:HOH:O	2.57	0.57
1:B:80:HIS:CE1	5:B:1033:HOH:O	2.58	0.57
1:A:130:THR:HG22	1:A:130:THR:O	2.05	0.57
1:B:114:TYR:HA	1:B:115:ARG:NH1	2.20	0.56
1:B:236[B]:GLN:NE2	5:B:891:HOH:O	2.22	0.56
1:A:164:ARG:HB2	1:A:164:ARG:NH1	2.21	0.56
1:B:94[A]:VAL:HG13	5:B:1016:HOH:O	2.06	0.56
1:A:107[A]:THR:HG23	5:A:853:HOH:O	2.05	0.56
1:A:137:VAL:HG23	1:A:189[B]:MET:HE3	1.87	0.55
1:A:240[A]:GLU:HG3	1:A:242:LYS:HG3	1.88	0.55
1:A:97[A]:LYS:HD2	5:A:953:HOH:O	2.06	0.55
1:B:41[B]:LYS:HE3	1:B:45:ASN:HD21	1.70	0.55
1:B:125:ASP:HA	1:B:128:LYS:HZ3	1.71	0.54
1:B:181:LEU:HD21	1:B:204:LEU:HD11	1.89	0.54
1:A:164:ARG:HG2	1:A:164:ARG:NH1	2.14	0.54
1:B:114:TYR:HA	1:B:115:ARG:HH12	1.73	0.53
1:A:252:ARG:HD2	1:A:252:ARG:C	2.33	0.53
1:B:228:ASP:O	1:B:232[A]:ILE:HG12	2.09	0.53
1:B:7:ILE:HD13	1:B:52[A]:ASP:HB3	1.91	0.53
1:A:190[A]:GLU:OE2	1:A:190[A]:GLU:HA	2.09	0.53
1:A:222:ILE:HD12	1:B:20[A]:ARG:NH2	2.24	0.53
1:A:41:LYS:HE2	1:A:45:ASN:HD21	1.74	0.52
1:B:147:LYS:HD2	1:B:147:LYS:C	2.34	0.52
1:A:80:HIS:CD2	5:B:807:HOH:O	2.61	0.52
1:A:221:PRO:CG	5:A:1008:HOH:O	2.40	0.52
1:A:164:ARG:HH11	1:A:164:ARG:CB	2.23	0.52
1:A:112:ILE:HB	1:A:207:ILE:HB	1.92	0.51
1:B:181:LEU:HD21	1:B:204:LEU:CD1	2.39	0.51
1:A:75[A]:LYS:HE3	1:A:79:ASP:OD2	2.11	0.51
1:A:116:LYS:NZ	1:A:202:CYS:O	2.32	0.51
1:B:116:LYS:HG2	1:B:205:THR:HB	1.92	0.51
1:B:164:ARG:HG2	1:B:164:ARG:NH1	2.07	0.51
1:A:138:ARG:CZ	1:A:165:GLN:OE1	2.59	0.51
1:A:236[B]:GLN:NE2	5:A:883:HOH:O	2.37	0.51
1:B:232[B]:ILE:O	1:B:236[B]:GLN:HG3	2.10	0.51
1:A:114:TYR:HA	1:A:115:ARG:NH1	2.26	0.50
1:B:173:SER:O	1:B:177:ILE:HG13	2.12	0.50
1:B:221:PRO:CG	5:B:1012:HOH:O	2.47	0.50
1:A:80:HIS:HA	5:A:1008:HOH:O	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:HIS:HE1	5:A:1030:HOH:O	1.93	0.49
1:A:165:GLN:HG2	1:A:169:LEU:HD12	1.93	0.49
1:B:164:ARG:CG	1:B:164:ARG:NH1	2.62	0.49
1:A:80:HIS:HD2	5:B:807:HOH:O	1.96	0.49
1:B:137:VAL:CG2	1:B:189[B]:MET:HE3	2.42	0.49
1:A:137:VAL:HG21	1:A:189[B]:MET:HE3	1.95	0.49
1:B:245[A]:MET:HE3	5:B:846:HOH:O	2.13	0.48
1:A:80:HIS:HB2	1:B:249:LYS:HG3	1.95	0.48
1:A:240[A]:GLU:OE2	1:A:242:LYS:HD2	2.13	0.48
1:B:165:GLN:HG2	1:B:169:LEU:HD12	1.96	0.48
1:B:65:ASN:OD1	1:B:68:GLY:N	2.47	0.48
1:A:248[A]:GLU:O	1:A:252:ARG:CG	2.50	0.47
1:B:97[B]:LYS:N	1:B:97[B]:LYS:CD	2.76	0.47
1:A:41:LYS:HE2	1:A:45:ASN:ND2	2.29	0.47
1:A:181:LEU:HD21	1:A:201:ASN:ND2	2.30	0.47
1:B:236[A]:GLN:O	1:B:240[A]:GLU:HG2	2.14	0.47
1:A:242:LYS:O	1:A:246[A]:MET:HG3	2.14	0.47
1:B:65:ASN:C	1:B:67:LYS:H	2.23	0.46
1:B:81[A]:ARG:NH1	5:B:971:HOH:O	2.48	0.46
1:A:70:TRP:HH2	1:A:94[B]:VAL:HG12	1.80	0.46
1:B:181:LEU:CD2	1:B:204:LEU:CD1	2.91	0.46
1:A:189[A]:MET:HB2	5:A:947[A]:HOH:O	2.15	0.46
1:A:108:LEU:HD12	1:A:190[A]:GLU:CD	2.41	0.46
1:A:181:LEU:HD21	1:A:201:ASN:HD21	1.80	0.46
1:A:248[A]:GLU:HG2	5:A:1036:HOH:O	2.14	0.46
1:B:166:GLN:NE2	1:B:166:GLN:N	2.50	0.46
1:B:93:TYR:CE1	1:B:97[B]:LYS:NZ	2.77	0.45
1:A:108:LEU:CD1	1:A:190[A]:GLU:CG	2.87	0.45
1:A:116:LYS:HG2	1:A:205:THR:HB	1.99	0.45
1:A:164:ARG:NH1	1:A:164:ARG:CB	2.79	0.45
1:B:41[A]:LYS:HD2	5:B:944:HOH:O	2.17	0.45
1:A:247:LYS:HD2	1:A:251:TRP:CD2	2.51	0.45
1:B:148:LYS:HB3	1:B:148:LYS:NZ	2.33	0.44
1:B:181:LEU:CD2	1:B:201[A]:ASN:HD21	2.29	0.44
1:A:228:ASP:O	1:A:232[A]:ILE:HG12	2.17	0.44
1:B:20[A]:ARG:CD	1:B:33:GLU:HB3	2.47	0.44
1:B:242:LYS:HA	1:B:245[B]:MET:HG2	1.98	0.44
1:B:20[B]:ARG:HG2	1:B:33:GLU:HB3	2.00	0.44
1:A:189[A]:MET:HG3	1:A:194:ILE:HG13	1.94	0.44
1:B:137:VAL:HG21	1:B:189[B]:MET:CE	2.48	0.44
1:B:64:GLN:HG2	1:B:68:GLY:HA2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:137:VAL:HG21	1:A:189[B]:MET:CE	2.48	0.43
1:A:115:ARG:NH2	1:A:185:TYR:H	2.17	0.43
1:A:243:LEU:HD23	1:A:246[A]:MET:HE2	2.00	0.43
1:B:189[A]:MET:HB2	5:B:953[A]:HOH:O	2.18	0.43
1:B:76:GLU:OE1	1:B:81[A]:ARG:CZ	2.66	0.43
1:A:4:ARG:HG2	1:A:6:LEU:HD23	1.99	0.43
1:A:79:ASP:O	1:A:80:HIS:HB2	2.17	0.43
1:A:138:ARG:NH2	1:A:165:GLN:OE1	2.52	0.43
1:A:133:GLU:O	1:A:185:TYR:HA	2.19	0.43
1:A:248[B]:GLU:O	1:A:252:ARG:CG	2.53	0.43
1:A:147:LYS:HD2	1:A:147:LYS:C	2.45	0.42
1:A:173:SER:OG	1:A:189[B]:MET:CE	2.43	0.42
1:A:70:TRP:CH2	1:A:94[B]:VAL:HG12	2.54	0.42
1:A:164:ARG:CG	1:A:164:ARG:NH1	2.61	0.41
1:A:4:ARG:HD2	1:B:254:ASN:OD1	2.19	0.41
1:A:76:GLU:OE1	1:A:81[A]:ARG:CZ	2.69	0.41
1:B:80:HIS:HE1	5:B:1033:HOH:O	1.98	0.41
1:B:190[A]:GLU:HA	1:B:190[A]:GLU:OE1	2.21	0.41
1:A:157:MET:O	1:A:161:MET:HG3	2.20	0.41
1:B:97[B]:LYS:N	1:B:97[B]:LYS:HD2	2.35	0.41
1:B:7:ILE:HD12	1:B:54[B]:LYS:HE3	2.02	0.41
1:A:75[B]:LYS:HE2	1:A:79:ASP:OD1	2.21	0.40
1:B:247:LYS:HD2	1:B:251:TRP:CD2	2.57	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:601:1PE:OH7	5:B:882:HOH:O[4_555]	1.92	0.28
3:A:602:1PE:OH7	5:A:874:HOH:O[3_555]	2.01	0.19
5:B:1024:HOH:O	5:B:1040:HOH:O[4_555]	2.13	0.07
3:B:601:1PE:OH2	5:B:906:HOH:O[4_555]	2.14	0.06

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	268/258 (104%)	260 (97%)	8 (3%)	0	100	100
1	B	270/258 (105%)	262 (97%)	8 (3%)	0	100	100
All	All	538/516 (104%)	522 (97%)	16 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	239/225 (106%)	234 (98%)	5 (2%)	47	24
1	B	241/225 (107%)	238 (99%)	3 (1%)	63	47
All	All	480/450 (107%)	472 (98%)	8 (2%)	55	32

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	115	ARG
1	A	164	ARG
1	A	190[A]	GLU
1	A	190[B]	GLU
1	A	204	LEU
1	B	115	ARG
1	B	164	ARG
1	B	166	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	GLN
1	A	80	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	166	GLN
1	A	244	HIS
1	A	254	ASN
1	B	45	ASN
1	B	64	GLN
1	B	80	HIS
1	B	166	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	1PE	A	602	-	15,15,15	0.50	0	14,14,14	0.38	0
4	UBA	B	802	-	24,25,25	1.68	3 (12%)	27,36,36	2.40	11 (40%)
4	UBA	A	801	-	24,25,25	1.74	7 (29%)	27,36,36	2.30	9 (33%)
3	1PE	B	601	-	15,15,15	0.48	0	14,14,14	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	1PE	A	602	-	-	0/13/13/13	-
4	UBA	B	802	-	-	3/16/16/16	0/2/2/2
4	UBA	A	801	-	-	3/16/16/16	0/2/2/2
3	1PE	B	601	-	-	2/13/13/13	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	801	UBA	C19-C18	4.53	1.47	1.38
4	B	802	UBA	C19-C18	4.47	1.46	1.38
4	B	802	UBA	C17-C18	-3.24	1.47	1.51
4	B	802	UBA	C3-C2	3.16	1.39	1.34
4	A	801	UBA	C5-N4	2.74	1.42	1.38
4	A	801	UBA	C3-C2	2.70	1.39	1.34
4	A	801	UBA	C17-C18	-2.63	1.48	1.51
4	A	801	UBA	CB-CA	2.55	1.56	1.53
4	A	801	UBA	C1-C2	2.20	1.48	1.44
4	A	801	UBA	OXT-C	2.05	1.28	1.22

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	801	UBA	C17-N6-C5	5.08	122.84	116.71
4	B	802	UBA	C17-N6-C5	4.79	122.49	116.71
4	B	802	UBA	C22-S20-C19	4.33	95.81	91.38
4	B	802	UBA	CB-N4-C3	4.32	123.21	120.04
4	A	801	UBA	C22-S20-C19	4.30	95.78	91.38
4	B	802	UBA	C18-C19-S20	-4.08	107.99	111.38
4	A	801	UBA	CB-N4-C3	4.06	123.02	120.04
4	A	801	UBA	C1-N6-C5	-3.89	120.83	125.62
4	B	802	UBA	C1-N6-C5	-3.78	120.97	125.62
4	A	801	UBA	N4-C5-N6	3.22	119.41	115.52
4	A	801	UBA	O8-C5-N4	-3.13	118.09	122.46
4	A	801	UBA	C18-C19-S20	-3.03	108.85	111.38
4	B	802	UBA	N4-C5-N6	2.98	119.12	115.52
4	B	802	UBA	CB-N4-C5	-2.87	115.63	118.41
4	B	802	UBA	O8-C5-N4	-2.75	118.63	122.46
4	B	802	UBA	C23-C22-S20	-2.70	108.03	112.86
4	A	801	UBA	C23-C22-S20	-2.69	108.04	112.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	801	UBA	O1-C10-C19	-2.17	114.30	121.02
4	B	802	UBA	O1-C10-C19	-2.16	114.34	121.02
4	B	802	UBA	C10-C19-S20	2.08	123.37	119.02

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	801	UBA	O2-C10-C19-S20
4	B	802	UBA	O2-C10-C19-S20
4	B	802	UBA	O1-C10-C19-S20
3	B	601	1PE	C16-C26-OH6-C15
3	B	601	1PE	C25-C15-OH6-C26
4	A	801	UBA	O1-C10-C19-S20
4	A	801	UBA	O2-C10-C19-C18
4	B	802	UBA	O2-C10-C19-C18

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	1PE	0	1
3	B	601	1PE	0	2

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	251/258 (97%)	0.36	35 (13%) 6 8	1, 14, 32, 45	19 (7%)
1	B	251/258 (97%)	0.51	51 (20%) 3 3	6, 16, 32, 43	21 (8%)
All	All	502/516 (97%)	0.44	86 (17%) 4 5	1, 15, 32, 45	40 (7%)

All (86) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	170	VAL	6.5
1	B	168	ALA	5.3
1	A	132	ILE	5.0
1	B	117	GLY	4.9
1	B	196	TYR	4.4
1	A	187	LEU	4.4
1	B	136	ALA	4.4
1	A	193	SER	4.2
1	B	134	TYR	4.2
1	B	194	ILE	4.1
1	B	169	LEU	4.0
1	A	196	TYR	4.0
1	A	189[A]	MET	3.9
1	B	131	LYS	3.8
1	A	207	ILE	3.8
1	B	158	TRP	3.8
1	A	204	LEU	3.8
1	B	174	ASP	3.7
1	B	189[A]	MET	3.7
1	A	183	THR	3.7
1	B	160	PHE	3.6
1	A	141[A]	SER	3.6
1	B	132	ILE	3.6
1	B	187	LEU	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	203	ASN	3.4
1	B	197	VAL	3.4
1	B	153	THR	3.3
1	B	173	SER	3.3
1	B	129	GLN	3.3
1	B	161	MET	3.2
1	B	154	TYR	3.2
1	B	182	THR	3.1
1	B	185	TYR	3.1
1	A	135	GLY	3.1
1	B	170	VAL	3.0
1	B	183	THR	2.9
1	A	194	ILE	2.9
1	A	169	LEU	2.8
1	B	188	LEU	2.8
1	A	140	GLY	2.8
1	A	163	SER	2.8
1	A	146	PHE	2.7
1	B	133	GLU	2.7
1	A	181	LEU	2.7
1	A	198	THR	2.7
1	B	146	PHE	2.7
1	A	177	ILE	2.7
1	A	159	ALA	2.7
1	A	168	ALA	2.7
1	B	204	LEU	2.6
1	B	184	ASP	2.6
1	B	186	ALA	2.6
1	B	181	LEU	2.5
1	A	209	GLY	2.5
1	A	185	TYR	2.5
1	B	205	THR	2.5
1	B	149	SER	2.5
1	B	145	PHE	2.4
1	A	160	PHE	2.4
1	B	193	SER	2.4
1	B	166	GLN	2.4
1	A	180	VAL	2.4
1	A	192	THR	2.4
1	A	174	ASP	2.4
1	B	151	ILE	2.4
1	B	211	ILE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	167	SER	2.3
1	A	188	LEU	2.3
1	B	156	LYS	2.3
1	A	66	ASP	2.3
1	A	128	LYS	2.3
1	A	176	GLY	2.3
1	B	212	ASP	2.3
1	B	180	VAL	2.3
1	A	179	ARG	2.2
1	B	162	SER	2.2
1	B	207	ILE	2.2
1	A	210	LEU	2.2
1	B	210	LEU	2.2
1	A	178	GLN	2.1
1	B	200	ARG	2.1
1	B	137	VAL	2.1
1	B	143	MET	2.1
1	B	178	GLN	2.1
1	B	171	LYS	2.1
1	A	154	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	UBA	A	801	24/24	0.96	0.07	25,30,34,37	0
4	UBA	B	802	24/24	0.97	0.06	25,29,35,37	0
3	1PE	A	602	16/16	0.98	0.06	18,20,26,27	16

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	1PE	B	601	16/16	0.98	0.06	17,21,28,30	16
2	CL	A	501	1/1	1.00	0.03	23,23,23,23	1
2	CL	B	502	1/1	1.00	0.02	23,23,23,23	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around UBA A 801:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UBA B 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.