



wwPDB EM Validation Summary Report ⓘ

Jun 18, 2026 – 08:36 am BST

PDB ID : 9FS8 / pdb_00009fs8
EMDB ID : EMD-50725
Title : Cryo-EM structure of *Saccharolobus solfataricus* 30S initiation complex bound to Ss-aEF1A-like mRNA
Authors : Bourgeois, G.; Coureux, P.D.; Mechulam, Y.; Schmitt, E.
Deposited on : 2024-06-20
Resolution : 3.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	11569 (3.20 - 4.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	2	1497	
2	3	127	
3	4	77	



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	A	208	
5	B	231	
6	C	65	
7	D	181	
8	E	239	
9	F	214	
10	G	214	
11	H	193	
12	I	133	
13	J	133	
14	K	137	
15	L	102	
16	M	132	
17	N	147	
18	O	165	
19	P	54	
20	Q	152	
21	R	114	
22	S	79	
23	T	140	
24	U	158	
25	V	120	
26	W	66	
27	X	83	
28	Y	75	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Z	229	
30	a	72	
31	c	110	
32	d	72	
33	e	52	
34	5	28	
35	b	95	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
37	SPM	2	1558	-	-	X	-

2 Entry composition

There are 39 unique types of molecules in this entry. The entry contains 66643 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called rRNA 16S.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	2	1493	Total	C	N	O	P	0	0
			32121	14323	5934	10371	1493		

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	843	4AC	C	modified residue	GB AE006641.1
2	930	C4J	U	modified residue	GB AE006641.1
2	1466	4AC	C	modified residue	GB AE006641.1
2	1467	4AC	C	modified residue	GB AE006641.1
2	1477	4AC	C	modified residue	GB AE006641.1
2	1478	4AC	C	modified residue	GB AE006641.1
2	1496	C	A	conflict	GB AE006641.1

- Molecule 2 is a protein called Large ribosomal subunit protein eL8.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	3	117	Total	C	N	O	S	0	0
			893	567	149	175	2		

- Molecule 3 is a RNA chain called tRNA met initiator.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	4	77	Total	C	N	O	P	S	0	0
			1645	734	296	537	77	1		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
4	1	A	C	engineered mutation	GB 1334604293
4	72	U	A	engineered mutation	GB 1334604293

- Molecule 4 is a protein called Small ribosomal subunit protein eS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A	186	Total	C	N	O	S	0	0
			1515	974	261	278	2		

- Molecule 5 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	B	215	Total	C	N	O	S	0	0
			1698	1092	291	312	3		

- Molecule 6 is a protein called Small zinc finger protein HVO-2753-like zinc-binding pocket domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	C	58	Total	C	N	O	S	0	0
			455	282	84	81	8		

- Molecule 7 is a protein called Small ribosomal subunit protein uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	D	166	Total	C	N	O	S	0	0
			1354	864	249	240	1		

- Molecule 8 is a protein called Small ribosomal subunit protein eS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	E	238	Total	C	N	O	S	0	0
			1930	1238	342	344	6		

- Molecule 9 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	F	210	Total	C	N	O	S	0	0
			1625	1041	275	303	6		

- Molecule 10 is a protein called Small ribosomal subunit protein eS6.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	G	213	Total	C	N	O	S	0	0
			1661	1052	292	315	2		

- Molecule 11 is a protein called Small ribosomal subunit protein uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	H	192	Total	C	N	O	S	0	0
			1543	983	283	274	3		

- Molecule 12 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	I	132	Total	C	N	O	S	0	0
			1050	675	187	182	6		

- Molecule 13 is a protein called Small ribosomal subunit protein eS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	J	127	Total	C	N	O	S	0	0
			982	617	186	179			

- Molecule 14 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	K	133	Total	C	N	O	S	0	0
			1068	675	201	185	7		

- Molecule 15 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	101	Total	C	N	O	S	0	0
			840	536	157	142	5		

- Molecule 16 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	127	Total	C	N	O	S	0	0
			944	587	184	170	3		

- Molecule 17 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	N	146	Total	C	N	O	S	0	0
			1140	723	220	193	4		

- Molecule 18 is a protein called Small ribosomal subunit protein uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	O	140	Total	C	N	O	S	0	0
			1124	708	210	202	4		

- Molecule 19 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	53	Total	C	N	O	S	0	0
			440	282	80	74	4		

- Molecule 20 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	Q	145	Total	C	N	O	S	0	0
			1185	753	224	205	3		

- Molecule 21 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	R	113	Total	C	N	O	S	0	0
			901	570	166	161	4		

- Molecule 22 is a protein called Small ribosomal subunit protein eS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	S	66	Total	C	N	O	S	0	0
			571	364	101	105	1		

- Molecule 23 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	T	128	Total	C	N	O	S	0	0
			1064	684	192	184	4		

- Molecule 24 is a protein called Small ribosomal subunit protein eS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	U	154	Total	C	N	O	S	0	0
			1247	805	223	217	2		

- Molecule 25 is a protein called Small ribosomal subunit protein eS24.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	V	107	Total	C	N	O	S	0	0
			836	524	154	156	2		

- Molecule 26 is a protein called Small ribosomal subunit protein eS27.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	W	65	Total	C	N	O	S	0	0
			503	319	93	84	7		

- Molecule 27 is a protein called Small ribosomal subunit protein eS28.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	67	Total	C	N	O		0	0
			535	335	103	97			

- Molecule 28 is a protein called Small ribosomal subunit protein eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	49	Total	C	N	O	S	0	0
			395	252	73	65	5		

- Molecule 29 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Z	196	Total	C	N	O	S	0	0
			1561	1009	274	272	6		

- Molecule 30 is a protein called aS34.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	a	71	Total	C	N	O	S	0	0
			562	361	98	96	7		

- Molecule 31 is a protein called Small ribosomal subunit protein eS25.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	c	109	Total	C	N	O	S	0	0
			856	539	152	164	1		

- Molecule 32 is a protein called aS33.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	d	70	Total	C	N	O	S	0	0
			570	370	92	105	3		

- Molecule 33 is a protein called LSU ribosomal protein S30E (Rps30E).

Mol	Chain	Residues	Atoms				AltConf	Trace
33	e	43	Total	C	N	O	0	0
			354	220	74	60		

- Molecule 34 is a RNA chain called mRNA Ss-aEF1A-like.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	5	9	Total	C	N	O	P	0	0
			194	87	36	62	9		

- Molecule 35 is a protein called LSU ribosomal protein S26E (Rps26E).

Mol	Chain	Residues	Atoms					AltConf	Trace
35	b	91	Total	C	N	O	S	0	0
			704	437	134	126	7		

- Molecule 36 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
36	2	55	Total	Mg	0
			55	55	
36	F	1	Total	Mg	0
			1	1	
36	R	1	Total	Mg	0
			1	1	

- Molecule 37 is SPERMINE (CCD ID: SPM) (formula: C₁₀H₂₆N₄).



Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
37	2	1	Total	C	N	0
			14	10	4	
37	2	1	Total	C	N	0
			14	10	4	
37	2	1	Total	C	N	0
			14	10	4	
37	2	1	Total	C	N	0
			14	10	4	
37	2	1	Total	C	N	0
			14	10	4	
37	2	1	Total	C	N	0
			14	10	4	
37	2	1	Total	C	N	0
			14	10	4	
37	2	1	Total	C	N	0
			14	10	4	
37	2	1	Total	C	N	0
			14	10	4	
37	2	1	Total	C	N	0
			14	10	4	
37	2	1	Total	C	N	0
			14	10	4	
37	2	1	Total	C	N	0
			14	10	4	
37	F	1	Total	C	N	0
			14	10	4	

- Molecule 38 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
38	C	2	Total	Zn	0
			2	2	
38	F	1	Total	Zn	0
			1	1	
38	P	1	Total	Zn	0
			1	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
38	R	1	Total 1	Zn 1	0
38	W	1	Total 1	Zn 1	0
38	a	2	Total 2	Zn 2	0
38	b	1	Total 1	Zn 1	0


- Molecule 39 is water.


Mol	Chain	Residues	Atoms		AltConf
39	2	78	Total 78	O 78	0
39	4	3	Total 3	O 3	0
39	D	1	Total 1	O 1	0
39	E	1	Total 1	O 1	0
39	H	1	Total 1	O 1	0
39	I	2	Total 2	O 2	0
39	K	2	Total 2	O 2	0
39	Q	1	Total 1	O 1	0
39	R	1	Total 1	O 1	0
39	b	1	Total 1	O 1	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: rRNA 16S






• Molecule 2: Large ribosomal subunit protein eL8




• Molecule 3: tRNA met initiator







• Molecule 4: Small ribosomal subunit protein eS1




• Molecule 5: Small ribosomal subunit protein uS2



• Molecule 6: Small zinc finger protein HVO-2753-like zinc-binding pocket domain-containing protein



• Molecule 7: Small ribosomal subunit protein uS4




• Molecule 8: Small ribosomal subunit protein eS4

Chain E:  61% 38% .




- Molecule 9: Small ribosomal subunit protein uS5

Chain F:  68% 30% .





- Molecule 10: Small ribosomal subunit protein eS6

Chain G:  63% 35% .




- Molecule 11: Small ribosomal subunit protein uS7

Chain H:  43% 54% ..




- Molecule 12: Small ribosomal subunit protein uS8

Chain I:  52% 46% ..





- Molecule 13: Small ribosomal subunit protein eS8

Chain J:  56% 37% • 5%




- Molecule 14: Small ribosomal subunit protein uS9

Chain K:  32% 64% ..




- Molecule 15: Small ribosomal subunit protein uS10


Chain L:  49% 47% ..



- Molecule 16: Small ribosomal subunit protein uS11


Chain M:  50% 44% ..






- Molecule 17: Small ribosomal subunit protein uS12

Chain N: 56% 43% ..



- Molecule 18: Small ribosomal subunit protein uS13

Chain O: 45% 39% 15%



- Molecule 19: Small ribosomal subunit protein uS14

Chain P: 56% 41% ..




- Molecule 20: Small ribosomal subunit protein uS15

Chain Q: 55% 39% 5%




- Molecule 21: Small ribosomal subunit protein uS17

Chain R: 62% 37% *







- Molecule 27: Small ribosomal subunit protein eS28




- Molecule 28: Small ribosomal subunit protein eS31




- Molecule 29: Small ribosomal subunit protein uS3



- Molecule 30: aS34





- Molecule 31: Small ribosomal subunit protein eS25





- Molecule 32: aS33




- Molecule 33: LSU ribosomal protein S30E (Rps30E)



- Molecule 34: mRNA Ss-aEF1A-like



- Molecule 35: LSU ribosomal protein S26E (Rps26E)



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	155917	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.162	Depositor
Minimum map value	-0.061	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.015	Depositor
Map size (Å)	352.0, 352.0, 352.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.88, 0.88, 0.88	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MC, 5MU, H2U, 4AC, SPM, OMC, OMU, MG, 4SU, A2M, OMG, MA6, PSU, C4J, ZN, 6MZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	2	0.23	2/35117 (0.0%)	0.31	5/54790 (0.0%)
2	3	0.37	0/902	0.61	0/1216
3	4	0.17	1/1725 (0.1%)	0.21	0/2687
4	A	0.33	0/1543	0.51	0/2077
5	B	0.30	0/1731	0.53	4/2349 (0.2%)
6	C	0.42	0/466	0.61	1/625 (0.2%)
7	D	0.30	0/1380	0.40	0/1859
8	E	0.28	0/1965	0.49	0/2644
9	F	0.33	0/1654	0.49	0/2240
10	G	0.27	0/1684	0.43	0/2265
11	H	0.35	0/1571	0.62	2/2116 (0.1%)
12	I	0.45	0/1070	0.57	1/1444 (0.1%)
13	J	0.39	0/994	0.51	1/1337 (0.1%)
14	K	0.40	0/1084	0.65	1/1450 (0.1%)
15	L	0.39	0/856	0.70	0/1154
16	M	0.60	0/960	0.83	3/1294 (0.2%)
17	N	0.34	0/1155	0.55	1/1540 (0.1%)
18	O	0.42	0/1142	0.62	0/1532
19	P	0.46	0/451	0.60	2/600 (0.3%)
20	Q	0.34	0/1206	0.48	0/1618
21	R	0.31	0/918	0.47	0/1236
22	S	0.44	0/578	0.71	0/770
23	T	0.29	0/1087	0.52	0/1456
24	U	0.37	0/1270	0.60	0/1710
25	V	0.34	0/843	0.59	0/1124
26	W	0.47	0/511	0.78	1/684 (0.1%)
27	X	0.23	0/538	0.52	0/722
28	Y	0.22	0/404	0.61	0/540
29	Z	0.34	0/1584	0.59	2/2124 (0.1%)
30	a	0.37	0/574	0.62	1/770 (0.1%)
31	c	0.37	0/861	0.60	1/1143 (0.1%)
32	d	0.38	0/581	0.72	0/786

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	e	0.39	0/360	0.60	0/477
34	5	0.45	0/217	0.71	0/336
35	b	1.17	4/713 (0.6%)	1.48	5/951 (0.5%)
All	All	0.32	7/69695 (0.0%)	0.46	31/101666 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	C	0	1
7	D	0	1
All	All	0	2

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
35	b	2	PRO	CB-CG	18.82	2.43	1.49
35	b	2	PRO	CG-CD	-13.69	1.04	1.50
35	b	2	PRO	N-CA	-12.80	1.27	1.47
35	b	2	PRO	N-CD	6.64	1.57	1.47
1	2	1464	A	C6-N1	-5.79	1.24	1.35

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
35	b	2	PRO	CB-CG-CD	-33.15	0.03	106.10
35	b	2	PRO	CA-N-CD	-15.26	90.63	112.00
35	b	2	PRO	N-CA-CB	-11.22	90.66	103.00
1	2	1487	G	C2'-C3'-O3'	9.42	123.62	109.50
29	Z	40	PRO	CA-N-CD	-7.59	101.38	112.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	C	26	ARG	Sidechain
7	D	22	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2	32121	0	16243	838	0
2	3	893	0	940	81	0
3	4	1645	0	840	38	0
4	A	1515	0	1565	102	0
5	B	1698	0	1753	99	0
6	C	455	0	438	54	0
7	D	1354	0	1419	64	0
8	E	1930	0	2013	88	0
9	F	1625	0	1689	78	0
10	G	1661	0	1737	87	0
11	H	1543	0	1611	159	0
12	I	1050	0	1100	75	0
13	J	982	0	1046	56	0
14	K	1068	0	1125	121	0
15	L	840	0	893	54	0
16	M	944	0	978	138	0
17	N	1140	0	1244	75	0
18	O	1124	0	1162	82	0
19	P	440	0	435	63	0
20	Q	1185	0	1260	62	0
21	R	901	0	935	52	0
22	S	571	0	598	67	0
23	T	1064	0	1107	67	0
24	U	1247	0	1329	117	0
25	V	836	0	894	59	0
26	W	503	0	532	53	0
27	X	535	0	572	41	0
28	Y	395	0	405	27	0
29	Z	1561	0	1667	98	0
30	a	562	0	574	62	0
31	c	856	0	941	68	0
32	d	570	0	590	83	0
33	e	354	0	386	31	0
34	5	194	0	97	13	0
35	b	704	0	732	119	0
36	2	55	0	0	0	0
36	F	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
36	R	1	0	0	0	0
37	2	406	0	754	64	0
37	F	14	0	26	4	0
38	C	2	0	0	0	0
38	F	1	0	0	0	0
38	P	1	0	0	0	0
38	R	1	0	0	0	0
38	W	1	0	0	0	0
38	a	2	0	0	0	0
38	b	1	0	0	0	0
39	2	78	0	0	8	0
39	4	3	0	0	0	0
39	D	1	0	0	0	0
39	E	1	0	0	0	0
39	H	1	0	0	0	0
39	I	2	0	0	0	0
39	K	2	0	0	0	0
39	Q	1	0	0	0	0
39	R	1	0	0	0	0
39	b	1	0	0	0	0
All	All	66643	0	51630	2827	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

The worst 5 of 2827 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:310:G:P	37:2:1558:SPM:H71	1.70	1.30
1:2:20:G:OP1	37:2:1580:SPM:H22	1.30	1.24
5:B:151:ARG:HH22	5:B:175:ALA:HA	1.04	1.14
35:b:67:LYS:HA	35:b:67:LYS:HE3	1.33	1.11
1:2:737:G:H1'	16:M:121:ILE:HD11	1.33	1.10

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	3	115/127 (91%)	100 (87%)	15 (13%)	0	100	100
4	A	184/208 (88%)	180 (98%)	4 (2%)	0	100	100
5	B	213/231 (92%)	209 (98%)	4 (2%)	0	100	100
6	C	56/65 (86%)	55 (98%)	1 (2%)	0	100	100
7	D	164/181 (91%)	162 (99%)	2 (1%)	0	100	100
8	E	236/239 (99%)	229 (97%)	7 (3%)	0	100	100
9	F	208/214 (97%)	200 (96%)	8 (4%)	0	100	100
10	G	211/214 (99%)	201 (95%)	10 (5%)	0	100	100
11	H	190/193 (98%)	182 (96%)	8 (4%)	0	100	100
12	I	130/133 (98%)	124 (95%)	6 (5%)	0	100	100
13	J	125/133 (94%)	121 (97%)	4 (3%)	0	100	100
14	K	131/137 (96%)	125 (95%)	6 (5%)	0	100	100
15	L	99/102 (97%)	92 (93%)	7 (7%)	0	100	100
16	M	125/132 (95%)	115 (92%)	10 (8%)	0	100	100
17	N	144/147 (98%)	137 (95%)	7 (5%)	0	100	100
18	O	138/165 (84%)	132 (96%)	6 (4%)	0	100	100
19	P	51/54 (94%)	50 (98%)	1 (2%)	0	100	100
20	Q	143/152 (94%)	142 (99%)	1 (1%)	0	100	100
21	R	111/114 (97%)	110 (99%)	1 (1%)	0	100	100
22	S	64/79 (81%)	63 (98%)	1 (2%)	0	100	100
23	T	126/140 (90%)	124 (98%)	2 (2%)	0	100	100
24	U	152/158 (96%)	146 (96%)	6 (4%)	0	100	100
25	V	105/120 (88%)	104 (99%)	1 (1%)	0	100	100
26	W	63/66 (96%)	58 (92%)	5 (8%)	0	100	100
27	X	65/83 (78%)	59 (91%)	6 (9%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
28	Y	47/75 (63%)	38 (81%)	9 (19%)	0	100	100
29	Z	194/229 (85%)	191 (98%)	3 (2%)	0	100	100
30	a	69/72 (96%)	66 (96%)	3 (4%)	0	100	100
31	c	107/110 (97%)	99 (92%)	8 (8%)	0	100	100
32	d	68/72 (94%)	65 (96%)	3 (4%)	0	100	100
33	e	41/52 (79%)	40 (98%)	1 (2%)	0	100	100
35	b	89/95 (94%)	89 (100%)	0	0	100	100
All	All	3964/4292 (92%)	3808 (96%)	156 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	3	97/105 (92%)	96 (99%)	1 (1%)	68	74
4	A	168/184 (91%)	164 (98%)	4 (2%)	43	61
5	B	182/198 (92%)	180 (99%)	2 (1%)	65	73
6	C	51/58 (88%)	49 (96%)	2 (4%)	28	53
7	D	147/158 (93%)	145 (99%)	2 (1%)	59	70
8	E	214/215 (100%)	212 (99%)	2 (1%)	70	75
9	F	180/184 (98%)	179 (99%)	1 (1%)	78	79
10	G	186/187 (100%)	182 (98%)	4 (2%)	45	63
11	H	166/167 (99%)	163 (98%)	3 (2%)	51	67
12	I	113/114 (99%)	110 (97%)	3 (3%)	39	59
13	J	104/110 (94%)	102 (98%)	2 (2%)	50	65
14	K	109/113 (96%)	108 (99%)	1 (1%)	70	75
15	L	93/94 (99%)	89 (96%)	4 (4%)	26	50
16	M	93/98 (95%)	92 (99%)	1 (1%)	65	73

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
17	N	122/123 (99%)	122 (100%)	0	100	100
18	O	121/142 (85%)	121 (100%)	0	100	100
19	P	45/46 (98%)	45 (100%)	0	100	100
20	Q	125/129 (97%)	124 (99%)	1 (1%)	73	76
21	R	101/102 (99%)	101 (100%)	0	100	100
22	S	63/75 (84%)	63 (100%)	0	100	100
23	T	116/126 (92%)	116 (100%)	0	100	100
24	U	134/138 (97%)	132 (98%)	2 (2%)	57	68
25	V	92/99 (93%)	91 (99%)	1 (1%)	65	73
26	W	57/58 (98%)	56 (98%)	1 (2%)	51	67
27	X	58/73 (80%)	57 (98%)	1 (2%)	53	67
28	Y	43/65 (66%)	43 (100%)	0	100	100
29	Z	163/195 (84%)	160 (98%)	3 (2%)	51	67
30	a	61/62 (98%)	56 (92%)	5 (8%)	10	36
31	c	95/96 (99%)	93 (98%)	2 (2%)	47	64
32	d	63/65 (97%)	62 (98%)	1 (2%)	55	68
33	e	40/46 (87%)	40 (100%)	0	100	100
35	b	75/79 (95%)	74 (99%)	1 (1%)	61	71
All	All	3477/3704 (94%)	3427 (99%)	50 (1%)	57	70

5 of 50 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
15	L	87	MET
25	V	108	LYS
35	b	32	GLU
15	L	94	ASP
20	Q	2	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 42 such sidechains are listed below:

Mol	Chain	Res	Type
26	W	28	GLN
30	a	5	ASN
27	X	55	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
29	Z	68	GLN
32	d	25	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2	1492/1497 (99%)	245 (16%)	6 (0%)
3	4	76/77 (98%)	13 (17%)	1 (1%)
34	5	8/28 (28%)	4 (50%)	0
All	All	1576/1602 (98%)	262 (16%)	7 (0%)

5 of 262 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2	3	U
1	2	33	U
1	2	34	C
1	2	43	G
1	2	45	U

5 of 7 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	2	1443	G
1	2	1487	G
3	4	74	C
1	2	1488	A
1	2	1436	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

38 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	OMC	4	32	3	19,22,23	0.85	0	26,31,34	1.03	2 (7%)
1	OMG	2	865	1	23,26,27	1.21	3 (13%)	33,38,41	1.94	7 (21%)
1	OMG	2	1194	1	23,26,27	1.23	3 (13%)	33,38,41	1.97	6 (18%)
1	4AC	2	1466	1	21,24,25	1.01	2 (9%)	29,34,37	1.33	4 (13%)
1	OMG	2	672	1	23,26,27	1.22	3 (13%)	33,38,41	1.94	6 (18%)
1	4AC	2	1477	1	21,24,25	1.02	2 (9%)	29,34,37	1.54	5 (17%)
1	OMG	2	926	1	23,26,27	1.21	3 (13%)	33,38,41	1.95	6 (18%)
1	A2M	2	494	1	22,25,26	1.42	4 (18%)	31,36,39	2.02	9 (29%)
1	OMU	2	1344	1	19,22,23	1.22	3 (15%)	26,31,34	1.72	6 (23%)
1	OMG	2	905	1	23,26,27	1.22	3 (13%)	33,38,41	1.95	6 (18%)
1	OMC	2	313	1	19,22,23	0.85	0	26,31,34	0.97	1 (3%)
1	OMC	2	512	1	19,22,23	0.81	0	26,31,34	0.82	0
1	OMU	2	15	1	19,22,23	1.23	3 (15%)	26,31,34	1.75	5 (19%)
1	4AC	2	1478	1	21,24,25	1.02	2 (9%)	29,34,37	1.37	4 (13%)
1	OMG	2	337	1	23,26,27	1.22	3 (13%)	33,38,41	1.95	6 (18%)
3	H2U	4	20	3	18,21,22	0.31	0	21,30,33	0.42	0
1	OMG	2	1018	1	23,26,27	1.23	3 (13%)	33,38,41	1.91	6 (18%)
1	OMC	2	113	1	19,22,23	0.82	0	26,31,34	0.82	0
1	OMG	2	546	1	23,26,27	1.21	3 (13%)	33,38,41	1.91	6 (18%)
1	OMG	2	399	1	23,26,27	1.22	3 (13%)	33,38,41	1.91	6 (18%)
3	PSU	4	55	3	18,21,22	1.32	2 (11%)	22,30,33	1.89	3 (13%)
1	OMC	2	710	1	19,22,23	0.83	0	26,31,34	0.88	1 (3%)
1	MA6	2	1475	1	23,26,27	1.46	4 (17%)	34,38,41	2.08	10 (29%)
1	OMG	2	1061	1	23,26,27	1.23	3 (13%)	33,38,41	1.93	6 (18%)
1	6MZ	2	1457	1,36	22,25,26	1.47	4 (18%)	30,36,39	2.15	10 (33%)
1	C4J	2	930	1	24,29,30	0.85	1 (4%)	29,42,45	0.62	0
1	4AC	2	843	1	21,24,25	1.05	2 (9%)	29,34,37	1.37	5 (17%)
1	4AC	2	1467	1	21,24,25	1.01	2 (9%)	29,34,37	1.38	4 (13%)
1	OMU	2	1032	1	19,22,23	1.26	3 (15%)	26,31,34	1.75	4 (15%)
1	OMC	2	1060	1	19,22,23	0.83	0	26,31,34	0.76	0
1	OMC	2	481	1	19,22,23	1.30	3 (15%)	26,31,34	0.89	1 (3%)
1	OMC	2	1366	1	19,22,23	0.82	0	26,31,34	0.78	0
1	OMC	2	538	1	19,22,23	0.82	0	26,31,34	0.84	0
3	5MU	4	54	3	19,22,23	1.38	5 (26%)	28,32,35	2.06	7 (25%)
1	5MC	2	1368	1	18,22,23	0.94	2 (11%)	26,32,35	1.11	2 (7%)
1	OMC	2	246	1	19,22,23	0.86	0	26,31,34	1.08	2 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	4SU	4	8	3	18,21,22	0.28	0	26,30,33	0.35	0
1	OMU	2	52	1	19,22,23	1.23	3 (15%)	26,31,34	1.75	4 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OMC	4	32	3	-	3/9/27/28	0/2/2/2
1	OMG	2	865	1	-	2/9/27/28	0/3/3/3
1	OMG	2	1194	1	-	0/9/27/28	0/3/3/3
1	4AC	2	1466	1	-	0/11/29/30	0/2/2/2
1	OMG	2	672	1	-	0/9/27/28	0/3/3/3
1	4AC	2	1477	1	-	2/11/29/30	0/2/2/2
1	OMG	2	926	1	-	0/9/27/28	0/3/3/3
1	A2M	2	494	1	-	0/9/27/28	0/3/3/3
1	OMU	2	1344	1	-	0/9/27/28	0/2/2/2
1	OMG	2	905	1	-	0/9/27/28	0/3/3/3
1	OMC	2	313	1	-	1/9/27/28	0/2/2/2
1	OMC	2	512	1	-	0/9/27/28	0/2/2/2
1	OMU	2	15	1	-	0/9/27/28	0/2/2/2
1	4AC	2	1478	1	-	0/11/29/30	0/2/2/2
1	OMG	2	337	1	-	1/9/27/28	0/3/3/3
3	H2U	4	20	3	-	3/7/38/39	0/2/2/2
1	OMG	2	1018	1	-	0/9/27/28	0/3/3/3
1	OMC	2	113	1	-	0/9/27/28	0/2/2/2
1	OMG	2	546	1	-	0/9/27/28	0/3/3/3
1	OMG	2	399	1	-	0/9/27/28	0/3/3/3
3	PSU	4	55	3	-	1/7/25/26	0/2/2/2
1	OMC	2	710	1	-	0/9/27/28	0/2/2/2
1	MA6	2	1475	1	-	0/11/29/30	0/3/3/3
1	OMG	2	1061	1	-	0/9/27/28	0/3/3/3
1	6MZ	2	1457	1,36	-	0/9/27/28	0/3/3/3
1	C4J	2	930	1	-	2/16/34/35	0/2/2/2
1	4AC	2	843	1	-	0/11/29/30	0/2/2/2
1	4AC	2	1467	1	-	0/11/29/30	0/2/2/2
1	OMU	2	1032	1	-	0/9/27/28	0/2/2/2
1	OMC	2	1060	1	-	0/9/27/28	0/2/2/2
1	OMC	2	481	1	-	0/9/27/28	0/2/2/2
1	OMC	2	1366	1	-	0/9/27/28	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMC	2	538	1	-	0/9/27/28	0/2/2/2
3	5MU	4	54	3	-	0/7/25/26	0/2/2/2
1	5MC	2	1368	1	-	0/7/25/26	0/2/2/2
1	OMC	2	246	1	-	3/9/27/28	0/2/2/2
3	4SU	4	8	3	-	0/7/25/26	0/2/2/2
1	OMU	2	52	1	-	0/9/27/28	0/2/2/2

The worst 5 of 77 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	1457	6MZ	C5-C4	4.44	1.47	1.39
1	2	1475	MA6	C5-C4	4.41	1.47	1.39
1	2	494	A2M	C5-C4	4.19	1.46	1.39
1	2	481	OMC	C4-N4	3.94	1.43	1.33
3	4	55	PSU	C6-C5	3.23	1.39	1.35

The worst 5 of 150 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	672	OMG	C5-C4-N3	-6.28	118.28	128.46
1	2	1194	OMG	C5-C4-N3	-6.14	118.50	128.46
1	2	1018	OMG	C5-C4-N3	-6.13	118.51	128.46
1	2	865	OMG	C5-C4-N3	-6.13	118.51	128.46
1	2	1061	OMG	C5-C4-N3	-6.07	118.61	128.46

There are no chirality outliers.

5 of 18 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	2	246	OMC	C3'-C4'-C5'-O5'
3	4	20	H2U	O4'-C1'-N1-C6
1	2	930	C4J	C4'-C5'-O5'-P
1	2	246	OMC	O4'-C4'-C5'-O5'
3	4	20	H2U	O4'-C1'-N1-C2

There are no ring outliers.

26 monomers are involved in 40 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	4	32	OMC	1	0
1	2	865	OMG	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	2	1466	4AC	3	0
1	2	672	OMG	2	0
1	2	1477	4AC	1	0
1	2	926	OMG	6	0
1	2	1344	OMU	3	0
1	2	512	OMC	1	0
1	2	1478	4AC	1	0
1	2	337	OMG	1	0
3	4	20	H2U	1	0
1	2	1018	OMG	1	0
1	2	113	OMC	1	0
1	2	546	OMG	1	0
1	2	1475	MA6	1	0
1	2	1061	OMG	1	0
1	2	1457	6MZ	1	0
1	2	843	4AC	3	0
1	2	1467	4AC	1	0
1	2	1032	OMU	1	0
1	2	1060	OMC	2	0
1	2	481	OMC	1	0
1	2	1366	OMC	2	0
1	2	538	OMC	2	0
1	2	1368	5MC	1	0
1	2	52	OMU	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 96 ligands modelled in this entry, 66 are monoatomic - leaving 30 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
37	SPM	2	1574	-	13,13,13	0.12	0	12,12,12	0.07	0
37	SPM	2	1556	-	13,13,13	0.09	0	12,12,12	0.12	0
37	SPM	2	1567	-	13,13,13	0.10	0	12,12,12	0.08	0
37	SPM	2	1584	-	13,13,13	0.07	0	12,12,12	0.18	0
37	SPM	2	1565	-	13,13,13	0.10	0	12,12,12	0.11	0
37	SPM	2	1573	-	13,13,13	0.10	0	12,12,12	0.11	0
37	SPM	F	303	-	13,13,13	0.09	0	12,12,12	0.10	0
37	SPM	2	1562	-	13,13,13	0.08	0	12,12,12	0.13	0
37	SPM	2	1581	-	13,13,13	0.09	0	12,12,12	0.22	0
37	SPM	2	1577	-	13,13,13	0.10	0	12,12,12	0.10	0
37	SPM	2	1569	-	13,13,13	0.08	0	12,12,12	0.14	0
37	SPM	2	1568	-	13,13,13	0.10	0	12,12,12	0.12	0
37	SPM	2	1566	-	13,13,13	0.10	0	12,12,12	0.09	0
37	SPM	2	1561	-	13,13,13	0.09	0	12,12,12	0.09	0
37	SPM	2	1580	-	13,13,13	0.13	0	12,12,12	0.12	0
37	SPM	2	1571	-	13,13,13	0.10	0	12,12,12	0.11	0
37	SPM	2	1558	-	13,13,13	0.09	0	12,12,12	0.12	0
37	SPM	2	1560	-	13,13,13	0.08	0	12,12,12	0.12	0
37	SPM	2	1564	-	13,13,13	0.09	0	12,12,12	0.13	0
37	SPM	2	1579	-	13,13,13	0.10	0	12,12,12	0.09	0
37	SPM	2	1572	-	13,13,13	0.07	0	12,12,12	0.15	0
37	SPM	2	1578	-	13,13,13	0.09	0	12,12,12	0.11	0
37	SPM	2	1570	-	13,13,13	0.10	0	12,12,12	0.09	0
37	SPM	2	1583	-	13,13,13	0.12	0	12,12,12	0.06	0
37	SPM	2	1557	-	13,13,13	0.12	0	12,12,12	0.06	0
37	SPM	2	1563	-	13,13,13	0.10	0	12,12,12	0.11	0
37	SPM	2	1582	-	13,13,13	0.10	0	12,12,12	0.09	0
37	SPM	2	1559	-	13,13,13	0.10	0	12,12,12	0.08	0
37	SPM	2	1576	-	13,13,13	0.10	0	12,12,12	0.17	0
37	SPM	2	1575	-	13,13,13	0.08	0	12,12,12	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
37	SPM	2	1574	-	-	4/11/11/11	-
37	SPM	2	1556	-	-	2/11/11/11	-
37	SPM	2	1567	-	-	3/11/11/11	-
37	SPM	2	1584	-	-	3/11/11/11	-
37	SPM	2	1565	-	-	2/11/11/11	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
37	SPM	2	1573	-	-	2/11/11/11	-
37	SPM	F	303	-	-	4/11/11/11	-
37	SPM	2	1562	-	-	1/11/11/11	-
37	SPM	2	1581	-	-	2/11/11/11	-
37	SPM	2	1577	-	-	3/11/11/11	-
37	SPM	2	1569	-	-	1/11/11/11	-
37	SPM	2	1568	-	-	0/11/11/11	-
37	SPM	2	1566	-	-	3/11/11/11	-
37	SPM	2	1561	-	-	4/11/11/11	-
37	SPM	2	1580	-	-	2/11/11/11	-
37	SPM	2	1571	-	-	3/11/11/11	-
37	SPM	2	1558	-	-	3/11/11/11	-
37	SPM	2	1560	-	-	2/11/11/11	-
37	SPM	2	1564	-	-	2/11/11/11	-
37	SPM	2	1579	-	-	2/11/11/11	-
37	SPM	2	1572	-	-	7/11/11/11	-
37	SPM	2	1578	-	-	3/11/11/11	-
37	SPM	2	1570	-	-	5/11/11/11	-
37	SPM	2	1583	-	-	3/11/11/11	-
37	SPM	2	1557	-	-	2/11/11/11	-
37	SPM	2	1563	-	-	3/11/11/11	-
37	SPM	2	1582	-	-	3/11/11/11	-
37	SPM	2	1559	-	-	3/11/11/11	-
37	SPM	2	1576	-	-	2/11/11/11	-
37	SPM	2	1575	-	-	3/11/11/11	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 82 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
37	2	1564	SPM	C12-C11-N10-C9
37	2	1571	SPM	C7-C6-N5-C4
37	2	1572	SPM	N1-C2-C3-C4
37	2	1572	SPM	C12-C11-N10-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
37	2	1576	SPM	C3-C4-N5-C6

There are no ring outliers.

28 monomers are involved in 68 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
37	2	1574	SPM	4	0
37	2	1556	SPM	1	0
37	2	1567	SPM	2	0
37	2	1584	SPM	2	0
37	2	1573	SPM	1	0
37	F	303	SPM	4	0
37	2	1562	SPM	1	0
37	2	1581	SPM	2	0
37	2	1577	SPM	1	0
37	2	1569	SPM	2	0
37	2	1568	SPM	4	0
37	2	1566	SPM	1	0
37	2	1561	SPM	1	0
37	2	1580	SPM	2	0
37	2	1571	SPM	1	0
37	2	1558	SPM	11	0
37	2	1560	SPM	1	0
37	2	1564	SPM	3	0
37	2	1572	SPM	1	0
37	2	1578	SPM	1	0
37	2	1570	SPM	3	0
37	2	1583	SPM	6	0
37	2	1557	SPM	2	0
37	2	1563	SPM	1	0
37	2	1582	SPM	2	0
37	2	1559	SPM	2	0
37	2	1576	SPM	4	0
37	2	1575	SPM	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-50725. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 202




Y Index: 172




Z Index: 146


6.3.2 Raw map



X Index: 202



Y Index: 172




Z Index: 207


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.015. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_50725_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1042 nm³; this corresponds to an approximate mass of 941 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.270 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.70	-	-
Author-provided FSC curve	3.71	3.91	3.74
Unmasked-calculated*	4.15	4.86	4.21

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.15 differs from the reported value 3.7 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-50725 and PDB model 9FS8. Per-residue inclusion information can be found in [section 3](#) on [page 14](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.015 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.015).

9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.015) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9740	 0.3910
2	 0.9870	 0.4040
3	 0.9190	 0.1810
4	 0.9280	 0.1940
5	 0.9900	 0.3840
A	 0.9690	 0.3930
B	 0.9680	 0.4000
C	 0.9840	 0.4520
D	 0.9710	 0.4350
E	 0.9830	 0.4400
F	 0.9540	 0.4410
G	 0.9860	 0.3530
H	 0.9540	 0.3380
I	 0.9760	 0.4560
J	 0.9850	 0.4330
K	 0.9830	 0.3770
L	 0.9620	 0.3740
M	 0.9730	 0.3950
N	 0.9680	 0.4500
O	 0.9880	 0.3940
P	 0.9930	 0.4340
Q	 0.9750	 0.4080
R	 0.9730	 0.4590
S	 0.9660	 0.3860
T	 0.9670	 0.3730
U	 0.9720	 0.3680
V	 0.9840	 0.4180
W	 0.9900	 0.4350
X	 0.9630	 0.3430
Y	 0.9970	 0.2070
Z	 0.9650	 0.4050
a	 0.9820	 0.3840
b	 0.8700	 0.3690
c	 0.7790	 0.2620
d	 0.9710	 0.2930
e	 0.9910	 0.4270

