



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 12:52 PM UTC

PDB ID : 3ISS / pdb_00003iss
Title : Crystal structure of enolpyruvyl-UDP-GlcNAc synthase (MurA):UDP-N-acetyl-muramic acid:phosphite from Escherichia coli
Authors : Jackson, S.G.; Zhang, F.; Chindemi, P.; Junop, M.S.; Berti, P.J.
Deposited on : 2009-08-27
Resolution : 2.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	418	% 82% 17% .
1	B	418	2% 78% 21% .
1	C	418	% 81% 19% .
1	D	418	79% 20% .
1	E	418	% 79% 21% .
1	F	418	% 76% 23% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	418	% 76% 24%
1	H	418	% 80% 19%
1	I	418	5% 75% 24% .
1	J	418	2% 77% 23%
1	K	418	% 79% 19% .
1	L	418	6% 72% 27%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 39025 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-N-acetylglucosamine 1-carboxyvinyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	418	Total	C	N	O	S	0	0	0
			3133	1967	556	594	16			
1	B	418	Total	C	N	O	S	0	0	0
			3133	1967	556	594	16			
1	C	418	Total	C	N	O	S	0	0	0
			3133	1967	556	594	16			
1	D	418	Total	C	N	O	S	0	0	0
			3133	1967	556	594	16			
1	E	418	Total	C	N	O	S	0	0	0
			3133	1967	556	594	16			
1	F	418	Total	C	N	O	S	0	0	0
			3133	1967	556	594	16			
1	G	418	Total	C	N	O	S	0	0	0
			3133	1967	556	594	16			
1	H	418	Total	C	N	O	S	0	0	0
			3133	1967	556	594	16			
1	I	418	Total	C	N	O	S	0	0	0
			3133	1967	556	594	16			
1	J	418	Total	C	N	O	S	0	0	0
			3133	1967	556	594	16			
1	K	418	Total	C	N	O	S	0	0	0
			3133	1967	556	594	16			
1	L	418	Total	C	N	O	S	0	0	0
			3133	1967	556	594	16			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	67	ASP	ASN	engineered mutation	UNP P0A749
B	67	ASP	ASN	engineered mutation	UNP P0A749
C	67	ASP	ASN	engineered mutation	UNP P0A749
D	67	ASP	ASN	engineered mutation	UNP P0A749
E	67	ASP	ASN	engineered mutation	UNP P0A749

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	67	ASP	ASN	engineered mutation	UNP P0A749
G	67	ASP	ASN	engineered mutation	UNP P0A749
H	67	ASP	ASN	engineered mutation	UNP P0A749
I	67	ASP	ASN	engineered mutation	UNP P0A749
J	67	ASP	ASN	engineered mutation	UNP P0A749
K	67	ASP	ASN	engineered mutation	UNP P0A749
L	67	ASP	ASN	engineered mutation	UNP P0A749

- Molecule 2 is PHOSPHITE ION (CCD ID: PO3) (formula: O_3P).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O P 4 3 1	0	0
2	B	1	Total O P 4 3 1	0	0
2	C	1	Total O P 4 3 1	0	0
2	D	1	Total O P 4 3 1	0	0
2	E	1	Total O P 4 3 1	0	0
2	F	1	Total O P 4 3 1	0	0
2	G	1	Total O P 4 3 1	0	0
2	H	1	Total O P 4 3 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	I	1	Total	O	P	0	0
			4	3	1		
2	J	1	Total	O	P	0	0
			4	3	1		
2	K	1	Total	O	P	0	0
			4	3	1		
2	L	1	Total	O	P	0	0
			4	3	1		

- Molecule 3 is URIDINE-DIPHOSPHATE-2(N-ACETYLGLUCOSAMINYL) BUTYRIC ACID (CCD ID: EPU) (formula: C₂₀H₂₉N₃O₁₉P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
3	B	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
3	C	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
3	D	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
3	E	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
3	F	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
3	G	1	Total	C	N	O	P	0	0
			44	20	3	19	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	H	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
3	I	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
3	J	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
3	K	1	Total	C	N	O	P	0	0
			44	20	3	19	2		
3	L	1	Total	C	N	O	P	0	0
			44	20	3	19	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	79	Total	O	0	0
			79	79		
4	B	63	Total	O	0	0
			63	63		
4	C	112	Total	O	0	0
			112	112		
4	D	106	Total	O	0	0
			106	106		
4	E	83	Total	O	0	0
			83	83		
4	F	69	Total	O	0	0
			69	69		
4	G	54	Total	O	0	0
			54	54		
4	H	84	Total	O	0	0
			84	84		
4	I	43	Total	O	0	0
			43	43		
4	J	55	Total	O	0	0
			55	55		
4	K	69	Total	O	0	0
			69	69		
4	L	36	Total	O	0	0
			36	36		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase




- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase




- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase






- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase

Chain D: 79% 20%




- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase

Chain E: 79% 21%




- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase


Chain F: 76% 23%




● Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase




● Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase




● Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase





● Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase







• Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase



• Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	84.51Å 120.91Å 139.73Å 111.52° 104.44° 90.19°	Depositor
Resolution (Å)	47.48 – 2.50 47.48 – 2.50	Depositor EDS
% Data completeness (in resolution range)	97.6 (47.48-2.50) 97.6 (47.48-2.50)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 2.51Å)	Xtriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, R_{free}	0.222 , 0.254 0.217 , 0.249	Depositor DCC
R_{free} test set	8367 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	46.9	Xtriage
Anisotropy	0.141	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 54.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	39025	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: EPU, PO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.66	0/3176	0.85	3/4298 (0.1%)
1	B	0.67	2/3176 (0.1%)	0.93	10/4298 (0.2%)
1	C	0.73	1/3176 (0.0%)	0.91	4/4298 (0.1%)
1	D	0.68	0/3176	0.91	2/4298 (0.0%)
1	E	0.69	0/3176	0.91	5/4298 (0.1%)
1	F	0.73	1/3176 (0.0%)	0.88	3/4298 (0.1%)
1	G	0.65	0/3176	0.87	3/4298 (0.1%)
1	H	0.68	1/3176 (0.0%)	0.89	2/4298 (0.0%)
1	I	0.68	2/3176 (0.1%)	0.91	5/4298 (0.1%)
1	J	0.61	0/3176	0.87	3/4298 (0.1%)
1	K	0.67	0/3176	0.90	8/4298 (0.2%)
1	L	0.65	0/3176	0.92	3/4298 (0.1%)
All	All	0.68	7/38112 (0.0%)	0.90	51/51576 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	D	0	1
All	All	0	2

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	115	CYS	C-N	-8.40	1.22	1.33
1	C	115	CYS	C-N	-8.18	1.23	1.33
1	B	114	GLY	C-N	-6.42	1.24	1.33
1	I	39	VAL	CA-CB	-6.12	1.46	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	275	VAL	CA-CB	-5.57	1.46	1.54

The worst 5 of 51 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	67	ASP	N-CA-CB	-14.80	85.34	110.50
1	C	67	ASP	N-CA-CB	-11.39	91.13	110.50
1	B	114	GLY	O-C-N	-8.72	114.07	122.96
1	L	38	PRO	CA-C-N	-8.66	110.35	121.96
1	L	38	PRO	C-N-CA	-8.66	110.35	121.96

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	66	ARG	Peptide
1	D	66	ARG	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3133	0	3210	70	0
1	B	3133	0	3210	94	0
1	C	3133	0	3210	83	0
1	D	3133	0	3210	82	0
1	E	3133	0	3210	92	0
1	F	3133	0	3210	105	0
1	G	3133	0	3210	107	0
1	H	3133	0	3210	89	0
1	I	3133	0	3210	112	0
1	J	3133	0	3210	95	0
1	K	3133	0	3210	127	0
1	L	3133	0	3210	126	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
2	C	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	4	0	0	0	0
2	E	4	0	0	0	0
2	F	4	0	0	0	0
2	G	4	0	0	0	0
2	H	4	0	0	0	0
2	I	4	0	0	1	0
2	J	4	0	0	0	0
2	K	4	0	0	0	0
2	L	4	0	0	1	0
3	A	44	0	26	0	0
3	B	44	0	26	1	0
3	C	44	0	26	2	0
3	D	44	0	26	0	0
3	E	44	0	26	2	0
3	F	44	0	26	3	0
3	G	44	0	26	0	0
3	H	44	0	26	4	0
3	I	44	0	26	1	0
3	J	44	0	26	1	0
3	K	44	0	26	0	0
3	L	44	0	26	2	0
4	A	79	0	0	7	0
4	B	63	0	0	14	0
4	C	112	0	0	11	0
4	D	106	0	0	5	0
4	E	83	0	0	2	0
4	F	69	0	0	7	0
4	G	54	0	0	15	0
4	H	84	0	0	9	0
4	I	43	0	0	10	0
4	J	55	0	0	12	0
4	K	69	0	0	12	0
4	L	36	0	0	8	0
All	All	39025	0	38832	1160	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

The worst 5 of 1160 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:248:LYS:CD	1:K:283:ASP:HA	1.32	1.55
1:K:248:LYS:HD2	1:K:283:ASP:CA	1.49	1.39
1:E:370:LEU:CD1	1:E:397:ARG:HB2	1.60	1.32
1:B:370:LEU:CD1	1:B:397:ARG:HB2	1.59	1.30
1:C:370:LEU:CD1	1:C:397:ARG:HB2	1.64	1.27

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	412/418 (99%)	401 (97%)	10 (2%)	1 (0%)	43	63
1	B	414/418 (99%)	404 (98%)	10 (2%)	0	100	100
1	C	414/418 (99%)	401 (97%)	13 (3%)	0	100	100
1	D	414/418 (99%)	404 (98%)	9 (2%)	1 (0%)	43	63
1	E	414/418 (99%)	403 (97%)	11 (3%)	0	100	100
1	F	414/418 (99%)	404 (98%)	10 (2%)	0	100	100
1	G	414/418 (99%)	402 (97%)	12 (3%)	0	100	100
1	H	414/418 (99%)	403 (97%)	10 (2%)	1 (0%)	43	63
1	I	414/418 (99%)	399 (96%)	13 (3%)	2 (0%)	24	43
1	J	414/418 (99%)	404 (98%)	9 (2%)	1 (0%)	43	63
1	K	414/418 (99%)	403 (97%)	11 (3%)	0	100	100
1	L	344/418 (82%)	332 (96%)	10 (3%)	2 (1%)	21	38
All	All	4896/5016 (98%)	4760 (97%)	128 (3%)	8 (0%)	43	63

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	L	37	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	38	PRO
1	A	370	LEU
1	H	370	LEU
1	I	38	PRO

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO3	A	501	-	0,3,3	-	-	0,3,3	-	-
2	PO3	G	507	-	0,3,3	-	-	0,3,3	-	-
2	PO3	I	509	-	0,3,3	-	-	0,3,3	-	-
3	EPD	D	604	-	45,46,46	2.17	14 (31%)	63,69,69	2.37	17 (26%)
2	PO3	H	508	-	0,3,3	-	-	0,3,3	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EPU	L	612	-	45,46,46	1.99	12 (26%)	63,69,69	2.33	18 (28%)
2	PO3	K	511	-	0,3,3	-	-	0,3,3	-	-
2	PO3	J	510	-	0,3,3	-	-	0,3,3	-	-
2	PO3	D	503	-	0,3,3	-	-	0,3,3	-	-
3	EPU	G	607	-	45,46,46	2.03	11 (24%)	63,69,69	2.21	15 (23%)
2	PO3	E	504	-	0,3,3	-	-	0,3,3	-	-
2	PO3	L	512	-	0,3,3	-	-	0,3,3	-	-
3	EPU	E	605	-	45,46,46	2.22	12 (26%)	63,69,69	2.22	19 (30%)
2	PO3	B	502	-	0,3,3	-	-	0,3,3	-	-
2	PO3	F	506	-	0,3,3	-	-	0,3,3	-	-
3	EPU	H	608	-	45,46,46	1.98	11 (24%)	63,69,69	2.32	15 (23%)
3	EPU	B	602	-	45,46,46	1.94	10 (22%)	63,69,69	2.17	17 (26%)
3	EPU	C	603	-	45,46,46	2.26	17 (37%)	63,69,69	2.33	17 (26%)
3	EPU	I	609	-	45,46,46	2.09	14 (31%)	63,69,69	2.30	17 (26%)
2	PO3	C	502	-	0,3,3	-	-	0,3,3	-	-
3	EPU	F	606	-	45,46,46	2.14	17 (37%)	63,69,69	2.07	15 (23%)
3	EPU	J	610	-	45,46,46	2.07	13 (28%)	63,69,69	2.28	21 (33%)
3	EPU	K	611	-	45,46,46	2.03	13 (28%)	63,69,69	2.13	15 (23%)
3	EPU	A	601	-	45,46,46	2.08	14 (31%)	63,69,69	2.21	13 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EPU	B	602	-	-	9/32/71/71	0/3/3/3
3	EPU	D	604	-	-	9/32/71/71	0/3/3/3
3	EPU	C	603	-	-	9/32/71/71	0/3/3/3
3	EPU	L	612	-	-	12/32/71/71	0/3/3/3
3	EPU	I	609	-	-	10/32/71/71	0/3/3/3
3	EPU	H	608	-	-	9/32/71/71	0/3/3/3
3	EPU	E	605	-	-	9/32/71/71	0/3/3/3
3	EPU	F	606	-	-	9/32/71/71	0/3/3/3
3	EPU	J	610	-	-	11/32/71/71	0/3/3/3
3	EPU	K	611	-	-	9/32/71/71	0/3/3/3
3	EPU	A	601	-	-	9/32/71/71	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EPU	G	607	-	-	9/32/71/71	0/3/3/3

The worst 5 of 158 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	K	611	EPU	C3E-C2E	7.61	1.52	1.31
3	E	605	EPU	C3E-C2E	7.61	1.52	1.31
3	J	610	EPU	C3E-C2E	7.52	1.51	1.31
3	B	602	EPU	C3E-C2E	7.48	1.51	1.31
3	I	609	EPU	C3E-C2E	7.44	1.51	1.31

The worst 5 of 199 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	608	EPU	C3E-C2E-C1E	-9.96	104.31	122.73
3	G	607	EPU	C3E-C2E-C1E	-9.61	104.96	122.73
3	D	604	EPU	C3E-C2E-C1E	-9.10	105.90	122.73
3	B	602	EPU	C3E-C2E-C1E	-8.71	106.63	122.73
3	L	612	EPU	C3E-C2E-C1E	-8.28	107.42	122.73

There are no chirality outliers.

5 of 114 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	601	EPU	O1E-C1E-C2E-C3E
3	A	601	EPU	O2E-C1E-C2E-O3
3	A	601	EPU	O2E-C1E-C2E-C3E
3	B	602	EPU	C5D-O5D-PA-O1A
3	B	602	EPU	C5D-O5D-PA-O2A

There are no ring outliers.

10 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	I	509	PO3	1	0
3	L	612	EPU	2	0
2	L	512	PO3	1	0
3	E	605	EPU	2	0
3	H	608	EPU	4	0
3	B	602	EPU	1	0
3	C	603	EPU	2	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	I	609	EPU	1	0
3	F	606	EPU	3	0
3	J	610	EPU	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	I	1
1	B	1
1	J	1
1	F	1
1	A	1
1	E	1
1	C	1
1	H	1
1	K	1
1	G	1

Continued on next page...

Continued from previous page...

Mol	Chain	Number of breaks
1	D	1
1	L	1

The worst 5 of 12 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	I	67:ASP	C	68:GLY	N	4.56
1	B	67:ASP	C	68:GLY	N	4.44
1	J	67:ASP	C	68:GLY	N	4.32
1	F	67:ASP	C	68:GLY	N	4.14
1	A	67:ASP	C	68:GLY	N	4.12

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	418/418 (100%)	0.12	3 (0%) 84 81	36, 55, 83, 120	0
1	B	418/418 (100%)	0.51	10 (2%) 59 55	37, 67, 100, 186	0
1	C	418/418 (100%)	-0.04	3 (0%) 84 81	26, 48, 71, 116	0
1	D	418/418 (100%)	-0.00	2 (0%) 87 85	30, 48, 72, 118	0
1	E	418/418 (100%)	0.05	4 (0%) 79 76	32, 52, 77, 143	0
1	F	418/418 (100%)	0.15	6 (1%) 73 70	33, 55, 85, 127	0
1	G	418/418 (100%)	0.27	5 (1%) 76 73	34, 61, 98, 147	0
1	H	418/418 (100%)	-0.01	3 (0%) 84 81	32, 51, 69, 132	0
1	I	418/418 (100%)	0.57	19 (4%) 38 33	38, 71, 118, 170	0
1	J	418/418 (100%)	0.35	10 (2%) 59 55	34, 64, 97, 128	0
1	K	418/418 (100%)	0.12	4 (0%) 79 76	29, 53, 79, 169	0
1	L	418/418 (100%)	0.73	27 (6%) 25 22	42, 81, 129, 203	0
All	All	5016/5016 (100%)	0.24	96 (1%) 66 62	26, 57, 99, 203	0

The worst 5 of 96 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	418	GLY	5.2
1	D	418	GLY	4.8
1	A	418	GLY	4.1
1	H	418	GLY	3.9
1	K	412	ASN	3.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PO3	L	512	4/4	0.75	0.13	68,73,83,85	0
2	PO3	B	502	4/4	0.84	0.12	61,70,74,81	0
2	PO3	F	506	4/4	0.84	0.10	71,73,76,77	0
2	PO3	K	511	4/4	0.84	0.14	56,69,71,79	0
2	PO3	A	501	4/4	0.84	0.10	65,66,69,73	0
3	EPU	I	609	44/44	0.84	0.13	55,65,70,74	0
2	PO3	C	502	4/4	0.85	0.11	59,66,66,70	0
2	PO3	D	503	4/4	0.87	0.10	52,56,65,67	0
2	PO3	J	510	4/4	0.89	0.13	53,65,65,68	0
2	PO3	I	509	4/4	0.89	0.09	49,72,72,87	0
2	PO3	E	504	4/4	0.90	0.09	58,64,65,68	0
2	PO3	H	508	4/4	0.92	0.09	54,56,57,63	0
3	EPU	H	608	44/44	0.93	0.08	37,50,61,63	0
3	EPU	D	604	44/44	0.93	0.09	32,43,53,59	0
2	PO3	G	507	4/4	0.94	0.06	50,53,55,58	0
3	EPU	F	606	44/44	0.94	0.08	33,41,52,67	0
3	EPU	G	607	44/44	0.94	0.07	39,50,58,65	0
3	EPU	A	601	44/44	0.94	0.08	38,51,59,63	0
3	EPU	B	602	44/44	0.94	0.08	43,51,59,68	0
3	EPU	L	612	44/44	0.94	0.08	56,64,70,77	0
3	EPU	J	610	44/44	0.95	0.07	42,48,54,61	0
3	EPU	K	611	44/44	0.95	0.07	33,44,52,69	0
3	EPU	E	605	44/44	0.95	0.06	34,42,56,62	0
3	EPU	C	603	44/44	0.96	0.07	33,41,49,61	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around EPU I 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around EPU H 608:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPU D 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around EPU F 606:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPU G 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around EPU A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPU B 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around EPU L 612:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPU J 610:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around EPU K 611:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPU E 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around EPU C 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.