



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 07:25 PM UTC

PDB ID : 8JSV / pdb_00008jsv
Title : Dihydrofolate reductase-like enzyme from *Leptospira interrogans* (selenomethionine derivative)
Authors : Chandit, C.; Wangkanont, K.
Deposited on : 2023-06-20
Resolution : 2.55 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1091 (2.54-2.54)
Clashscore	190562	1120 (2.54-2.54)
Ramachandran outliers	187476	1106 (2.54-2.54)
Sidechain outliers	187428	1106 (2.54-2.54)
RSRZ outliers	180081	1091 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	203	 4% 70% 23% . .
1	B	203	 6% 70% 23% . .
1	C	203	 4% 84% 15% .
1	D	203	 % 82% 13% .
1	E	203	 3% 81% 15% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	203	 <p>4% 83% 10% . .</p>
1	G	203	 <p>76% 19% . .</p>
1	H	203	 <p>3% 82% 12% . .</p>
1	I	203	 <p>4% 82% 17% .</p>
1	J	203	 <p>3% 79% 18% .</p>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 16727 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrofolate reductase family protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	Se			
1	A	195	Total 1526	C 988	N 244	O 289	Se 5	0	0	0
1	B	195	Total 1526	C 988	N 244	O 289	Se 5	0	0	0
1	C	202	Total 1596	C 1032	N 262	O 297	Se 5	0	1	0
1	D	195	Total 1535	C 994	N 246	O 290	Se 5	0	1	0
1	E	195	Total 1535	C 993	N 245	O 292	Se 5	0	1	0
1	F	195	Total 1526	C 988	N 244	O 289	Se 5	0	0	0
1	G	195	Total 1537	C 997	N 245	O 290	Se 5	0	1	0
1	H	195	Total 1537	C 997	N 245	O 290	Se 5	0	1	0
1	I	203	Total 1604	C 1033	N 266	O 300	Se 5	0	1	0
1	J	202	Total 1585	C 1023	N 261	O 296	Se 5	0	0	0

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	198	HIS	-	expression tag	UNP A0A8I0PU34
A	199	HIS	-	expression tag	UNP A0A8I0PU34
A	200	HIS	-	expression tag	UNP A0A8I0PU34
A	201	HIS	-	expression tag	UNP A0A8I0PU34
A	202	HIS	-	expression tag	UNP A0A8I0PU34
A	203	HIS	-	expression tag	UNP A0A8I0PU34
B	198	HIS	-	expression tag	UNP A0A8I0PU34
B	199	HIS	-	expression tag	UNP A0A8I0PU34
B	200	HIS	-	expression tag	UNP A0A8I0PU34

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	201	HIS	-	expression tag	UNP A0A8I0PU34
B	202	HIS	-	expression tag	UNP A0A8I0PU34
B	203	HIS	-	expression tag	UNP A0A8I0PU34
C	198	HIS	-	expression tag	UNP A0A8I0PU34
C	199	HIS	-	expression tag	UNP A0A8I0PU34
C	200	HIS	-	expression tag	UNP A0A8I0PU34
C	201	HIS	-	expression tag	UNP A0A8I0PU34
C	202	HIS	-	expression tag	UNP A0A8I0PU34
C	203	HIS	-	expression tag	UNP A0A8I0PU34
D	198	HIS	-	expression tag	UNP A0A8I0PU34
D	199	HIS	-	expression tag	UNP A0A8I0PU34
D	200	HIS	-	expression tag	UNP A0A8I0PU34
D	201	HIS	-	expression tag	UNP A0A8I0PU34
D	202	HIS	-	expression tag	UNP A0A8I0PU34
D	203	HIS	-	expression tag	UNP A0A8I0PU34
E	198	HIS	-	expression tag	UNP A0A8I0PU34
E	199	HIS	-	expression tag	UNP A0A8I0PU34
E	200	HIS	-	expression tag	UNP A0A8I0PU34
E	201	HIS	-	expression tag	UNP A0A8I0PU34
E	202	HIS	-	expression tag	UNP A0A8I0PU34
E	203	HIS	-	expression tag	UNP A0A8I0PU34
F	198	HIS	-	expression tag	UNP A0A8I0PU34
F	199	HIS	-	expression tag	UNP A0A8I0PU34
F	200	HIS	-	expression tag	UNP A0A8I0PU34
F	201	HIS	-	expression tag	UNP A0A8I0PU34
F	202	HIS	-	expression tag	UNP A0A8I0PU34
F	203	HIS	-	expression tag	UNP A0A8I0PU34
G	198	HIS	-	expression tag	UNP A0A8I0PU34
G	199	HIS	-	expression tag	UNP A0A8I0PU34
G	200	HIS	-	expression tag	UNP A0A8I0PU34
G	201	HIS	-	expression tag	UNP A0A8I0PU34
G	202	HIS	-	expression tag	UNP A0A8I0PU34
G	203	HIS	-	expression tag	UNP A0A8I0PU34
H	198	HIS	-	expression tag	UNP A0A8I0PU34
H	199	HIS	-	expression tag	UNP A0A8I0PU34
H	200	HIS	-	expression tag	UNP A0A8I0PU34
H	201	HIS	-	expression tag	UNP A0A8I0PU34
H	202	HIS	-	expression tag	UNP A0A8I0PU34
H	203	HIS	-	expression tag	UNP A0A8I0PU34
I	198	HIS	-	expression tag	UNP A0A8I0PU34
I	199	HIS	-	expression tag	UNP A0A8I0PU34
I	200	HIS	-	expression tag	UNP A0A8I0PU34

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	201	HIS	-	expression tag	UNP A0A8I0PU34
I	202	HIS	-	expression tag	UNP A0A8I0PU34
I	203	HIS	-	expression tag	UNP A0A8I0PU34
J	198	HIS	-	expression tag	UNP A0A8I0PU34
J	199	HIS	-	expression tag	UNP A0A8I0PU34
J	200	HIS	-	expression tag	UNP A0A8I0PU34
J	201	HIS	-	expression tag	UNP A0A8I0PU34
J	202	HIS	-	expression tag	UNP A0A8I0PU34
J	203	HIS	-	expression tag	UNP A0A8I0PU34

- Molecule 2 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: C₁₀H₂₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			14	9	5		
2	A	1	Total	C	O	0	0
			8	5	3		
2	B	1	Total	C	O	0	0
			13	8	5		
2	C	1	Total	C	O	0	0
			14	9	5		
2	C	1	Total	C	O	0	0
			8	5	3		
2	C	1	Total	C	O	0	0
			16	10	6		
2	D	1	Total	C	O	0	0
			14	9	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	C	O	0	0
			16	10	6		
2	E	1	Total	C	O	0	0
			11	7	4		
2	E	1	Total	C	O	0	0
			8	5	3		
2	E	1	Total	C	O	0	0
			7	4	3		
2	F	1	Total	C	O	0	0
			11	7	4		
2	F	1	Total	C	O	0	0
			12	8	4		
2	G	1	Total	C	O	0	0
			16	10	6		
2	G	1	Total	C	O	0	0
			16	10	6		
2	G	1	Total	C	O	0	0
			10	6	4		
2	H	1	Total	C	O	0	0
			14	9	5		
2	I	1	Total	C	O	0	0
			14	9	5		
2	J	1	Total	C	O	0	0
			16	10	6		
2	J	1	Total	C	O	0	0
			12	8	4		
2	J	1	Total	C	O	0	0
			12	8	4		

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	B	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	C	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	D	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	E	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	F	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	G	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	H	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	I	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	J	1	Total 48	C 21	N 7	O 17	P 3	0	0

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0
4	E	1	Total O S 5 4 1	0	0
4	E	1	Total O S 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	H	1	Total	O	S	0	0
			5	4	1		
4	H	1	Total	O	S	0	0
			5	4	1		
4	I	1	Total	O	S	0	0
			5	4	1		
4	I	1	Total	O	S	0	0
			5	4	1		
4	I	1	Total	O	S	0	0
			5	4	1		
4	J	1	Total	O	S	0	0
			5	4	1		
4	J	1	Total	O	S	0	0
			5	4	1		
4	J	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	22	Total	O	0	0
			22	22		
5	B	23	Total	O	0	0
			23	23		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	28	Total 28	O 28	0	0
5	D	45	Total 45	O 45	0	0
5	E	21	Total 21	O 21	0	0
5	F	41	Total 41	O 41	0	0
5	G	39	Total 39	O 39	0	0
5	H	23	Total 23	O 23	0	0
5	I	46	Total 46	O 46	0	0
5	J	35	Total 35	O 35	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dihydrofolate reductase family protein




- Molecule 1: Dihydrofolate reductase family protein



- Molecule 1: Dihydrofolate reductase family protein






- Molecule 1: Dihydrofolate reductase family protein








• Molecule 1: Dihydrofolate reductase family protein





• Molecule 1: Dihydrofolate reductase family protein




• Molecule 1: Dihydrofolate reductase family protein




• Molecule 1: Dihydrofolate reductase family protein




• Molecule 1: Dihydrofolate reductase family protein





- Molecule 1: Dihydrofolate reductase family protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.90Å 138.33Å 236.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.98 – 2.55 29.98 – 2.55	Depositor EDS
% Data completeness (in resolution range)	100.0 (29.98-2.55) 95.0 (29.98-2.55)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.58 (at 2.54Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.191 , 0.234 (Not available) , 0.267	Depositor DCC
R_{free} test set	4395 reflections (4.79%)	wwPDB-VP
Wilson B-factor (Å ²)	51.5	Xtrriage
Anisotropy	0.104	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 43.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16727	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, SO4, 1PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/1559	0.67	0/2102
1	B	0.46	0/1559	0.71	0/2102
1	C	0.47	0/1635	0.67	0/2205
1	D	0.49	0/1568	0.69	0/2113
1	E	0.45	0/1568	0.66	0/2114
1	F	0.49	0/1559	0.78	3/2102 (0.1%)
1	G	0.43	0/1571	0.70	0/2118
1	H	0.49	0/1571	0.69	1/2118 (0.0%)
1	I	0.52	0/1643	0.75	0/2215
1	J	0.49	0/1623	0.70	0/2189
All	All	0.47	0/15856	0.70	4/21378 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	42	GLU	N-CA-C	10.31	125.22	112.23
1	F	41	ASP	N-CA-C	-6.92	99.26	108.19
1	F	42	GLU	N-CA-CB	-6.20	100.75	110.30
1	H	54	PRO	CA-N-CD	-5.12	104.83	112.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1526	0	1528	35	0
1	B	1526	0	1528	41	0
1	C	1596	0	1579	26	0
1	D	1535	0	1540	21	0
1	E	1535	0	1533	26	0
1	F	1526	0	1528	13	0
1	G	1537	0	1536	32	0
1	H	1537	0	1536	17	0
1	I	1604	0	1583	28	0
1	J	1585	0	1571	32	0
2	A	22	0	26	0	0
2	B	13	0	17	2	0
2	C	38	0	48	2	0
2	D	30	0	39	3	0
2	E	26	0	31	4	0
2	F	23	0	28	0	0
2	G	42	0	57	7	0
2	H	14	0	17	2	0
2	I	14	0	17	1	0
2	J	40	0	52	3	0
3	A	48	0	23	2	0
3	B	48	0	23	2	0
3	C	48	0	23	2	0
3	D	48	0	23	1	0
3	E	48	0	23	1	0
3	F	48	0	23	1	0
3	G	48	0	23	2	0
3	H	48	0	23	1	0
3	I	48	0	23	3	0
3	J	48	0	23	3	0
4	A	10	0	0	1	0
4	B	15	0	0	2	0
4	C	25	0	0	0	0
4	D	10	0	0	0	0
4	E	10	0	0	0	0
4	F	20	0	0	1	0
4	G	20	0	0	1	0
4	H	10	0	0	0	0
4	I	15	0	0	0	0
4	J	20	0	0	2	0
5	A	22	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	23	0	0	0	0
5	C	28	0	0	0	0
5	D	45	0	0	0	0
5	E	21	0	0	1	0
5	F	41	0	0	0	0
5	G	39	0	0	0	0
5	H	23	0	0	1	0
5	I	46	0	0	0	0
5	J	35	0	0	0	0
All	All	16727	0	16024	271	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 271 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1:MSE:HG2	1:B:115:ASN:HA	1.56	0.85
1:G:44:SER:HB2	2:G:303:1PE:H122	1.59	0.84
1:H:170:ILE:HD11	1:H:185:LYS:HB2	1.59	0.83
1:G:62:LYS:HE3	3:G:304:NAP:H51A	1.62	0.81
1:H:53:LYS:HG3	1:H:54:PRO:HD3	1.63	0.80

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	193/203 (95%)	185 (96%)	8 (4%)	0	100 100
1	B	193/203 (95%)	183 (95%)	10 (5%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	201/203 (99%)	194 (96%)	7 (4%)	0	100	100
1	D	194/203 (96%)	187 (96%)	7 (4%)	0	100	100
1	E	194/203 (96%)	191 (98%)	3 (2%)	0	100	100
1	F	193/203 (95%)	183 (95%)	10 (5%)	0	100	100
1	G	194/203 (96%)	185 (95%)	9 (5%)	0	100	100
1	H	194/203 (96%)	187 (96%)	7 (4%)	0	100	100
1	I	202/203 (100%)	197 (98%)	5 (2%)	0	100	100
1	J	200/203 (98%)	195 (98%)	5 (2%)	0	100	100
All	All	1958/2030 (96%)	1887 (96%)	71 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	165/166 (99%)	154 (93%)	11 (7%)	15	21
1	B	165/166 (99%)	153 (93%)	12 (7%)	13	18
1	C	171/166 (103%)	167 (98%)	4 (2%)	44	62
1	D	166/166 (100%)	163 (98%)	3 (2%)	51	70
1	E	166/166 (100%)	164 (99%)	2 (1%)	63	78
1	F	165/166 (99%)	152 (92%)	13 (8%)	11	16
1	G	166/166 (100%)	156 (94%)	10 (6%)	17	26
1	H	166/166 (100%)	157 (95%)	9 (5%)	20	30
1	I	172/166 (104%)	166 (96%)	6 (4%)	32	48
1	J	170/166 (102%)	161 (95%)	9 (5%)	20	31
All	All	1672/1660 (101%)	1593 (95%)	79 (5%)	23	36

5 of 79 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	53	LYS
1	J	94	LYS
1	H	117	GLU
1	I	111	LYS
1	J	145	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
1	I	152	ASN
1	J	183	ASN
1	J	100	ASN
1	F	152	ASN
1	I	51	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

62 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	1PE	F	301	-	10,10,15	1.14	1 (10%)	9,9,14	0.73	0
4	SO4	G	305	-	4,4,4	0.28	0	6,6,6	0.36	0
4	SO4	G	308	-	4,4,4	0.35	0	6,6,6	0.09	0
3	NAP	H	302	-	50,52,52	3.69	18 (36%)	71,80,80	1.78	10 (14%)
2	1PE	G	303	-	9,9,15	0.74	0	8,8,14	0.63	0
4	SO4	F	307	-	4,4,4	0.36	0	6,6,6	0.18	0
4	SO4	C	306	-	4,4,4	0.23	0	6,6,6	0.14	0
4	SO4	J	307	-	4,4,4	0.25	0	6,6,6	0.32	0
4	SO4	A	304	-	4,4,4	0.28	0	6,6,6	0.37	0
2	1PE	J	302	-	11,11,15	1.00	0	10,10,14	0.72	0
4	SO4	C	307	-	4,4,4	0.26	0	6,6,6	0.18	0
4	SO4	J	308	-	4,4,4	0.42	0	6,6,6	0.12	0
4	SO4	J	306	-	4,4,4	0.34	0	6,6,6	0.28	0
3	NAP	A	303	-	50,52,52	3.70	18 (36%)	71,80,80	1.65	9 (12%)
4	SO4	A	305	-	4,4,4	0.28	0	6,6,6	0.18	0
2	1PE	C	303	-	15,15,15	1.15	1 (6%)	14,14,14	0.68	0
3	NAP	B	302	-	50,52,52	3.72	19 (38%)	71,80,80	1.66	10 (14%)
2	1PE	F	302	-	11,11,15	1.04	0	10,10,14	0.62	0
4	SO4	H	304	-	4,4,4	0.25	0	6,6,6	0.21	0
4	SO4	H	303	-	4,4,4	0.29	0	6,6,6	0.23	0
4	SO4	I	304	-	4,4,4	0.27	0	6,6,6	0.37	0
4	SO4	I	303	-	4,4,4	0.28	0	6,6,6	0.35	0
2	1PE	G	301	-	15,15,15	0.87	0	14,14,14	0.87	0
2	1PE	E	301	-	10,10,15	0.96	0	9,9,14	0.97	0
3	NAP	F	303	-	50,52,52	3.69	18 (36%)	71,80,80	1.60	10 (14%)
3	NAP	G	304	-	50,52,52	3.66	19 (38%)	71,80,80	1.70	11 (15%)
4	SO4	F	305	-	4,4,4	0.31	0	6,6,6	0.21	0
4	SO4	G	306	-	4,4,4	0.21	0	6,6,6	0.27	0
4	SO4	B	305	-	4,4,4	0.26	0	6,6,6	0.19	0
4	SO4	B	304	-	4,4,4	0.34	0	6,6,6	0.40	0
4	SO4	F	304	-	4,4,4	0.24	0	6,6,6	0.25	0
2	1PE	A	302	-	7,7,15	0.77	0	6,6,14	0.65	0
2	1PE	J	301	-	15,15,15	0.70	0	14,14,14	0.93	0
3	NAP	D	303	-	50,52,52	3.71	19 (38%)	71,80,80	1.66	8 (11%)
4	SO4	B	303	-	4,4,4	0.27	0	6,6,6	0.44	0
4	SO4	C	308	-	4,4,4	0.27	0	6,6,6	0.23	0
4	SO4	F	306	-	4,4,4	0.34	0	6,6,6	0.22	0
4	SO4	E	305	-	4,4,4	0.27	0	6,6,6	0.24	0
4	SO4	D	304	-	4,4,4	0.29	0	6,6,6	0.45	0
2	1PE	E	303	-	6,6,15	0.64	0	5,5,14	0.97	0
3	NAP	C	304	-	50,52,52	3.68	19 (38%)	71,80,80	1.68	10 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	I	305	-	4,4,4	0.27	0	6,6,6	0.14	0
4	SO4	G	307	-	4,4,4	0.24	0	6,6,6	0.36	0
2	1PE	A	301	-	13,13,15	0.81	0	12,12,14	0.87	0
4	SO4	C	305	-	4,4,4	0.28	0	6,6,6	0.33	0
2	1PE	H	301	-	13,13,15	0.77	0	12,12,14	0.85	0
3	NAP	I	302	-	50,52,52	3.69	18 (36%)	71,80,80	1.67	8 (11%)
4	SO4	D	305	-	4,4,4	0.32	0	6,6,6	0.48	0
2	1PE	J	303	-	11,11,15	0.90	0	10,10,14	0.76	0
2	1PE	C	301	-	13,13,15	0.86	0	12,12,14	0.77	0
2	1PE	I	301	-	13,13,15	0.78	0	12,12,14	0.69	0
3	NAP	J	304	-	50,52,52	3.73	19 (38%)	71,80,80	1.63	8 (11%)
2	1PE	G	302	-	15,15,15	1.01	0	14,14,14	0.81	0
3	NAP	E	304	-	50,52,52	3.68	18 (36%)	71,80,80	1.64	9 (12%)
2	1PE	B	301	-	12,12,15	0.78	0	11,11,14	0.91	0
4	SO4	J	305	-	4,4,4	0.24	0	6,6,6	0.29	0
2	1PE	D	302	-	15,15,15	1.10	1 (6%)	14,14,14	0.60	0
4	SO4	C	309	-	4,4,4	0.27	0	6,6,6	0.30	0
2	1PE	E	302	-	7,7,15	0.88	0	6,6,14	0.74	0
4	SO4	E	306	-	4,4,4	0.26	0	6,6,6	0.12	0
2	1PE	C	302	-	7,7,15	0.78	0	6,6,14	0.70	0
2	1PE	D	301	-	13,13,15	0.95	0	12,12,14	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1PE	F	301	-	-	4/8/8/13	-
3	NAP	H	302	-	-	12/35/67/67	0/5/5/5
2	1PE	G	303	-	-	3/7/7/13	-
2	1PE	J	302	-	-	5/9/9/13	-
3	NAP	A	303	-	-	9/35/67/67	0/5/5/5
2	1PE	C	303	-	-	8/13/13/13	-
3	NAP	B	302	-	-	11/35/67/67	0/5/5/5
2	1PE	F	302	-	-	5/9/9/13	-
2	1PE	G	301	-	-	8/13/13/13	-
2	1PE	E	301	-	-	6/8/8/13	-
3	NAP	F	303	-	-	11/35/67/67	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAP	G	304	-	-	10/35/67/67	0/5/5/5
2	1PE	A	302	-	-	4/5/5/13	-
2	1PE	J	301	-	-	8/13/13/13	-
3	NAP	D	303	-	-	7/35/67/67	0/5/5/5
2	1PE	E	303	-	-	3/4/4/13	-
3	NAP	C	304	-	-	7/35/67/67	0/5/5/5
2	1PE	A	301	-	-	6/11/11/13	-
2	1PE	H	301	-	-	5/11/11/13	-
3	NAP	I	302	-	-	8/35/67/67	0/5/5/5
2	1PE	J	303	-	-	6/9/9/13	-
2	1PE	C	301	-	-	3/11/11/13	-
2	1PE	I	301	-	-	4/11/11/13	-
3	NAP	J	304	-	-	12/35/67/67	0/5/5/5
2	1PE	G	302	-	-	9/13/13/13	-
3	NAP	E	304	-	-	10/35/67/67	0/5/5/5
2	1PE	B	301	-	-	8/10/10/13	-
2	1PE	D	302	-	-	7/13/13/13	-
2	1PE	E	302	-	-	4/5/5/13	-
2	1PE	C	302	-	-	5/5/5/13	-
2	1PE	D	301	-	-	8/11/11/13	-

The worst 5 of 188 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	302	NAP	O4D-C1D	15.59	1.61	1.40
3	B	302	NAP	O4D-C1D	15.56	1.61	1.40
3	A	303	NAP	O4D-C1D	15.54	1.61	1.40
3	F	303	NAP	O4D-C1D	15.49	1.61	1.40
3	J	304	NAP	O4D-C1D	15.48	1.61	1.40

The worst 5 of 93 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	302	NAP	C4D-O4D-C1D	-7.20	103.33	109.92
3	G	304	NAP	C4D-O4D-C1D	-5.91	104.51	109.92
3	I	302	NAP	C4D-O4D-C1D	-5.90	104.52	109.92
3	G	304	NAP	N3A-C2A-N1A	-5.85	119.72	128.58
3	C	304	NAP	C4D-O4D-C1D	-5.85	104.57	109.92

There are no chirality outliers.

5 of 216 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	303	NAP	C5B-O5B-PA-O1A
3	A	303	NAP	O4D-C1D-N1N-C2N
3	A	303	NAP	O4D-C1D-N1N-C6N
3	A	303	NAP	C2D-C1D-N1N-C2N
3	A	303	NAP	C2D-C1D-N1N-C6N


There are no ring outliers.


30 monomers are involved in 45 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	302	NAP	1	0
2	G	303	1PE	3	0
4	J	308	SO4	1	0
4	J	306	SO4	1	0
3	A	303	NAP	2	0
4	A	305	SO4	1	0
2	C	303	1PE	1	0
3	B	302	NAP	2	0
2	G	301	1PE	2	0
3	F	303	NAP	1	0
3	G	304	NAP	2	0
4	B	304	SO4	1	0
4	F	304	SO4	1	0
2	J	301	1PE	2	0
3	D	303	NAP	1	0
4	B	303	SO4	1	0
2	E	303	1PE	4	0
3	C	304	NAP	2	0
4	G	307	SO4	1	0
2	H	301	1PE	2	0
3	I	302	NAP	3	0
2	J	303	1PE	2	0
2	C	301	1PE	1	0
2	I	301	1PE	1	0
3	J	304	NAP	3	0
2	G	302	1PE	2	0
3	E	304	NAP	1	0
2	B	301	1PE	2	0
2	D	302	1PE	2	0
2	D	301	1PE	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


























5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	190/203 (93%)	0.48	9 (4%) 36 36	47, 65, 100, 124	0
1	B	190/203 (93%)	0.62	12 (6%) 26 25	49, 67, 103, 123	0
1	C	197/203 (97%)	0.22	9 (4%) 37 38	40, 56, 92, 117	1 (0%)
1	D	190/203 (93%)	-0.14	2 (1%) 78 79	24, 48, 74, 98	1 (0%)
1	E	190/203 (93%)	0.23	7 (3%) 45 46	30, 60, 106, 125	1 (0%)
1	F	190/203 (93%)	-0.03	8 (4%) 40 41	37, 53, 83, 111	0
1	G	190/203 (93%)	-0.00	1 (0%) 87 89	37, 53, 81, 101	1 (0%)
1	H	190/203 (93%)	0.20	7 (3%) 45 46	38, 58, 104, 125	1 (0%)
1	I	198/203 (97%)	0.11	8 (4%) 42 43	25, 51, 100, 122	1 (0%)
1	J	197/203 (97%)	0.07	6 (3%) 52 54	35, 54, 80, 97	0
All	All	1922/2030 (94%)	0.17	69 (3%) 46 47	24, 57, 91, 125	6 (0%)

The worst 5 of 69 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	77[A]	PHE	5.0
1	H	43	VAL	4.2
1	C	77[A]	PHE	4.1
1	E	77	PHE	4.1
1	A	47	ILE	4.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	G	308	5/5	0.50	0.18	62,73,78,84	5
4	SO4	A	305	5/5	0.62	0.14	87,90,94,94	5
2	1PE	G	302	16/16	0.62	0.25	78,89,96,97	0
4	SO4	C	307	5/5	0.63	0.14	80,82,89,93	5
4	SO4	F	305	5/5	0.64	0.14	59,69,79,87	5
4	SO4	G	306	5/5	0.67	0.16	75,78,80,92	5
2	1PE	A	302	8/16	0.67	0.21	80,83,88,90	0
2	1PE	D	302	16/16	0.68	0.23	70,92,102,104	0
2	1PE	E	302	8/16	0.70	0.17	71,75,91,92	0
4	SO4	J	305	5/5	0.70	0.12	91,94,95,97	5
4	SO4	B	305	5/5	0.72	0.13	78,87,89,92	5
2	1PE	E	301	11/16	0.72	0.25	70,80,91,98	0
2	1PE	C	303	16/16	0.72	0.17	60,77,93,96	0
4	SO4	I	303	5/5	0.73	0.14	75,78,86,90	5
4	SO4	F	306	5/5	0.75	0.22	51,58,65,69	5
4	SO4	C	309	5/5	0.77	0.13	72,75,86,87	5
2	1PE	J	302	12/16	0.78	0.17	71,74,78,80	0
4	SO4	F	307	5/5	0.78	0.16	66,70,91,94	5
4	SO4	I	305	5/5	0.78	0.14	69,73,77,83	5
2	1PE	C	301	14/16	0.78	0.18	56,69,78,79	0
4	SO4	C	308	5/5	0.79	0.14	64,68,84,84	5
2	1PE	G	303	10/16	0.80	0.17	74,80,86,92	0
2	1PE	F	302	12/16	0.80	0.18	69,79,94,94	0
2	1PE	C	302	8/16	0.80	0.16	72,79,84,85	0
4	SO4	C	306	5/5	0.81	0.12	77,85,91,95	5
4	SO4	E	305	5/5	0.81	0.15	58,73,81,85	5
4	SO4	I	304	5/5	0.82	0.15	67,71,75,80	5
4	SO4	H	303	5/5	0.82	0.16	74,76,89,92	5
2	1PE	F	301	11/16	0.82	0.18	57,66,73,78	0
4	SO4	C	305	5/5	0.83	0.13	82,83,90,95	5
4	SO4	J	306	5/5	0.83	0.13	66,66,79,84	5
4	SO4	D	305	5/5	0.84	0.11	78,79,86,102	5

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	1PE	J	303	12/16	0.84	0.18	58,67,83,88	0
4	SO4	H	304	5/5	0.84	0.09	74,76,87,96	5
2	1PE	D	301	14/16	0.84	0.17	56,62,71,79	0
2	1PE	H	301	14/16	0.85	0.16	61,69,82,82	0
4	SO4	B	303	5/5	0.85	0.14	64,67,75,76	5
4	SO4	E	306	5/5	0.85	0.11	67,74,77,80	5
4	SO4	G	305	5/5	0.86	0.10	73,73,78,84	5
2	1PE	A	301	14/16	0.86	0.17	61,69,81,82	0
4	SO4	D	304	5/5	0.86	0.14	61,67,77,83	5
4	SO4	B	304	5/5	0.86	0.14	63,69,73,78	5
2	1PE	I	301	14/16	0.86	0.17	54,66,71,72	0
2	1PE	J	301	16/16	0.86	0.14	53,62,75,80	0
4	SO4	F	304	5/5	0.86	0.09	76,77,82,85	5
2	1PE	G	301	16/16	0.86	0.15	60,73,79,82	0
2	1PE	E	303	7/16	0.86	0.16	82,84,87,87	0
2	1PE	B	301	13/16	0.86	0.15	65,72,78,79	0
4	SO4	J	307	5/5	0.86	0.10	76,86,92,95	5
4	SO4	A	304	5/5	0.88	0.11	67,74,75,83	5
4	SO4	G	307	5/5	0.89	0.11	66,71,83,85	5
4	SO4	J	308	5/5	0.89	0.22	49,52,58,60	5
3	NAP	H	302	48/48	0.95	0.09	40,51,65,66	0
3	NAP	B	302	48/48	0.95	0.10	46,59,72,76	0
3	NAP	J	304	48/48	0.96	0.08	42,53,73,76	0
3	NAP	C	304	48/48	0.96	0.08	38,54,63,70	0
3	NAP	E	304	48/48	0.96	0.08	45,56,61,66	0
3	NAP	A	303	48/48	0.96	0.09	44,55,75,79	0
3	NAP	F	303	48/48	0.97	0.06	34,42,48,50	0
3	NAP	G	304	48/48	0.97	0.07	36,48,59,63	0
3	NAP	D	303	48/48	0.97	0.07	33,45,55,59	0
3	NAP	I	302	48/48	0.97	0.08	37,46,67,68	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAP H 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP B 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAP J 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP C 304:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around NAP F 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP G 304:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP D 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP I 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.