



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 4, 2026 – 09:55 PM EDT

PDB ID : 3JUS / pdb_00003jus
Title : Crystal structure of human lanosterol 14alpha-demethylase (CYP51) in complex with econazole
Authors : Strushkevich, N.; MacKenzie, F.; Arrowsmith, C.H.; Edwards, A.M.; Bountra, C.; Weigelt, J.; Usanov, S.A.; Park, H.; Structural Genomics Consortium (SGC)
Deposited on : 2009-09-15
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	461	
1	B	461	
2	C	7	
2	D	7	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ECN	A	602[A]	-	-	X	-
5	ECN	B	602[A]	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7553 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Lanosterol 14-alpha demethylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	445	Total	C	N	O	S	0	0	0
			3589	2310	611	652	16			
1	B	445	Total	C	N	O	S	0	0	0
			3589	2310	611	652	16			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	49	MET	-	expression tag	UNP Q16850
A	50	ALA	-	expression tag	UNP Q16850
A	51	LYS	-	expression tag	UNP Q16850
A	52	LYS	-	expression tag	UNP Q16850
A	53	THR	-	expression tag	UNP Q16850
A	503	THR	-	expression tag	UNP Q16850
A	504	HIS	-	expression tag	UNP Q16850
A	505	HIS	-	expression tag	UNP Q16850
A	506	HIS	-	expression tag	UNP Q16850
A	507	HIS	-	expression tag	UNP Q16850
A	508	HIS	-	expression tag	UNP Q16850
A	509	HIS	-	expression tag	UNP Q16850
B	49	MET	-	expression tag	UNP Q16850
B	50	ALA	-	expression tag	UNP Q16850
B	51	LYS	-	expression tag	UNP Q16850
B	52	LYS	-	expression tag	UNP Q16850
B	53	THR	-	expression tag	UNP Q16850
B	503	THR	-	expression tag	UNP Q16850
B	504	HIS	-	expression tag	UNP Q16850
B	505	HIS	-	expression tag	UNP Q16850
B	506	HIS	-	expression tag	UNP Q16850
B	507	HIS	-	expression tag	UNP Q16850
B	508	HIS	-	expression tag	UNP Q16850
B	509	HIS	-	expression tag	UNP Q16850

- Molecule 2 is an oligosaccharide called Cycloheptakis-(1-4)-(alpha-D-glucopyranose).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	C	7	Total	C	O	0	0	0
			77	42	35			
2	D	7	Total	C	O	0	0	0
			77	42	35			

- Molecule 3 is 1-[(2R)-2-[(4-chlorobenzyl)oxy]-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole (CCD ID: ECL) (formula: C₁₈H₁₅Cl₃N₂O).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	1
			24	18	3	2	1	
3	B	1	Total	C	Cl	N	O	1
			24	18	3	2	1	

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 5 is 1-[(2S)-2-[(4-CHLOROBENZYL)OXY]-2-(2,4-DICHLOROPHENYL)ETHYL]-1H-IMIDAZOLE (CCD ID: ECN) (formula: C₁₈H₁₅Cl₃N₂O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Cl	N	O	0	1
			24	18	3	2	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	Cl	N	O	0	1
			24	18	3	2	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	29	Total	O	0	0
			29	29		
6	B	10	Total	O	0	0
			10	10		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lanosterol 14-alpha demethylase



- Molecule 1: Lanosterol 14-alpha demethylase



- Molecule 2: Cycloheptakis-(1-4)-(alpha-D-glucopyranose)



GLC1	GLC2	GLC3	GLC4	GLC5	GLC6	GLC7
------	------	------	------	------	------	------

- Molecule 2: Cycloheptakis-(1-4)-(alpha-D-glucopyranose)

Chain D:

100%

GLC1	GLC2	GLC3	GLC4	GLC5	GLC6	GLC7
------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 4 21 2	Depositor
Cell constants a, b, c, α , β , γ	146.63Å 146.63Å 110.56Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.52 – 2.90 24.52 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.2 (24.52-2.90) 99.2 (24.52-2.90)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.15	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.17 (at 2.89Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.203 , 0.272 0.203 , 0.271	Depositor DCC
R_{free} test set	1373 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	66.4	Xtriage
Anisotropy	0.050	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 32.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7553	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GLC, ECL, HEM, ECN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/3682	0.91	5/4988 (0.1%)
1	B	0.56	0/3682	0.89	3/4988 (0.1%)
All	All	0.57	0/7364	0.90	8/9976 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	93	GLY	CA-C-N	5.97	125.52	119.19
1	A	93	GLY	C-N-CA	5.97	125.52	119.19
1	B	68	ILE	CA-C-N	5.70	125.38	119.05
1	B	68	ILE	C-N-CA	5.70	125.38	119.05
1	B	293	GLY	N-CA-C	-5.61	107.30	114.37
1	A	422	ASN	CA-C-N	5.30	124.96	119.56
1	A	422	ASN	C-N-CA	5.30	124.96	119.56
1	A	194	VAL	CB-CA-C	-5.08	105.28	112.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3589	0	3581	67	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3589	0	3581	63	0
2	C	77	0	63	1	0
2	D	77	0	63	0	0
3	A	24	0	15	0	0
3	B	24	0	15	1	0
4	A	43	0	30	7	0
4	B	43	0	30	7	0
5	A	24	0	15	8	0
5	B	24	0	15	7	0
6	A	29	0	0	1	0
6	B	10	0	0	2	0
All	All	7553	0	7408	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:602[A]:ECN:H8C1	5:A:602[A]:ECN:C3	1.49	1.40
5:B:602[A]:ECN:H8C1	5:B:602[A]:ECN:C3	1.65	1.25
5:A:602[A]:ECN:C3	5:A:602[A]:ECN:C8	2.39	1.01
5:A:602[A]:ECN:H8C1	5:A:602[A]:ECN:N1	1.71	0.93
1:B:334:GLN:HE22	1:B:472:PHE:H	1.23	0.86
1:A:409:GLN:HE21	1:A:440:VAL:H	1.24	0.85
5:B:602[A]:ECN:H8C1	5:B:602[A]:ECN:H3	1.57	0.83
5:A:602[A]:ECN:H8C1	5:A:602[A]:ECN:H3	1.63	0.81
5:B:602[A]:ECN:C3	5:B:602[A]:ECN:C8	2.56	0.79
1:B:409:GLN:HE21	1:B:440:VAL:H	1.32	0.77
1:A:198:LEU:O	1:A:202:ILE:HG12	1.86	0.76
5:B:602[A]:ECN:CL4	5:B:602[A]:ECN:H191	2.24	0.74
1:B:124:ASP:HB3	1:B:388:GLN:NE2	2.03	0.73
1:B:200:GLU:O	1:B:203:ILE:HG22	1.89	0.73
1:A:124:ASP:HB3	1:A:388:GLN:HE21	1.53	0.71
1:A:416:VAL:O	1:A:425:ARG:NH2	2.24	0.70
1:A:372:ARG:NH2	1:A:418:ARG:O	2.20	0.69
1:B:309:LEU:O	1:B:313:GLN:HB2	1.93	0.69
5:B:602[A]:ECN:H8C1	5:B:602[A]:ECN:N1	2.05	0.66
1:B:271:ARG:HD3	1:B:283:GLN:OE1	1.96	0.66
4:B:601:HEM:HBB2	4:B:601:HEM:HMB2	1.79	0.64
1:A:430:ASN:ND2	1:A:432:ALA:HB3	2.12	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:372:ARG:NH2	1:B:418:ARG:O	2.27	0.64
1:A:334:GLN:HE22	1:A:472:PHE:H	1.46	0.64
1:A:467:LEU:O	1:A:501:ARG:HD2	1.98	0.63
5:B:602[A]:ECN:H3	5:B:602[A]:ECN:C8	2.22	0.63
1:B:116:LEU:HB2	1:B:390:VAL:HG21	1.81	0.63
1:A:271:ARG:HD3	1:A:283:GLN:OE1	1.99	0.62
1:A:257:HIS:CE1	1:A:261:LYS:HE3	2.34	0.62
1:B:269:GLN:HA	1:B:272:ARG:HB2	1.80	0.62
1:A:124:ASP:HB3	1:A:388:GLN:NE2	2.16	0.60
1:A:292:ASP:HB3	1:A:294:ARG:H	1.66	0.60
1:B:410:ARG:O	1:B:410:ARG:HG2	2.00	0.60
1:A:271:ARG:HH12	1:A:280:ASP:CG	2.09	0.60
1:B:292:ASP:HB3	1:B:294:ARG:H	1.66	0.60
1:B:430:ASN:ND2	1:B:432:ALA:HB3	2.18	0.59
1:B:456:TYR:O	1:B:460:LYS:HB2	2.03	0.59
1:A:117:LEU:HD13	1:A:403:VAL:HG23	1.85	0.58
5:A:602[A]:ECN:C8	5:A:602[A]:ECN:H3	2.23	0.58
1:B:422:ASN:HD21	1:B:424:ASP:HB2	1.69	0.58
1:A:272:ARG:NH1	1:A:298:ASP:OD1	2.37	0.58
1:A:309:LEU:O	1:A:313:GLN:HB2	2.04	0.58
1:B:449:CYS:HA	4:B:601:HEM:C4D	2.40	0.57
1:B:416:VAL:O	1:B:425:ARG:NH2	2.38	0.57
1:B:118:PHE:HE2	1:B:380:MET:HE1	1.68	0.57
1:A:116:LEU:HB2	1:A:390:VAL:HG21	1.87	0.56
1:A:234:PHE:CE2	5:A:602[A]:ECN:H17	2.40	0.56
1:B:135:THR:HG23	1:B:139:PHE:CD1	2.41	0.56
1:B:334:GLN:NE2	1:B:472:PHE:H	1.99	0.56
1:A:99:THR:HG22	1:A:104:THR:OG1	2.06	0.56
1:B:409:GLN:NE2	1:B:440:VAL:H	2.02	0.56
1:A:135:THR:HG21	1:A:145:TYR:HD1	1.70	0.55
1:A:264:PHE:HE2	1:A:305:LEU:HB3	1.71	0.55
1:A:271:ARG:NH1	1:A:280:ASP:OD1	2.38	0.55
1:B:377:ILE:HD12	4:B:601:HEM:C4A	2.42	0.55
1:A:116:LEU:HB2	1:A:390:VAL:CG2	2.36	0.55
5:B:602[A]:ECN:CL4	5:B:602[A]:ECN:O20	2.62	0.55
1:B:227:TYR:CE2	1:B:309:LEU:HD22	2.43	0.54
1:B:430:ASN:HD22	1:B:432:ALA:HB3	1.72	0.54
1:B:150:PRO:HA	1:B:153:LEU:HD12	1.90	0.54
1:B:135:THR:HG22	6:B:2:HOH:O	2.08	0.54
1:B:129:ASP:OD2	1:B:385:ARG:HD3	2.08	0.54
1:A:290:TYR:HB2	1:A:292:ASP:HB2	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:278:ILE:O	1:B:283:GLN:HG2	2.08	0.53
1:A:416:VAL:HG12	1:A:417:GLU:HG3	1.90	0.53
1:A:444:ALA:HA	1:A:448:ARG:HG2	1.91	0.53
1:A:369:GLU:OE1	1:A:372:ARG:HD3	2.09	0.53
1:A:449:CYS:HB2	4:A:601:HEM:NA	2.24	0.52
1:B:281:ILE:HD12	1:B:281:ILE:N	2.25	0.52
1:B:415:TRP:CE2	1:B:431:PRO:HG2	2.44	0.52
1:A:369:GLU:OE1	1:A:369:GLU:HA	2.09	0.52
1:B:271:ARG:HH12	1:B:280:ASP:CG	2.18	0.52
2:C:2:GLC:H5	2:C:3:GLC:O5	2.09	0.52
1:A:283:GLN:HA	1:A:286:LEU:HD12	1.91	0.51
1:A:410:ARG:HG2	1:A:418:ARG:NH1	2.25	0.51
1:A:144:ALA:HA	1:A:152:PHE:CD2	2.46	0.51
1:A:208:HIS:CA	1:A:216:ARG:HG3	2.41	0.51
1:A:491:PRO:HB2	1:A:494:PRO:HB3	1.93	0.50
1:B:116:LEU:HB2	1:B:390:VAL:CG2	2.42	0.49
1:A:348:ASN:OD1	1:A:348:ASN:N	2.45	0.49
1:B:175:ILE:HG12	1:B:205:THR:HB	1.95	0.49
4:B:601:HEM:HBB2	4:B:601:HEM:CMB	2.42	0.48
1:A:144:ALA:HA	1:A:152:PHE:CE2	2.48	0.48
1:A:380:MET:HG2	4:A:601:HEM:CGA	2.43	0.48
1:B:369:GLU:HA	1:B:369:GLU:OE1	2.13	0.48
4:A:601:HEM:HBB2	4:A:601:HEM:HMB2	1.94	0.48
1:B:211:HIS:CD2	1:B:305:LEU:HD22	2.48	0.48
1:B:271:ARG:NH1	1:B:280:ASP:OD1	2.43	0.48
1:A:122:ASN:H	1:A:446:ARG:NH2	2.12	0.47
1:A:97:SER:HA	1:A:105:PHE:O	2.14	0.47
1:A:389:THR:HA	1:A:393:TYR:O	2.14	0.47
1:A:409:GLN:NE2	1:A:440:VAL:H	2.04	0.46
1:B:269:GLN:HA	1:B:272:ARG:CB	2.45	0.46
1:B:136:THR:HB	1:B:137:PRO:HD3	1.96	0.46
5:A:602[A]:ECN:C8	5:A:602[A]:ECN:N1	2.59	0.46
1:B:97:SER:HA	1:B:105:PHE:O	2.16	0.46
1:B:79:LYS:HD3	1:B:79:LYS:HA	1.75	0.46
1:B:182:TYR:OH	1:B:197:ALA:HA	2.15	0.45
1:A:200:GLU:O	1:A:203:ILE:HG22	2.17	0.45
1:B:164:ASN:HD22	1:B:164:ASN:C	2.23	0.45
1:A:488:ILE:H	1:A:488:ILE:HG13	1.46	0.45
1:A:101:VAL:HG12	1:A:101:VAL:O	2.17	0.45
1:A:449:CYS:HB2	4:A:601:HEM:C1A	2.51	0.45
1:B:445:GLY:O	1:B:448:ARG:HB2	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:448:ARG:HD2	1:A:449:CYS:O	2.17	0.44
1:B:486:THR:HB	1:B:488:ILE:HG13	1.99	0.44
1:A:64:ILE:HG12	1:A:92:TYR:CE1	2.52	0.44
1:A:377:ILE:HD12	4:A:601:HEM:C4A	2.52	0.44
1:B:147:VAL:HG23	1:B:148:PRO:O	2.18	0.44
1:B:467:LEU:O	1:B:501:ARG:CD	2.65	0.44
1:A:375:PRO:O	1:A:489:HIS:HD2	2.00	0.44
1:B:66:SER:HB2	1:B:73:HIS:NE2	2.32	0.44
1:B:209:CYS:O	1:B:281:ILE:HD13	2.18	0.44
1:B:486:THR:C	1:B:488:ILE:H	2.25	0.44
1:A:377:ILE:HD12	4:A:601:HEM:C3A	2.53	0.43
1:B:431:PRO:HB3	1:B:435:GLU:OE2	2.18	0.43
1:A:129:ASP:OD2	1:A:385:ARG:HD3	2.18	0.43
1:B:134:LEU:HD11	1:B:239:TRP:CD1	2.53	0.43
1:A:133:ARG:HG3	6:A:3:HOH:O	2.19	0.43
1:A:208:HIS:HA	1:A:216:ARG:HG3	2.01	0.43
1:B:211:HIS:CE1	1:B:309:LEU:HB2	2.53	0.43
1:A:409:GLN:NE2	1:A:441:PRO:HD3	2.34	0.42
5:A:602[A]:ECN:O20	5:A:602[A]:ECN:CL4	2.74	0.42
1:B:323:MET:HE2	1:B:463:TRP:CD1	2.54	0.42
1:A:136:THR:N	1:A:137:PRO:CD	2.83	0.42
1:B:380:MET:HE3	4:B:601:HEM:HAA1	2.02	0.42
1:A:139:PHE:HE2	1:A:310:LEU:HD12	1.84	0.42
1:A:285:LEU:HD22	1:A:304:MET:HE2	2.01	0.42
1:B:156:LYS:HE3	4:B:601:HEM:HAD2	2.02	0.42
1:A:164:ASN:HD22	1:A:166:ALA:H	1.67	0.42
1:A:413:ASP:OD1	1:A:413:ASP:N	2.53	0.42
1:B:120:SER:HB2	6:B:22:HOH:O	2.20	0.42
1:B:248:PRO:HB2	1:B:252:ARG:NH2	2.35	0.42
1:A:268:ILE:HG23	1:A:286:LEU:HD21	2.02	0.41
1:A:327:LEU:HB3	1:A:334:GLN:HG3	2.00	0.41
1:A:449:CYS:HA	4:A:601:HEM:C4D	2.56	0.41
1:A:133:ARG:HG3	1:A:133:ARG:H	1.58	0.41
1:A:487:MET:HA	1:A:487:MET:HE2	2.02	0.41
1:B:449:CYS:HA	4:B:601:HEM:CHA	2.50	0.41
1:B:198:LEU:O	1:B:202:ILE:HG12	2.21	0.41
1:B:375:PRO:HA	1:B:376:PRO:HD3	1.98	0.41
1:A:369:GLU:HG3	1:A:421:PHE:CD1	2.56	0.41
1:A:430:ASN:HD22	1:A:432:ALA:HB3	1.82	0.40
1:B:95:VAL:HG21	1:B:390:VAL:HG12	2.02	0.40
1:B:258:ARG:O	1:B:262:ASP:HB2	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:311:ALA:HB2	3:B:600[B]:ECL:H9	2.03	0.40
1:A:378:MET:O	1:A:379:ILE:HG13	2.22	0.40
1:B:486:THR:C	1:B:488:ILE:N	2.80	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	443/461 (96%)	424 (96%)	17 (4%)	2 (0%)	24	54
1	B	443/461 (96%)	416 (94%)	26 (6%)	1 (0%)	43	72
All	All	886/922 (96%)	840 (95%)	43 (5%)	3 (0%)	36	65

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	292	ASP
1	A	489	HIS
1	B	488	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	390/403 (97%)	363 (93%)	27 (7%)	14	41
1	B	390/403 (97%)	346 (89%)	44 (11%)	5	19
All	All	780/806 (97%)	709 (91%)	71 (9%)	9	28

All (71) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	VAL
1	A	68	ILE
1	A	133	ARG
1	A	135	THR
1	A	157	LYS
1	A	194	VAL
1	A	203	ILE
1	A	216	ARG
1	A	236	HIS
1	A	247	LEU
1	A	249	SER
1	A	252	ARG
1	A	281	ILE
1	A	304	MET
1	A	318	THR
1	A	323	MET
1	A	348	ASN
1	A	358	LYS
1	A	385	ARG
1	A	390	VAL
1	A	400	GLN
1	A	413	ASP
1	A	417	GLU
1	A	420	ASP
1	A	448	ARG
1	A	488	ILE
1	A	490	THR
1	B	90	GLU
1	B	123	GLU
1	B	128	GLU
1	B	134	LEU
1	B	135	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	136	THR
1	B	143	VAL
1	B	157	LYS
1	B	160	LYS
1	B	164	ASN
1	B	165	ILE
1	B	181	GLU
1	B	194	VAL
1	B	207	SER
1	B	216	ARG
1	B	217	SER
1	B	247	LEU
1	B	259	GLU
1	B	260	ILE
1	B	266	LYS
1	B	269	GLN
1	B	272	ARG
1	B	289	THR
1	B	304	MET
1	B	309	LEU
1	B	335	LYS
1	B	347	GLU
1	B	355	ASP
1	B	359	ASP
1	B	385	ARG
1	B	386	THR
1	B	390	VAL
1	B	400	GLN
1	B	410	ARG
1	B	411	LEU
1	B	413	ASP
1	B	416	VAL
1	B	420	ASP
1	B	428	GLN
1	B	448	ARG
1	B	482	VAL
1	B	485	THR
1	B	488	ILE
1	B	501	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	73	HIS
1	A	164	ASN
1	A	170	GLN
1	A	225	GLN
1	A	257	HIS
1	A	275	GLN
1	A	334	GLN
1	A	388	GLN
1	A	409	GLN
1	A	422	ASN
1	A	489	HIS
1	B	164	ASN
1	B	225	GLN
1	B	334	GLN
1	B	388	GLN
1	B	409	GLN
1	B	422	ASN
1	B	493	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

14 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLC	C	1	2	11,11,12	0.52	0	15,15,17	1.51	4 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	C	2	2	11,11,12	0.48	0	15,15,17	2.05	2 (13%)
2	GLC	C	3	2	11,11,12	0.39	0	15,15,17	0.97	1 (6%)
2	GLC	C	4	2	11,11,12	0.37	0	15,15,17	1.01	2 (13%)
2	GLC	C	5	2	11,11,12	0.51	0	15,15,17	1.41	2 (13%)
2	GLC	C	6	2	11,11,12	0.38	0	15,15,17	1.79	2 (13%)
2	GLC	C	7	2	11,11,12	0.51	0	15,15,17	1.40	2 (13%)
2	GLC	D	1	2	11,11,12	0.42	0	15,15,17	2.25	3 (20%)
2	GLC	D	2	2	11,11,12	0.33	0	15,15,17	2.11	3 (20%)
2	GLC	D	3	2	11,11,12	0.42	0	15,15,17	1.17	1 (6%)
2	GLC	D	4	2	11,11,12	0.39	0	15,15,17	0.77	1 (6%)
2	GLC	D	5	2	11,11,12	0.40	0	15,15,17	1.25	1 (6%)
2	GLC	D	6	2	11,11,12	0.50	0	15,15,17	1.63	4 (26%)
2	GLC	D	7	2	11,11,12	0.72	0	15,15,17	1.80	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	C	1	2	-	1/2/19/22	0/1/1/1
2	GLC	C	2	2	-	2/2/19/22	0/1/1/1
2	GLC	C	3	2	-	0/2/19/22	0/1/1/1
2	GLC	C	4	2	-	1/2/19/22	0/1/1/1
2	GLC	C	5	2	-	2/2/19/22	0/1/1/1
2	GLC	C	6	2	-	2/2/19/22	0/1/1/1
2	GLC	C	7	2	-	1/2/19/22	0/1/1/1
2	GLC	D	1	2	-	2/2/19/22	0/1/1/1
2	GLC	D	2	2	-	2/2/19/22	0/1/1/1
2	GLC	D	3	2	-	0/2/19/22	0/1/1/1
2	GLC	D	4	2	-	0/2/19/22	0/1/1/1
2	GLC	D	5	2	-	0/2/19/22	0/1/1/1
2	GLC	D	6	2	-	2/2/19/22	0/1/1/1
2	GLC	D	7	2	-	2/2/19/22	0/1/1/1

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	GLC	C1-O5-C5	7.18	121.81	112.19
2	C	2	GLC	C1-O5-C5	6.79	121.28	112.19
2	D	2	GLC	C1-O5-C5	6.31	120.64	112.19
2	C	6	GLC	C1-O5-C5	5.65	119.76	112.19
2	D	7	GLC	C1-C2-C3	4.60	116.35	109.64
2	D	7	GLC	C2-C3-C4	4.54	118.85	110.86
2	C	5	GLC	C1-O5-C5	3.95	117.48	112.19
2	D	5	GLC	C1-C2-C3	3.47	114.70	109.64
2	C	7	GLC	C2-C3-C4	3.13	116.37	110.86
2	C	1	GLC	O4-C4-C3	-3.10	103.08	110.38
2	D	6	GLC	O4-C4-C3	-3.05	103.18	110.38
2	D	2	GLC	O4-C4-C3	-2.96	103.40	110.38
2	D	6	GLC	C1-O5-C5	2.90	116.07	112.19
2	D	1	GLC	C6-C5-C4	-2.88	105.94	113.02
2	D	2	GLC	C3-C4-C5	2.85	115.40	110.23
2	D	3	GLC	O4-C4-C3	-2.59	104.26	110.38
2	C	1	GLC	C1-C2-C3	2.47	113.24	109.64
2	C	7	GLC	C1-C2-C3	2.44	113.20	109.64
2	C	4	GLC	O4-C4-C3	-2.42	104.68	110.38
2	C	4	GLC	C1-O5-C5	2.38	115.37	112.19
2	D	4	GLC	O4-C4-C3	-2.33	104.88	110.38
2	D	6	GLC	O3-C3-C4	-2.31	104.93	110.38
2	C	3	GLC	C1-O5-C5	2.28	115.25	112.19
2	C	1	GLC	C2-C3-C4	2.27	114.86	110.86
2	C	2	GLC	O5-C5-C4	2.27	116.36	110.83
2	D	1	GLC	C3-C4-C5	2.26	114.32	110.23
2	C	5	GLC	C1-C2-C3	2.22	112.87	109.64
2	C	6	GLC	O5-C5-C4	2.17	116.11	110.83
2	D	6	GLC	C2-C3-C4	2.14	114.63	110.86
2	C	1	GLC	O5-C5-C6	2.08	111.70	107.66

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	7	GLC	C4-C5-C6-O6
2	C	2	GLC	O5-C5-C6-O6
2	C	6	GLC	O5-C5-C6-O6
2	D	7	GLC	O5-C5-C6-O6
2	D	6	GLC	O5-C5-C6-O6
2	D	2	GLC	O5-C5-C6-O6
2	C	5	GLC	C4-C5-C6-O6
2	C	2	GLC	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	2	GLC	C4-C5-C6-O6
2	D	6	GLC	C4-C5-C6-O6
2	C	5	GLC	O5-C5-C6-O6
2	C	6	GLC	C4-C5-C6-O6
2	C	7	GLC	O5-C5-C6-O6
2	D	1	GLC	C4-C5-C6-O6
2	C	4	GLC	C4-C5-C6-O6
2	C	1	GLC	O5-C5-C6-O6
2	D	1	GLC	O5-C5-C6-O6


There are no ring outliers.

2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	2	GLC	1	0
2	C	3	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection.

RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ECN	A	602[A]	4	26,26,26	0.98	2 (7%)	35,35,35	1.61	5 (14%)
5	ECN	B	602[A]	4	26,26,26	1.01	3 (11%)	35,35,35	1.79	6 (17%)
3	ECL	A	600[B]	4	26,26,26	1.12	3 (11%)	35,35,35	1.39	5 (14%)
4	HEM	A	601	3,5,1	50,50,50	1.87	8 (16%)	67,82,82	1.26	7 (10%)
4	HEM	B	601	3,5,1	50,50,50	1.89	10 (20%)	67,82,82	1.16	1 (1%)
3	ECL	B	600[B]	4	26,26,26	1.26	5 (19%)	35,35,35	1.56	6 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ECN	A	602[A]	4	-	5/13/13/13	0/3/3/3
5	ECN	B	602[A]	4	-	5/13/13/13	0/3/3/3
3	ECL	A	600[B]	4	-	2/13/13/13	0/3/3/3
4	HEM	A	601	3,5,1	-	2/14/54/54	-
4	HEM	B	601	3,5,1	-	2/14/54/54	-
3	ECL	B	600[B]	4	-	3/13/13/13	0/3/3/3

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	601	HEM	C3D-C2D	8.10	1.54	1.36
4	A	601	HEM	C3D-C2D	7.31	1.52	1.36
4	A	601	HEM	FE-ND	5.62	2.12	1.94
4	B	601	HEM	FE-ND	4.64	2.09	1.94
4	A	601	HEM	FE-NA	3.92	2.08	1.95
4	A	601	HEM	CAB-C3B	3.41	1.56	1.47
4	B	601	HEM	FE-NA	3.37	2.06	1.95
4	B	601	HEM	CAB-C3B	3.26	1.56	1.47
4	A	601	HEM	FE-NB	3.22	2.04	1.94
4	B	601	HEM	FE-NB	3.19	2.04	1.94
3	B	600[B]	ECL	O20-C8	3.05	1.50	1.42
4	B	601	HEM	CAC-C3C	2.80	1.54	1.47
3	B	600[B]	ECL	C16-CL8	2.79	1.80	1.73
3	A	600[B]	ECL	C11-CL2	2.60	1.80	1.74
4	A	601	HEM	CAC-C3C	2.57	1.54	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	602[A]	ECN	C14-CL4	2.55	1.79	1.73
3	A	600[B]	ECL	C16-CL8	2.54	1.79	1.73
3	B	600[B]	ECL	C11-CL2	2.54	1.80	1.74
4	A	601	HEM	CMC-C2C	2.43	1.55	1.50
4	B	601	HEM	FE-NC	2.42	2.03	1.95
5	A	602[A]	ECN	C16-CL8	2.35	1.79	1.74
3	A	600[B]	ECL	C14-CL4	2.28	1.79	1.74
4	B	601	HEM	CMA-C3A	2.26	1.55	1.50
5	B	602[A]	ECN	C11-CL2	2.20	1.79	1.74
4	A	601	HEM	CMB-C2B	2.18	1.55	1.50
4	B	601	HEM	CMC-C2C	2.17	1.55	1.50
3	B	600[B]	ECL	C14-CL4	2.16	1.79	1.74
5	A	602[A]	ECN	C11-CL2	2.16	1.79	1.74
4	B	601	HEM	CMD-C2D	2.14	1.55	1.50
5	B	602[A]	ECN	C5-C20	-2.02	1.47	1.52
3	B	600[B]	ECL	C17-C20	-2.01	1.47	1.52

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	602[A]	ECN	O20-C20-C5	-6.21	104.55	112.05
5	B	602[A]	ECN	C14-C5-C20	-5.31	117.30	122.15
4	A	601	HEM	C4D-ND-C1D	5.31	111.49	105.21
5	B	602[A]	ECN	O20-C20-C5	-5.18	105.80	112.05
4	B	601	HEM	C4D-ND-C1D	5.16	111.31	105.21
5	B	602[A]	ECN	C21-C5-C14	4.34	121.18	116.82
3	B	600[B]	ECL	C21-C17-C16	4.12	120.96	116.82
3	B	600[B]	ECL	O20-C8-C1	-3.71	101.40	109.91
3	A	600[B]	ECL	O20-C8-C1	-3.34	102.25	109.91
5	B	602[A]	ECN	C19-C20-C5	-2.82	104.67	110.28
4	A	601	HEM	CMD-C2D-C1D	2.80	129.40	125.03
5	A	602[A]	ECN	O20-C20-C19	2.72	110.61	106.24
3	A	600[B]	ECL	C21-C17-C16	2.70	119.53	116.82
3	A	600[B]	ECL	C17-C16-CL8	2.69	123.17	120.41
5	A	602[A]	ECN	C6-N19-C3	2.66	110.58	105.47
3	B	600[B]	ECL	C15-C16-C17	-2.63	119.62	122.46
3	B	600[B]	ECL	C20-C19-N1	-2.57	107.39	111.45
5	B	602[A]	ECN	O20-C20-C19	2.57	110.37	106.24
3	A	600[B]	ECL	O20-C20-C17	-2.55	108.97	112.05
5	A	602[A]	ECN	C21-C5-C14	2.49	119.32	116.82
5	B	602[A]	ECN	C6-N19-C3	2.43	110.13	105.47
4	A	601	HEM	CAD-CBD-CGD	-2.40	107.31	113.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	601	HEM	CAD-C3D-C4D	2.26	128.64	124.70
3	B	600[B]	ECL	C16-C17-C20	-2.24	120.11	122.15
5	A	602[A]	ECN	C14-C5-C20	-2.17	120.17	122.15
3	A	600[B]	ECL	C15-C16-C17	-2.16	120.12	122.46
4	A	601	HEM	C3B-C2B-C1B	2.11	108.00	106.41
3	B	600[B]	ECL	C7-N1-C3	2.03	109.24	106.71
4	A	601	HEM	C1D-C2D-C3D	-2.00	104.87	106.98
4	A	601	HEM	CBC-CAC-C3C	-2.00	117.53	127.53

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	600[B]	ECL	C20-C19-N1-C3
3	A	600[B]	ECL	C20-C19-N1-C7
3	B	600[B]	ECL	C20-C19-N1-C3
3	B	600[B]	ECL	C20-C19-N1-C7
5	A	602[A]	ECN	C19-C20-O20-C8
5	A	602[A]	ECN	C5-C20-O20-C8
5	A	602[A]	ECN	O20-C20-C5-C14
5	B	602[A]	ECN	C19-C20-O20-C8
5	B	602[A]	ECN	C5-C20-O20-C8
5	B	602[A]	ECN	O20-C20-C5-C14
5	A	602[A]	ECN	O20-C20-C5-C21
5	B	602[A]	ECN	O20-C20-C5-C21
5	A	602[A]	ECN	C1-C8-O20-C20
4	A	601	HEM	C2C-C3C-CAC-CBC
5	B	602[A]	ECN	C1-C8-O20-C20
3	B	600[B]	ECL	C16-C17-C20-C19
4	B	601	HEM	CAA-CBA-CGA-O2A
4	A	601	HEM	C4C-C3C-CAC-CBC
4	B	601	HEM	CAA-CBA-CGA-O1A

There are no ring outliers.

5 monomers are involved in 30 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	602[A]	ECN	8	0
5	B	602[A]	ECN	7	0
4	A	601	HEM	7	0
4	B	601	HEM	7	0

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	600[B]	ECL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand ECN B 602 (A)











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	445/461 (96%)	-0.38	0 100 100	39, 56, 82, 98	0
1	B	445/461 (96%)	-0.13	2 (0%) 88 85	47, 71, 95, 106	0
All	All	890/922 (96%)	-0.25	2 (0%) 91 89	39, 62, 92, 106	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	485	THR	2.4
1	B	488	ILE	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GLC	D	2	11/12	0.85	0.11	70,71,72,72	0
2	GLC	C	7	11/12	0.87	0.09	80,82,83,83	0
2	GLC	C	2	11/12	0.87	0.12	74,75,75,75	0
2	GLC	D	3	11/12	0.88	0.11	67,70,71,72	0
2	GLC	D	6	11/12	0.88	0.09	67,68,70,71	0
2	GLC	D	7	11/12	0.88	0.10	67,68,70,70	0
2	GLC	C	6	11/12	0.90	0.09	76,79,81,82	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GLC	D	1	11/12	0.91	0.09	64,66,67,68	0
2	GLC	C	1	11/12	0.92	0.09	74,76,79,79	0
2	GLC	C	5	11/12	0.93	0.10	72,74,75,76	0
2	GLC	C	3	11/12	0.93	0.09	74,74,75,75	0
2	GLC	D	5	11/12	0.94	0.10	58,62,63,66	0
2	GLC	D	4	11/12	0.95	0.07	60,63,65,66	0
2	GLC	C	4	11/12	0.95	0.08	69,73,73,73	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	ECN	B	602[A]	24/24	0.85	0.17	74,78,81,82	24
3	ECL	B	600[B]	24/24	0.87	0.14	66,69,72,73	24

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	ECN	A	602[A]	24/24	0.89	0.13	54,59,62,65	24
3	ECL	A	600[B]	24/24	0.91	0.13	60,63,69,72	24
4	HEM	A	601	43/43	0.98	0.06	42,47,52,54	0
4	HEM	B	601	43/43	0.98	0.06	47,51,52,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ECN B 602 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ECL B 600 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ECN A 602 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around ECL A 600 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HEM A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.