



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 7, 2026 – 12:35 AM UTC

PDB ID : 6LLC / pdb_00006llc
Title : Discovery of A Dual Inhibitor of NQO1 and GSTP1 for Treating Malignant Glioblastoma
Authors : Ye, K.; Li, H.
Deposited on : 2019-12-23
Resolution : 2.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	273	0% 78% 21% .
1	B	273	3% 68% 30% ..
1	C	273	3% 72% 25% ..
1	D	273	3% 74% 24% .
1	E	273	3% 76% 21% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	273	
1	G	273	
1	H	273	
1	I	273	
1	J	273	
1	K	273	
1	L	273	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EHL	B	2302	-	X	-	-
3	EHL	E	2302	-	X	-	-
3	EHL	H	301	-	X	-	-
3	EHL	J	301	-	X	-	-
3	EHL	L	301	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 27057 atoms, of which 70 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NAD(P)H dehydrogenase [quinone] 1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	272	Total	C	N	O	S	0	0	0
			2167	1409	364	387	7			
1	B	271	Total	C	N	O	S	0	0	0
			2158	1403	362	386	7			
1	C	271	Total	C	N	O	S	0	0	0
			2158	1403	362	386	7			
1	D	272	Total	C	N	O	S	0	0	0
			2167	1409	364	387	7			
1	E	271	Total	C	N	O	S	0	0	0
			2158	1403	362	386	7			
1	F	271	Total	C	N	O	S	0	0	0
			2158	1403	362	386	7			
1	G	270	Total	C	N	O	S	0	0	0
			2154	1401	361	385	7			
1	H	270	Total	C	N	O	S	0	0	0
			2154	1401	361	385	7			
1	I	270	Total	C	N	O	S	0	0	0
			2154	1401	361	385	7			
1	J	270	Total	C	N	O	S	0	0	0
			2154	1401	361	385	7			
1	K	271	Total	C	N	O	S	0	0	0
			2158	1403	362	386	7			
1	L	271	Total	C	N	O	S	0	0	0
			2158	1403	362	386	7			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	53	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	53	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	53	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	53	0
			53	27	9	15	2		
2	E	1	Total	C	N	O	P	53	0
			53	27	9	15	2		
2	F	1	Total	C	N	O	P	53	0
			53	27	9	15	2		
2	G	1	Total	C	N	O	P	53	0
			53	27	9	15	2		
2	H	1	Total	C	N	O	P	53	0
			53	27	9	15	2		
2	I	1	Total	C	N	O	P	53	0
			53	27	9	15	2		
2	J	1	Total	C	N	O	P	53	0
			53	27	9	15	2		
2	K	1	Total	C	N	O	P	53	0
			53	27	9	15	2		
2	L	1	Total	C	N	O	P	53	0
			53	27	9	15	2		

- Molecule 3 is 5-methyl-N-(5-nitro-1,3-thiazol-2-yl)-3-phenyl-1,2-oxazole-4-carboxamide (CCD ID: EHL) (formula: C₁₄H₁₀N₄O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	S	33	0
			33	14	10	4	4	1		
3	B	1	Total	C	H	N	O	S	33	0
			33	14	10	4	4	1		
3	D	1	Total	C	N	O	S		23	0
			23	14	4	4	1			
3	E	1	Total	C	H	N	O	S	33	0
			33	14	10	4	4	1		
3	H	1	Total	C	H	N	O	S	33	0
			33	14	10	4	4	1		
3	I	1	Total	C	H	N	O	S	33	0
			33	14	10	4	4	1		
3	J	1	Total	C	H	N	O	S	33	0
			33	14	10	4	4	1		
3	L	1	Total	C	H	N	O	S	33	0
			33	14	10	4	4	1		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	J	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	40	Total	O	0	0
			40	40		
5	B	16	Total	O	0	0
			16	16		
5	C	31	Total	O	0	0
			31	31		
5	D	40	Total	O	0	0
			40	40		
5	E	27	Total	O	0	0
			27	27		
5	F	16	Total	O	0	0
			16	16		
5	G	13	Total	O	0	0
			13	13		
5	I	19	Total	O	0	0
			19	19		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	J	18	Total	O	0	0
			18	18		
5	K	14	Total	O	0	0
			14	14		
5	L	15	Total	O	0	0
			15	15		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NAD(P)H dehydrogenase [quinone] 1




- Molecule 1: NAD(P)H dehydrogenase [quinone] 1




- Molecule 1: NAD(P)H dehydrogenase [quinone] 1




• Molecule 1: NAD(P)H dehydrogenase [quinone] 1




• Molecule 1: NAD(P)H dehydrogenase [quinone] 1




• Molecule 1: NAD(P)H dehydrogenase [quinone] 1




• Molecule 1: NAD(P)H dehydrogenase [quinone] 1







• Molecule 1: NAD(P)H dehydrogenase [quinone] 1



• Molecule 1: NAD(P)H dehydrogenase [quinone] 1




• Molecule 1: NAD(P)H dehydrogenase [quinone] 1




• Molecule 1: NAD(P)H dehydrogenase [quinone] 1





• Molecule 1: NAD(P)H dehydrogenase [quinone] 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	147.88Å 147.88Å 209.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.58 – 2.50 29.58 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (29.58-2.50) 99.8 (29.58-2.50)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.222 , 0.265 0.222 , 0.265	Depositor DCC
R_{free} test set	2006 reflections (1.29%)	wwPDB-VP
Wilson B-factor (Å ²)	41.2	Xtriage
Anisotropy	0.049	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 40.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.029 for h,-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	27057	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.43% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, EHL, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/2225	0.63	0/3005
1	B	0.37	0/2216	0.53	0/2994
1	C	0.40	0/2216	0.58	0/2994
1	D	0.46	0/2225	0.62	0/3005
1	E	0.40	0/2216	0.56	0/2994
1	F	0.37	0/2216	0.53	0/2994
1	G	0.38	0/2212	0.56	0/2989
1	H	0.42	0/2212	0.56	0/2989
1	I	0.36	0/2212	0.52	0/2989
1	J	0.36	0/2212	0.53	0/2989
1	K	0.37	0/2216	0.54	0/2994
1	L	0.35	0/2216	0.51	0/2994
All	All	0.39	0/26594	0.56	0/35930

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2167	0	2167	44	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2158	0	2154	65	0
1	C	2158	0	2154	54	4
1	D	2167	0	2167	56	0
1	E	2158	0	2154	47	1
1	F	2158	0	2154	77	0
1	G	2154	0	2151	75	0
1	H	2154	0	2151	80	0
1	I	2154	0	2151	67	0
1	J	2154	0	2151	55	0
1	K	2158	0	2154	72	0
1	L	2158	0	2154	79	0
2	A	53	0	31	0	0
2	B	53	0	31	0	0
2	C	53	0	31	0	0
2	D	53	0	31	0	0
2	E	53	0	31	0	0
2	F	53	0	31	0	0
2	G	53	0	31	0	0
2	H	53	0	31	0	0
2	I	53	0	31	0	0
2	J	53	0	31	0	0
2	K	53	0	31	0	0
2	L	53	0	31	0	0
3	A	23	10	0	0	0
3	B	23	10	0	0	0
3	D	23	0	0	0	0
3	E	23	10	0	0	3
3	H	23	10	0	0	0
3	I	23	10	0	0	0
3	J	23	10	0	0	0
3	L	23	10	0	0	0
4	A	5	0	0	1	0
4	D	5	0	0	1	0
4	F	5	0	0	0	0
4	J	5	0	0	1	0
5	A	40	0	0	4	0
5	B	16	0	0	0	0
5	C	31	0	0	5	0
5	D	40	0	0	10	0
5	E	27	0	0	4	0
5	F	16	0	0	3	0
5	G	13	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	I	19	0	0	1	0
5	J	18	0	0	2	0
5	K	14	0	0	1	0
5	L	15	0	0	0	0
All	All	26987	70	26234	700	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 700 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:244:ASP:HA	1:K:247:LYS:HD3	1.32	1.11
1:D:238:MET:HE1	1:D:259:LEU:HD21	1.31	1.08
1:A:238:MET:HE1	1:A:259:LEU:HD21	1.40	1.04
1:J:244:ASP:HA	1:J:247:LYS:HD3	1.38	1.01
1:F:22:LYS:HZ1	1:F:38:GLU:HB3	1.26	0.99

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:131:MET:CE	3:E:2302:EHL:O1[4_654]	1.37	0.83
1:C:131:MET:CE	3:E:2302:EHL:N2[4_654]	1.49	0.71
1:C:131:MET:CE	3:E:2302:EHL:O2[4_654]	2.12	0.08
1:C:262:SER:OG	1:E:260:GLY:O[4_654]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	270/273 (99%)	256 (95%)	14 (5%)	0	100	100
1	B	269/273 (98%)	250 (93%)	19 (7%)	0	100	100
1	C	269/273 (98%)	258 (96%)	11 (4%)	0	100	100
1	D	270/273 (99%)	257 (95%)	13 (5%)	0	100	100
1	E	269/273 (98%)	254 (94%)	15 (6%)	0	100	100
1	F	269/273 (98%)	247 (92%)	22 (8%)	0	100	100
1	G	268/273 (98%)	253 (94%)	15 (6%)	0	100	100
1	H	268/273 (98%)	249 (93%)	19 (7%)	0	100	100
1	I	268/273 (98%)	254 (95%)	14 (5%)	0	100	100
1	J	268/273 (98%)	254 (95%)	13 (5%)	1 (0%)	30	49
1	K	269/273 (98%)	250 (93%)	18 (7%)	1 (0%)	30	49
1	L	269/273 (98%)	250 (93%)	19 (7%)	0	100	100
All	All	3226/3276 (98%)	3032 (94%)	192 (6%)	2 (0%)	48	68

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	K	60	LYS
1	J	40	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	226/227 (100%)	216 (96%)	10 (4%)	25	50
1	B	225/227 (99%)	219 (97%)	6 (3%)	39	67
1	C	225/227 (99%)	218 (97%)	7 (3%)	35	62
1	D	226/227 (100%)	219 (97%)	7 (3%)	35	62
1	E	225/227 (99%)	218 (97%)	7 (3%)	35	62
1	F	225/227 (99%)	218 (97%)	7 (3%)	35	62

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	225/227 (99%)	217 (96%)	8 (4%)	31	58
1	H	225/227 (99%)	215 (96%)	10 (4%)	25	50
1	I	225/227 (99%)	218 (97%)	7 (3%)	35	62
1	J	225/227 (99%)	217 (96%)	8 (4%)	31	58
1	K	225/227 (99%)	211 (94%)	14 (6%)	16	34
1	L	225/227 (99%)	221 (98%)	4 (2%)	51	77
All	All	2702/2724 (99%)	2607 (96%)	95 (4%)	32	58

5 of 95 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	189	THR
1	J	92	GLU
1	H	238	MET
1	I	56	THR
1	J	238	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 28 such sidechains are listed below:

Mol	Chain	Res	Type
1	I	47	ASN
1	L	268	GLN
1	J	45	ASN
1	L	177	HIS
1	I	177	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	EHL	E	2302	-	23,25,25	5.54	13 (56%)	28,35,35	4.23	17 (60%)
2	FAD	J	302	-	58,58,58	0.30	0	85,89,89	0.31	0
2	FAD	F	2301	-	58,58,58	0.30	0	85,89,89	0.31	0
3	EHL	B	2302	-	23,25,25	5.60	13 (56%)	28,35,35	3.97	18 (64%)
3	EHL	L	301	-	23,25,25	5.43	13 (56%)	28,35,35	4.43	16 (57%)
3	EHL	J	301	-	23,25,25	5.57	13 (56%)	28,35,35	3.79	16 (57%)
3	EHL	I	2302	-	23,25,25	5.47	13 (56%)	28,35,35	3.20	13 (46%)
3	EHL	D	301	-	23,25,25	5.51	13 (56%)	28,35,35	3.91	14 (50%)
2	FAD	K	2301	-	58,58,58	0.31	0	85,89,89	0.32	0
2	FAD	C	2301	-	58,58,58	0.30	0	85,89,89	0.32	0
4	SO4	F	2302	-	4,4,4	0.33	0	6,6,6	0.18	0
3	EHL	A	2302	-	23,25,25	5.48	13 (56%)	28,35,35	3.90	15 (53%)
4	SO4	J	303	-	4,4,4	0.39	0	6,6,6	0.23	0
2	FAD	L	302	-	58,58,58	0.31	0	85,89,89	0.31	0
2	FAD	A	2301	-	58,58,58	0.35	0	85,89,89	0.40	0
4	SO4	D	303	-	4,4,4	0.48	0	6,6,6	0.47	0
2	FAD	H	302	-	58,58,58	0.31	0	85,89,89	0.31	0
2	FAD	B	2301	-	58,58,58	0.31	0	85,89,89	0.31	0
3	EHL	H	301	-	23,25,25	5.52	13 (56%)	28,35,35	4.14	16 (57%)
2	FAD	D	302	-	58,58,58	0.30	0	85,89,89	0.31	0
4	SO4	A	2303	-	4,4,4	0.37	0	6,6,6	0.30	0
2	FAD	G	2301	-	58,58,58	0.30	0	85,89,89	0.31	0
2	FAD	I	2301	-	58,58,58	0.30	0	85,89,89	0.31	0
2	FAD	E	2301	-	58,58,58	0.31	0	85,89,89	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EHL	E	2302	-	-	5/14/16/16	0/3/3/3
2	FAD	J	302	-	-	5/34/50/50	0/6/6/6
2	FAD	F	2301	-	-	5/34/50/50	0/6/6/6
3	EHL	B	2302	-	-	5/14/16/16	0/3/3/3
3	EHL	L	301	-	-	3/14/16/16	0/3/3/3
3	EHL	J	301	-	-	5/14/16/16	0/3/3/3
3	EHL	I	2302	-	-	4/14/16/16	0/3/3/3
3	EHL	D	301	-	-	4/14/16/16	0/3/3/3
2	FAD	K	2301	-	-	5/34/50/50	0/6/6/6
2	FAD	C	2301	-	-	5/34/50/50	0/6/6/6
3	EHL	A	2302	-	-	2/14/16/16	0/3/3/3
2	FAD	L	302	-	-	5/34/50/50	0/6/6/6
2	FAD	A	2301	-	-	6/34/50/50	0/6/6/6
2	FAD	H	302	-	-	5/34/50/50	0/6/6/6
2	FAD	B	2301	-	-	5/34/50/50	0/6/6/6
3	EHL	H	301	-	-	4/14/16/16	0/3/3/3
2	FAD	D	302	-	-	5/34/50/50	0/6/6/6
2	FAD	G	2301	-	-	5/34/50/50	0/6/6/6
2	FAD	I	2301	-	-	5/34/50/50	0/6/6/6
2	FAD	E	2301	-	-	5/34/50/50	0/6/6/6

The worst 5 of 104 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	2302	EHL	C2-C3	21.56	1.56	1.35
3	J	301	EHL	C2-C3	21.54	1.56	1.35
3	E	2302	EHL	C2-C3	21.20	1.56	1.35
3	A	2302	EHL	C2-C3	21.16	1.56	1.35
3	I	2302	EHL	C2-C3	21.05	1.56	1.35

The worst 5 of 125 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	L	301	EHL	C3-C2-N1	-11.06	105.22	114.38
3	H	301	EHL	C3-C2-N1	-10.08	106.04	114.38
3	A	2302	EHL	C3-C2-N1	-9.18	106.78	114.38
3	D	301	EHL	C2-C3-N2	-9.14	118.97	126.34
3	L	301	EHL	C1-S-C3	-8.94	83.24	86.52

There are no chirality outliers.

5 of 93 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	2302	EHL	N1-C1-N-C
3	A	2302	EHL	S-C1-N-C
3	B	2302	EHL	C2-C3-N2-O1
3	B	2302	EHL	S-C3-N2-O1
3	B	2302	EHL	N1-C1-N-C

There are no ring outliers.


4 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	2302	EHL	0	3
4	J	303	SO4	1	0
4	D	303	SO4	1	0
4	A	2303	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand FAD J 302







Ligand EHL B 2302




Bond lengths



Bond angles




Torsions




Rings


Ligand EHL L 301




Ligand EHL J 301




Ligand EHL I 2302




Bond lengths



Bond angles





Torsions




Rings


Ligand EHL D 301











Ligand EHL A 2302
















Ligand EHL H 301











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	272/273 (99%)	-0.27	3 (1%) 78 75	21, 32, 57, 68	0
1	B	271/273 (99%)	0.36	9 (3%) 49 45	31, 47, 69, 81	0
1	C	271/273 (99%)	-0.03	8 (2%) 52 48	22, 39, 65, 76	0
1	D	272/273 (99%)	-0.25	7 (2%) 57 52	21, 31, 55, 69	0
1	E	271/273 (99%)	-0.00	8 (2%) 52 48	22, 41, 60, 78	0
1	F	271/273 (99%)	0.21	7 (2%) 57 52	32, 46, 67, 81	0
1	G	270/273 (98%)	0.22	10 (3%) 45 40	28, 45, 67, 85	0
1	H	270/273 (98%)	0.29	8 (2%) 52 48	30, 46, 68, 82	0
1	I	270/273 (98%)	0.25	11 (4%) 41 37	32, 48, 71, 87	0
1	J	270/273 (98%)	0.27	9 (3%) 49 45	30, 46, 68, 84	0
1	K	271/273 (99%)	0.36	12 (4%) 39 34	32, 48, 73, 86	0
1	L	271/273 (99%)	0.39	8 (2%) 52 48	34, 51, 72, 85	0
All	All	3250/3276 (99%)	0.15	100 (3%) 51 47	21, 44, 68, 87	0

The worst 5 of 100 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	232	PHE	6.9
1	L	128	TYR	6.5
1	G	128	TYR	6.3
1	I	232	PHE	5.8
1	B	232	PHE	5.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FAD	A	2301	53/53	-	-	25,31,41,44	53
2	FAD	B	2301	53/53	-	-	33,42,55,57	53
2	FAD	C	2301	53/53	-	-	29,37,47,48	53
2	FAD	D	302	53/53	-	-	25,29,38,41	53
2	FAD	E	2301	53/53	-	-	29,39,49,50	53
2	FAD	F	2301	53/53	-	-	42,49,57,58	53
2	FAD	G	2301	53/53	-	-	35,44,53,53	53
2	FAD	H	302	53/53	-	-	35,44,57,59	53
2	FAD	I	2301	53/53	-	-	37,47,57,59	53
2	FAD	J	302	53/53	-	-	36,43,55,58	53
2	FAD	K	2301	53/53	-	-	43,50,60,61	53
2	FAD	L	302	53/53	-	-	38,48,60,61	53
3	EHL	A	2302	23/23	-	-	31,39,48,54	33
3	EHL	B	2302	23/23	-	-	44,52,59,64	33
3	EHL	D	301	23/23	-	-	30,33,47,49	23
3	EHL	E	2302	23/23	-	-	36,46,59,60	33
3	EHL	H	301	23/23	-	-	42,50,66,69	33
3	EHL	I	2302	23/23	-	-	41,49,62,66	33
3	EHL	J	301	23/23	-	-	39,47,57,62	33
3	EHL	L	301	23/23	-	-	47,56,72,77	33
4	SO4	F	2302	5/5	0.79	0.14	76,77,86,90	0
4	SO4	J	303	5/5	0.79	0.14	77,82,93,96	0
4	SO4	D	303	5/5	0.88	0.13	49,62,72,76	0
4	SO4	A	2303	5/5	0.90	0.10	64,66,71,72	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FAD A 2301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD B 2301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD C 2301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD D 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD E 2301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD F 2301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD G 2301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD H 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD I 2301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD J 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD K 2301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD L 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EHL A 2302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EHL B 2302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EHL D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EHL E 2302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around EHL H 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EHL I 2302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EHL J 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around EHL L 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.