Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:16 AM UTC

PDB ID	:	5M8P / pdb_00005m8p
Title	:	Crystal structure of human tyrosinase related protein 1 in complex with tyrosine
Authors	:	Lai, X.; Soler-Lopez, M.; Wichers, H.J.; Dijkstra, B.W.
Deposited on	:	2016-10-29
Resolution	:	2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	446	82% 17%
1	B	446	80% 19%
1	C	446	70% 29%
1	D	446	72% 28%
2	E	3	33% 67%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	J	3	67% 33%
2	O	3	33% 67%
2	U	3	33% 33% 33%
3	F	2	100%
3	K	2	50% 50%
3	Q	2	50% 50%
4	G	2	100%
4	H	2	100%
4	I	2	50% 50%
4	N	2	50% 50%
4	P	2	50% 50%
4	R	2	50% 50%
4	W	2	50% 50%
4	Y	2	50% 50%
5	L	3	100%
6	M	5	80% 20%
6	X	5	20% 40% 40%
7	S	2	50% 50%
8	T	3	67% 33%
9	V	4	25% 75%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	Q	1	-	-	X	-

2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 15116 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5,6-dihydroxyindole-2-carboxylic acid oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	446	Total	C	N	O	S	0	0	0
			3560	2233	632	672	23			
1	B	446	Total	C	N	O	S	0	0	0
			3560	2233	632	672	23			
1	C	446	Total	C	N	O	S	0	0	0
			3560	2233	632	672	23			
1	D	446	Total	C	N	O	S	0	0	0
			3560	2233	632	672	23			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	3	Total	C	N	O	0	0	0
			38	22	2	14			
2	J	3	Total	C	N	O	0	0	0
			38	22	2	14			
2	O	3	Total	C	N	O	0	0	0
			38	22	2	14			
2	U	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 3 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
3	F	2	Total C N O 24 14 1 9	0	0	0
3	K	2	Total C N O 24 14 1 9	0	0	0
3	Q	2	Total C N O 24 14 1 9	0	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
4	G	2	Total C N O 28 16 2 10	0	0	0
4	H	2	Total C N O 28 16 2 10	0	0	0
4	I	2	Total C N O 28 16 2 10	0	0	0
4	N	2	Total C N O 28 16 2 10	0	0	0
4	P	2	Total C N O 28 16 2 10	0	0	0
4	R	2	Total C N O 28 16 2 10	0	0	0
4	W	2	Total C N O 28 16 2 10	0	0	0
4	Y	2	Total C N O 28 16 2 10	0	0	0

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
5	L	3	Total C N O 39 22 2 15	0	0	0

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	M	5	Total	C	N	O	0	0	0
			61	34	2	25			
6	X	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	S	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	T	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(5-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	V	4	Total	C	N	O	0	0	0
			49	28	2	19			

- Molecule 10 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 11 is TYROSINE (CCD ID: TYR) (formula: $C_9H_{11}NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	A	1	Total	C	N	O	0	0
			13	9	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	B	1	Total C N O 13 9 1 3	0	0
11	C	1	Total C N O 13 9 1 3	0	0
11	D	1	Total C N O 13 9 1 3	0	0

- Molecule 12 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	A	3	Total Zn 3 3	0	0
12	B	2	Total Zn 2 2	0	0
12	C	2	Total Zn 2 2	0	0
12	D	2	Total Zn 2 2	0	0

- Molecule 13 is alpha-D-mannopyranose (CCD ID: MAN) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	C	1	Total C O 11 6 5	0	0

- Molecule 14 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	A	21	Total O 21 21	0	0
14	B	25	Total O 25 25	0	0
14	C	9	Total O 9 9	0	0
14	D	10	Total O 10 10	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 5,6-dihydroxyindole-2-carboxylic acid oxidase

Chain A:



• Molecule 1: 5,6-dihydroxyindole-2-carboxylic acid oxidase

Chain B:



• Molecule 1: 5,6-dihydroxyindole-2-carboxylic acid oxidase

Chain C:





• Molecule 1: 5,6-dihydroxyindole-2-carboxylic acid oxidase



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:





• Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:





• Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:





• Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:





• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:





• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:





• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:





• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:



• Molecule 5: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:



• Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:





• Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:





• Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:





• Molecule 8: alpha-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:





• Molecule 9: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(5-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	89.52Å 140.32Å 191.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.92 – 2.80 47.92 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.2 (47.92-2.80) 90.9 (47.92-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.20 (at 2.81Å)	Xtriage
Refinement program	REFMAC, PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.205 , 0.262 0.209 , 0.265	Depositor DCC
R_{free} test set	2997 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å^2)	55.8	Xtriage
Anisotropy	0.288	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 37.6	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.93	EDS
Total number of atoms	15116	wwPDB-VP
Average B, all atoms (Å^2)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.89% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MAN, NAG, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.66	1/3667 (0.0%)	0.72	0/4998
1	B	0.59	0/3667	0.65	3/4998 (0.1%)
1	C	0.90	11/3667 (0.3%)	0.80	6/4998 (0.1%)
1	D	0.55	1/3667 (0.0%)	0.62	0/4998
All	All	0.69	13/14668 (0.1%)	0.70	9/19992 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	2
1	D	0	1
All	All	0	3

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	377	HIS	C-O	22.17	1.51	1.24
1	C	377	HIS	CB-CG	-21.01	1.20	1.50
1	C	377	HIS	C-N	-18.97	1.08	1.34
1	C	377	HIS	CA-C	-10.54	1.38	1.52
1	C	377	HIS	N-CA	9.92	1.58	1.46
1	D	46	SER	C-N	-8.35	1.14	1.33
1	C	356	ARG	NE-CZ	-7.85	1.24	1.33
1	C	356	ARG	CZ-NH2	-7.84	1.23	1.33
1	C	377	HIS	CA-CB	6.56	1.64	1.53
1	C	356	ARG	CZ-NH1	-6.55	1.23	1.32
1	C	356	ARG	CD-NE	-6.19	1.37	1.46
1	A	397	ASP	C-N	-5.31	1.28	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	181	ASN	CG-OD1	-5.28	1.13	1.23

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	C	377	HIS	O-C-N	-13.15	105.10	122.59
1	C	377	HIS	CA-C-O	-12.31	102.91	120.51
1	C	377	HIS	CA-C-N	11.69	137.11	120.28
1	C	377	HIS	C-N-CA	11.69	137.11	120.28
1	C	377	HIS	N-CA-C	-6.68	96.57	110.80
1	B	118	ARG	CA-CB-CG	6.11	126.31	114.10
1	C	161	ILE	CB-CG1-CD1	-5.97	101.27	113.80
1	B	381	HIS	CA-CB-CG	5.21	119.01	113.80
1	B	441	VAL	N-CA-C	5.12	113.03	108.63

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	377	HIS	Peptide,Mainchain
1	D	109	ASN	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3560	0	3325	64	0
1	B	3560	0	3325	75	0
1	C	3560	0	3326	131	1
1	D	3560	0	3326	101	0
2	E	38	0	34	2	0
2	J	38	0	34	1	0
2	O	38	0	34	2	0
2	U	38	0	34	1	0
3	F	24	0	22	0	0
3	K	24	0	22	0	0
3	Q	24	0	22	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	G	28	0	25	0	0
4	H	28	0	25	1	0
4	I	28	0	25	0	0
4	N	28	0	25	0	0
4	P	28	0	25	3	0
4	R	28	0	25	0	0
4	W	28	0	24	0	0
4	Y	28	0	25	1	0
5	L	39	0	34	0	0
6	M	61	0	52	1	0
6	X	61	0	52	3	1
7	S	28	0	25	1	0
8	T	39	0	34	1	0
9	V	49	0	42	2	0
10	A	14	0	12	0	0
11	A	13	0	8	3	0
11	B	13	0	8	2	0
11	C	13	0	8	3	0
11	D	13	0	8	2	0
12	A	3	0	0	0	0
12	B	2	0	0	0	0
12	C	2	0	0	0	0
12	D	2	0	0	0	0
13	C	11	0	10	1	0
14	A	21	0	0	2	0
14	B	25	0	0	4	0
14	C	9	0	0	1	0
14	D	10	0	0	4	0
All	All	15116	0	13996	383	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (383) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:181:ASN:HD21	3:Q:1:NAG:C1	1.17	1.50
1:C:181:ASN:ND2	3:Q:1:NAG:C1	1.85	1.40
1:D:118:ARG:HH11	1:D:242:PRO:CB	1.44	1.30
1:D:118:ARG:NH1	1:D:242:PRO:CB	1.95	1.29
1:C:198:LYS:HD2	1:C:297:ASP:OD1	1.30	1.27

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:373:VAL:O	1:B:374:ARG:CD	1.91	1.17
1:B:373:VAL:O	1:B:374:ARG:HD3	1.00	1.17
1:D:118:ARG:NH1	1:D:242:PRO:HB2	1.59	1.12
11:C:516:TYR:OXT	14:C:601:HOH:O	1.70	1.09
1:D:118:ARG:NH1	1:D:242:PRO:HB3	1.61	1.09
1:B:373:VAL:C	1:B:374:ARG:HD3	1.81	1.03
1:D:66:GLU:HB2	1:D:100:HIS:HD2	1.19	1.01
1:D:118:ARG:NH2	1:D:126:VAL:HG11	1.77	0.98
1:D:73:ARG:HG3	1:D:74:PRO:HD2	1.45	0.98
1:D:118:ARG:HH11	1:D:242:PRO:HB3	0.82	0.98
1:C:161:ILE:HD11	1:C:190:TRP:CG	2.00	0.96
1:C:394:SER:OG	11:C:516:TYR:OH	1.84	0.95
1:C:425:PHE:O	1:C:436:ARG:NH1	1.99	0.95
1:D:118:ARG:HH12	1:D:242:PRO:HB2	1.25	0.94
1:D:118:ARG:HH21	1:D:126:VAL:HG11	1.30	0.92
1:D:118:ARG:HH21	1:D:126:VAL:CG1	1.84	0.90
1:B:118:ARG:NH1	1:B:126:VAL:HG21	1.88	0.88
1:D:66:GLU:HB2	1:D:100:HIS:CD2	2.07	0.88
1:C:181:ASN:CG	3:Q:1:NAG:C1	2.47	0.87
1:C:198:LYS:CD	1:C:297:ASP:OD1	2.21	0.86
1:B:118:ARG:HD3	1:B:242:PRO:HB3	1.56	0.86
1:C:193:TYR:OH	1:C:197:LYS:NZ	2.11	0.83
1:B:118:ARG:NH1	1:B:126:VAL:CG2	2.41	0.83
1:C:318:ASN:HA	8:T:1:NAG:H62	1.60	0.83
1:C:161:ILE:HD11	1:C:190:TRP:CD2	2.14	0.82
1:C:142:ASN:OD1	1:C:146:ARG:NH1	2.12	0.82
1:C:52:GLY:HA2	1:C:55:ARG:HE	1.45	0.82
1:C:393:LEU:HD13	1:C:393:LEU:O	1.80	0.81
1:C:198:LYS:HD2	1:C:297:ASP:CG	2.04	0.80
1:C:51:PRO:O	1:C:53:THR:N	2.17	0.78
1:B:374:ARG:HH11	1:B:374:ARG:HG3	1.49	0.77
1:B:377:HIS:NE2	1:B:381:HIS:CD2	2.52	0.77
1:D:323:MET:HE1	1:D:374:ARG:H	1.49	0.77
1:C:28:ARG:HH22	1:C:181:ASN:HD22	1.32	0.77
1:A:360:GLU:O	1:A:378:ASN:OD1	2.04	0.76
1:C:298:THR:HG23	1:C:299:LEU:HG	1.68	0.76
1:A:269:ARG:NH1	1:A:314:ASN:OD1	2.19	0.75
1:B:269:ARG:NH1	1:B:314:ASN:OD1	2.19	0.75
1:A:429:ASN:ND2	1:A:429:ASN:O	2.18	0.75
1:B:62:ARG:NH1	1:B:110:CYS:O	2.19	0.75
1:B:118:ARG:HD3	1:B:242:PRO:CB	2.16	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:142:ASN:O	1:A:146:ARG:HG3	1.88	0.73
1:D:427:LEU:HD23	1:D:436:ARG:HB3	1.70	0.73
1:C:350:ASN:ND2	7:S:1:NAG:O5	2.21	0.73
1:B:118:ARG:CZ	1:B:126:VAL:CG2	2.66	0.72
1:A:93:ARG:NH1	1:D:49:SER:O	2.20	0.72
1:C:86:ASP:OD2	1:C:166:SER:OG	2.03	0.72
1:C:294:GLU:O	1:C:298:THR:HG22	1.89	0.72
1:A:25:GLN:HG2	1:A:161:ILE:HA	1.72	0.71
1:A:49:SER:HB2	1:A:53:THR:HG21	1.72	0.71
1:D:114:ARG:HG3	1:D:115:PRO:HD2	1.71	0.71
1:D:256:ASN:ND2	14:D:602:HOH:O	2.24	0.71
1:C:422:ILE:HD11	1:C:436:ARG:HD2	1.70	0.71
1:D:118:ARG:CZ	1:D:126:VAL:HG11	2.21	0.70
1:C:25:GLN:HG3	1:C:26:PHE:H	1.55	0.70
1:B:175:ASN:HD21	1:C:416:ARG:HH22	1.40	0.69
1:C:360:GLU:O	1:C:377:HIS:HB3	1.92	0.69
11:D:517:TYR:OXT	14:D:601:HOH:O	2.10	0.69
1:C:51:PRO:O	1:C:53:THR:HG23	1.93	0.69
1:C:163:THR:HG22	1:C:304:ASN:HB3	1.74	0.69
1:B:118:ARG:O	1:B:122:CYS:HA	1.92	0.69
1:C:218:PRO:HA	1:C:356:ARG:CD	2.23	0.69
11:B:516:TYR:OXT	14:B:601:HOH:O	2.12	0.68
1:B:25:GLN:HG3	1:B:26:PHE:H	1.57	0.68
1:C:85:ASP:OD1	1:C:87:ARG:HD3	1.92	0.68
1:A:429:ASN:C	1:A:429:ASN:HD22	2.01	0.68
1:D:269:ARG:NH1	1:D:314:ASN:OD1	2.28	0.67
1:C:61:GLY:O	1:C:102:ASN:ND2	2.27	0.67
1:B:118:ARG:CZ	1:B:126:VAL:HG21	2.23	0.66
1:C:269:ARG:NH1	1:C:314:ASN:OD1	2.28	0.66
1:A:263:ASP:OD2	14:A:601:HOH:O	2.12	0.66
1:D:163:THR:O	1:D:164:ARG:NH1	2.27	0.66
1:B:377:HIS:CE1	1:B:381:HIS:CD2	2.83	0.66
1:D:215:HIS:CD2	1:D:224:HIS:HE1	2.14	0.66
1:C:92:LEU:HD21	1:C:96:ASN:HA	1.78	0.66
1:B:73:ARG:NH1	1:B:428:GLU:OE1	2.29	0.65
6:M:2:NAG:O3	6:M:3:MAN:H2	1.97	0.65
1:B:377:HIS:CE1	1:B:381:HIS:HD2	2.16	0.64
1:D:143:HIS:NE2	1:D:241:GLU:OE1	2.26	0.64
1:A:28:ARG:HH12	1:A:181:ASN:HD22	1.46	0.64
1:A:108:HIS:CE1	1:A:109:ASN:OD1	2.51	0.64
1:C:142:ASN:CG	1:C:146:ARG:HH12	2.06	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:393:LEU:CD1	1:C:396:ASN:HB2	2.29	0.63
1:D:331:GLN:H	1:D:331:GLN:CD	2.07	0.63
1:C:354:SER:O	1:C:358:THR:HG23	1.99	0.63
1:C:266:MET:O	1:C:313:ARG:NH2	2.32	0.62
1:B:175:ASN:O	1:B:177:PRO:HD3	2.00	0.62
1:C:218:PRO:HA	1:C:356:ARG:HD3	1.81	0.62
1:D:25:GLN:HG2	1:D:161:ILE:HA	1.80	0.62
1:B:180:GLU:OE1	1:B:305:SER:OG	2.12	0.62
1:C:197:LYS:HG2	1:C:198:LYS:N	2.13	0.62
1:B:374:ARG:HH11	1:B:374:ARG:CG	2.11	0.61
1:A:313:ARG:NH1	1:A:397:ASP:OD1	2.33	0.61
1:C:289:VAL:O	1:C:393:LEU:HD21	2.00	0.61
1:C:166:SER:O	1:C:169:ILE:HG22	2.01	0.61
1:C:169:ILE:HG23	1:C:170:LEU:HD13	1.83	0.60
1:C:73:ARG:NH2	1:C:428:GLU:OE1	2.30	0.60
1:B:25:GLN:HG2	1:B:161:ILE:HA	1.83	0.60
1:D:73:ARG:HG3	1:D:74:PRO:CD	2.27	0.60
1:D:212:ASP:OD1	1:D:215:HIS:N	2.32	0.60
1:A:85:ASP:OD1	1:A:87:ARG:HD3	2.02	0.60
1:C:180:GLU:OE1	1:C:305:SER:OG	2.15	0.60
1:D:454:VAL:HG11	1:D:459:ASN:CG	2.26	0.60
1:A:25:GLN:HG3	1:A:26:PHE:H	1.66	0.60
1:C:225:ARG:HD2	1:C:408:ASP:OD1	2.01	0.60
1:D:118:ARG:NH2	1:D:126:VAL:CG1	2.53	0.60
1:C:143:HIS:NE2	1:C:241:GLU:OE2	2.34	0.59
1:D:370:ASP:O	1:D:373:VAL:HG12	2.03	0.59
1:A:331:GLN:H	1:A:331:GLN:CD	2.10	0.59
1:C:218:PRO:HA	1:C:356:ARG:HD2	1.85	0.58
1:D:142:ASN:O	1:D:146:ARG:HG3	2.02	0.58
1:C:198:LYS:CD	1:C:297:ASP:CG	2.74	0.58
1:C:161:ILE:HD11	1:C:190:TRP:CD1	2.39	0.58
1:A:198:LYS:NZ	1:A:293:LEU:HD22	2.19	0.57
1:C:36:LEU:HD13	1:C:170:LEU:HD11	1.86	0.57
1:C:78:GLN:O	1:C:80:PRO:HD3	2.04	0.57
1:B:118:ARG:CZ	1:B:126:VAL:HG22	2.35	0.57
3:Q:1:NAG:H3	3:Q:1:NAG:H83	1.86	0.57
1:A:93:ARG:NH1	1:D:49:SER:HB3	2.20	0.57
1:C:230:ARG:O	1:C:230:ARG:HD3	2.05	0.57
1:B:118:ARG:NH1	1:B:126:VAL:HG22	2.17	0.56
1:C:54:ASP:OD1	1:C:59:SER:OG	2.20	0.56
1:D:366:THR:HG23	1:D:368:LYS:H	1.69	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:181:ASN:OD1	3:Q:1:NAG:C1	2.52	0.56
1:A:44:ASP:O	1:A:109:ASN:ND2	2.39	0.56
1:C:313:ARG:HG2	1:C:315:PRO:HD3	1.88	0.56
1:D:62:ARG:NH2	1:D:110:CYS:O	2.37	0.55
1:D:33:VAL:HG12	1:D:170:LEU:HD22	1.89	0.55
1:D:350:ASN:CG	6:X:1:NAG:H83	2.31	0.55
1:B:113:CYS:HB2	1:B:117:TRP:O	2.07	0.55
4:Y:1:NAG:H83	4:Y:1:NAG:H3	1.88	0.55
1:B:165:ARG:NH1	1:B:300:GLY:O	2.40	0.55
1:D:68:VAL:HG22	1:D:96:ASN:O	2.06	0.55
1:A:28:ARG:HH12	1:A:181:ASN:ND2	2.05	0.54
1:A:266:MET:O	1:A:313:ARG:NH2	2.40	0.54
1:C:393:LEU:HD13	1:C:396:ASN:HB2	1.88	0.54
1:B:356:ARG:NH1	1:B:360:GLU:OE1	2.39	0.54
1:C:225:ARG:NH2	1:C:454:VAL:O	2.41	0.54
1:D:360:GLU:HG2	14:D:603:HOH:O	2.08	0.54
1:C:408:ASP:HB3	1:C:464:TYR:OH	2.07	0.54
1:C:131:ARG:HD2	1:C:465:GLU:OE1	2.08	0.54
1:D:334:ALA:HB2	1:D:469:PRO:HB2	1.89	0.54
1:C:25:GLN:HG2	1:C:161:ILE:HA	1.90	0.54
1:D:293:LEU:HG	1:D:392:HIS:CD2	2.42	0.54
1:A:62:ARG:NH1	1:A:110:CYS:O	2.40	0.54
1:B:413:GLU:OE2	1:B:416:ARG:NH1	2.41	0.54
1:C:370:ASP:O	1:C:373:VAL:HG12	2.08	0.54
1:A:331:GLN:O	1:A:335:GLN:HG3	2.08	0.53
1:B:80:PRO:HG2	1:B:81:HIS:CE1	2.44	0.53
1:B:175:ASN:HD21	1:C:416:ARG:NH2	2.05	0.53
1:C:197:LYS:HE2	1:C:302:LEU:CD2	2.38	0.53
13:C:515:MAN:O2	9:V:3:MAN:O3	2.06	0.53
11:D:517:TYR:CD1	11:D:517:TYR:N	2.73	0.53
1:B:169:ILE:HD11	1:B:179:PHE:CZ	2.44	0.53
1:C:169:ILE:HG23	1:C:170:LEU:CD1	2.38	0.53
1:C:199:THR:HB	1:C:208:PHE:HB3	1.91	0.53
1:D:25:GLN:HG3	1:D:26:PHE:H	1.74	0.53
4:H:1:NAG:H61	4:H:2:NAG:O5	2.08	0.53
1:A:218:PRO:HD2	1:A:434:HIS:HB3	1.91	0.53
1:B:220:PHE:CD2	1:B:221:LEU:HG	2.44	0.52
1:A:201:LEU:HD12	1:A:206:GLU:O	2.09	0.52
1:B:33:VAL:HG23	14:B:623:HOH:O	2.09	0.52
1:D:221:LEU:HD13	1:D:411:PHE:CD1	2.45	0.52
1:B:117:TRP:HA	1:B:124:GLN:HE22	1.75	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:331:GLN:O	1:C:335:GLN:HG3	2.09	0.52
1:D:73:ARG:HG2	1:D:428:GLU:CB	2.40	0.52
1:C:54:ASP:OD2	1:C:57:GLY:HA2	2.10	0.52
1:D:393:LEU:HB3	1:D:396:ASN:HD22	1.75	0.52
1:A:374:ARG:NH1	11:A:513:TYR:O	2.44	0.51
1:C:166:SER:HA	1:C:169:ILE:HB	1.91	0.51
1:B:175:ASN:O	1:B:175:ASN:OD1	2.27	0.51
1:D:139:GLU:CD	1:D:139:GLU:H	2.19	0.51
1:D:215:HIS:CD2	1:D:224:HIS:CE1	2.98	0.51
1:C:413:GLU:HG2	1:C:416:ARG:HE	1.74	0.51
1:C:40:MET:HE1	1:C:55:ARG:HH12	1.74	0.51
1:A:313:ARG:HG2	1:A:315:PRO:HD3	1.93	0.51
1:B:25:GLN:HA	1:B:25:GLN:OE1	2.10	0.51
1:D:174:GLY:O	1:D:175:ASN:ND2	2.41	0.51
1:D:196:VAL:HG11	1:D:215:HIS:HE1	1.76	0.51
1:D:294:GLU:CD	1:D:294:GLU:H	2.17	0.51
1:C:318:ASN:HB3	1:C:324:VAL:HG23	1.93	0.50
1:D:118:ARG:NE	1:D:126:VAL:HG11	2.25	0.50
1:D:276:LEU:HD21	1:D:312:ARG:CZ	2.41	0.50
1:D:350:ASN:ND2	6:X:1:NAG:H83	2.26	0.50
1:D:166:SER:HA	1:D:169:ILE:HB	1.94	0.50
1:C:210:GLU:N	1:C:210:GLU:OE1	2.43	0.50
1:C:414:TRP:CE3	1:C:415:LEU:HD23	2.47	0.50
1:A:87:ARG:HG2	1:A:441:VAL:HG11	1.94	0.50
1:C:293:LEU:HA	1:C:296:TYR:CD2	2.47	0.50
1:D:251:PHE:HB2	1:D:327:LEU:HD22	1.93	0.50
1:C:391:THR:HA	11:C:516:TYR:CZ	2.47	0.50
1:D:114:ARG:HG3	1:D:115:PRO:CD	2.40	0.50
1:D:329:GLU:HB3	1:D:331:GLN:NE2	2.26	0.49
1:A:427:LEU:HD21	1:A:436:ARG:CZ	2.41	0.49
1:C:25:GLN:OE1	1:C:25:GLN:HA	2.11	0.49
1:C:164:ARG:HG3	1:C:178:GLN:HG3	1.95	0.49
1:D:73:ARG:HG2	1:D:428:GLU:HB3	1.94	0.49
1:D:112:THR:OG1	1:D:113:CYS:N	2.41	0.48
1:B:124:GLN:CD	1:B:124:GLN:C	2.81	0.48
1:A:198:LYS:HE3	1:A:297:ASP:OD2	2.12	0.48
1:B:374:ARG:CG	1:B:374:ARG:NH1	2.73	0.48
11:A:513:TYR:HE1	14:A:605:HOH:O	1.94	0.48
1:C:170:LEU:HA	1:C:177:PRO:HA	1.95	0.48
1:A:25:GLN:OE1	1:A:25:GLN:HA	2.13	0.48
1:C:219:ALA:HB3	1:C:434:HIS:ND1	2.28	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:33:VAL:HG22	14:D:606:HOH:O	2.13	0.48
1:A:294:GLU:H	1:A:294:GLU:CD	2.19	0.48
1:B:143:HIS:NE2	1:B:241:GLU:OE1	2.47	0.48
1:C:364:ASP:HB3	1:C:373:VAL:HG21	1.95	0.48
1:A:163:THR:HG22	1:A:304:ASN:HB3	1.95	0.48
1:A:217:GLY:O	1:A:356:ARG:HD3	2.14	0.48
1:C:50:GLY:HA3	1:C:51:PRO:HD2	1.65	0.48
1:B:117:TRP:CA	1:B:124:GLN:HE22	2.27	0.47
1:C:422:ILE:HG13	1:C:422:ILE:O	2.12	0.47
1:D:452:MET:HA	1:D:452:MET:HE2	1.96	0.47
1:D:85:ASP:HB2	1:D:199:THR:HG23	1.96	0.47
1:C:44:ASP:CB	1:C:47:PRO:HG3	2.45	0.47
1:C:218:PRO:HD2	1:C:434:HIS:HB3	1.96	0.47
1:C:293:LEU:HA	1:C:296:TYR:HD2	1.80	0.47
1:B:98:THR:OG1	1:B:99:CYS:N	2.48	0.47
1:D:337:LEU:HD13	1:D:417:ARG:NH2	2.30	0.47
1:A:88:GLU:OE1	1:A:93:ARG:NH2	2.47	0.47
1:A:198:LYS:HE2	1:A:198:LYS:H	1.79	0.47
1:C:28:ARG:HH22	1:C:181:ASN:ND2	2.07	0.47
1:D:152:LYS:HE3	1:D:307:GLU:OE2	2.15	0.47
1:D:374:ARG:HA	1:D:374:ARG:HD3	1.61	0.47
1:C:165:ARG:NH1	1:C:300:GLY:O	2.47	0.46
2:O:2:NAG:H83	2:O:2:NAG:H3	1.97	0.46
1:A:29:GLN:OE1	1:A:29:GLN:N	2.36	0.46
1:C:91:PRO:HG3	1:C:446:PRO:HG3	1.96	0.46
1:A:169:ILE:HD11	1:A:179:PHE:CZ	2.49	0.46
1:D:217:GLY:O	1:D:356:ARG:HD3	2.15	0.46
1:B:112:THR:OG1	1:B:113:CYS:N	2.48	0.46
1:C:342:PHE:HB2	1:C:414:TRP:CH2	2.50	0.46
1:B:217:GLY:O	1:B:356:ARG:HD3	2.16	0.46
1:C:141:LYS:HD3	1:C:265:LEU:HD21	1.98	0.46
1:C:343:ASP:OD2	1:C:356:ARG:NH1	2.48	0.46
1:C:393:LEU:HD22	1:C:393:LEU:HA	1.66	0.46
1:D:66:GLU:OE1	1:D:100:HIS:CD2	2.68	0.46
1:B:304:ASN:OD1	1:B:304:ASN:C	2.58	0.46
1:D:422:ILE:HG13	1:D:422:ILE:O	2.15	0.46
1:B:25:GLN:HG3	1:B:26:PHE:N	2.28	0.46
2:J:1:NAG:H61	2:J:2:NAG:C1	2.46	0.46
1:D:323:MET:HE1	1:D:373:VAL:HA	1.97	0.46
1:A:117:TRP:O	1:A:118:ARG:HG2	2.16	0.46
1:A:93:ARG:HH11	1:D:49:SER:HB3	1.79	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:358:THR:HG21	1:C:367:GLY:HA2	1.97	0.45
1:A:294:GLU:O	1:A:298:THR:OG1	2.31	0.45
1:C:92:LEU:HD23	1:C:95:PHE:O	2.17	0.45
1:C:321:ARG:HG3	1:C:324:VAL:HG22	1.98	0.45
1:C:358:THR:CG2	1:C:367:GLY:HA2	2.46	0.45
9:V:1:NAG:H5	9:V:4:FUC:H61	1.98	0.45
1:B:287:ARG:HA	1:B:287:ARG:HD3	1.67	0.45
1:C:47:PRO:HB3	1:C:50:GLY:O	2.16	0.45
1:C:83:GLY:N	1:C:88:GLU:OE1	2.35	0.45
1:C:133:LEU:HD12	1:C:136:LEU:HD12	1.97	0.45
2:E:1:NAG:O4	2:E:2:NAG:O7	2.34	0.45
1:A:96:ASN:HD22	2:E:1:NAG:H83	1.81	0.45
1:B:227:HIS:HB3	14:B:607:HOH:O	2.16	0.45
1:C:92:LEU:CD2	1:C:96:ASN:HA	2.45	0.45
1:B:355:PHE:O	1:B:358:THR:N	2.50	0.45
1:C:312:ARG:HB2	1:C:387:THR:HG23	1.98	0.45
4:P:2:NAG:C8	4:P:2:NAG:H3	2.47	0.45
1:B:466:ILE:HD13	1:B:468:TRP:CH2	2.52	0.45
1:C:44:ASP:HB3	1:C:47:PRO:HG3	1.99	0.45
1:A:197:LYS:HG2	1:A:198:LYS:N	2.32	0.44
1:A:331:GLN:O	1:A:334:ALA:N	2.50	0.44
1:C:40:MET:HE2	1:C:40:MET:HB3	1.55	0.44
1:D:125:ARG:HG2	1:D:126:VAL:N	2.31	0.44
1:D:369:TYR:CE2	1:D:371:PRO:HD3	2.52	0.44
1:B:102:ASN:O	1:B:105:PHE:HD2	2.00	0.44
1:B:276:LEU:HD21	1:B:312:ARG:CZ	2.47	0.44
1:D:395:PRO:HG3	1:D:400:PHE:CE2	2.52	0.44
1:A:144:PHE:CE1	1:A:247:PRO:HD2	2.53	0.44
1:B:253:THR:HB	1:B:255:LYS:HG3	1.99	0.44
1:B:275:THR:OG1	1:B:312:ARG:NH1	2.48	0.44
1:D:40:MET:HA	1:D:97:ARG:HB2	1.99	0.44
1:A:356:ARG:HE	1:A:356:ARG:HB3	1.53	0.44
1:A:374:ARG:NH1	11:A:513:TYR:C	2.76	0.44
1:B:45:LEU:HD12	1:B:57:GLY:HA3	2.00	0.44
1:B:66:GLU:O	1:B:97:ARG:HA	2.18	0.44
1:B:118:ARG:CD	1:B:242:PRO:HB3	2.39	0.44
1:C:318:ASN:HB3	1:C:324:VAL:CG2	2.48	0.44
1:C:363:SER:O	1:C:375:SER:OG	2.34	0.44
1:A:91:PRO:HG3	1:A:446:PRO:HG3	2.00	0.44
1:D:350:ASN:CB	6:X:1:NAG:H83	2.48	0.43
1:B:182:ILE:HG12	1:B:186:ASN:HB2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:133:LEU:HD22	1:D:402:LEU:CD2	2.47	0.43
1:B:262:THR:OG1	1:B:264:ASP:OD1	2.27	0.43
1:C:413:GLU:CG	1:C:416:ARG:HE	2.30	0.43
1:D:37:ARG:O	2:U:1:NAG:H62	2.18	0.43
1:B:352:THR:HG23	1:B:369:TYR:H	1.82	0.43
1:C:25:GLN:HG3	1:C:26:PHE:N	2.28	0.43
1:D:84:ARG:NH2	1:D:201:LEU:O	2.51	0.43
1:B:118:ARG:H	1:B:124:GLN:CD	2.26	0.43
1:C:181:ASN:OD1	3:Q:1:NAG:C2	2.67	0.43
1:A:331:GLN:CD	1:A:331:GLN:N	2.77	0.43
1:C:92:LEU:HD23	1:C:92:LEU:HA	1.33	0.43
1:C:108:HIS:HA	1:C:445:PRO:HG3	2.01	0.43
1:D:127:LEU:HD12	1:D:461:GLY:C	2.43	0.43
2:O:1:NAG:H61	2:O:2:NAG:H82	2.00	0.43
1:B:62:ARG:HG2	1:B:105:PHE:CE1	2.53	0.43
1:B:117:TRP:HB3	1:B:124:GLN:HE22	1.84	0.43
1:B:118:ARG:O	1:B:124:GLN:NE2	2.52	0.43
1:B:282:VAL:HG23	1:B:285:GLN:OE1	2.19	0.43
1:B:441:VAL:HA	1:B:442:PRO:HA	1.86	0.43
1:D:329:GLU:HB3	1:D:331:GLN:HE22	1.84	0.43
1:A:230:ARG:O	1:A:230:ARG:HD3	2.19	0.42
1:B:313:ARG:NH1	1:B:397:ASP:OD1	2.52	0.42
1:A:45:LEU:HA	1:A:109:ASN:HD22	1.84	0.42
1:C:88:GLU:O	1:C:89:VAL:C	2.62	0.42
1:C:230:ARG:NH1	1:C:234:ASP:OD1	2.50	0.42
1:D:62:ARG:HH21	1:D:111:GLY:HA2	1.84	0.42
1:A:342:PHE:HB2	1:A:414:TRP:CH2	2.54	0.42
1:C:175:ASN:OD1	1:C:175:ASN:O	2.37	0.42
1:C:312:ARG:H	1:C:387:THR:HG23	1.85	0.42
1:D:162:ALA:HB2	1:D:179:PHE:CE1	2.54	0.42
1:B:408:ASP:HB3	1:B:464:TYR:OH	2.19	0.42
1:C:393:LEU:O	1:C:394:SER:C	2.62	0.42
1:C:417:ARG:HE	1:C:417:ARG:HB2	1.74	0.42
1:D:427:LEU:HD23	1:D:436:ARG:CB	2.45	0.42
1:A:198:LYS:HZ1	1:A:293:LEU:HD22	1.84	0.42
1:B:188:PHE:CE1	1:B:227:HIS:CE1	3.08	0.42
1:B:270:SER:HB3	1:B:273:ASP:O	2.18	0.42
1:C:328:PRO:HG3	1:C:379:LEU:HD23	2.01	0.42
1:D:361:GLY:HA3	1:D:375:SER:O	2.20	0.42
1:C:181:ASN:OD1	3:Q:1:NAG:N2	2.53	0.42
1:A:166:SER:HA	1:A:169:ILE:HB	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:198:LYS:CD	1:C:297:ASP:OD2	2.67	0.42
1:D:25:GLN:HG2	1:D:160:VAL:O	2.20	0.42
1:D:172:PRO:C	1:D:174:GLY:H	2.28	0.42
1:D:186:ASN:HA	1:D:189:VAL:HG12	2.01	0.42
1:D:444:TRP:HA	1:D:445:PRO:C	2.44	0.42
1:B:118:ARG:NH2	1:B:126:VAL:HG22	2.35	0.42
1:D:232:GLU:O	1:D:236:GLN:HG3	2.20	0.42
1:C:161:ILE:HG21	1:C:161:ILE:HD13	1.53	0.41
1:D:230:ARG:O	1:D:230:ARG:HD3	2.20	0.41
1:A:141:LYS:HD3	1:A:265:LEU:HD21	2.01	0.41
1:D:25:GLN:HG3	1:D:26:PHE:N	2.34	0.41
1:C:41:CYS:HB3	1:C:444:TRP:CZ2	2.55	0.41
1:C:198:LYS:HD3	1:C:297:ASP:OD2	2.21	0.41
1:D:459:ASN:O	1:D:460:LEU:HD23	2.19	0.41
1:B:313:ARG:HG3	1:B:314:ASN:N	2.36	0.41
1:A:341:LEU:HD11	1:C:100:HIS:NE2	2.35	0.41
1:B:275:THR:C	1:B:276:LEU:HD23	2.46	0.41
1:B:85:ASP:OD1	1:B:87:ARG:HG2	2.21	0.41
1:C:197:LYS:HE2	1:C:302:LEU:HD22	2.02	0.41
1:D:61:GLY:O	1:D:102:ASN:ND2	2.48	0.41
1:D:197:LYS:HG2	1:D:198:LYS:N	2.36	0.41
1:A:221:LEU:HA	1:A:221:LEU:HD23	1.79	0.41
1:C:74:PRO:HD2	1:C:428:GLU:OE2	2.21	0.41
1:C:131:ARG:HD2	1:C:465:GLU:CD	2.46	0.41
1:D:440:MET:HE3	1:D:447:VAL:HG13	2.03	0.41
1:A:353:ASN:OD1	1:C:64:ARG:NH2	2.54	0.41
1:C:173:ASP:OD1	1:C:176:THR:HG23	2.20	0.41
1:C:324:VAL:O	1:C:383:PHE:HA	2.21	0.41
4:P:2:NAG:C3	4:P:2:NAG:H83	2.51	0.41
1:A:156:HIS:NE2	1:A:234:ASP:OD2	2.51	0.41
1:B:173:ASP:OD1	1:B:173:ASP:N	2.51	0.41
1:C:293:LEU:HA	1:C:293:LEU:HD23	1.91	0.41
1:D:114:ARG:HE	1:D:114:ARG:HB2	1.70	0.41
1:A:263:ASP:OD2	1:A:280:ASN:HB3	2.21	0.40
1:A:422:ILE:HG12	1:A:422:ILE:O	2.20	0.40
1:A:313:ARG:CG	1:A:315:PRO:HD3	2.52	0.40
1:C:44:ASP:HB3	1:C:47:PRO:HD3	2.02	0.40
1:C:414:TRP:HE3	1:C:415:LEU:HD23	1.85	0.40
1:D:196:VAL:HG11	1:D:215:HIS:CE1	2.55	0.40
1:D:328:PRO:HG3	1:D:379:LEU:HD23	2.03	0.40
1:D:427:LEU:HD21	1:D:436:ARG:CZ	2.51	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:P:2:NAG:C8	4:P:2:NAG:C3	2.99	0.40
1:A:431:PRO:O	1:A:432:ILE:C	2.63	0.40
11:B:516:TYR:HE1	14:B:605:HOH:O	2.00	0.40
1:D:347:PHE:CG	1:D:426:PRO:HG3	2.56	0.40
1:A:46:SER:O	1:A:48:VAL:N	2.55	0.40
1:A:331:GLN:O	1:A:332:ASP:C	2.64	0.40
1:D:216:GLU:HB3	1:D:349:SER:HB3	2.02	0.40
1:D:218:PRO:HD2	1:D:434:HIS:HB3	2.03	0.40
1:D:407:THR:O	1:D:410:VAL:HG22	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:46:SER:OG	6:X:5:MAN:O3[1_655]	2.13	0.07

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	444/446 (100%)	413 (93%)	30 (7%)	1 (0%)	43 72
1	B	444/446 (100%)	411 (93%)	31 (7%)	2 (0%)	24 55
1	C	444/446 (100%)	413 (93%)	26 (6%)	5 (1%)	11 36
1	D	444/446 (100%)	407 (92%)	34 (8%)	3 (1%)	18 47
All	All	1776/1784 (100%)	1644 (93%)	121 (7%)	11 (1%)	21 51

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	52	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	51	PRO
1	C	377	HIS
1	C	172	PRO
1	D	172	PRO
1	B	124	GLN
1	A	172	PRO
1	B	376	LEU
1	C	385	ASN
1	D	173	ASP
1	D	279	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	395/395 (100%)	395 (100%)	0	100	100
1	B	395/395 (100%)	388 (98%)	7 (2%)	51	82
1	C	395/395 (100%)	393 (100%)	2 (0%)	81	93
1	D	395/395 (100%)	393 (100%)	2 (0%)	81	93
All	All	1580/1580 (100%)	1569 (99%)	11 (1%)	73	91

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	58	SER
1	B	60	SER
1	B	268	SER
1	B	292	SER
1	B	374	ARG
1	B	424	THR
1	B	447	VAL
1	C	288	VAL
1	C	447	VAL
1	D	292	SER
1	D	374	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	102	ASN
1	A	108	HIS
1	A	419	ASN
1	A	429	ASN
1	B	81	HIS
1	B	124	GLN
1	B	175	ASN
1	B	178	GLN
1	B	325	GLN
1	C	178	GLN
1	C	205	GLN
1	C	285	GLN
1	C	353	ASN
1	C	437	GLN
1	D	175	ASN
1	D	331	GLN
1	D	353	ASN
1	D	396	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

56 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
2	NAG	E	1	2	14,14,15	1.03	1 (7%)	17,19,21	1.13	1 (5%)
2	NAG	E	2	2	14,14,15	0.63	1 (7%)	17,19,21	0.82	0
2	FUC	E	3	2	10,10,11	0.67	0	14,14,16	2.59	6 (42%)
3	NAG	F	1	3	14,14,15	1.51	2 (14%)	17,19,21	1.33	2 (11%)
3	FUC	F	2	3	10,10,11	1.19	2 (20%)	14,14,16	1.18	2 (14%)
4	NAG	G	1	4	14,14,15	0.55	0	17,19,21	0.53	0
4	NAG	G	2	4	14,14,15	0.44	0	17,19,21	0.45	0
4	NAG	H	1	4	14,14,15	0.78	1 (7%)	17,19,21	0.63	0
4	NAG	H	2	4	14,14,15	1.64	1 (7%)	17,19,21	1.11	2 (11%)
4	NAG	I	1	4	14,14,15	0.72	1 (7%)	17,19,21	0.52	0
4	NAG	I	2	4	14,14,15	0.23	0	17,19,21	0.59	0
2	NAG	J	1	2	14,14,15	0.94	2 (14%)	17,19,21	1.01	1 (5%)
2	NAG	J	2	2	14,14,15	0.32	0	17,19,21	0.63	0
2	FUC	J	3	2	10,10,11	1.16	2 (20%)	14,14,16	0.94	0
3	NAG	K	1	3	14,14,15	0.33	0	17,19,21	0.80	0
3	FUC	K	2	3	10,10,11	1.54	2 (20%)	14,14,16	1.52	3 (21%)
5	NAG	L	1	5	14,14,15	2.08	2 (14%)	17,19,21	1.02	2 (11%)
5	NAG	L	2	5	14,14,15	1.67	1 (7%)	17,19,21	1.06	2 (11%)
5	MAN	L	3	5	11,11,12	1.14	1 (9%)	15,15,17	0.79	0
6	NAG	M	1	6	14,14,15	0.78	1 (7%)	17,19,21	0.78	0
6	NAG	M	2	6	14,14,15	0.71	0	17,19,21	0.65	0
6	MAN	M	3	6	11,11,12	1.90	2 (18%)	15,15,17	1.90	4 (26%)
6	MAN	M	4	6	11,11,12	1.06	1 (9%)	15,15,17	1.11	0
6	MAN	M	5	6	11,11,12	1.43	1 (9%)	15,15,17	2.35	3 (20%)
4	NAG	N	1	4	14,14,15	0.49	0	17,19,21	0.55	0
4	NAG	N	2	4	14,14,15	0.19	0	17,19,21	0.95	1 (5%)
2	NAG	O	1	2	14,14,15	0.25	0	17,19,21	0.87	1 (5%)
2	NAG	O	2	2	14,14,15	0.33	0	17,19,21	1.49	2 (11%)
2	FUC	O	3	2	10,10,11	0.96	1 (10%)	14,14,16	1.67	4 (28%)
4	NAG	P	1	4	14,14,15	0.65	1 (7%)	17,19,21	0.89	0
4	NAG	P	2	4	14,14,15	1.24	2 (14%)	17,19,21	2.31	3 (17%)
3	NAG	Q	1	3	14,14,15	0.46	0	17,19,21	1.70	3 (17%)
3	FUC	Q	2	3	10,10,11	1.75	2 (20%)	14,14,16	1.43	4 (28%)
4	NAG	R	1	4	14,14,15	1.07	1 (7%)	17,19,21	0.65	0
4	NAG	R	2	4	14,14,15	0.24	0	17,19,21	0.62	0
7	NAG	S	1	7	14,14,15	0.26	0	17,19,21	1.27	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
7	NAG	S	2	7	14,14,15	0.47	0	17,19,21	0.53	0
8	NAG	T	1	8	14,14,15	2.29	1 (7%)	17,19,21	2.66	1 (5%)
8	NAG	T	2	8	14,14,15	0.77	1 (7%)	17,19,21	1.68	1 (5%)
8	MAN	T	3	8	11,11,12	1.29	1 (9%)	15,15,17	2.01	3 (20%)
2	NAG	U	1	2	14,14,15	0.75	1 (7%)	17,19,21	0.77	0
2	NAG	U	2	2	14,14,15	0.42	0	17,19,21	0.40	0
2	FUC	U	3	2	10,10,11	1.01	0	14,14,16	2.08	7 (50%)
9	NAG	V	1	9	14,14,15	1.07	2 (14%)	17,19,21	0.87	0
9	NAG	V	2	9	14,14,15	1.23	1 (7%)	17,19,21	0.99	1 (5%)
9	MAN	V	3	9	11,11,12	1.57	1 (9%)	15,15,17	0.96	0
9	FUC	V	4	9	10,10,11	0.55	0	14,14,16	1.35	2 (14%)
4	NAG	W	1	4	14,14,15	0.79	1 (7%)	17,19,21	0.76	1 (5%)
4	NAG	W	2	4	14,14,15	0.37	0	17,19,21	0.59	0
6	NAG	X	1	6	14,14,15	1.27	1 (7%)	17,19,21	1.33	1 (5%)
6	NAG	X	2	6	14,14,15	0.46	0	17,19,21	0.67	0
6	MAN	X	3	6	11,11,12	1.34	2 (18%)	15,15,17	1.58	2 (13%)
6	MAN	X	4	6	11,11,12	1.22	2 (18%)	15,15,17	0.97	0
6	MAN	X	5	6	11,11,12	1.00	1 (9%)	15,15,17	1.23	1 (6%)
4	NAG	Y	1	4	14,14,15	1.41	2 (14%)	17,19,21	1.65	3 (17%)
4	NAG	Y	2	4	14,14,15	0.34	0	17,19,21	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	2	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	FUC	E	3	2	-	-	0/1/1/1
3	NAG	F	1	3	-	2/6/23/26	0/1/1/1
3	FUC	F	2	3	-	-	0/1/1/1
4	NAG	G	1	4	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
4	NAG	H	1	4	-	4/6/23/26	0/1/1/1
4	NAG	H	2	4	-	2/6/23/26	0/1/1/1
4	NAG	I	1	4	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	I	2	4	-	2/6/23/26	0/1/1/1
2	NAG	J	1	2	-	2/6/23/26	0/1/1/1
2	NAG	J	2	2	-	4/6/23/26	0/1/1/1
2	FUC	J	3	2	-	-	0/1/1/1
3	NAG	K	1	3	-	4/6/23/26	0/1/1/1
3	FUC	K	2	3	-	-	0/1/1/1
5	NAG	L	1	5	-	0/6/23/26	0/1/1/1
5	NAG	L	2	5	-	2/6/23/26	0/1/1/1
5	MAN	L	3	5	-	2/2/19/22	1/1/1/1
6	NAG	M	1	6	-	4/6/23/26	0/1/1/1
6	NAG	M	2	6	-	2/6/23/26	0/1/1/1
6	MAN	M	3	6	-	2/2/19/22	1/1/1/1
6	MAN	M	4	6	-	0/2/19/22	1/1/1/1
6	MAN	M	5	6	-	2/2/19/22	0/1/1/1
4	NAG	N	1	4	-	0/6/23/26	0/1/1/1
4	NAG	N	2	4	-	3/6/23/26	0/1/1/1
2	NAG	O	1	2	-	0/6/23/26	0/1/1/1
2	NAG	O	2	2	-	6/6/23/26	0/1/1/1
2	FUC	O	3	2	-	-	0/1/1/1
4	NAG	P	1	4	-	3/6/23/26	0/1/1/1
4	NAG	P	2	4	-	5/6/23/26	0/1/1/1
3	NAG	Q	1	3	-	6/6/23/26	0/1/1/1
3	FUC	Q	2	3	-	-	0/1/1/1
4	NAG	R	1	4	-	0/6/23/26	0/1/1/1
4	NAG	R	2	4	-	2/6/23/26	0/1/1/1
7	NAG	S	1	7	-	3/6/23/26	0/1/1/1
7	NAG	S	2	7	-	2/6/23/26	0/1/1/1
8	NAG	T	1	8	-	2/6/23/26	0/1/1/1
8	NAG	T	2	8	-	4/6/23/26	0/1/1/1
8	MAN	T	3	8	-	0/2/19/22	0/1/1/1
2	NAG	U	1	2	-	2/6/23/26	0/1/1/1
2	NAG	U	2	2	-	2/6/23/26	0/1/1/1
2	FUC	U	3	2	-	-	0/1/1/1
9	NAG	V	1	9	-	1/6/23/26	0/1/1/1
9	NAG	V	2	9	-	3/6/23/26	0/1/1/1
9	MAN	V	3	9	-	2/2/19/22	1/1/1/1
9	FUC	V	4	9	-	-	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	W	1	4	-	2/6/23/26	0/1/1/1
4	NAG	W	2	4	-	0/6/23/26	0/1/1/1
6	NAG	X	1	6	-	2/6/23/26	0/1/1/1
6	NAG	X	2	6	-	3/6/23/26	0/1/1/1
6	MAN	X	3	6	-	2/2/19/22	1/1/1/1
6	MAN	X	4	6	-	2/2/19/22	0/1/1/1
6	MAN	X	5	6	-	2/2/19/22	0/1/1/1
4	NAG	Y	1	4	-	4/6/23/26	0/1/1/1
4	NAG	Y	2	4	-	4/6/23/26	0/1/1/1

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	T	1	NAG	O5-C1	8.40	1.57	1.43
5	L	1	NAG	O5-C1	-7.31	1.31	1.43
5	L	2	NAG	O5-C1	-6.16	1.33	1.43
4	H	2	NAG	C1-C2	5.61	1.60	1.52
6	M	3	MAN	C2-C3	-5.28	1.44	1.52
4	Y	1	NAG	O5-C1	-4.68	1.35	1.43
3	F	1	NAG	C1-C2	4.64	1.58	1.52
9	V	2	NAG	O5-C1	-4.32	1.36	1.43
6	X	1	NAG	O5-C1	4.20	1.50	1.43
9	V	3	MAN	O5-C5	4.19	1.51	1.43
3	Q	2	FUC	C1-C2	4.13	1.62	1.52
6	M	5	MAN	C2-C3	-3.88	1.46	1.52
4	R	1	NAG	O5-C1	-3.53	1.37	1.43
8	T	3	MAN	C1-C2	3.45	1.60	1.52
4	P	2	NAG	O5-C1	3.35	1.49	1.43
2	E	1	NAG	O5-C1	3.25	1.49	1.43
3	K	2	FUC	O5-C5	2.99	1.49	1.43
5	L	3	MAN	O5-C5	2.83	1.48	1.43
4	W	1	NAG	O5-C1	-2.82	1.39	1.43
6	X	3	MAN	C2-C3	-2.76	1.48	1.52
9	V	1	NAG	O5-C1	-2.74	1.39	1.43
3	K	2	FUC	C1-C2	2.70	1.58	1.52
4	P	2	NAG	C1-C2	2.70	1.56	1.52
4	H	1	NAG	O5-C1	-2.66	1.39	1.43
6	M	1	NAG	O5-C1	-2.65	1.39	1.43
2	O	3	FUC	O5-C1	-2.57	1.39	1.43
5	L	1	NAG	C1-C2	-2.52	1.48	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	U	1	NAG	O5-C1	-2.48	1.39	1.43
8	T	2	NAG	O5-C1	2.48	1.47	1.43
6	X	3	MAN	O5-C1	-2.48	1.39	1.43
2	J	1	NAG	C1-C2	-2.45	1.49	1.52
3	F	2	FUC	C1-C2	2.45	1.58	1.52
4	I	1	NAG	O5-C1	-2.40	1.39	1.43
6	X	4	MAN	C1-C2	2.39	1.57	1.52
3	F	1	NAG	C3-C2	2.38	1.57	1.52
9	V	1	NAG	C1-C2	2.34	1.55	1.52
2	J	3	FUC	O5-C1	-2.27	1.39	1.43
6	X	5	MAN	C1-C2	2.25	1.57	1.52
6	X	4	MAN	O5-C1	-2.25	1.39	1.43
2	E	2	NAG	O5-C1	-2.23	1.40	1.43
6	M	3	MAN	O2-C2	-2.20	1.38	1.43
4	P	1	NAG	O5-C1	-2.20	1.40	1.43
3	F	2	FUC	O5-C5	2.17	1.47	1.43
3	Q	2	FUC	O5-C5	2.14	1.47	1.43
2	J	1	NAG	O5-C1	-2.11	1.40	1.43
4	Y	1	NAG	C1-C2	-2.08	1.49	1.52
6	M	4	MAN	C1-C2	2.03	1.57	1.52
2	J	3	FUC	O2-C2	-2.00	1.39	1.43

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
8	T	1	NAG	C1-O5-C5	10.62	126.42	112.19
4	P	2	NAG	C2-N2-C7	7.86	133.44	122.90
6	M	5	MAN	C1-O5-C5	7.42	122.13	112.19
8	T	2	NAG	C1-O5-C5	6.18	120.47	112.19
2	E	3	FUC	O5-C5-C4	6.09	120.51	109.55
8	T	3	MAN	C1-O5-C5	5.21	119.17	112.19
3	Q	1	NAG	C2-N2-C7	5.03	129.64	122.90
4	Y	1	NAG	C2-N2-C7	4.85	129.40	122.90
2	O	2	NAG	C2-N2-C7	4.75	129.27	122.90
3	F	1	NAG	C4-C3-C2	4.46	117.56	111.02
8	T	3	MAN	C1-C2-C3	4.12	115.65	109.64
2	U	3	FUC	C1-C2-C3	4.12	115.64	109.64
6	X	3	MAN	O2-C2-C3	-4.10	101.65	110.15
2	E	3	FUC	C6-C5-C4	-3.98	105.80	113.08
6	M	3	MAN	O2-C2-C3	-3.79	102.30	110.15
2	E	3	FUC	C1-O5-C5	3.72	121.74	112.97
6	M	3	MAN	O3-C3-C2	-3.70	102.51	110.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	Q	1	NAG	C1-O5-C5	3.66	117.09	112.19
6	M	5	MAN	C1-C2-C3	-3.59	104.42	109.64
2	E	1	NAG	C1-O5-C5	3.56	116.96	112.19
6	X	1	NAG	C1-C2-N2	3.47	115.91	110.43
2	E	3	FUC	O5-C5-C6	-3.46	99.89	107.40
3	K	2	FUC	C1-O5-C5	3.46	121.12	112.97
2	O	3	FUC	O5-C5-C4	3.41	115.69	109.55
2	O	3	FUC	C1-O5-C5	3.28	120.71	112.97
7	S	1	NAG	C2-N2-C7	3.27	127.28	122.90
4	P	2	NAG	C1-C2-N2	3.18	115.45	110.43
3	K	2	FUC	O5-C5-C4	3.12	115.17	109.55
6	M	3	MAN	C2-C3-C4	-3.04	105.52	110.86
6	X	5	MAN	C1-O5-C5	3.00	116.20	112.19
2	U	3	FUC	C2-C3-C4	2.99	116.11	110.86
6	X	3	MAN	C1-O5-C5	2.99	116.19	112.19
2	U	3	FUC	C1-O5-C5	2.80	119.58	112.97
2	O	3	FUC	C1-C2-C3	2.76	113.67	109.64
3	Q	2	FUC	O2-C2-C1	2.76	115.54	109.22
6	M	3	MAN	C1-C2-C3	2.67	113.53	109.64
2	J	1	NAG	C1-O5-C5	2.66	115.75	112.19
9	V	2	NAG	O4-C4-C5	-2.61	102.89	109.32
8	T	3	MAN	O5-C1-C2	2.58	116.95	110.79
6	M	5	MAN	O2-C2-C3	-2.51	104.96	110.15
3	F	2	FUC	O5-C5-C4	2.50	114.06	109.55
4	Y	1	NAG	C3-C4-C5	2.50	114.77	110.23
4	N	2	NAG	C1-O5-C5	2.46	115.48	112.19
7	S	1	NAG	C1-O5-C5	2.44	115.46	112.19
2	U	3	FUC	C3-C4-C5	2.43	113.51	109.81
5	L	1	NAG	O4-C4-C5	-2.40	103.41	109.32
3	F	1	NAG	O5-C5-C4	-2.38	105.04	110.83
3	K	2	FUC	O2-C2-C1	2.38	114.67	109.22
7	S	1	NAG	C1-C2-N2	2.37	114.16	110.43
9	V	4	FUC	C3-C4-C5	2.36	113.39	109.81
2	U	3	FUC	O5-C5-C4	2.32	113.73	109.55
3	Q	2	FUC	C1-O5-C5	2.31	118.42	112.97
5	L	2	NAG	C4-C3-C2	2.31	114.41	111.02
5	L	1	NAG	C3-C4-C5	2.29	114.38	110.23
4	Y	1	NAG	C1-C2-N2	2.28	114.03	110.43
2	O	3	FUC	O5-C5-C6	-2.27	102.48	107.40
2	U	3	FUC	O3-C3-C2	-2.25	105.46	110.05
9	V	4	FUC	C1-O5-C5	2.25	118.27	112.97
5	L	2	NAG	O4-C4-C3	-2.25	105.08	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	H	2	NAG	O5-C5-C4	-2.22	105.44	110.83
4	H	2	NAG	C2-N2-C7	2.20	125.85	122.90
3	Q	1	NAG	C1-C2-N2	2.19	113.89	110.43
3	Q	2	FUC	O5-C5-C4	2.18	113.47	109.55
2	U	3	FUC	O3-C3-C4	-2.15	105.31	110.38
2	E	3	FUC	O3-C3-C4	-2.14	105.33	110.38
4	W	1	NAG	O4-C4-C3	-2.14	105.34	110.38
4	P	2	NAG	C1-O5-C5	2.12	115.03	112.19
2	O	2	NAG	C1-C2-N2	2.09	113.73	110.43
3	F	2	FUC	C1-O5-C5	2.08	117.88	112.97
2	E	3	FUC	C3-C4-C5	2.08	112.97	109.81
3	Q	2	FUC	C1-C2-C3	2.04	112.62	109.64
2	O	1	NAG	C1-O5-C5	2.02	114.89	112.19

There are no chirality outliers.

All (109) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	K	1	NAG	C1-C2-N2-C7
4	P	2	NAG	C3-C2-N2-C7
7	S	1	NAG	C1-C2-N2-C7
2	E	2	NAG	C4-C5-C6-O6
8	T	1	NAG	C4-C5-C6-O6
2	J	1	NAG	O5-C5-C6-O6
4	R	2	NAG	O5-C5-C6-O6
2	O	2	NAG	O5-C5-C6-O6
2	U	1	NAG	O5-C5-C6-O6
8	T	1	NAG	O5-C5-C6-O6
4	W	1	NAG	C4-C5-C6-O6
6	X	3	MAN	C4-C5-C6-O6
9	V	3	MAN	C4-C5-C6-O6
6	M	5	MAN	O5-C5-C6-O6
8	T	2	NAG	O5-C5-C6-O6
4	H	1	NAG	O5-C5-C6-O6
2	U	1	NAG	C4-C5-C6-O6
2	E	2	NAG	O5-C5-C6-O6
3	K	1	NAG	O5-C5-C6-O6
6	X	4	MAN	O5-C5-C6-O6
2	J	1	NAG	C4-C5-C6-O6
4	R	2	NAG	C4-C5-C6-O6
5	L	3	MAN	O5-C5-C6-O6
2	O	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	W	1	NAG	O5-C5-C6-O6
6	X	3	MAN	O5-C5-C6-O6
5	L	2	NAG	O5-C5-C6-O6
7	S	1	NAG	O5-C5-C6-O6
9	V	3	MAN	O5-C5-C6-O6
6	M	3	MAN	O5-C5-C6-O6
6	M	3	MAN	C4-C5-C6-O6
6	M	1	NAG	O5-C5-C6-O6
4	H	1	NAG	C4-C5-C6-O6
7	S	1	NAG	C4-C5-C6-O6
6	M	5	MAN	C4-C5-C6-O6
3	Q	1	NAG	C4-C5-C6-O6
5	L	2	NAG	C4-C5-C6-O6
4	Y	2	NAG	O5-C5-C6-O6
3	K	1	NAG	C4-C5-C6-O6
6	X	5	MAN	C4-C5-C6-O6
2	J	2	NAG	O5-C5-C6-O6
4	I	2	NAG	O5-C5-C6-O6
6	X	5	MAN	O5-C5-C6-O6
6	M	1	NAG	C4-C5-C6-O6
6	X	4	MAN	C4-C5-C6-O6
2	E	1	NAG	C8-C7-N2-C2
2	E	1	NAG	O7-C7-N2-C2
2	J	2	NAG	C8-C7-N2-C2
2	J	2	NAG	O7-C7-N2-C2
2	O	2	NAG	C8-C7-N2-C2
2	O	2	NAG	O7-C7-N2-C2
3	Q	1	NAG	C8-C7-N2-C2
3	Q	1	NAG	O7-C7-N2-C2
4	H	1	NAG	C8-C7-N2-C2
4	H	1	NAG	O7-C7-N2-C2
4	H	2	NAG	C8-C7-N2-C2
4	H	2	NAG	O7-C7-N2-C2
4	P	1	NAG	C8-C7-N2-C2
4	P	1	NAG	O7-C7-N2-C2
4	P	2	NAG	C8-C7-N2-C2
4	P	2	NAG	O7-C7-N2-C2
4	Y	1	NAG	C8-C7-N2-C2
4	Y	1	NAG	O7-C7-N2-C2
4	Y	2	NAG	C8-C7-N2-C2
4	Y	2	NAG	O7-C7-N2-C2
6	M	1	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	M	1	NAG	O7-C7-N2-C2
6	X	1	NAG	C8-C7-N2-C2
6	X	1	NAG	O7-C7-N2-C2
8	T	2	NAG	C8-C7-N2-C2
8	T	2	NAG	O7-C7-N2-C2
9	V	2	NAG	C8-C7-N2-C2
9	V	2	NAG	O7-C7-N2-C2
3	F	1	NAG	O5-C5-C6-O6
3	Q	1	NAG	O5-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
5	L	3	MAN	C4-C5-C6-O6
4	I	2	NAG	C4-C5-C6-O6
6	M	2	NAG	C4-C5-C6-O6
7	S	2	NAG	O5-C5-C6-O6
4	G	1	NAG	C4-C5-C6-O6
6	X	2	NAG	O5-C5-C6-O6
6	M	2	NAG	O5-C5-C6-O6
6	X	2	NAG	C4-C5-C6-O6
4	P	2	NAG	O5-C5-C6-O6
8	T	2	NAG	C4-C5-C6-O6
4	G	1	NAG	O5-C5-C6-O6
2	U	2	NAG	O5-C5-C6-O6
2	J	2	NAG	C4-C5-C6-O6
4	G	2	NAG	O5-C5-C6-O6
4	G	2	NAG	C4-C5-C6-O6
7	S	2	NAG	C4-C5-C6-O6
2	O	2	NAG	C1-C2-N2-C7
4	P	1	NAG	O5-C5-C6-O6
4	Y	2	NAG	C4-C5-C6-O6
3	Q	1	NAG	C3-C2-N2-C7
4	N	2	NAG	C3-C2-N2-C7
9	V	2	NAG	C4-C5-C6-O6
9	V	1	NAG	C4-C5-C6-O6
3	Q	1	NAG	C1-C2-N2-C7
4	N	2	NAG	C1-C2-N2-C7
4	P	2	NAG	C1-C2-N2-C7
4	Y	1	NAG	C1-C2-N2-C7
6	X	2	NAG	C1-C2-N2-C7
2	O	2	NAG	C3-C2-N2-C7
3	K	1	NAG	C3-C2-N2-C7
4	Y	1	NAG	C3-C2-N2-C7
4	N	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	U	2	NAG	C4-C5-C6-O6

All (5) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	L	3	MAN	C1-C2-C3-C4-C5-O5
6	M	3	MAN	C1-C2-C3-C4-C5-O5
6	X	3	MAN	C1-C2-C3-C4-C5-O5
9	V	3	MAN	C1-C2-C3-C4-C5-O5
6	M	4	MAN	C1-C2-C3-C4-C5-O5

21 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	1	NAG	2	0
2	E	2	NAG	1	0
4	Y	1	NAG	1	0
2	J	2	NAG	1	0
2	O	1	NAG	1	0
9	V	3	MAN	1	0
2	U	1	NAG	1	0
6	M	3	MAN	1	0
6	M	2	NAG	1	0
4	H	2	NAG	1	0
6	X	1	NAG	3	0
7	S	1	NAG	1	0
6	X	5	MAN	0	1
9	V	4	FUC	1	0
4	P	2	NAG	3	0
3	Q	1	NAG	7	0
9	V	1	NAG	1	0
2	O	2	NAG	2	0
2	J	1	NAG	1	0
8	T	1	NAG	1	0
4	H	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

Oligosaccharide Chain E



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain J



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain O



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain U



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain F



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain K



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain Q



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain G



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain H



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain I



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain N



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain P



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain R



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain W



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain Y



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain L



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain M



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain X



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain S



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain T



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain V



Bond lengths



Bond angles



Torsions



Rings

5.6 Ligand geometry (i)

Of 15 ligands modelled in this entry, 9 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
11	TYR	A	513	-	12,13,13	1.36	2 (16%)	13,17,17	0.60	0
13	MAN	C	515	-	11,11,12	2.34	4 (36%)	15,15,17	1.57	3 (20%)
11	TYR	B	516	-	12,13,13	1.21	1 (8%)	13,17,17	0.76	0
11	TYR	D	517	-	12,13,13	1.20	1 (8%)	13,17,17	0.70	0
10	NAG	A	504	-	14,14,15	0.53	0	17,19,21	0.73	1 (5%)
11	TYR	C	516	-	12,13,13	1.19	1 (8%)	13,17,17	1.13	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	TYR	A	513	-	-	2/8/8/8	0/1/1/1
13	MAN	C	515	-	-	2/2/19/22	0/1/1/1
11	TYR	B	516	-	-	3/8/8/8	0/1/1/1
11	TYR	D	517	-	-	3/8/8/8	0/1/1/1
10	NAG	A	504	-	-	2/6/23/26	0/1/1/1
11	TYR	C	516	-	-	3/8/8/8	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	C	515	MAN	O5-C1	-5.32	1.34	1.43
13	C	515	MAN	C2-C3	-3.46	1.47	1.52
13	C	515	MAN	C4-C5	3.05	1.59	1.53
11	B	516	TYR	CE1-CZ	-2.33	1.34	1.39
11	A	513	TYR	CE1-CZ	-2.28	1.34	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	C	516	TYR	O-C	2.23	1.28	1.22
11	D	517	TYR	CE1-CZ	-2.11	1.35	1.39
13	C	515	MAN	C1-C2	-2.08	1.47	1.52
11	A	513	TYR	O-C	2.05	1.28	1.22

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
13	C	515	MAN	C3-C4-C5	3.68	116.90	110.23
11	C	516	TYR	CB-CA-N	3.50	124.81	111.40
13	C	515	MAN	O2-C2-C3	-3.24	103.45	110.15
10	A	504	NAG	C1-O5-C5	2.39	115.39	112.19
13	C	515	MAN	O4-C4-C3	-2.06	105.51	110.38

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	C	516	TYR	N-CA-CB-CG
13	C	515	MAN	O5-C5-C6-O6
10	A	504	NAG	O5-C5-C6-O6
13	C	515	MAN	C4-C5-C6-O6
10	A	504	NAG	C4-C5-C6-O6
11	D	517	TYR	N-CA-CB-CG
11	B	516	TYR	OXT-C-CA-N
11	D	517	TYR	CA-CB-CG-CD1
11	D	517	TYR	CA-CB-CG-CD2
11	A	513	TYR	O-C-CA-CB
11	A	513	TYR	OXT-C-CA-CB
11	C	516	TYR	OXT-C-CA-CB
11	B	516	TYR	O-C-CA-CB
11	B	516	TYR	OXT-C-CA-CB
11	C	516	TYR	O-C-CA-CB

There are no ring outliers.

5 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	A	513	TYR	3	0
13	C	515	MAN	1	0
11	B	516	TYR	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	D	517	TYR	2	0
11	C	516	TYR	3	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	D	1
1	C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	D	46:SER	C	47:PRO	N	1.14
1	C	377:HIS	C	378:ASN	N	1.08

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	446/446 (100%)	-0.30	3 (0%)	84	77	24, 43, 64, 103	0
1	B	446/446 (100%)	-0.22	7 (1%)	70	61	30, 47, 76, 106	0
1	C	446/446 (100%)	0.21	9 (2%)	65	56	36, 61, 93, 115	0
1	D	446/446 (100%)	-0.02	4 (0%)	81	74	31, 57, 82, 111	0
All	All	1784/1784 (100%)	-0.08	23 (1%)	75	66	24, 50, 84, 115	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	470	SER	3.8
1	A	429	ASN	3.1
1	B	48	VAL	3.0
1	B	49	SER	2.9
1	A	48	VAL	2.8
1	B	118	ARG	2.6
1	D	342	PHE	2.6
1	C	33	VAL	2.6
1	C	342	PHE	2.6
1	B	51	PRO	2.5
1	C	346	PRO	2.4
1	C	170	LEU	2.4
1	C	203	VAL	2.3
1	B	120	ALA	2.3
1	A	470	SER	2.3
1	B	25	GLN	2.3
1	D	341	LEU	2.3
1	C	176	THR	2.2
1	C	366	THR	2.2
1	C	49	SER	2.2
1	C	48	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	175	ASN	2.1
1	D	64	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
8	MAN	T	3	11/12	0.43	0.13	89,110,115,115	0
4	NAG	Y	2	14/15	0.44	0.17	90,96,104,105	0
8	NAG	T	2	14/15	0.47	0.15	95,106,111,116	0
7	NAG	S	2	14/15	0.57	0.17	111,116,118,119	0
4	NAG	H	2	14/15	0.59	0.15	71,89,100,107	0
7	NAG	S	1	14/15	0.65	0.16	82,95,105,109	0
3	NAG	F	1	14/15	0.65	0.14	57,73,81,82	0
4	NAG	P	2	14/15	0.66	0.17	69,83,89,89	0
5	MAN	L	3	11/12	0.66	0.14	73,79,86,89	0
4	NAG	R	2	14/15	0.67	0.13	90,95,97,102	0
6	MAN	X	5	11/12	0.67	0.13	54,72,78,85	0
3	NAG	Q	1	14/15	0.68	0.13	72,79,83,85	0
3	NAG	K	1	14/15	0.68	0.13	66,73,77,81	0
4	NAG	I	2	14/15	0.68	0.14	65,72,84,84	0
2	NAG	J	2	14/15	0.69	0.14	71,84,89,91	0
9	MAN	V	3	11/12	0.69	0.14	80,89,94,102	0
4	NAG	H	1	14/15	0.70	0.13	64,68,92,94	0
2	NAG	E	1	14/15	0.71	0.13	69,75,83,92	0
2	NAG	O	2	14/15	0.71	0.12	81,92,98,98	0
2	NAG	U	2	14/15	0.75	0.13	86,90,94,98	0
6	NAG	X	1	14/15	0.75	0.16	62,79,88,89	0
9	FUC	V	4	10/11	0.77	0.14	61,72,76,85	0
2	FUC	O	3	10/11	0.78	0.12	71,81,90,93	0
2	NAG	E	2	14/15	0.79	0.13	78,88,97,104	0
4	NAG	N	2	14/15	0.79	0.11	60,67,73,77	0
3	FUC	F	2	10/11	0.79	0.11	70,80,86,92	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
6	MAN	M	4	11/12	0.79	0.15	60,69,75,78	0
2	FUC	E	3	10/11	0.80	0.14	66,72,80,89	0
2	NAG	U	1	14/15	0.80	0.11	74,78,92,94	0
4	NAG	Y	1	14/15	0.81	0.13	72,86,94,103	0
9	NAG	V	2	14/15	0.81	0.12	62,75,83,85	0
4	NAG	W	2	14/15	0.82	0.13	71,75,82,88	0
2	NAG	O	1	14/15	0.82	0.10	68,76,85,86	0
6	MAN	M	5	11/12	0.82	0.14	65,72,81,87	0
2	FUC	U	3	10/11	0.82	0.14	67,75,83,86	0
3	FUC	Q	2	10/11	0.83	0.10	77,86,92,93	0
4	NAG	R	1	14/15	0.83	0.10	63,74,82,91	0
2	FUC	J	3	10/11	0.85	0.12	53,66,70,70	0
4	NAG	P	1	14/15	0.86	0.13	58,67,77,83	0
4	NAG	G	2	14/15	0.86	0.10	63,72,83,85	0
6	MAN	M	3	11/12	0.86	0.11	55,58,61,61	0
6	NAG	X	2	14/15	0.86	0.12	61,69,74,75	0
3	FUC	K	2	10/11	0.87	0.09	70,79,82,82	0
6	MAN	X	4	11/12	0.87	0.10	63,67,74,79	0
5	NAG	L	2	14/15	0.88	0.09	61,69,75,75	0
4	NAG	W	1	14/15	0.88	0.11	57,60,74,75	0
2	NAG	J	1	14/15	0.88	0.10	61,67,75,83	0
5	NAG	L	1	14/15	0.88	0.10	47,54,59,64	0
6	MAN	X	3	11/12	0.90	0.08	58,67,73,73	0
6	NAG	M	2	14/15	0.91	0.09	45,49,55,60	0
6	NAG	M	1	14/15	0.91	0.11	43,50,62,68	0
8	NAG	T	1	14/15	0.92	0.10	83,94,98,106	0
4	NAG	I	1	14/15	0.93	0.07	43,53,57,64	0
4	NAG	N	1	14/15	0.93	0.08	48,56,62,68	0
4	NAG	G	1	14/15	0.94	0.09	48,58,67,69	0
9	NAG	V	1	14/15	0.95	0.06	46,58,73,79	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain E:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain J:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around Chain O:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain U:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain F:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain K:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain Q:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain G:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain H:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain I:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain N:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain P:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain R:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain W:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain Y:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain L:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain M:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain X:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around Chain S:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain T:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain V:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
10	NAG	A	504	14/15	0.55	0.20	86,94,106,107	0
11	TYR	C	516	13/13	0.70	0.19	75,87,96,97	0
11	TYR	D	517	13/13	0.71	0.18	57,67,75,84	0
13	MAN	C	515	11/12	0.81	0.12	84,88,93,93	0
11	TYR	A	513	13/13	0.86	0.12	38,43,56,59	0
11	TYR	B	516	13/13	0.90	0.11	37,47,54,61	0
12	ZN	B	518	1/1	0.98	0.03	47,47,47,47	0
12	ZN	B	517	1/1	0.98	0.06	46,46,46,46	0
12	ZN	A	514	1/1	0.99	0.05	38,38,38,38	0
12	ZN	A	515	1/1	0.99	0.03	36,36,36,36	0
12	ZN	C	517	1/1	0.99	0.03	50,50,50,50	0
12	ZN	C	518	1/1	0.99	0.03	63,63,63,63	0
12	ZN	D	518	1/1	0.99	0.03	48,48,48,48	0
12	ZN	D	519	1/1	0.99	0.04	58,58,58,58	0
12	ZN	A	516	1/1	0.99	0.05	62,62,62,62	0

6.5 Other polymers (i)

There are no such residues in this entry.