



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 4, 2026 – 03:44 AM EDT

PDB ID : 6N1D / pdb_00006n1d
Title : X-ray Crystal complex showing Spontaneous Ribosomal Translocation of mRNA and tRNAs into a Chimeric Hybrid State
Authors : Noller, H.F.; Donohue, J.P.; Lancaster, L.; Zhou, J.
Deposited on : 2018-11-08
Resolution : 3.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)
RNA backbone	3983	1222 (3.50-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A16S	1518	5% 78% 22%
1	B16S	1518	5% 78% 22%
2	A23S	2881	3% 78% 22%
2	B23S	2881	2% 78% 21%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	A5S	119	
3	B5S	119	
4	AL01	228	
4	BL01	228	
5	AL02	276	
5	BL02	276	
6	AL03	206	
6	BL03	206	
7	AL04	205	
7	BL04	205	
8	AL05	181	
8	BL05	181	
9	AL06	180	
9	BL06	180	
10	AL09	148	
10	BL09	148	
11	AL13	140	
11	BL13	140	
12	AL14	122	
12	BL14	122	
13	AL15	150	
13	BL15	150	
14	AL16	141	
14	BL16	141	
15	AL17	118	


















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	BL17	118	
16	AL18	111	
16	BL18	111	
17	AL19	146	
17	BL19	146	
18	AL20	118	
18	BL20	118	
19	AL21	101	
19	BL21	101	
20	AL22	113	
20	BL22	113	
21	AL23	96	
21	BL23	96	
22	AL24	110	
22	BL24	110	
23	AL25	206	
23	BL25	206	
24	AL27	84	
24	BL27	84	
25	AL28	98	
25	BL28	98	
26	AL29	72	
26	BL29	72	
27	AL30	60	
27	BL30	60	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	AL31	71	
28	BL31	71	
29	AL32	59	
29	BL32	59	
30	AL33	54	
30	BL33	54	
31	AL34	49	
31	BL34	49	
32	AL35	64	
32	BL35	64	
33	AL36	37	
33	BL36	37	
34	AMRN	17	
34	BMRN	17	
35	APTN	76	
35	BPTN	76	
36	AS02	255	
36	BS02	255	
37	AS03	238	
37	BS03	238	
38	AS04	208	
38	BS04	208	
39	AS05	161	
39	BS05	161	
40	AS06	101	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	BS06	101	
41	AS07	155	
41	BS07	155	
42	AS08	138	
42	BS08	138	
43	AS09	128	
43	BS09	128	
44	AS10	104	
44	BS10	104	
45	AS11	128	
45	BS11	128	
46	AS12	131	
46	BS12	131	
47	AS13	125	
47	BS13	125	
48	AS14	60	
48	BS14	60	
49	AS15	88	
49	BS15	88	
50	AS16	88	
50	BS16	88	
51	AS17	104	
51	BS17	104	
52	AS18	87	
52	BS18	87	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	AS19	92	
53	BS19	92	
54	AS20	105	
54	BS20	105	
55	ATHX	26	
55	BTHX	26	
56	BATN	85	

2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 295025 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A16S	1517	Total	C	N	O	P	0	0	0
			32600	14510	6031	10542	1517			
1	B16S	1517	Total	C	N	O	P	0	0	0
			32600	14510	6031	10542	1517			

- Molecule 2 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A23S	2879	Total	C	N	O	P	0	0	0
			61999	27595	11586	19940	2878			
2	B23S	2879	Total	C	N	O	P	0	0	0
			62000	27595	11586	19941	2878			

- Molecule 3 is a RNA chain called 5s rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A5S	119	Total	C	N	O	P	0	0	0
			2551	1136	471	826	118			
3	B5S	119	Total	C	N	O	P	0	0	0
			2551	1136	471	826	118			

- Molecule 4 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AL01	228	Total	C	N	O	S	0	0	0
			1742	1101	319	319	3			
4	BL01	228	Total	C	N	O	S	0	0	0
			1742	1101	319	319	3			

- Molecule 5 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AL02	271	Total	C	N	O	S	0	0	0
			2104	1329	416	356	3			
5	BL02	271	Total	C	N	O	S	0	0	0
			2104	1329	416	356	3			

- Molecule 6 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AL03	204	Total	C	N	O	S	0	0	0
			1563	988	299	270	6			
6	BL03	204	Total	C	N	O	S	0	0	0
			1563	988	299	270	6			

- Molecule 7 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AL04	202	Total	C	N	O	S	0	0	0
			1586	1011	297	275	3			
7	BL04	202	Total	C	N	O	S	0	0	0
			1586	1011	297	275	3			

- Molecule 8 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AL05	181	Total	C	N	O	S	0	0	0
			1475	943	268	260	4			
8	BL05	181	Total	C	N	O	S	0	0	0
			1475	943	268	260	4			

- Molecule 9 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	AL06	167	Total	C	N	O	S	0	0	0
			1282	814	239	228	1			
9	BL06	167	Total	C	N	O	S	0	0	0
			1282	814	239	228	1			

- Molecule 10 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AL09	145	Total	C	N	O	S	0	0	0
			1131	724	199	207	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	BL09	145	Total	C	N	O	S	0	0	0
			1132	724	200	207	1			

- Molecule 11 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	AL13	137	Total	C	N	O	S	0	0	0
			1096	707	205	181	3			
11	BL13	137	Total	C	N	O	S	0	0	0
			1096	707	205	181	3			

- Molecule 12 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	AL14	122	Total	C	N	O	S	0	0	0
			932	587	171	170	4			
12	BL14	122	Total	C	N	O	S	0	0	0
			932	587	171	170	4			

- Molecule 13 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	AL15	146	Total	C	N	O	S	0	0	0
			1114	692	227	193	2			
13	BL15	146	Total	C	N	O	S	0	0	0
			1114	692	227	193	2			

- Molecule 14 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	AL16	134	Total	C	N	O	S	0	0	0
			1064	680	201	178	5			
14	BL16	134	Total	C	N	O	S	0	0	0
			1064	680	201	178	5			

- Molecule 15 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	AL17	117	Total	C	N	O	0	0	0
			960	599	202	159			
15	BL17	117	Total	C	N	O	0	0	0
			960	599	202	159			

- Molecule 16 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
16	AL18	98	Total	C	N	O	0	0	0
			770	486	154	130			
16	BL18	98	Total	C	N	O	0	0	0
			770	486	154	130			

- Molecule 17 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	AL19	137	Total	C	N	O	S	0	0	0
			1143	713	234	195	1			
17	BL19	137	Total	C	N	O	S	0	0	0
			1143	713	234	195	1			

- Molecule 18 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	AL20	117	Total	C	N	O	S	0	0	0
			964	610	202	151	1			
18	BL20	117	Total	C	N	O	S	0	0	0
			964	610	202	151	1			

- Molecule 19 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AL21	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			
19	BL21	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			

- Molecule 20 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AL22	112	Total	C	N	O	S	0	0	0
			890	560	175	153	2			
20	BL22	112	Total	C	N	O	S	0	0	0
			890	560	175	153	2			

- Molecule 21 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	AL23	92	Total	C	N	O	0	0	0
			725	471	131	123			
21	BL23	92	Total	C	N	O	0	0	0
			725	471	131	123			

- Molecule 22 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	AL24	100	Total	C	N	O	S	0	0	0
			775	500	148	123	4			
22	BL24	100	Total	C	N	O	S	0	0	0
			775	500	148	123	4			

- Molecule 23 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	AL25	187	Total	C	N	O	S	0	0	0
			1482	945	264	271	2			
23	BL25	187	Total	C	N	O	S	0	0	0
			1482	945	264	271	2			

- Molecule 24 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	AL27	82	Total	C	N	O	S	0	0	0
			647	401	136	109	1			
24	BL27	82	Total	C	N	O	S	0	0	0
			647	401	136	109	1			

- Molecule 25 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	AL28	88	Total	C	N	O	0	0	0
			694	435	141	118			
25	BL28	88	Total	C	N	O	0	0	0
			694	435	141	118			

- Molecule 26 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	AL29	62	Total	C	N	O	S	0	0	0
			520	325	102	91	2			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	BL29	62	Total	C	N	O	S	0	0	0
			520	325	102	91	2			

- Molecule 27 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	AL30	59	Total	C	N	O	S	0	0	0
			467	298	90	78	1			
27	BL30	59	Total	C	N	O	S	0	0	0
			467	298	90	78	1			

- Molecule 28 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	AL31	45	Total	C	N	O	S	0	0	0
			351	224	61	62	4			
28	BL31	45	Total	C	N	O	S	0	0	0
			351	224	61	62	4			

- Molecule 29 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	AL32	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			
29	BL32	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			

- Molecule 30 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	AL33	44	Total	C	N	O	S	0	0	0
			380	235	77	64	4			
30	BL33	44	Total	C	N	O	S	0	0	0
			380	235	77	64	4			

- Molecule 31 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	AL34	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			
31	BL34	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 32 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	AL35	63	Total	C	N	O	S	0	0	0
			507	326	101	78	2			
32	BL35	63	Total	C	N	O	S	0	0	0
			507	326	101	78	2			

- Molecule 33 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	AL36	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
33	BL36	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 34 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	AMRN	10	Total	C	N	O	P	0	0	0
			223	99	47	67	10			
34	BMRN	17	Total	C	N	O	P	0	0	0
			373	167	76	113	17			

- Molecule 35 is a RNA chain called P-tRNA.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
35	APTN	76	Total	C	N	O	P	S	0	0	0
			1631	728	292	534	76	1			
35	BPTN	76	Total	C	N	O	P	S	0	0	0
			1631	728	292	534	76	1			

- Molecule 36 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	AS02	234	Total	C	N	O	S	0	0	0
			1900	1213	341	341	5			
36	BS02	234	Total	C	N	O	S	0	0	0
			1900	1213	341	341	5			

- Molecule 37 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	AS03	206	Total	C	N	O	S	0	0	0
			1612	1016	314	281	1			
37	BS03	206	Total	C	N	O	S	0	0	0
			1612	1016	314	281	1			

- Molecule 38 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	AS04	208	Total	C	N	O	S	0	0	0
			1665	1043	329	286	7			
38	BS04	208	Total	C	N	O	S	0	0	0
			1665	1043	329	286	7			

- Molecule 39 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	AS05	151	Total	C	N	O	S	0	0	0
			1155	729	218	204	4			
39	BS05	151	Total	C	N	O	S	0	0	0
			1155	729	218	204	4			

- Molecule 40 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	AS06	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			
40	BS06	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 41 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	AS07	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			
41	BS07	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 42 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	AS08	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	BS08	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 43 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	AS09	127	Total	C	N	O		0	0	0
			1011	639	198	174				
43	BS09	127	Total	C	N	O		0	0	0
			1011	639	198	174				

- Molecule 44 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	AS10	98	Total	C	N	O	S	0	0	0
			794	499	156	138	1			
44	BS10	98	Total	C	N	O	S	0	0	0
			794	499	156	138	1			

- Molecule 45 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	AS11	114	Total	C	N	O	S	0	0	0
			842	522	159	158	3			
45	BS11	114	Total	C	N	O	S	0	0	0
			842	522	159	158	3			

- Molecule 46 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	AS12	122	Total	C	N	O	S	0	0	0
			956	603	193	159	1			
46	BS12	122	Total	C	N	O	S	0	0	0
			956	603	193	159	1			

- Molecule 47 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	AS13	117	Total	C	N	O	S	0	0	0
			933	577	192	162	2			
47	BS13	117	Total	C	N	O	S	0	0	0
			933	577	192	162	2			

- Molecule 48 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	AS14	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
48	BS14	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 49 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	AS15	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			
49	BS15	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			

- Molecule 50 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	AS16	83	Total	C	N	O	S	0	0	0
			700	443	139	117	1			
50	BS16	83	Total	C	N	O	S	0	0	0
			700	443	139	117	1			

- Molecule 51 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	AS17	99	Total	C	N	O	S	0	0	0
			823	528	152	141	2			
51	BS17	99	Total	C	N	O	S	0	0	0
			823	528	152	141	2			

- Molecule 52 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
52	AS18	70	Total	C	N	O	0	0	0
			574	367	112	95			
52	BS18	70	Total	C	N	O	0	0	0
			574	367	112	95			

- Molecule 53 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	AS19	78	Total	C	N	O	S	0	0	0
			629	403	114	110	2			
53	BS19	78	Total	C	N	O	S	0	0	0
			629	403	114	110	2			

- Molecule 54 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	AS20	99	Total	C	N	O	S	0	0	0
			762	469	162	129	2			
54	BS20	99	Total	C	N	O	S	0	0	0
			762	469	162	129	2			

- Molecule 55 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
55	ATHX	24	Total	C	N	O	0	0	0
			208	128	50	30			
55	BTHX	24	Total	C	N	O	0	0	0
			208	128	50	30			

- Molecule 56 is a RNA chain called A tRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
56	BATN	85	Total	C	N	O	P S	0	0	0
			1824	821	323	594	85 1			

- Molecule 57 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	A16S	33	Total	Mg	0	0
			33	33		
57	A23S	73	Total	Mg	0	0
			73	73		
57	A5S	3	Total	Mg	0	0
			3	3		
57	AL01	2	Total	Mg	0	0
			2	2		
57	AL02	2	Total	Mg	0	0
			2	2		
57	AL04	3	Total	Mg	0	0
			3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	AL06	1	Total 1	Mg 1	0	0
57	AL14	1	Total 1	Mg 1	0	0
57	AL15	2	Total 2	Mg 2	0	0
57	AL17	2	Total 2	Mg 2	0	0
57	AL20	1	Total 1	Mg 1	0	0
57	AL21	3	Total 3	Mg 3	0	0
57	AL23	2	Total 2	Mg 2	0	0
57	AL24	1	Total 1	Mg 1	0	0
57	AL27	1	Total 1	Mg 1	0	0
57	AL28	2	Total 2	Mg 2	0	0
57	AL33	3	Total 3	Mg 3	0	0
57	AL34	1	Total 1	Mg 1	0	0
57	AS02	1	Total 1	Mg 1	0	0
57	AS03	1	Total 1	Mg 1	0	0
57	AS06	2	Total 2	Mg 2	0	0
57	AS08	1	Total 1	Mg 1	0	0
57	B16S	32	Total 32	Mg 32	0	0
57	B23S	133	Total 133	Mg 133	0	0
57	B5S	5	Total 5	Mg 5	0	0
57	BATN	1	Total 1	Mg 1	0	0
57	BL01	2	Total 2	Mg 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	BL02	5	Total 5	Mg 5	0	0
57	BL03	1	Total 1	Mg 1	0	0
57	BL04	1	Total 1	Mg 1	0	0
57	BL15	3	Total 3	Mg 3	0	0
57	BL16	3	Total 3	Mg 3	0	0
57	BL18	3	Total 3	Mg 3	0	0
57	BL19	2	Total 2	Mg 2	0	0
57	BL20	1	Total 1	Mg 1	0	0
57	BL21	1	Total 1	Mg 1	0	0
57	BL22	1	Total 1	Mg 1	0	0
57	BL23	1	Total 1	Mg 1	0	0
57	BL24	2	Total 2	Mg 2	0	0
57	BL25	1	Total 1	Mg 1	0	0
57	BL28	2	Total 2	Mg 2	0	0
57	BL29	5	Total 5	Mg 5	0	0
57	BL30	1	Total 1	Mg 1	0	0
57	BL31	1	Total 1	Mg 1	0	0
57	BL32	1	Total 1	Mg 1	0	0
57	BL33	3	Total 3	Mg 3	0	0
57	BL34	2	Total 2	Mg 2	0	0
57	BL35	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	BL36	1	Total	Mg	0	0
			1	1		
57	BS16	1	Total	Mg	0	0
			1	1		
57	BS17	1	Total	Mg	0	0
			1	1		
57	BTHX	1	Total	Mg	0	0
			1	1		

- Molecule 58 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
58	AS04	1	Total	Fe	S	0	0
			8	4	4		
58	BS04	1	Total	Fe	S	0	0
			8	4	4		

3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S rRNA








• Molecule 1: 16S rRNA




• Molecule 2: 23S rRNA










• Molecule 2: 23S rRNA





• Molecule 3: 5s rRNA








• Molecule 3: 5s rRNA



• Molecule 4: 50S ribosomal protein L1




• Molecule 4: 50S ribosomal protein L1





• Molecule 5: 50S ribosomal protein L2







- Molecule 5: 50S ribosomal protein L2




- Molecule 6: 50S ribosomal protein L3





- Molecule 6: 50S ribosomal protein L3




- Molecule 7: 50S ribosomal protein L4




- Molecule 7: 50S ribosomal protein L4









- Molecule 10: 50S ribosomal protein L9



- Molecule 11: 50S ribosomal protein L13




- Molecule 11: 50S ribosomal protein L13




- Molecule 12: 50S ribosomal protein L14



- Molecule 12: 50S ribosomal protein L14




- Molecule 13: 50S ribosomal protein L15








- Molecule 13: 50S ribosomal protein L15



- Molecule 14: 50S ribosomal protein L16





- Molecule 14: 50S ribosomal protein L16




- Molecule 15: 50S ribosomal protein L17



- Molecule 15: 50S ribosomal protein L17




- Molecule 16: 50S ribosomal protein L18









- Molecule 16: 50S ribosomal protein L18




- Molecule 17: 50S ribosomal protein L19




- Molecule 17: 50S ribosomal protein L19





- Molecule 18: 50S ribosomal protein L20




- Molecule 18: 50S ribosomal protein L20




- Molecule 19: 50S ribosomal protein L21




- Molecule 19: 50S ribosomal protein L21



- Molecule 20: 50S ribosomal protein L22



- Molecule 20: 50S ribosomal protein L22





- Molecule 21: 50S ribosomal protein L23




- Molecule 21: 50S ribosomal protein L23




- Molecule 22: 50S ribosomal protein L24





- Molecule 22: 50S ribosomal protein L24






- Molecule 23: 50S ribosomal protein L25




- Molecule 23: 50S ribosomal protein L25





- Molecule 24: 50S ribosomal protein L27



- Molecule 24: 50S ribosomal protein L27



- Molecule 25: 50S ribosomal protein L28



- Molecule 25: 50S ribosomal protein L28




-


-

-



-

- | Amino Acid | | Frequency |
|------------|----|-----------|
| Met | 1 | 1 |
| Lys | 2 | 1 |
| Glu | 3 | 1 |
| G4 | 4 | 1 |
| H6 | 5 | 1 |
| P7 | 6 | 1 |
| K8 | 7 | 1 |
| L9 | 8 | 1 |
| V10 | 9 | 1 |
| P11 | 10 | 1 |
| A12 | 11 | 1 |
| I15 | 12 | 1 |
| C16 | 13 | 1 |
| G17 | 14 | 1 |
| C18 | 15 | 1 |
| T22 | 16 | 1 |
| E23 | 17 | 1 |
| T24 | 18 | 1 |
| V25 | 19 | 1 |
| S26 | 20 | 1 |
| T27 | 21 | 1 |
| K28 | 22 | 1 |
| P29 | 23 | 1 |
| E30 | 24 | 1 |
| E34 | 25 | 1 |
| V35 | 26 | 1 |
| C36 | 27 | 1 |
| S37 | 28 | 1 |
| K38 | 29 | 1 |
| C39 | 30 | 1 |
| H40 | 31 | 1 |
| P41 | 32 | 1 |
| F42 | 33 | 1 |
| Y43 | 34 | 1 |
| Q46 | 35 | 1 |
| Q47 | 36 | 1 |
| R48 | 37 | 1 |
| PHE | 38 | 1 |
| VAL | 39 | 1 |
| ASP | 40 | 1 |
| THR | 41 | 1 |
| GLU | 42 | 1 |
| GLY | 43 | 1 |
| ARG | 44 | 1 |
| VAL | 45 | 1 |
| GLU | 46 | 1 |
| ARG | 47 | 1 |
| PHE | 48 | 1 |
| GLN | 49 | 1 |
| ARG | 50 | 1 |
| ARG | 51 | 1 |
| TYR | 52 | 1 |
| GLY | 53 | 1 |
| ASP | 54 | 1 |
| TYR | 55 | 1 |
| ARG | 56 | 1 |
| GLY | 57 | 1 |
| ARG | 58 | 1 |
| GLY | 59 | 1 |
| ARG | 60 | 1 |



- Chain BL31: 




- Molecule 29: 50S ribosomal protein L32



- Molecule 29: 50S ribosomal protein L32




- Molecule 30: 50S ribosomal protein L33




- Molecule 30: 50S ribosomal protein L33





- Molecule 31: 50S ribosomal protein L34





- Molecule 31: 50S ribosomal protein L34



- Molecule 32: 50S ribosomal protein L35





- Molecule 32: 50S ribosomal protein L35




- Molecule 33: 50S ribosomal protein L36




- Molecule 33: 50S ribosomal protein L36




- Molecule 34: mRNA




- Molecule 34: mRNA





- Molecule 35: P-tRNA










• Molecule 35: P-tRNA






• Molecule 36: 30S ribosomal protein S2




• Molecule 36: 30S ribosomal protein S2




• Molecule 37: 30S ribosomal protein S3




• Molecule 37: 30S ribosomal protein S3








- Molecule 38: 30S ribosomal protein S4





- Molecule 38: 30S ribosomal protein S4




- Molecule 39: 30S ribosomal protein S5



- Molecule 39: 30S ribosomal protein S5



- Molecule 40: 30S ribosomal protein S6




- Molecule 40: 30S ribosomal protein S6








- Molecule 41: 30S ribosomal protein S7



- Molecule 41: 30S ribosomal protein S7






- Molecule 42: 30S ribosomal protein S8




- Molecule 42: 30S ribosomal protein S8




- Molecule 43: 30S ribosomal protein S9




- Molecule 43: 30S ribosomal protein S9








- Molecule 44: 30S ribosomal protein S10





- Molecule 44: 30S ribosomal protein S10



- Molecule 45: 30S ribosomal protein S11




- Molecule 45: 30S ribosomal protein S11




- Molecule 46: 30S ribosomal protein S12





- Molecule 46: 30S ribosomal protein S12









- Molecule 47: 30S ribosomal protein S13




- Molecule 47: 30S ribosomal protein S13





- Molecule 48: 30S ribosomal protein S14 type Z



- Molecule 48: 30S ribosomal protein S14 type Z




- Molecule 49: 30S ribosomal protein S15



- Molecule 49: 30S ribosomal protein S15







- Molecule 50: 30S ribosomal protein S16




- Molecule 50: 30S ribosomal protein S16





- Molecule 51: 30S ribosomal protein S17





- Molecule 51: 30S ribosomal protein S17




- Molecule 52: 30S ribosomal protein S18





- Molecule 52: 30S ribosomal protein S18





- Molecule 53: 30S ribosomal protein S19




- Molecule 53: 30S ribosomal protein S19





- Molecule 54: 30S ribosomal protein S20





- Molecule 54: 30S ribosomal protein S20




- Molecule 55: 30S ribosomal protein Thx



- Molecule 55: 30S ribosomal protein Thx



- Molecule 56: A tRNA





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	207.45Å 442.87Å 613.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	100.00 – 3.20 100.00 – 3.20	Depositor EDS
% Data completeness (in resolution range)	95.5 (100.00-3.20) 95.2 (100.00-3.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.28	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.95 (at 2.62Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.268 , 0.321 0.270 , 0.323	Depositor DCC
R_{free} test set	65984 reflections (3.92%)	wwPDB-VP
Wilson B-factor (Å ²)	78.9	Xtriage
Anisotropy	0.124	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 92.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.37$, $\langle L^2 \rangle = 0.20$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	295025	wwPDB-VP
Average B, all atoms (Å ²)	90.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MU, G7M, SF4, MIA, MG, QUO, PSU, CM0, 4SU, 6MZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A16S	0.36	5/36490 (0.0%)	0.40	7/56951 (0.0%)
1	B16S	0.36	4/36490 (0.0%)	0.40	2/56951 (0.0%)
2	A23S	0.37	1/69437 (0.0%)	0.39	2/108394 (0.0%)
2	B23S	0.42	1/69438 (0.0%)	0.40	0/108396
3	A5S	0.34	0/2853	0.40	0/4451
3	B5S	0.37	0/2853	0.39	0/4451
4	AL01	0.21	0/1774	0.59	0/2391
4	BL01	0.21	0/1774	0.57	0/2391
5	AL02	0.42	0/2154	0.56	0/2905
5	BL02	0.43	0/2154	0.52	0/2905
6	AL03	0.35	0/1596	0.50	0/2153
6	BL03	0.39	0/1596	0.48	0/2153
7	AL04	0.33	0/1621	0.47	0/2194
7	BL04	0.37	0/1621	0.48	0/2194
8	AL05	0.24	0/1500	0.49	0/2017
8	BL05	0.26	0/1500	0.49	0/2017
9	AL06	0.60	0/1307	0.90	0/1769
9	BL06	0.56	0/1307	0.90	0/1769
10	AL09	0.23	0/1146	0.46	1/1551 (0.1%)
10	BL09	0.26	0/1147	0.47	0/1552
11	AL13	0.31	0/1123	0.47	0/1515
11	BL13	0.36	0/1123	0.50	0/1515
12	AL14	0.39	0/942	0.42	0/1268
12	BL14	0.40	0/942	0.46	0/1268
13	AL15	0.30	0/1131	0.63	0/1504
13	BL15	0.33	0/1131	0.64	0/1504
14	AL16	0.32	0/1084	0.54	1/1449 (0.1%)
14	BL16	0.38	0/1084	0.52	0/1449
15	AL17	0.34	0/974	0.49	0/1302
15	BL17	0.40	0/974	0.54	0/1302
16	AL18	0.31	0/778	0.48	0/1036
16	BL18	0.31	0/778	0.53	1/1036 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
17	AL19	0.34	0/1157	0.52	0/1544
17	BL19	0.36	0/1157	0.51	0/1544
18	AL20	0.32	0/982	0.47	0/1306
18	BL20	0.41	0/982	0.48	0/1306
19	AL21	0.29	0/790	0.48	0/1057
19	BL21	0.33	0/790	0.52	0/1057
20	AL22	0.34	0/901	0.45	0/1209
20	BL22	0.39	0/901	0.46	0/1209
21	AL23	0.34	0/739	0.47	0/993
21	BL23	0.35	0/739	0.50	0/993
22	AL24	0.26	0/788	0.55	0/1051
22	BL24	0.28	0/788	0.50	0/1051
23	AL25	0.26	0/1514	0.45	0/2056
23	BL25	0.28	0/1514	0.44	0/2056
24	AL27	1.05	0/655	1.22	4/870 (0.5%)
24	BL27	1.03	0/655	1.33	2/870 (0.2%)
25	AL28	0.32	0/701	0.55	0/932
25	BL28	0.36	0/701	0.57	0/932
26	AL29	0.27	0/522	0.53	0/690
26	BL29	0.32	0/522	0.52	0/690
27	AL30	0.27	0/472	0.47	0/634
27	BL30	0.33	0/472	0.45	0/634
28	AL31	0.90	1/360 (0.3%)	1.24	1/488 (0.2%)
28	BL31	1.03	1/360 (0.3%)	1.27	4/488 (0.8%)
29	AL32	1.12	0/473	1.25	3/639 (0.5%)
29	BL32	1.41	6/473 (1.3%)	1.60	10/639 (1.6%)
30	AL33	0.30	0/387	0.60	0/518
30	BL33	0.32	0/387	0.61	0/518
31	AL34	0.38	0/426	0.56	0/561
31	BL34	0.45	0/426	0.49	0/561
32	AL35	0.34	0/515	0.55	0/679
32	BL35	0.36	0/515	0.57	0/679
33	AL36	0.33	0/310	0.54	0/407
33	BL36	0.35	0/310	0.60	0/407
34	AMRN	0.22	0/250	0.32	0/387
34	BMRN	1.19	1/420 (0.2%)	2.66	32/654 (4.9%)
35	APTN	0.42	2/1672 (0.1%)	0.82	8/2599 (0.3%)
35	BPTN	1.07	15/1672 (0.9%)	2.03	73/2599 (2.8%)
36	AS02	0.26	0/1935	0.44	0/2609
36	BS02	0.25	0/1935	0.46	0/2609
37	AS03	0.26	0/1636	0.46	0/2205
37	BS03	0.24	0/1636	0.44	0/2205
38	AS04	0.33	0/1695	0.47	0/2274

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	BS04	0.32	0/1695	0.49	0/2274
39	AS05	0.33	0/1171	0.45	0/1576
39	BS05	0.31	0/1171	0.47	0/1576
40	AS06	0.29	0/856	0.45	0/1154
40	BS06	0.29	0/856	0.44	0/1154
41	AS07	0.22	0/1276	0.43	0/1709
41	BS07	0.24	0/1276	0.48	1/1709 (0.1%)
42	AS08	0.32	0/1136	0.47	0/1527
42	BS08	0.32	0/1136	0.49	0/1527
43	AS09	0.24	0/1029	0.49	0/1378
43	BS09	0.24	0/1029	0.49	0/1378
44	AS10	0.22	0/807	0.40	0/1085
44	BS10	0.24	0/807	0.44	0/1085
45	AS11	0.26	0/856	0.41	0/1157
45	BS11	0.26	0/856	0.40	0/1157
46	AS12	0.33	0/972	0.49	0/1301
46	BS12	0.33	0/972	0.53	0/1301
47	AS13	0.23	0/943	0.52	0/1265
47	BS13	0.22	0/943	0.50	0/1265
48	AS14	0.27	0/501	0.51	0/664
48	BS14	0.27	0/501	0.54	0/664
49	AS15	0.32	0/745	0.42	0/992
49	BS15	0.32	0/745	0.43	0/992
50	AS16	0.30	0/716	0.49	0/963
50	BS16	0.34	0/716	0.52	0/963
51	AS17	0.33	0/836	0.45	0/1117
51	BS17	0.33	0/836	0.48	0/1117
52	AS18	0.31	0/579	0.50	0/768
52	BS18	0.27	0/579	0.45	0/768
53	AS19	0.20	0/642	0.51	0/865
53	BS19	0.22	0/642	0.43	0/865
54	AS20	0.27	0/764	0.47	0/1006
54	BS20	0.28	0/764	0.45	0/1006
55	ATHX	0.33	0/212	0.93	2/277 (0.7%)
55	BTHX	0.27	0/212	0.61	0/277
56	BATN	0.76	2/1899 (0.1%)	1.20	12/2952 (0.4%)
All	All	0.39	39/319733 (0.0%)	0.49	166/477946 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
9	AL06	0	1
15	BL17	0	1
22	BL24	0	1
24	AL27	0	1
24	BL27	0	1
28	AL31	0	2
29	AL32	0	2
29	BL32	0	2
34	BMRN	0	3
43	BS09	0	1
All	All	0	15

The worst 5 of 39 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
29	BL32	60	VAL	CB-CG2	-12.59	1.10	1.52
29	BL32	59	GLU	CB-CG	11.05	1.85	1.52
35	BPTN	12	U	C3'-O3'	9.28	1.56	1.42
35	APTN	38	A	O3'-P	-8.93	1.47	1.61
35	BPTN	24	G	O3'-P	-8.03	1.49	1.61

The worst 5 of 166 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
35	BPTN	32	C	O4'-C4'-C3'	-29.66	74.34	104.00
34	BMRN	16	G	N9-C1'-C2'	-26.39	72.41	112.00
34	BMRN	12	A	N9-C1'-C2'	-22.90	77.65	112.00
35	APTN	35	A	P-O3'-C3'	22.18	153.47	120.20
35	BPTN	11	C	O4'-C4'-C3'	-18.38	85.62	104.00

There are no chirality outliers.

5 of 15 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
9	AL06	157	TYR	Peptide
24	AL27	8	GLY	Peptide
28	AL31	37	SER	Peptide
28	AL31	42	PHE	Peptide
29	AL32	3	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A16S	32600	0	0	0	0
1	B16S	32600	0	0	0	1
2	A23S	61999	0	0	0	1
2	B23S	62000	0	0	0	0
3	A5S	2551	0	1295	68	0
3	B5S	2551	0	1295	30	0
4	AL01	1742	0	0	0	0
4	BL01	1742	0	0	0	0
5	AL02	2104	0	0	0	0
5	BL02	2104	0	0	0	0
6	AL03	1563	0	0	0	0
6	BL03	1563	0	0	0	0
7	AL04	1586	0	0	0	0
7	BL04	1586	0	0	0	0
8	AL05	1475	0	0	0	0
8	BL05	1475	0	0	0	0
9	AL06	1282	0	0	0	0
9	BL06	1282	0	0	0	0
10	AL09	1131	0	0	0	0
10	BL09	1132	0	0	0	0
11	AL13	1096	0	0	0	0
11	BL13	1096	0	0	0	0
12	AL14	932	0	0	0	0
12	BL14	932	0	0	0	0
13	AL15	1114	0	0	0	0
13	BL15	1114	0	0	0	0
14	AL16	1064	0	0	0	0
14	BL16	1064	0	0	0	0
15	AL17	960	0	0	0	0
15	BL17	960	0	0	0	0
16	AL18	770	0	0	0	0
16	BL18	770	0	0	0	0
17	AL19	1143	0	0	0	0
17	BL19	1143	0	0	0	0
18	AL20	964	0	0	0	0
18	BL20	964	0	0	0	3
19	AL21	779	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	BL21	779	0	0	0	3
20	AL22	890	0	0	0	0
20	BL22	890	0	0	0	0
21	AL23	725	0	0	0	0
21	BL23	725	0	0	0	0
22	AL24	775	0	0	0	0
22	BL24	775	0	0	0	0
23	AL25	1482	0	0	0	0
23	BL25	1482	0	0	0	0
24	AL27	647	0	0	0	0
24	BL27	647	0	0	0	0
25	AL28	694	0	0	0	0
25	BL28	694	0	0	0	0
26	AL29	520	0	0	0	0
26	BL29	520	0	0	0	0
27	AL30	467	0	0	0	0
27	BL30	467	0	0	0	0
28	AL31	351	0	0	0	0
28	BL31	351	0	0	0	0
29	AL32	459	0	0	0	0
29	BL32	459	0	0	0	6
30	AL33	380	0	0	0	0
30	BL33	380	0	0	0	0
31	AL34	418	0	0	0	0
31	BL34	418	0	0	0	0
32	AL35	507	0	0	0	0
32	BL35	507	0	0	0	0
33	AL36	307	0	0	0	0
33	BL36	307	0	0	0	0
34	AMRN	223	0	0	0	0
34	BMRN	373	0	0	0	0
35	APTN	1631	0	0	0	0
35	BPTN	1631	0	0	0	0
36	AS02	1900	0	0	0	0
36	BS02	1900	0	0	0	0
37	AS03	1612	0	0	0	0
37	BS03	1612	0	0	0	0
38	AS04	1665	0	0	0	0
38	BS04	1665	0	0	0	0
39	AS05	1155	0	0	0	0
39	BS05	1155	0	0	0	0
40	AS06	843	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
40	BS06	843	0	0	0	0
41	AS07	1257	0	0	0	0
41	BS07	1257	0	0	0	0
42	AS08	1116	0	0	0	0
42	BS08	1116	0	0	0	0
43	AS09	1011	0	0	0	0
43	BS09	1011	0	0	0	0
44	AS10	794	0	0	0	0
44	BS10	794	0	0	0	0
45	AS11	842	0	0	0	0
45	BS11	842	0	0	0	0
46	AS12	956	0	0	0	0
46	BS12	956	0	0	0	0
47	AS13	933	0	0	0	0
47	BS13	933	0	0	0	0
48	AS14	492	0	0	0	0
48	BS14	492	0	0	0	0
49	AS15	734	0	0	0	0
49	BS15	734	0	0	0	0
50	AS16	700	0	0	0	0
50	BS16	700	0	0	0	0
51	AS17	823	0	0	0	0
51	BS17	823	0	0	0	0
52	AS18	574	0	0	0	0
52	BS18	574	0	0	0	0
53	AS19	629	0	0	0	0
53	BS19	629	0	0	0	0
54	AS20	762	0	0	0	0
54	BS20	762	0	0	0	0
55	ATHX	208	0	0	0	0
55	BTHX	208	0	0	0	0
56	BATN	1824	0	0	0	0
57	A16S	33	0	0	0	0
57	A23S	73	0	0	0	0
57	A5S	3	0	0	0	0
57	AL01	2	0	0	0	0
57	AL02	2	0	0	0	0
57	AL04	3	0	0	0	0
57	AL06	1	0	0	0	0
57	AL14	1	0	0	0	0
57	AL15	2	0	0	0	0
57	AL17	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	AL20	1	0	0	0	0
57	AL21	3	0	0	0	0
57	AL23	2	0	0	0	0
57	AL24	1	0	0	0	0
57	AL27	1	0	0	0	0
57	AL28	2	0	0	0	0
57	AL33	3	0	0	0	0
57	AL34	1	0	0	0	0
57	AS02	1	0	0	0	0
57	AS03	1	0	0	0	0
57	AS06	2	0	0	0	0
57	AS08	1	0	0	0	0
57	B16S	32	0	0	0	0
57	B23S	133	0	0	0	0
57	B5S	5	0	0	0	0
57	BATN	1	0	0	0	0
57	BL01	2	0	0	0	0
57	BL02	5	0	0	0	0
57	BL03	1	0	0	0	0
57	BL04	1	0	0	0	0
57	BL15	3	0	0	0	0
57	BL16	3	0	0	0	0
57	BL18	3	0	0	0	0
57	BL19	2	0	0	0	0
57	BL20	1	0	0	0	0
57	BL21	1	0	0	0	0
57	BL22	1	0	0	0	0
57	BL23	1	0	0	0	0
57	BL24	2	0	0	0	0
57	BL25	1	0	0	0	0
57	BL28	2	0	0	0	0
57	BL29	5	0	0	0	0
57	BL30	1	0	0	0	0
57	BL31	1	0	0	0	0
57	BL32	1	0	0	0	0
57	BL33	3	0	0	0	0
57	BL34	2	0	0	0	0
57	BL35	1	0	0	0	0
57	BL36	1	0	0	0	0
57	BS16	1	0	0	0	0
57	BS17	1	0	0	0	0
57	BTHX	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
58	AS04	8	0	0	0	0
58	BS04	8	0	0	0	0
All	All	295025	0	2590	98	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

The worst 5 of 98 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A5S:78:A:N6	3:A5S:98:G:H21	1.42	1.17
3:A5S:78:A:H62	3:A5S:98:G:N2	1.43	1.16
3:B5S:40:U:N3	3:B5S:44:G:OP2	1.97	0.97
3:B5S:13:A:O2'	3:B5S:15:A:OP2	1.90	0.88
3:B5S:14:U:OP2	3:B5S:70:C:O2'	2.02	0.76

The worst 5 of 7 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A23S:2154:G:N2	1:B16S:999:U:OP2[4_545]	1.96	0.24
18:BL20:89:GLU:N	29:BL32:60:VAL:O[4_455]	1.96	0.24
19:BL21:6:LYS:CE	29:BL32:59:GLU:OE2[4_455]	2.02	0.18
19:BL21:6:LYS:NZ	29:BL32:59:GLU:N[4_455]	2.04	0.16
18:BL20:89:GLU:OE2	29:BL32:59:GLU:O[4_455]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
4	AL01	226/228 (99%)	116 (51%)	74 (33%)	36 (16%)	0 0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	BL01	226/228 (99%)	108 (48%)	67 (30%)	51 (23%)	0	0
5	AL02	269/276 (98%)	213 (79%)	39 (14%)	17 (6%)	1	8
5	BL02	269/276 (98%)	198 (74%)	47 (18%)	24 (9%)	0	3
6	AL03	202/206 (98%)	145 (72%)	39 (19%)	18 (9%)	0	3
6	BL03	202/206 (98%)	152 (75%)	36 (18%)	14 (7%)	1	7
7	AL04	200/205 (98%)	162 (81%)	28 (14%)	10 (5%)	1	13
7	BL04	200/205 (98%)	154 (77%)	32 (16%)	14 (7%)	1	6
8	AL05	179/181 (99%)	120 (67%)	40 (22%)	19 (11%)	0	2
8	BL05	179/181 (99%)	120 (67%)	45 (25%)	14 (8%)	1	5
9	AL06	165/180 (92%)	99 (60%)	41 (25%)	25 (15%)	0	0
9	BL06	165/180 (92%)	95 (58%)	37 (22%)	33 (20%)	0	0
10	AL09	143/148 (97%)	116 (81%)	19 (13%)	8 (6%)	1	11
10	BL09	143/148 (97%)	106 (74%)	31 (22%)	6 (4%)	2	16
11	AL13	135/140 (96%)	102 (76%)	19 (14%)	14 (10%)	0	2
11	BL13	135/140 (96%)	106 (78%)	15 (11%)	14 (10%)	0	2
12	AL14	120/122 (98%)	97 (81%)	20 (17%)	3 (2%)	4	27
12	BL14	120/122 (98%)	99 (82%)	16 (13%)	5 (4%)	2	16
13	AL15	144/150 (96%)	90 (62%)	37 (26%)	17 (12%)	0	1
13	BL15	144/150 (96%)	85 (59%)	42 (29%)	17 (12%)	0	1
14	AL16	132/141 (94%)	89 (67%)	28 (21%)	15 (11%)	0	2
14	BL16	132/141 (94%)	103 (78%)	19 (14%)	10 (8%)	1	5
15	AL17	115/118 (98%)	92 (80%)	18 (16%)	5 (4%)	2	16
15	BL17	115/118 (98%)	89 (77%)	18 (16%)	8 (7%)	1	6
16	AL18	96/111 (86%)	68 (71%)	21 (22%)	7 (7%)	1	6
16	BL18	96/111 (86%)	67 (70%)	16 (17%)	13 (14%)	0	1
17	AL19	135/146 (92%)	97 (72%)	29 (22%)	9 (7%)	1	7
17	BL19	135/146 (92%)	107 (79%)	23 (17%)	5 (4%)	2	18
18	AL20	115/118 (98%)	92 (80%)	17 (15%)	6 (5%)	1	12
18	BL20	115/118 (98%)	82 (71%)	25 (22%)	8 (7%)	1	6
19	AL21	99/101 (98%)	73 (74%)	18 (18%)	8 (8%)	1	4
19	BL21	99/101 (98%)	79 (80%)	16 (16%)	4 (4%)	2	17

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
20	AL22	110/113 (97%)	79 (72%)	25 (23%)	6 (6%)	1	11
20	BL22	110/113 (97%)	81 (74%)	24 (22%)	5 (4%)	2	15
21	AL23	90/96 (94%)	74 (82%)	14 (16%)	2 (2%)	5	29
21	BL23	90/96 (94%)	77 (86%)	10 (11%)	3 (3%)	3	21
22	AL24	98/110 (89%)	54 (55%)	32 (33%)	12 (12%)	0	1
22	BL24	98/110 (89%)	56 (57%)	29 (30%)	13 (13%)	0	1
23	AL25	185/206 (90%)	143 (77%)	32 (17%)	10 (5%)	1	12
23	BL25	185/206 (90%)	144 (78%)	32 (17%)	9 (5%)	1	13
24	AL27	80/84 (95%)	62 (78%)	11 (14%)	7 (9%)	0	3
24	BL27	80/84 (95%)	60 (75%)	11 (14%)	9 (11%)	0	2
25	AL28	86/98 (88%)	59 (69%)	22 (26%)	5 (6%)	1	10
25	BL28	86/98 (88%)	60 (70%)	18 (21%)	8 (9%)	0	3
26	AL29	60/72 (83%)	48 (80%)	8 (13%)	4 (7%)	1	7
26	BL29	60/72 (83%)	45 (75%)	12 (20%)	3 (5%)	1	13
27	AL30	57/60 (95%)	49 (86%)	7 (12%)	1 (2%)	6	34
27	BL30	57/60 (95%)	51 (90%)	4 (7%)	2 (4%)	3	20
28	AL31	43/71 (61%)	16 (37%)	8 (19%)	19 (44%)	0	0
28	BL31	43/71 (61%)	16 (37%)	15 (35%)	12 (28%)	0	0
29	AL32	57/59 (97%)	36 (63%)	12 (21%)	9 (16%)	0	0
29	BL32	57/59 (97%)	43 (75%)	8 (14%)	6 (10%)	0	2
30	AL33	42/54 (78%)	27 (64%)	8 (19%)	7 (17%)	0	0
30	BL33	42/54 (78%)	23 (55%)	11 (26%)	8 (19%)	0	0
31	AL34	46/49 (94%)	39 (85%)	5 (11%)	2 (4%)	2	16
31	BL34	46/49 (94%)	43 (94%)	2 (4%)	1 (2%)	5	29
32	AL35	61/64 (95%)	44 (72%)	11 (18%)	6 (10%)	0	2
32	BL35	61/64 (95%)	40 (66%)	13 (21%)	8 (13%)	0	1
33	AL36	35/37 (95%)	30 (86%)	4 (11%)	1 (3%)	3	24
33	BL36	35/37 (95%)	28 (80%)	2 (6%)	5 (14%)	0	1
36	AS02	232/255 (91%)	189 (82%)	27 (12%)	16 (7%)	1	7
36	BS02	232/255 (91%)	174 (75%)	42 (18%)	16 (7%)	1	7
37	AS03	204/238 (86%)	150 (74%)	39 (19%)	15 (7%)	1	6

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	BS03	204/238 (86%)	144 (71%)	43 (21%)	17 (8%)	0	4
38	AS04	206/208 (99%)	171 (83%)	24 (12%)	11 (5%)	1	12
38	BS04	206/208 (99%)	159 (77%)	35 (17%)	12 (6%)	1	10
39	AS05	149/161 (92%)	122 (82%)	19 (13%)	8 (5%)	1	12
39	BS05	149/161 (92%)	122 (82%)	21 (14%)	6 (4%)	2	17
40	AS06	99/101 (98%)	79 (80%)	15 (15%)	5 (5%)	1	13
40	BS06	99/101 (98%)	79 (80%)	17 (17%)	3 (3%)	3	23
41	AS07	153/155 (99%)	119 (78%)	25 (16%)	9 (6%)	1	10
41	BS07	153/155 (99%)	110 (72%)	33 (22%)	10 (6%)	1	8
42	AS08	136/138 (99%)	107 (79%)	22 (16%)	7 (5%)	1	13
42	BS08	136/138 (99%)	115 (85%)	15 (11%)	6 (4%)	2	15
43	AS09	125/128 (98%)	94 (75%)	28 (22%)	3 (2%)	4	28
43	BS09	125/128 (98%)	92 (74%)	21 (17%)	12 (10%)	0	3
44	AS10	96/104 (92%)	83 (86%)	11 (12%)	2 (2%)	5	31
44	BS10	96/104 (92%)	76 (79%)	12 (12%)	8 (8%)	0	4
45	AS11	112/128 (88%)	87 (78%)	21 (19%)	4 (4%)	2	19
45	BS11	112/128 (88%)	89 (80%)	18 (16%)	5 (4%)	2	15
46	AS12	120/131 (92%)	86 (72%)	29 (24%)	5 (4%)	2	16
46	BS12	120/131 (92%)	84 (70%)	28 (23%)	8 (7%)	1	7
47	AS13	115/125 (92%)	72 (63%)	27 (24%)	16 (14%)	0	1
47	BS13	115/125 (92%)	81 (70%)	20 (17%)	14 (12%)	0	1
48	AS14	58/60 (97%)	37 (64%)	12 (21%)	9 (16%)	0	0
48	BS14	58/60 (97%)	45 (78%)	8 (14%)	5 (9%)	0	3
49	AS15	86/88 (98%)	74 (86%)	8 (9%)	4 (5%)	2	14
49	BS15	86/88 (98%)	70 (81%)	9 (10%)	7 (8%)	1	4
50	AS16	81/88 (92%)	63 (78%)	17 (21%)	1 (1%)	10	42
50	BS16	81/88 (92%)	65 (80%)	13 (16%)	3 (4%)	2	18
51	AS17	97/104 (93%)	79 (81%)	16 (16%)	2 (2%)	5	31
51	BS17	97/104 (93%)	75 (77%)	19 (20%)	3 (3%)	3	22
52	AS18	68/87 (78%)	52 (76%)	12 (18%)	4 (6%)	1	10
52	BS18	68/87 (78%)	55 (81%)	10 (15%)	3 (4%)	2	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
53	AS19	76/92 (83%)	46 (60%)	20 (26%)	10 (13%)	0	1
53	BS19	76/92 (83%)	53 (70%)	15 (20%)	8 (10%)	0	2
54	AS20	97/105 (92%)	72 (74%)	20 (21%)	5 (5%)	1	12
54	BS20	97/105 (92%)	75 (77%)	14 (14%)	8 (8%)	0	4
55	ATHX	22/26 (85%)	5 (23%)	13 (59%)	4 (18%)	0	0
55	BTHX	22/26 (85%)	13 (59%)	7 (32%)	2 (9%)	0	3
All	All	11714/12532 (94%)	8611 (74%)	2167 (18%)	936 (8%)	1	4

5 of 936 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	AL01	141	PRO
4	AL01	172	ILE
4	AL01	181	PHE
4	AL01	182	PRO
4	AL01	225	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	AL01	180/180 (100%)	170 (94%)	10 (6%)	19	52
4	BL01	180/180 (100%)	166 (92%)	14 (8%)	11	41
5	AL02	213/218 (98%)	204 (96%)	9 (4%)	26	60
5	BL02	213/218 (98%)	205 (96%)	8 (4%)	29	62
6	AL03	165/166 (99%)	163 (99%)	2 (1%)	63	79
6	BL03	165/166 (99%)	159 (96%)	6 (4%)	31	63
7	AL04	161/162 (99%)	158 (98%)	3 (2%)	50	73
7	BL04	161/162 (99%)	155 (96%)	6 (4%)	30	63
8	AL05	155/155 (100%)	142 (92%)	13 (8%)	10	38
8	BL05	155/155 (100%)	143 (92%)	12 (8%)	12	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	AL06	139/148 (94%)	135 (97%)	4 (3%)	37	67
9	BL06	139/148 (94%)	132 (95%)	7 (5%)	22	55
10	AL09	121/124 (98%)	115 (95%)	6 (5%)	22	55
10	BL09	122/124 (98%)	116 (95%)	6 (5%)	22	55
11	AL13	116/119 (98%)	113 (97%)	3 (3%)	40	69
11	BL13	116/119 (98%)	109 (94%)	7 (6%)	17	50
12	AL14	100/100 (100%)	100 (100%)	0	100	100
12	BL14	100/100 (100%)	99 (99%)	1 (1%)	68	80
13	AL15	112/116 (97%)	101 (90%)	11 (10%)	7	31
13	BL15	112/116 (97%)	101 (90%)	11 (10%)	7	31
14	AL16	105/111 (95%)	101 (96%)	4 (4%)	29	62
14	BL16	105/111 (95%)	101 (96%)	4 (4%)	29	62
15	AL17	100/101 (99%)	96 (96%)	4 (4%)	28	61
15	BL17	100/101 (99%)	93 (93%)	7 (7%)	14	45
16	AL18	77/87 (88%)	73 (95%)	4 (5%)	21	54
16	BL18	77/87 (88%)	70 (91%)	7 (9%)	9	34
17	AL19	121/128 (94%)	115 (95%)	6 (5%)	22	55
17	BL19	121/128 (94%)	113 (93%)	8 (7%)	15	47
18	AL20	93/94 (99%)	90 (97%)	3 (3%)	34	65
18	BL20	93/94 (99%)	89 (96%)	4 (4%)	26	59
19	AL21	82/82 (100%)	77 (94%)	5 (6%)	17	49
19	BL21	82/82 (100%)	78 (95%)	4 (5%)	22	55
20	AL22	91/92 (99%)	87 (96%)	4 (4%)	25	59
20	BL22	91/92 (99%)	88 (97%)	3 (3%)	33	65
21	AL23	74/78 (95%)	71 (96%)	3 (4%)	27	60
21	BL23	74/78 (95%)	71 (96%)	3 (4%)	27	60
22	AL24	84/91 (92%)	78 (93%)	6 (7%)	13	44
22	BL24	84/91 (92%)	81 (96%)	3 (4%)	31	63
23	AL25	162/179 (90%)	157 (97%)	5 (3%)	35	66
23	BL25	162/179 (90%)	153 (94%)	9 (6%)	19	52
24	AL27	65/66 (98%)	62 (95%)	3 (5%)	24	58

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
24	BL27	65/66 (98%)	64 (98%)	1 (2%)	57	76
25	AL28	73/83 (88%)	70 (96%)	3 (4%)	27	60
25	BL28	73/83 (88%)	68 (93%)	5 (7%)	14	46
26	AL29	58/67 (87%)	56 (97%)	2 (3%)	32	64
26	BL29	58/67 (87%)	57 (98%)	1 (2%)	53	75
27	AL30	51/52 (98%)	48 (94%)	3 (6%)	18	50
27	BL30	51/52 (98%)	50 (98%)	1 (2%)	48	72
28	AL31	40/63 (64%)	36 (90%)	4 (10%)	7	30
28	BL31	40/63 (64%)	39 (98%)	1 (2%)	42	69
29	AL32	51/51 (100%)	48 (94%)	3 (6%)	18	50
29	BL32	51/51 (100%)	48 (94%)	3 (6%)	18	50
30	AL33	43/52 (83%)	38 (88%)	5 (12%)	5	24
30	BL33	43/52 (83%)	37 (86%)	6 (14%)	3	17
31	AL34	41/42 (98%)	37 (90%)	4 (10%)	7	31
31	BL34	41/42 (98%)	41 (100%)	0	100	100
32	AL35	53/54 (98%)	49 (92%)	4 (8%)	12	42
32	BL35	53/54 (98%)	50 (94%)	3 (6%)	18	51
33	AL36	34/34 (100%)	34 (100%)	0	100	100
33	BL36	34/34 (100%)	32 (94%)	2 (6%)	18	50
36	AS02	202/219 (92%)	194 (96%)	8 (4%)	28	61
36	BS02	202/219 (92%)	192 (95%)	10 (5%)	22	55
37	AS03	160/187 (86%)	152 (95%)	8 (5%)	22	55
37	BS03	160/187 (86%)	154 (96%)	6 (4%)	29	62
38	AS04	171/180 (95%)	161 (94%)	10 (6%)	18	51
38	BS04	171/180 (95%)	162 (95%)	9 (5%)	20	53
39	AS05	116/122 (95%)	113 (97%)	3 (3%)	40	69
39	BS05	116/122 (95%)	109 (94%)	7 (6%)	17	50
40	AS06	90/90 (100%)	85 (94%)	5 (6%)	19	52
40	BS06	90/90 (100%)	87 (97%)	3 (3%)	33	65
41	AS07	126/126 (100%)	118 (94%)	8 (6%)	16	48
41	BS07	126/126 (100%)	120 (95%)	6 (5%)	23	56

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
42	AS08	119/119 (100%)	109 (92%)	10 (8%)	10	38
42	BS08	119/119 (100%)	114 (96%)	5 (4%)	26	60
43	AS09	98/99 (99%)	86 (88%)	12 (12%)	5	22
43	BS09	98/99 (99%)	93 (95%)	5 (5%)	21	54
44	AS10	88/91 (97%)	86 (98%)	2 (2%)	44	70
44	BS10	88/91 (97%)	82 (93%)	6 (7%)	14	46
45	AS11	86/98 (88%)	81 (94%)	5 (6%)	18	51
45	BS11	86/98 (88%)	82 (95%)	4 (5%)	23	57
46	AS12	103/108 (95%)	101 (98%)	2 (2%)	50	73
46	BS12	103/108 (95%)	96 (93%)	7 (7%)	14	46
47	AS13	94/100 (94%)	91 (97%)	3 (3%)	34	65
47	BS13	94/100 (94%)	89 (95%)	5 (5%)	20	53
48	AS14	49/49 (100%)	44 (90%)	5 (10%)	7	29
48	BS14	49/49 (100%)	47 (96%)	2 (4%)	27	60
49	AS15	79/79 (100%)	71 (90%)	8 (10%)	7	30
49	BS15	79/79 (100%)	77 (98%)	2 (2%)	42	69
50	AS16	72/74 (97%)	68 (94%)	4 (6%)	19	52
50	BS16	72/74 (97%)	71 (99%)	1 (1%)	59	77
51	AS17	94/96 (98%)	93 (99%)	1 (1%)	65	79
51	BS17	94/96 (98%)	89 (95%)	5 (5%)	20	53
52	AS18	61/76 (80%)	58 (95%)	3 (5%)	22	55
52	BS18	61/76 (80%)	57 (93%)	4 (7%)	15	47
53	AS19	69/79 (87%)	64 (93%)	5 (7%)	13	44
53	BS19	69/79 (87%)	65 (94%)	4 (6%)	18	51
54	AS20	76/81 (94%)	74 (97%)	2 (3%)	40	69
54	BS20	76/81 (94%)	72 (95%)	4 (5%)	20	53
55	ATHX	19/21 (90%)	14 (74%)	5 (26%)	0	3
55	BTHX	19/21 (90%)	19 (100%)	0	100	100
All	All	9865/10378 (95%)	9372 (95%)	493 (5%)	22	55

5 of 493 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
52	AS18	43	PHE
42	BS08	112	LEU
8	BL05	126	ASP
41	BS07	154	TYR
49	BS15	24	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A16S	1517/1518 (99%)	323 (21%)	22 (1%)
1	B16S	1517/1518 (99%)	321 (21%)	26 (1%)
2	A23S	2873/2881 (99%)	617 (21%)	33 (1%)
2	B23S	2875/2881 (99%)	610 (21%)	32 (1%)
3	A5S	118/119 (99%)	23 (19%)	3 (2%)
3	B5S	118/119 (99%)	12 (10%)	1 (0%)
34	AMRN	8/17 (47%)	5 (62%)	0
34	BMRN	17/17 (100%)	16 (94%)	8 (47%)
35	APTN	75/76 (98%)	40 (53%)	12 (16%)
35	BPTN	75/76 (98%)	56 (74%)	21 (28%)
56	BATN	84/85 (98%)	60 (71%)	10 (11%)
All	All	9277/9307 (99%)	2083 (22%)	168 (1%)

5 of 2083 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A16S	4	U
1	A16S	6	G
1	A16S	9	G
1	A16S	14	U
1	A16S	32	A

5 of 168 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	B23S	2119	A
34	BMRN	13	A
2	B23S	2171	A
56	BATN	6	G
35	BPTN	11	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

17 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
56	MIA	BATN	37	56	28,31,32	1.82	6 (21%)	38,44,47	3.77	20 (52%)
35	4SU	APTN	8	35	18,21,22	3.72	7 (38%)	25,30,33	2.46	5 (20%)
56	PSU	BATN	55	56	18,21,22	1.37	1 (5%)	21,30,33	1.89	7 (33%)
35	PSU	BPTN	55	35	18,21,22	1.23	1 (5%)	21,30,33	2.01	4 (19%)
35	G7M	BPTN	46	35	23,26,27	1.05	1 (4%)	34,39,42	1.73	8 (23%)
35	PSU	APTN	55	35	18,21,22	1.04	1 (5%)	21,30,33	2.04	4 (19%)
35	6MZ	APTN	37	35	22,25,26	3.23	4 (18%)	29,36,39	2.93	13 (44%)
35	5MU	BPTN	54	35	19,22,23	4.94	7 (36%)	27,32,35	3.53	11 (40%)
35	5MU	APTN	54	35	19,22,23	4.94	7 (36%)	27,32,35	3.59	10 (37%)
56	QUO	BATN	34	56	32,35,36	0.95	1 (3%)	36,52,55	2.20	7 (19%)
35	CM0	APTN	34	35	21,26,27	2.88	6 (28%)	26,37,40	1.92	5 (19%)
35	CM0	BPTN	34	35	21,26,27	1.80	6 (28%)	26,37,40	2.48	11 (42%)
35	G7M	APTN	46	35	23,26,27	2.66	8 (34%)	34,39,42	2.34	10 (29%)
56	PSU	BATN	39	56	18,21,22	1.75	3 (16%)	21,30,33	1.97	4 (19%)
35	4SU	BPTN	8	35	18,21,22	3.90	9 (50%)	25,30,33	2.90	7 (28%)
35	6MZ	BPTN	37	35	22,25,26	1.83	4 (18%)	29,36,39	1.69	6 (20%)
56	5MU	BATN	54	56	19,22,23	5.03	7 (36%)	27,32,35	3.33	10 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
56	MIA	BATN	37	56	-	1/15/33/34	0/3/3/3
35	4SU	APTN	8	35	-	0/7/25/26	0/2/2/2
56	PSU	BATN	55	56	-	3/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
35	PSU	BPTN	55	35	-	0/7/25/26	0/2/2/2
35	G7M	BPTN	46	35	-	1/7/25/26	0/3/3/3
35	PSU	APTN	55	35	-	0/7/25/26	0/2/2/2
35	6MZ	APTN	37	35	-	4/9/27/28	0/3/3/3
35	5MU	BPTN	54	35	-	0/7/25/26	0/2/2/2
35	5MU	APTN	54	35	-	3/7/25/26	0/2/2/2
56	QUO	BATN	34	56	-	1/12/43/44	0/4/4/4
35	CM0	APTN	34	35	-	8/12/30/31	0/2/2/2
35	CM0	BPTN	34	35	-	6/12/30/31	0/2/2/2
35	G7M	APTN	46	35	-	1/7/25/26	0/3/3/3
56	PSU	BATN	39	56	-	0/7/25/26	0/2/2/2
35	4SU	BPTN	8	35	-	0/7/25/26	0/2/2/2
35	6MZ	BPTN	37	35	-	2/9/27/28	0/3/3/3
56	5MU	BATN	54	56	-	2/7/25/26	0/2/2/2

The worst 5 of 79 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
35	APTN	37	6MZ	C6-N6	14.37	1.50	1.34
35	APTN	54	5MU	C2-N1	11.75	1.56	1.38
56	BATN	54	5MU	C6-N1	11.71	1.57	1.38
35	BPTN	54	5MU	C2-N1	11.60	1.56	1.38
56	BATN	54	5MU	C2-N1	11.07	1.55	1.38

The worst 5 of 142 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
56	BATN	54	5MU	C5-C4-N3	11.67	125.47	115.32
35	APTN	54	5MU	C5-C4-N3	11.57	125.38	115.32
56	BATN	37	MIA	C12-C13-C14	-11.28	106.76	127.01
35	BPTN	54	5MU	C5-C4-N3	10.63	124.56	115.32
56	BATN	37	MIA	C2'-C1'-N9	-9.58	89.50	113.30

There are no chirality outliers.

5 of 32 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
56	BATN	37	MIA	C12-C13-C14-C16
35	BPTN	34	CM0	O4'-C1'-N1-C2
35	BPTN	34	CM0	O4'-C1'-N1-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
35	BPTN	34	CM0	C3'-C4'-C5'-O5'
35	APTN	37	6MZ	C5-C6-N6-C9

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 361 ligands modelled in this entry, 359 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
58	SF4	AS04	501	38	0,12,12	-	-	-		
58	SF4	BS04	501	38	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	SF4	AS04	501	38	-	-	0/6/5/5
58	SF4	BS04	501	38	-	-	0/6/5/5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	B23S	3
2	A23S	3
35	BPTN	1
35	APTN	1

The worst 5 of 8 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B23S	1141(A):C	O3'	1141:U	P	9.81
1	A23S	1141(A):C	O3'	1141:U	P	9.19
1	B23S	1140:C	O3'	1141(A):C	P	7.44
1	A23S	1140:C	O3'	1141(A):C	P	7.28
1	B23S	1141:U	O3'	1142:A	P	6.83

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
1	A16S	1517/1518 (99%)	0.48	77 (5%)	33	21	55, 88, 161, 216	0
1	B16S	1517/1518 (99%)	0.53	76 (5%)	34	22	49, 90, 173, 240	0
2	A23S	2879/2881 (99%)	0.39	93 (3%)	50	31	36, 76, 173, 238	0
2	B23S	2879/2881 (99%)	0.26	66 (2%)	61	41	28, 63, 165, 232	0
3	A5S	119/119 (100%)	0.26	3 (2%)	58	39	73, 99, 117, 126	0
3	B5S	119/119 (100%)	0.31	1 (0%)	82	67	46, 84, 106, 122	0
4	AL01	228/228 (100%)	1.63	70 (30%)	1	1	131, 167, 179, 191	0
4	BL01	228/228 (100%)	1.44	56 (24%)	2	2	126, 162, 178, 184	0
5	AL02	271/276 (98%)	0.47	14 (5%)	33	21	37, 56, 77, 85	0
5	BL02	271/276 (98%)	0.45	15 (5%)	30	19	30, 51, 69, 77	0
6	AL03	204/206 (99%)	0.78	14 (6%)	23	14	50, 76, 97, 107	0
6	BL03	204/206 (99%)	0.38	7 (3%)	48	30	39, 66, 92, 107	0
7	AL04	202/205 (98%)	0.94	20 (9%)	13	8	51, 85, 108, 120	0
7	BL04	202/205 (98%)	0.63	16 (7%)	18	12	34, 67, 91, 103	0
8	AL05	181/181 (100%)	1.03	20 (11%)	10	7	89, 121, 139, 147	0
8	BL05	181/181 (100%)	1.08	28 (15%)	5	4	82, 110, 138, 151	0
9	AL06	167/180 (92%)	1.68	51 (30%)	1	1	114, 151, 173, 182	0
9	BL06	167/180 (92%)	2.15	87 (52%)	0	1	116, 150, 172, 179	0
10	AL09	145/148 (97%)	0.88	17 (11%)	9	6	75, 112, 133, 140	0
10	BL09	145/148 (97%)	0.88	16 (11%)	10	7	78, 101, 118, 127	0
11	AL13	137/140 (97%)	0.89	9 (6%)	24	15	66, 87, 116, 122	0
11	BL13	137/140 (97%)	0.57	8 (5%)	29	18	48, 66, 91, 105	0
12	AL14	122/122 (100%)	0.34	1 (0%)	82	67	51, 63, 77, 85	0
12	BL14	122/122 (100%)	0.26	4 (3%)	49	30	38, 58, 73, 81	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	AL15	146/150 (97%)	1.17	24 (16%) 4 3	56, 88, 107, 125	0
13	BL15	146/150 (97%)	1.17	22 (15%) 5 4	45, 77, 98, 123	0
14	AL16	134/141 (95%)	0.98	13 (9%) 13 9	60, 82, 103, 109	0
14	BL16	134/141 (95%)	0.87	14 (10%) 11 8	52, 69, 83, 95	0
15	AL17	117/118 (99%)	0.57	6 (5%) 33 21	50, 69, 83, 92	0
15	BL17	117/118 (99%)	0.51	7 (5%) 27 17	43, 59, 76, 83	0
16	AL18	98/111 (88%)	0.71	5 (5%) 33 21	68, 83, 95, 102	0
16	BL18	98/111 (88%)	0.61	5 (5%) 33 21	47, 69, 94, 101	0
17	AL19	137/146 (93%)	0.58	7 (5%) 33 21	54, 77, 113, 121	0
17	BL19	137/146 (93%)	0.59	6 (4%) 39 24	52, 68, 116, 134	0
18	AL20	117/118 (99%)	0.96	15 (12%) 7 6	50, 84, 101, 108	0
18	BL20	117/118 (99%)	0.57	6 (5%) 33 21	42, 59, 74, 92	0
19	AL21	101/101 (100%)	1.06	17 (16%) 4 3	65, 98, 111, 116	0
19	BL21	101/101 (100%)	0.74	10 (9%) 13 8	46, 72, 92, 98	0
20	AL22	112/113 (99%)	0.69	8 (7%) 22 14	54, 69, 98, 135	0
20	BL22	112/113 (99%)	0.33	4 (3%) 46 28	40, 56, 82, 113	0
21	AL23	92/96 (95%)	0.68	6 (6%) 25 16	48, 71, 96, 108	0
21	BL23	92/96 (95%)	0.40	1 (1%) 78 61	43, 58, 97, 115	0
22	AL24	100/110 (90%)	1.52	27 (27%) 1 1	83, 98, 123, 132	0
22	BL24	100/110 (90%)	1.12	20 (20%) 3 2	60, 80, 116, 141	0
23	AL25	187/206 (90%)	0.92	18 (9%) 13 9	86, 102, 123, 129	0
23	BL25	187/206 (90%)	0.74	13 (6%) 22 14	65, 91, 108, 121	0
24	AL27	82/84 (97%)	0.41	5 (6%) 27 17	54, 66, 93, 105	0
24	BL27	82/84 (97%)	0.58	8 (9%) 13 9	51, 63, 95, 101	0
25	AL28	88/98 (89%)	1.10	12 (13%) 7 5	52, 78, 107, 121	0
25	BL28	88/98 (89%)	0.96	15 (17%) 4 3	44, 70, 95, 106	0
26	AL29	62/72 (86%)	1.03	7 (11%) 10 7	66, 86, 114, 125	0
26	BL29	62/72 (86%)	0.94	8 (12%) 7 6	40, 74, 102, 114	0
27	AL30	59/60 (98%)	0.94	5 (8%) 16 11	67, 89, 107, 124	0
27	BL30	59/60 (98%)	0.59	4 (6%) 23 15	46, 68, 90, 114	0
28	AL31	45/71 (63%)	0.99	7 (15%) 5 4	124, 142, 151, 157	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	BL31	45/71 (63%)	1.06	8 (17%) 4 3	123, 143, 150, 157	0
29	AL32	59/59 (100%)	0.67	3 (5%) 33 21	50, 67, 133, 140	0
29	BL32	59/59 (100%)	0.74	11 (18%) 3 3	42, 63, 126, 135	0
30	AL33	44/54 (81%)	1.18	9 (20%) 2 2	61, 77, 87, 90	0
30	BL33	44/54 (81%)	1.07	8 (18%) 3 3	44, 72, 78, 88	0
31	AL34	48/49 (97%)	0.63	3 (6%) 26 17	36, 52, 67, 85	0
31	BL34	48/49 (97%)	0.79	3 (6%) 26 17	29, 39, 62, 69	0
32	AL35	63/64 (98%)	1.16	10 (15%) 5 3	54, 67, 76, 88	0
32	BL35	63/64 (98%)	0.85	9 (14%) 6 5	46, 57, 69, 81	0
33	AL36	37/37 (100%)	0.60	2 (5%) 31 20	70, 80, 95, 115	0
33	BL36	37/37 (100%)	1.50	9 (24%) 2 2	58, 72, 93, 95	0
34	AMRN	10/17 (58%)	2.03	5 (50%) 0 1	108, 136, 165, 166	0
34	BMRN	17/17 (100%)	1.33	3 (17%) 4 3	109, 144, 173, 178	0
35	APTN	70/76 (92%)	1.29	11 (15%) 5 4	77, 172, 208, 231	0
35	BPTN	70/76 (92%)	1.08	6 (8%) 16 11	70, 140, 172, 182	0
36	AS02	234/255 (91%)	0.63	7 (2%) 52 33	82, 108, 131, 141	0
36	BS02	234/255 (91%)	0.80	13 (5%) 30 19	91, 110, 133, 146	0
37	AS03	206/238 (86%)	0.79	15 (7%) 21 13	76, 98, 117, 123	0
37	BS03	206/238 (86%)	0.90	24 (11%) 9 6	83, 106, 123, 132	0
38	AS04	208/208 (100%)	0.49	8 (3%) 44 27	53, 78, 93, 108	0
38	BS04	208/208 (100%)	0.67	8 (3%) 44 27	63, 85, 98, 105	0
39	AS05	151/161 (93%)	0.42	4 (2%) 57 37	59, 76, 96, 102	0
39	BS05	151/161 (93%)	0.62	5 (3%) 49 30	61, 80, 97, 112	0
40	AS06	101/101 (100%)	0.40	2 (1%) 65 45	68, 88, 99, 103	0
40	BS06	101/101 (100%)	0.47	3 (2%) 52 33	74, 88, 101, 106	0
41	AS07	155/155 (100%)	0.77	13 (8%) 17 11	101, 122, 141, 158	0
41	BS07	155/155 (100%)	0.90	17 (10%) 10 7	108, 125, 136, 142	0
42	AS08	138/138 (100%)	0.60	9 (6%) 25 16	65, 78, 86, 90	0
42	BS08	138/138 (100%)	0.47	5 (3%) 46 28	64, 82, 96, 108	0
43	AS09	127/128 (99%)	1.33	28 (22%) 2 2	97, 133, 144, 150	0
43	BS09	127/128 (99%)	1.41	30 (23%) 2 2	100, 134, 146, 152	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	AS10	98/104 (94%)	1.28	19 (19%) 3 2	99, 122, 143, 158	0
44	BS10	98/104 (94%)	1.68	27 (27%) 1 1	98, 120, 137, 142	0
45	AS11	114/128 (89%)	0.62	7 (6%) 27 17	68, 97, 117, 120	0
45	BS11	114/128 (89%)	0.86	12 (10%) 11 8	56, 98, 120, 129	0
46	AS12	122/131 (93%)	0.68	8 (6%) 24 15	56, 74, 88, 98	0
46	BS12	122/131 (93%)	0.89	9 (7%) 20 13	56, 78, 93, 98	0
47	AS13	117/125 (93%)	1.30	21 (17%) 3 3	115, 132, 144, 166	0
47	BS13	117/125 (93%)	1.23	21 (17%) 3 3	121, 139, 152, 156	0
48	AS14	60/60 (100%)	1.60	15 (25%) 2 2	93, 112, 144, 153	0
48	BS14	60/60 (100%)	1.72	18 (30%) 1 1	95, 112, 148, 156	0
49	AS15	88/88 (100%)	0.42	5 (5%) 29 19	55, 75, 89, 94	0
49	BS15	88/88 (100%)	0.52	2 (2%) 61 41	57, 74, 95, 104	0
50	AS16	83/88 (94%)	0.80	3 (3%) 46 28	70, 82, 105, 117	0
50	BS16	83/88 (94%)	0.90	12 (14%) 6 5	66, 78, 99, 124	0
51	AS17	99/104 (95%)	0.49	6 (6%) 27 17	56, 70, 83, 91	0
51	BS17	99/104 (95%)	0.65	5 (5%) 33 21	59, 71, 82, 87	0
52	AS18	70/87 (80%)	0.44	2 (2%) 53 35	68, 82, 100, 108	0
52	BS18	70/87 (80%)	0.83	8 (11%) 10 7	69, 93, 110, 120	0
53	AS19	78/92 (84%)	1.22	10 (12%) 7 6	124, 135, 144, 152	0
53	BS19	78/92 (84%)	1.43	20 (25%) 1 2	111, 130, 142, 145	0
54	AS20	99/105 (94%)	1.11	16 (16%) 4 3	75, 94, 112, 122	0
54	BS20	99/105 (94%)	0.88	9 (9%) 15 9	64, 84, 105, 112	0
55	ATHX	24/26 (92%)	3.32	20 (83%) 0 0	134, 153, 159, 163	0
55	BTHX	24/26 (92%)	2.51	14 (58%) 0 0	139, 155, 161, 170	0
56	BATN	80/85 (94%)	1.52	22 (27%) 1 1	104, 171, 217, 231	0
All	All	21191/21839 (97%)	0.66	1696 (8%) 18 12	28, 83, 162, 240	0

The worst 5 of 1696 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
44	BS10	58	ASP	9.7
4	AL01	5	GLY	9.2
4	AL01	4	HIS	8.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
13	BL15	30	THR	8.7
4	AL01	3	LYS	8.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
56	PSU	BATN	55	20/21	0.45	0.13	138,155,160,163	0
35	G7M	BPTN	46	24/25	0.45	0.14	144,157,172,188	0
35	G7M	APTN	46	24/25	0.48	0.13	175,184,204,220	0
56	PSU	BATN	39	20/21	0.48	0.22	140,150,156,157	0
56	QUO	BATN	34	32/33	0.58	0.18	125,131,141,145	0
56	MIA	BATN	37	29/30	0.62	0.19	133,139,142,148	0
35	5MU	APTN	54	21/22	0.66	0.12	155,167,169,170	0
56	5MU	BATN	54	21/22	0.68	0.12	126,150,160,164	0
35	6MZ	BPTN	37	23/24	0.71	0.19	65,76,84,98	0
35	4SU	BPTN	8	20/21	0.78	0.10	145,150,159,163	0
35	5MU	BPTN	54	21/22	0.78	0.14	128,135,141,147	0
35	PSU	APTN	55	20/21	0.78	0.10	163,176,182,183	0
35	4SU	APTN	8	20/21	0.79	0.10	179,188,195,198	0
35	CM0	APTN	34	25/26	0.79	0.19	119,126,131,132	0
35	6MZ	APTN	37	23/24	0.79	0.15	115,122,128,133	0
35	PSU	BPTN	55	20/21	0.81	0.11	132,146,156,160	0
35	CM0	BPTN	34	25/26	0.84	0.16	96,104,116,117	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	A5S	201	1/1	0.43	0.16	98,98,98,98	0
57	MG	B16S	1618	1/1	0.62	0.21	61,61,61,61	0
57	MG	A16S	1608	1/1	0.64	0.23	79,79,79,79	0
57	MG	B16S	1601	1/1	0.67	0.21	58,58,58,58	0
57	MG	AL06	201	1/1	0.68	0.15	67,67,67,67	0
57	MG	BL30	101	1/1	0.69	0.11	72,72,72,72	0
57	MG	B16S	1603	1/1	0.71	0.33	57,57,57,57	0
57	MG	AS06	202	1/1	0.71	0.19	68,68,68,68	0
57	MG	B16S	1630	1/1	0.71	0.14	58,58,58,58	0
57	MG	B5S	203	1/1	0.71	0.18	58,58,58,58	0
57	MG	BL02	301	1/1	0.71	0.21	31,31,31,31	0
57	MG	A23S	2967	1/1	0.71	0.23	60,60,60,60	0
57	MG	A16S	1604	1/1	0.72	0.12	56,56,56,56	0
57	MG	A23S	2953	1/1	0.72	0.26	62,62,62,62	0
57	MG	A23S	2963	1/1	0.72	0.18	58,58,58,58	0
57	MG	AL15	202	1/1	0.72	0.22	61,61,61,61	0
57	MG	BATN	101	1/1	0.73	0.24	80,80,80,80	0
57	MG	B23S	3015	1/1	0.73	0.23	50,50,50,50	0
57	MG	AL23	102	1/1	0.73	0.12	73,73,73,73	0
57	MG	B23S	2989	1/1	0.74	0.20	56,56,56,56	0
57	MG	A23S	2956	1/1	0.74	0.23	66,66,66,66	0
57	MG	BL25	301	1/1	0.74	0.12	46,46,46,46	0
57	MG	A23S	2916	1/1	0.74	0.23	36,36,36,36	0
57	MG	BL32	101	1/1	0.74	0.16	84,84,84,84	0
57	MG	AL14	201	1/1	0.75	0.26	58,58,58,58	0
57	MG	B23S	2930	1/1	0.75	0.15	54,54,54,54	0
57	MG	A23S	2917	1/1	0.76	0.15	52,52,52,52	0
57	MG	B16S	1624	1/1	0.76	0.14	56,56,56,56	0
57	MG	B23S	3011	1/1	0.76	0.15	52,52,52,52	0
57	MG	A23S	2918	1/1	0.76	0.22	65,65,65,65	0
57	MG	B23S	2924	1/1	0.76	0.14	62,62,62,62	0
57	MG	A23S	2973	1/1	0.77	0.11	46,46,46,46	0
57	MG	A23S	2910	1/1	0.77	0.23	83,83,83,83	0
57	MG	AL02	302	1/1	0.77	0.16	50,50,50,50	0
57	MG	A23S	2948	1/1	0.77	0.18	60,60,60,60	0
57	MG	B23S	2901	1/1	0.78	0.23	43,43,43,43	0
57	MG	A16S	1626	1/1	0.78	0.21	58,58,58,58	0
57	MG	AL01	301	1/1	0.78	0.20	105,105,105,105	0
57	MG	A23S	2920	1/1	0.78	0.26	56,56,56,56	0
57	MG	AL28	101	1/1	0.78	0.30	44,44,44,44	0
57	MG	A23S	2923	1/1	0.78	0.12	61,61,61,61	0
57	MG	A23S	2925	1/1	0.79	0.18	44,44,44,44	0
57	MG	BL01	301	1/1	0.79	0.15	105,105,105,105	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	AL04	301	1/1	0.79	0.25	57,57,57,57	0
57	MG	A16S	1607	1/1	0.80	0.24	51,51,51,51	0
57	MG	B16S	1612	1/1	0.80	0.16	61,61,61,61	0
57	MG	A23S	2949	1/1	0.80	0.13	71,71,71,71	0
57	MG	A16S	1602	1/1	0.80	0.21	37,37,37,37	0
57	MG	B23S	2935	1/1	0.80	0.18	30,30,30,30	0
57	MG	B23S	2939	1/1	0.80	0.17	57,57,57,57	0
57	MG	BL15	202	1/1	0.80	0.17	64,64,64,64	0
57	MG	B23S	2943	1/1	0.80	0.20	50,50,50,50	0
57	MG	B23S	2959	1/1	0.80	0.14	69,69,69,69	0
57	MG	B16S	1627	1/1	0.80	0.14	85,85,85,85	0
57	MG	A23S	2909	1/1	0.81	0.21	40,40,40,40	0
57	MG	AL01	302	1/1	0.81	0.17	93,93,93,93	0
57	MG	B16S	1622	1/1	0.81	0.19	44,44,44,44	0
57	MG	A23S	2905	1/1	0.81	0.16	38,38,38,38	0
57	MG	B16S	1606	1/1	0.82	0.28	65,65,65,65	0
57	MG	B23S	3016	1/1	0.82	0.10	47,47,47,47	0
57	MG	B16S	1610	1/1	0.82	0.16	70,70,70,70	0
57	MG	AL17	201	1/1	0.82	0.24	51,51,51,51	0
57	MG	B23S	2950	1/1	0.82	0.08	33,33,33,33	0
57	MG	A16S	1616	1/1	0.82	0.11	62,62,62,62	0
57	MG	A16S	1633	1/1	0.82	0.10	48,48,48,48	0
57	MG	B23S	2992	1/1	0.82	0.15	32,32,32,32	0
57	MG	B23S	3006	1/1	0.82	0.13	70,70,70,70	0
57	MG	BL31	101	1/1	0.82	0.19	78,78,78,78	0
57	MG	B16S	1623	1/1	0.82	0.20	46,46,46,46	0
57	MG	B5S	201	1/1	0.83	0.28	47,47,47,47	0
57	MG	A23S	2970	1/1	0.83	0.11	73,73,73,73	0
57	MG	AS08	201	1/1	0.83	0.21	43,43,43,43	0
57	MG	AL04	302	1/1	0.83	0.14	73,73,73,73	0
57	MG	BL01	302	1/1	0.83	0.14	90,90,90,90	0
57	MG	A16S	1610	1/1	0.83	0.14	74,74,74,74	0
57	MG	A23S	2935	1/1	0.83	0.11	58,58,58,58	0
57	MG	B16S	1626	1/1	0.83	0.22	61,61,61,61	0
57	MG	AS02	301	1/1	0.83	0.12	90,90,90,90	0
57	MG	B23S	2946	1/1	0.83	0.09	46,46,46,46	0
57	MG	B23S	3031	1/1	0.83	0.18	53,53,53,53	0
57	MG	A23S	2930	1/1	0.84	0.24	44,44,44,44	0
57	MG	B23S	2949	1/1	0.84	0.12	31,31,31,31	0
57	MG	B16S	1608	1/1	0.84	0.18	56,56,56,56	0
57	MG	A5S	203	1/1	0.84	0.20	58,58,58,58	0
57	MG	BL18	201	1/1	0.84	0.08	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	B23S	2982	1/1	0.84	0.14	74,74,74,74	0
57	MG	B23S	2987	1/1	0.84	0.15	32,32,32,32	0
57	MG	A16S	1601	1/1	0.84	0.20	47,47,47,47	0
57	MG	B23S	2921	1/1	0.84	0.14	56,56,56,56	0
57	MG	B23S	3029	1/1	0.85	0.17	43,43,43,43	0
57	MG	B23S	2956	1/1	0.85	0.17	42,42,42,42	0
57	MG	A23S	2946	1/1	0.85	0.17	63,63,63,63	0
57	MG	A16S	1613	1/1	0.85	0.08	78,78,78,78	0
57	MG	A23S	2957	1/1	0.85	0.25	53,53,53,53	0
57	MG	A16S	1614	1/1	0.85	0.11	42,42,42,42	0
57	MG	B23S	2990	1/1	0.85	0.16	51,51,51,51	0
57	MG	B16S	1632	1/1	0.85	0.15	50,50,50,50	0
57	MG	BL02	303	1/1	0.85	0.09	60,60,60,60	0
57	MG	A23S	2964	1/1	0.85	0.27	52,52,52,52	0
57	MG	B23S	3010	1/1	0.85	0.17	56,56,56,56	0
57	MG	B23S	2902	1/1	0.85	0.24	24,24,24,24	0
57	MG	B23S	3014	1/1	0.85	0.12	48,48,48,48	0
57	MG	AL04	303	1/1	0.85	0.07	78,78,78,78	0
57	MG	B23S	2955	1/1	0.85	0.12	45,45,45,45	0
57	MG	B16S	1604	1/1	0.86	0.22	58,58,58,58	0
57	MG	B23S	2941	1/1	0.86	0.22	35,35,35,35	0
57	MG	B16S	1613	1/1	0.86	0.15	61,61,61,61	0
57	MG	B23S	2911	1/1	0.86	0.35	38,38,38,38	0
57	MG	B23S	3000	1/1	0.86	0.17	35,35,35,35	0
57	MG	B23S	3003	1/1	0.86	0.21	46,46,46,46	0
57	MG	B23S	2917	1/1	0.86	0.19	50,50,50,50	0
57	MG	B23S	3009	1/1	0.86	0.17	46,46,46,46	0
57	MG	A23S	2903	1/1	0.86	0.27	41,41,41,41	0
57	MG	B16S	1629	1/1	0.86	0.11	82,82,82,82	0
57	MG	B23S	2925	1/1	0.86	0.18	46,46,46,46	0
57	MG	A16S	1603	1/1	0.86	0.29	57,57,57,57	0
57	MG	B23S	2961	1/1	0.86	0.18	42,42,42,42	0
57	MG	A16S	1618	1/1	0.86	0.18	65,65,65,65	0
57	MG	A16S	1619	1/1	0.87	0.10	42,42,42,42	0
57	MG	AS03	301	1/1	0.87	0.10	67,67,67,67	0
57	MG	B23S	2910	1/1	0.87	0.33	59,59,59,59	0
57	MG	A23S	2972	1/1	0.87	0.15	50,50,50,50	0
57	MG	B23S	2915	1/1	0.87	0.14	34,34,34,34	0
57	MG	A23S	2933	1/1	0.87	0.12	58,58,58,58	0
57	MG	A23S	2902	1/1	0.87	0.19	45,45,45,45	0
57	MG	B23S	2922	1/1	0.87	0.23	31,31,31,31	0
57	MG	AL17	202	1/1	0.87	0.20	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	A5S	202	1/1	0.87	0.17	70,70,70,70	0
57	MG	A23S	2926	1/1	0.87	0.15	64,64,64,64	0
57	MG	B23S	2932	1/1	0.87	0.20	43,43,43,43	0
57	MG	B23S	2996	1/1	0.87	0.17	40,40,40,40	0
57	MG	B23S	2997	1/1	0.87	0.14	49,49,49,49	0
57	MG	B16S	1628	1/1	0.87	0.08	78,78,78,78	0
57	MG	BL16	201	1/1	0.87	0.14	52,52,52,52	0
57	MG	B23S	3002	1/1	0.87	0.12	43,43,43,43	0
57	MG	BL19	202	1/1	0.87	0.10	63,63,63,63	0
57	MG	AL28	102	1/1	0.87	0.22	50,50,50,50	0
57	MG	B23S	3005	1/1	0.87	0.07	50,50,50,50	0
57	MG	AL33	103	1/1	0.87	0.23	48,48,48,48	0
57	MG	B16S	1611	1/1	0.87	0.09	63,63,63,63	0
57	MG	B23S	2963	1/1	0.88	0.07	37,37,37,37	0
57	MG	B23S	2968	1/1	0.88	0.15	38,38,38,38	0
57	MG	AL34	100	1/1	0.88	0.10	55,55,55,55	0
57	MG	A23S	2913	1/1	0.88	0.22	47,47,47,47	0
57	MG	AL21	201	1/1	0.88	0.22	49,49,49,49	0
57	MG	A23S	2906	1/1	0.88	0.18	41,41,41,41	0
57	MG	BL15	203	1/1	0.88	0.14	48,48,48,48	0
57	MG	A23S	2951	1/1	0.88	0.12	50,50,50,50	0
57	MG	B23S	2951	1/1	0.88	0.18	50,50,50,50	0
57	MG	A16S	1617	1/1	0.88	0.13	61,61,61,61	0
57	MG	BL23	101	1/1	0.88	0.22	46,46,46,46	0
57	MG	B23S	2933	1/1	0.88	0.10	60,60,60,60	0
57	MG	B23S	3032	1/1	0.88	0.23	47,47,47,47	0
57	MG	A16S	1611	1/1	0.88	0.11	52,52,52,52	0
57	MG	B16S	1615	1/1	0.88	0.17	65,65,65,65	0
57	MG	A23S	2959	1/1	0.89	0.27	57,57,57,57	0
57	MG	A16S	1625	1/1	0.89	0.19	62,62,62,62	0
57	MG	B16S	1631	1/1	0.89	0.08	40,40,40,40	0
57	MG	B23S	3012	1/1	0.89	0.16	54,54,54,54	0
57	MG	A23S	2938	1/1	0.89	0.23	35,35,35,35	0
57	MG	B23S	2958	1/1	0.89	0.21	40,40,40,40	0
57	MG	A23S	2942	1/1	0.89	0.11	38,38,38,38	0
57	MG	B23S	3024	1/1	0.89	0.07	47,47,47,47	0
57	MG	A23S	2901	1/1	0.89	0.25	33,33,33,33	0
57	MG	B23S	2903	1/1	0.89	0.25	34,34,34,34	0
57	MG	BL24	201	1/1	0.89	0.17	89,89,89,89	0
57	MG	A16S	1620	1/1	0.89	0.17	48,48,48,48	0
57	MG	BL29	101	1/1	0.89	0.17	46,46,46,46	0
57	MG	B23S	2971	1/1	0.89	0.20	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	B23S	2976	1/1	0.89	0.15	46,46,46,46	0
57	MG	B23S	2980	1/1	0.89	0.11	47,47,47,47	0
57	MG	BL35	101	1/1	0.89	0.10	58,58,58,58	0
57	MG	A16S	1623	1/1	0.90	0.15	42,42,42,42	0
57	MG	A23S	2961	1/1	0.90	0.10	61,61,61,61	0
57	MG	BL15	201	1/1	0.90	0.11	46,46,46,46	0
57	MG	B23S	2953	1/1	0.90	0.19	44,44,44,44	0
57	MG	B16S	1625	1/1	0.90	0.27	52,52,52,52	0
57	MG	B23S	2918	1/1	0.90	0.18	34,34,34,34	0
57	MG	B23S	2936	1/1	0.90	0.15	54,54,54,54	0
57	MG	BL19	201	1/1	0.90	0.11	68,68,68,68	0
57	MG	A23S	2944	1/1	0.90	0.26	46,46,46,46	0
57	MG	B23S	2960	1/1	0.90	0.11	59,59,59,59	0
57	MG	B16S	1617	1/1	0.90	0.18	53,53,53,53	0
57	MG	B23S	2962	1/1	0.90	0.32	50,50,50,50	0
57	MG	BL28	101	1/1	0.90	0.14	55,55,55,55	0
57	MG	B23S	2923	1/1	0.90	0.12	53,53,53,53	0
57	MG	BL29	105	1/1	0.90	0.10	58,58,58,58	0
57	MG	B23S	2964	1/1	0.90	0.12	62,62,62,62	0
57	MG	A23S	2927	1/1	0.90	0.24	37,37,37,37	0
57	MG	B23S	2969	1/1	0.90	0.12	67,67,67,67	0
57	MG	AL24	201	1/1	0.90	0.19	63,63,63,63	0
57	MG	B23S	2908	1/1	0.91	0.20	32,32,32,32	0
57	MG	A16S	1624	1/1	0.91	0.10	50,50,50,50	0
57	MG	A23S	2937	1/1	0.91	0.09	78,78,78,78	0
57	MG	B23S	3004	1/1	0.91	0.30	58,58,58,58	0
57	MG	B23S	2914	1/1	0.91	0.31	31,31,31,31	0
57	MG	A16S	1627	1/1	0.91	0.18	47,47,47,47	0
57	MG	A23S	2940	1/1	0.91	0.08	63,63,63,63	0
57	MG	B16S	1602	1/1	0.91	0.27	44,44,44,44	0
57	MG	B23S	2919	1/1	0.91	0.27	33,33,33,33	0
57	MG	A23S	2907	1/1	0.91	0.22	51,51,51,51	0
57	MG	A23S	2921	1/1	0.91	0.15	35,35,35,35	0
57	MG	BL20	201	1/1	0.91	0.09	44,44,44,44	0
57	MG	BL22	201	1/1	0.91	0.16	34,34,34,34	0
57	MG	A23S	2945	1/1	0.91	0.26	45,45,45,45	0
57	MG	A23S	2908	1/1	0.91	0.13	52,52,52,52	0
57	MG	B23S	2988	1/1	0.91	0.11	51,51,51,51	0
57	MG	A23S	2947	1/1	0.91	0.22	47,47,47,47	0
57	MG	B23S	2927	1/1	0.91	0.11	58,58,58,58	0
57	MG	BL29	103	1/1	0.91	0.12	30,30,30,30	0
57	MG	B23S	2957	1/1	0.91	0.07	23,23,23,23	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	B23S	3033	1/1	0.91	0.08	67,67,67,67	0
57	MG	B23S	2994	1/1	0.91	0.09	53,53,53,53	0
57	MG	B23S	2928	1/1	0.91	0.25	35,35,35,35	0
57	MG	BL33	102	1/1	0.91	0.22	51,51,51,51	0
57	MG	B23S	2907	1/1	0.91	0.15	31,31,31,31	0
57	MG	A23S	2914	1/1	0.92	0.07	59,59,59,59	0
57	MG	B23S	2991	1/1	0.92	0.09	63,63,63,63	0
57	MG	A16S	1605	1/1	0.92	0.15	78,78,78,78	0
57	MG	B23S	3018	1/1	0.92	0.14	35,35,35,35	0
57	MG	B23S	3023	1/1	0.92	0.13	54,54,54,54	0
57	MG	A16S	1631	1/1	0.92	0.20	46,46,46,46	0
57	MG	B23S	3028	1/1	0.92	0.09	69,69,69,69	0
57	MG	B23S	2966	1/1	0.92	0.10	51,51,51,51	0
57	MG	A23S	2904	1/1	0.92	0.20	48,48,48,48	0
57	MG	A23S	2919	1/1	0.92	0.12	44,44,44,44	0
57	MG	B16S	1607	1/1	0.92	0.19	60,60,60,60	0
57	MG	A16S	1622	1/1	0.92	0.10	68,68,68,68	0
57	MG	A23S	2912	1/1	0.92	0.39	39,39,39,39	0
57	MG	B23S	2981	1/1	0.92	0.11	31,31,31,31	0
57	MG	B23S	2938	1/1	0.92	0.29	45,45,45,45	0
57	MG	B23S	2986	1/1	0.92	0.05	55,55,55,55	0
57	MG	B23S	2904	1/1	0.92	0.23	40,40,40,40	0
57	MG	A16S	1612	1/1	0.92	0.12	54,54,54,54	0
57	MG	BL04	301	1/1	0.92	0.13	55,55,55,55	0
57	MG	A23S	2939	1/1	0.92	0.11	55,55,55,55	0
57	MG	BL02	304	1/1	0.93	0.13	45,45,45,45	0
57	MG	BL03	301	1/1	0.93	0.19	51,51,51,51	0
57	MG	A23S	2962	1/1	0.93	0.12	50,50,50,50	0
57	MG	B23S	2937	1/1	0.93	0.07	52,52,52,52	0
57	MG	B16S	1605	1/1	0.93	0.15	30,30,30,30	0
57	MG	A23S	2936	1/1	0.93	0.16	40,40,40,40	0
57	MG	B23S	3022	1/1	0.93	0.21	46,46,46,46	0
57	MG	BL16	202	1/1	0.93	0.16	45,45,45,45	0
57	MG	B23S	2940	1/1	0.93	0.27	44,44,44,44	0
57	MG	A23S	2932	1/1	0.93	0.26	43,43,43,43	0
57	MG	B23S	3026	1/1	0.93	0.11	42,42,42,42	0
57	MG	AS06	201	1/1	0.93	0.08	82,82,82,82	0
57	MG	A23S	2943	1/1	0.93	0.15	52,52,52,52	0
57	MG	B23S	2948	1/1	0.93	0.28	32,32,32,32	0
57	MG	A23S	2969	1/1	0.93	0.12	47,47,47,47	0
57	MG	A16S	1609	1/1	0.93	0.08	71,71,71,71	0
57	MG	AL33	102	1/1	0.93	0.05	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	B23S	2952	1/1	0.93	0.10	42,42,42,42	0
57	MG	B5S	205	1/1	0.93	0.10	38,38,38,38	0
57	MG	B16S	1614	1/1	0.93	0.14	46,46,46,46	0
57	MG	A16S	1630	1/1	0.93	0.29	55,55,55,55	0
57	MG	B23S	2983	1/1	0.93	0.07	46,46,46,46	0
57	MG	B23S	2916	1/1	0.93	0.12	43,43,43,43	0
57	MG	BL02	302	1/1	0.93	0.08	65,65,65,65	0
57	MG	B16S	1616	1/1	0.93	0.09	44,44,44,44	0
57	MG	BTHX	101	1/1	0.93	0.06	117,117,117,117	0
57	MG	BL18	202	1/1	0.94	0.06	45,45,45,45	0
57	MG	B23S	2912	1/1	0.94	0.28	27,27,27,27	0
57	MG	B23S	2913	1/1	0.94	0.14	28,28,28,28	0
57	MG	B23S	2954	1/1	0.94	0.06	56,56,56,56	0
57	MG	BL21	201	1/1	0.94	0.06	69,69,69,69	0
57	MG	A23S	2911	1/1	0.94	0.07	40,40,40,40	0
57	MG	B23S	3021	1/1	0.94	0.08	63,63,63,63	0
57	MG	B23S	2926	1/1	0.94	0.26	41,41,41,41	0
57	MG	BL24	202	1/1	0.94	0.05	53,53,53,53	0
57	MG	A16S	1632	1/1	0.94	0.09	65,65,65,65	0
57	MG	A16S	1629	1/1	0.94	0.06	93,93,93,93	0
57	MG	B23S	3025	1/1	0.94	0.14	45,45,45,45	0
57	MG	BL29	102	1/1	0.94	0.15	23,23,23,23	0
57	MG	B23S	2944	1/1	0.94	0.12	41,41,41,41	0
57	MG	BL29	104	1/1	0.94	0.12	46,46,46,46	0
57	MG	B23S	3027	1/1	0.94	0.10	39,39,39,39	0
57	MG	B23S	2945	1/1	0.94	0.27	35,35,35,35	0
57	MG	A16S	1606	1/1	0.94	0.11	29,29,29,29	0
57	MG	B16S	1619	1/1	0.94	0.10	50,50,50,50	0
57	MG	A23S	2928	1/1	0.94	0.10	32,32,32,32	0
57	MG	AL15	201	1/1	0.94	0.12	74,74,74,74	0
57	MG	A16S	1628	1/1	0.94	0.14	38,38,38,38	0
57	MG	B23S	2970	1/1	0.95	0.07	57,57,57,57	0
57	MG	B23S	2934	1/1	0.95	0.20	24,24,24,24	0
57	MG	B5S	204	1/1	0.95	0.07	55,55,55,55	0
57	MG	B23S	2993	1/1	0.95	0.09	43,43,43,43	0
57	MG	B23S	2974	1/1	0.95	0.26	45,45,45,45	0
57	MG	B23S	3017	1/1	0.95	0.07	46,46,46,46	0
57	MG	B23S	2995	1/1	0.95	0.13	57,57,57,57	0
57	MG	A23S	2966	1/1	0.95	0.18	46,46,46,46	0
57	MG	B23S	2906	1/1	0.95	0.09	37,37,37,37	0
57	MG	AL33	101	1/1	0.95	0.10	60,60,60,60	0
57	MG	BL28	102	1/1	0.95	0.10	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	A23S	2941	1/1	0.95	0.29	46,46,46,46	0
57	MG	A23S	2950	1/1	0.95	0.06	34,34,34,34	0
57	MG	B23S	2985	1/1	0.95	0.11	42,42,42,42	0
57	MG	A23S	2954	1/1	0.95	0.12	40,40,40,40	0
57	MG	B23S	2920	1/1	0.95	0.09	31,31,31,31	0
57	MG	B23S	3008	1/1	0.95	0.12	53,53,53,53	0
57	MG	B23S	3030	1/1	0.95	0.07	61,61,61,61	0
57	MG	B23S	2942	1/1	0.95	0.10	41,41,41,41	0
57	MG	BL16	203	1/1	0.95	0.05	69,69,69,69	0
57	MG	BL34	101	1/1	0.95	0.34	41,41,41,41	0
57	MG	AL27	101	1/1	0.95	0.09	40,40,40,40	0
57	MG	A23S	2960	1/1	0.95	0.16	56,56,56,56	0
57	MG	AL20	201	1/1	0.96	0.13	75,75,75,75	0
57	MG	A23S	2931	1/1	0.96	0.18	40,40,40,40	0
57	MG	AL23	101	1/1	0.96	0.11	57,57,57,57	0
57	MG	A23S	2924	1/1	0.96	0.06	46,46,46,46	0
57	MG	B23S	2967	1/1	0.96	0.08	64,64,64,64	0
57	MG	B23S	2905	1/1	0.96	0.15	31,31,31,31	0
57	MG	B23S	2929	1/1	0.96	0.14	38,38,38,38	0
57	MG	A16S	1621	1/1	0.96	0.07	63,63,63,63	0
57	MG	A23S	2971	1/1	0.96	0.04	102,102,102,102	0
57	MG	B23S	2972	1/1	0.96	0.14	62,62,62,62	0
57	MG	A16S	1615	1/1	0.96	0.08	51,51,51,51	0
57	MG	A23S	2958	1/1	0.96	0.07	50,50,50,50	0
57	MG	B23S	2978	1/1	0.96	0.16	39,39,39,39	0
57	MG	B23S	2979	1/1	0.96	0.10	51,51,51,51	0
57	MG	B16S	1620	1/1	0.96	0.05	76,76,76,76	0
57	MG	BL33	103	1/1	0.96	0.06	61,61,61,61	0
57	MG	B23S	2998	1/1	0.96	0.05	51,51,51,51	0
57	MG	B23S	2999	1/1	0.96	0.08	35,35,35,35	0
57	MG	BL36	101	1/1	0.96	0.14	62,62,62,62	0
57	MG	BS16	101	1/1	0.96	0.11	71,71,71,71	0
57	MG	BS17	201	1/1	0.96	0.16	66,66,66,66	0
57	MG	A23S	2952	1/1	0.96	0.07	43,43,43,43	0
57	MG	AL21	203	1/1	0.97	0.08	86,86,86,86	0
57	MG	A23S	2934	1/1	0.97	0.12	39,39,39,39	0
57	MG	A23S	2968	1/1	0.97	0.16	51,51,51,51	0
57	MG	B23S	3019	1/1	0.97	0.09	51,51,51,51	0
57	MG	A23S	2955	1/1	0.97	0.07	58,58,58,58	0
57	MG	BL33	101	1/1	0.97	0.17	57,57,57,57	0
57	MG	B23S	2984	1/1	0.97	0.25	41,41,41,41	0
57	MG	A23S	2922	1/1	0.97	0.05	58,58,58,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	AL21	202	1/1	0.97	0.05	77,77,77,77	0
57	MG	BL34	102	1/1	0.97	0.08	38,38,38,38	0
57	MG	B23S	2975	1/1	0.97	0.05	37,37,37,37	0
57	MG	B23S	2909	1/1	0.97	0.24	32,32,32,32	0
57	MG	B23S	3013	1/1	0.97	0.08	77,77,77,77	0
57	MG	B23S	2947	1/1	0.97	0.11	41,41,41,41	0
57	MG	B23S	2931	1/1	0.97	0.18	33,33,33,33	0
58	SF4	AS04	501	8/8	0.97	0.06	60,86,91,92	0
57	MG	B23S	3020	1/1	0.98	0.05	53,53,53,53	0
57	MG	B16S	1609	1/1	0.98	0.05	65,65,65,65	0
57	MG	B23S	2973	1/1	0.98	0.12	54,54,54,54	0
57	MG	A23S	2929	1/1	0.98	0.05	52,52,52,52	0
57	MG	AL02	301	1/1	0.98	0.05	51,51,51,51	0
57	MG	BL18	203	1/1	0.98	0.06	80,80,80,80	0
57	MG	BL02	305	1/1	0.98	0.06	59,59,59,59	0
57	MG	A23S	2965	1/1	0.98	0.06	62,62,62,62	0
57	MG	B23S	3007	1/1	0.98	0.09	34,34,34,34	0
57	MG	B16S	1621	1/1	0.98	0.13	38,38,38,38	0
57	MG	B23S	2965	1/1	0.98	0.03	43,43,43,43	0
57	MG	B23S	3001	1/1	0.98	0.05	32,32,32,32	0
58	SF4	BS04	501	8/8	0.98	0.07	76,98,101,103	0
57	MG	B5S	202	1/1	0.99	0.03	58,58,58,58	0
57	MG	B23S	2977	1/1	0.99	0.02	63,63,63,63	0
57	MG	A23S	2915	1/1	0.99	0.11	40,40,40,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.