



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 09:25 AM EDT

PDB ID : 2QD3 / pdb_00002qd3
Title : Wild type human ferrochelatase crystallized with ammonium sulfate
Authors : Medlock, A.E.; Dailey, T.A.; Ross, T.A.; Dailey, H.A.; Lanzilotta, W.N.
Deposited on : 2007-06-20
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	359	4% 68% 30% .
1	B	359	6% 65% 34% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	B	506	-	-	X	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 6524 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ferrochelatase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	359	Total	C	N	O	S	0	7	0
			2949	1873	517	539	20			
1	B	359	Total	C	N	O	S	0	7	0
			2946	1872	514	540	20			

- Molecule 2 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe_2S_2).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	Fe	S	0	0
			4	2	2		
2	B	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 3 is CHOLIC ACID (CCD ID: CHD) (formula: $\text{C}_{24}\text{H}_{40}\text{O}_5$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 29 24 5	0	0
3	A	1	Total C O 29 24 5	0	0
3	A	1	Total C O 29 24 5	0	0
3	B	1	Total C O 29 24 5	0	0
3	B	1	Total C O 29 24 5	0	0

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $\text{C}_3\text{H}_8\text{O}_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	224	Total 224	O 224	0	0
6	B	203	Total 203	O 203	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Ferrochelatase



• Molecule 1: Ferrochelatase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	88.07Å 93.09Å 111.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.80 – 2.20 47.80 – 2.20	Depositor EDS
% Data completeness (in resolution range)	100.0 (47.80-2.20) 100.0 (47.80-2.20)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.54 (at 2.00Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.209 , 0.242 0.205 , 0.240	Depositor DCC
R_{free} test set	6073 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	25.7	Xtriage
Anisotropy	0.416	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 38.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6524	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 53.38 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.2515e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FES, CHD, GOL, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/3019	0.90	6/4086 (0.1%)
1	B	0.39	0/3016	0.89	6/4084 (0.1%)
All	All	0.40	0/6035	0.90	12/8170 (0.1%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	774	ASP	CA-C-N	9.22	128.88	119.56
1	B	774	ASP	C-N-CA	9.22	128.88	119.56
1	A	274	ASP	CA-C-N	7.56	127.19	119.56
1	A	274	ASP	C-N-CA	7.56	127.19	119.56
1	B	724	ILE	N-CA-C	-6.15	96.56	109.34
1	A	224	ILE	N-CA-C	-5.82	97.23	109.34
1	B	733	LEU	N-CA-C	-5.79	105.05	111.36
1	B	694	TYR	N-CA-C	5.63	118.41	109.96
1	A	303	SER	N-CA-C	5.44	119.86	113.23
1	A	330	ILE	N-CA-C	5.40	116.25	108.48
1	A	233	LEU	N-CA-C	-5.24	105.46	111.07
1	B	830	ILE	N-CA-C	5.01	115.69	108.48

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2949	0	2952	114	0
1	B	2946	0	2945	107	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
3	A	87	0	117	7	0
3	B	58	0	78	3	0
4	B	43	0	30	7	0
5	B	6	0	8	4	0
6	A	224	0	0	11	0
6	B	203	0	0	8	0
All	All	6524	0	6130	218	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (218) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:716:LYS:HD2	1:B:717:PRO:HD2	1.51	0.92
1:A:155:ALA:HB1	1:A:156:PRO:CD	2.01	0.89
1:B:823[A]:CYS:SG	1:B:862:VAL:HG12	2.12	0.89
1:B:615:ARG:HD2	3:B:504:CHD:H232	1.55	0.89
1:A:305:VAL:HG21	3:A:501:CHD:H161	1.55	0.88
1:A:155:ALA:HB1	1:A:156:PRO:HD3	1.56	0.85
1:B:765:LEU:HD22	4:B:925:HEM:CBB	2.13	0.78
1:A:323[A]:CYS:SG	1:A:362:VAL:HG12	2.24	0.77
1:B:785:GLN:O	1:B:789:GLU:HG3	1.83	0.77
1:A:374:ASN:C	1:A:374:ASN:HD22	1.94	0.76
1:B:637:SER:O	1:B:641:GLU:HG3	1.86	0.75
1:A:285:GLN:O	1:A:289:GLU:HG3	1.86	0.74
1:A:108:ALA:HB3	1:A:109:PRO:HD3	1.70	0.73
1:A:422:GLN:HG2	1:A:423:LEU:HD22	1.69	0.72
1:A:215:ARG:HD3	6:A:823:HOH:O	1.88	0.72
1:B:922:GLN:HG2	1:B:923:LEU:HD22	1.70	0.72
1:A:269:VAL:O	1:A:272[B]:ARG:HG2	1.90	0.71
1:B:858:LYS:HE3	1:B:858:LYS:HA	1.72	0.71
1:B:816:ASP:HB3	1:B:852:TYR:CE1	2.26	0.71
1:B:679[B]:ARG:HG2	1:B:679[B]:ARG:HH11	1.57	0.70
1:A:422:GLN:HG2	1:A:423:LEU:CD2	2.21	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:374:ASN:HD22	1:A:375:PRO:N	1.90	0.70
1:A:101:LEU:HB2	1:A:104:GLN:HG3	1.73	0.69
1:A:320:LYS:O	1:A:324:GLU:HG3	1.93	0.69
1:B:908:ASN:OD1	1:B:910:VAL:HG12	1.94	0.67
1:B:610:PHE:CZ	1:B:614:ARG:HD2	2.30	0.67
1:A:374:ASN:ND2	1:A:376:LEU:H	1.93	0.66
1:A:252:LYS:HD3	1:A:329:ASN:HD21	1.59	0.66
1:B:716:LYS:HD2	1:B:717:PRO:CD	2.23	0.66
1:A:408:ASN:OD1	1:A:410:VAL:HG12	1.96	0.66
1:A:412[A]:ARG:NH2	1:B:825:ARG:HB3	2.11	0.66
1:A:229:THR:HB	1:A:286:LYS:HD3	1.79	0.65
1:B:675:GLU:O	1:B:679[B]:ARG:HG3	1.96	0.64
1:B:820:LYS:O	1:B:824:GLU:HG3	1.98	0.64
1:A:277:PRO:HB3	5:B:506:GOL:H2	1.79	0.63
1:B:577:GLY:HA2	1:B:632:ILE:HD13	1.79	0.63
1:B:765:LEU:HD22	4:B:925:HEM:HBB2	1.81	0.63
1:A:68:LYS:CB	1:A:155:ALA:HB3	2.28	0.63
1:B:671:GLU:O	1:B:675:GLU:HG3	2.00	0.62
1:A:347:GLU:HA	1:A:351:GLU:HG2	1.83	0.61
1:B:874:ASN:C	1:B:874:ASN:HD22	2.07	0.61
1:A:68:LYS:HB3	1:A:155:ALA:HB3	1.82	0.60
1:B:849:ASP:O	1:B:854:GLN:HG3	2.00	0.60
1:A:320:LYS:HD2	1:A:359:GLU:OE2	2.01	0.60
1:A:76:MET:HG2	1:A:191:TYR:OH	2.01	0.60
1:B:843:GLU:OE2	4:B:925:HEM:HBC2	2.02	0.60
1:A:184:ARG:NH2	6:A:668:HOH:O	2.35	0.59
1:A:155:ALA:CB	1:A:156:PRO:CD	2.78	0.59
1:B:922:GLN:HG2	1:B:923:LEU:CD2	2.33	0.59
1:A:85:VAL:HG13	6:A:722:HOH:O	2.03	0.58
1:A:412[A]:ARG:HD2	1:A:415:LYS:HE3	1.84	0.58
1:A:229:THR:HB	1:A:286:LYS:CD	2.34	0.58
1:A:110:PHE:CZ	1:A:114:ARG:HD2	2.39	0.57
1:A:350:ILE:O	1:A:354:GLN:HB2	2.04	0.57
1:B:616:THR:HB	1:B:617:PRO:HD3	1.86	0.57
1:B:769:VAL:O	1:B:772:ARG:HG2	2.05	0.57
1:A:285:GLN:HG2	1:B:782:ALA:HB1	1.87	0.56
1:A:349:ASP:O	1:A:354:GLN:HG3	2.06	0.56
1:B:607:LEU:O	1:B:611:ILE:HG13	2.04	0.56
1:B:874:ASN:HD22	1:B:875:PRO:N	2.04	0.56
1:A:173:ALA:O	1:A:177:MET:HG3	2.06	0.55
1:A:423:LEU:HD23	6:A:825:HOH:O	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:359:GLU:HG3	1:A:360[B]:CYS:N	2.21	0.55
1:A:71:ILE:N	1:A:71:ILE:HD12	2.22	0.54
1:B:908:ASN:CG	1:B:910:VAL:HG12	2.32	0.54
1:B:598[B]:LEU:HD21	1:B:697[B]:SER:HA	1.89	0.54
1:B:776:TYR:HB3	1:B:777:PRO:HD3	1.89	0.54
1:B:752:LYS:HE3	1:B:863:GLU:OE1	2.08	0.54
1:A:355:VAL:O	1:A:358:LYS:HB2	2.08	0.54
1:B:576:MET:HG2	1:B:691:TYR:OH	2.08	0.53
1:A:212:GLN:C	1:A:214:GLY:H	2.16	0.53
1:A:132:ILE:HD13	1:A:136:THR:OG1	2.08	0.53
1:B:874:ASN:ND2	1:B:876:LEU:H	2.06	0.53
1:B:675:GLU:O	1:B:679[A]:ARG:HG3	2.08	0.53
1:B:615:ARG:NH2	1:B:618:LYS:HZ3	2.06	0.53
1:A:98:LEU:HB2	6:A:733:HOH:O	2.09	0.52
1:B:602:PRO:HG2	1:B:607:LEU:HD11	1.90	0.52
1:B:675:GLU:HG2	1:B:709:TYR:OH	2.09	0.52
1:B:847:GLU:O	1:B:851:GLU:HB2	2.09	0.52
1:A:359:GLU:HG3	1:A:360[A]:CYS:N	2.23	0.52
1:A:305:VAL:HG23	3:A:502:CHD:H7	1.92	0.52
1:A:132:ILE:HD13	1:A:132:ILE:O	2.10	0.52
1:A:276:TYR:HB3	1:A:277:PRO:HD3	1.91	0.52
1:A:263:HIS:HD2	1:A:264:SER:O	1.92	0.52
1:A:328:LYS:CB	1:A:363:GLU:HG3	2.41	0.51
1:B:615:ARG:NH2	1:B:618:LYS:NZ	2.59	0.51
1:A:137:SER:O	1:A:141:GLU:HG3	2.11	0.51
1:A:252:LYS:HD3	1:A:329:ASN:ND2	2.24	0.51
1:B:848:LEU:HD23	1:B:852:TYR:CD2	2.46	0.51
1:B:909:PRO:O	1:B:913[B]:GLU:HG3	2.11	0.51
1:A:80[A]:GLU:CD	1:A:80[A]:GLU:H	2.19	0.51
1:A:80[A]:GLU:CD	1:A:80[A]:GLU:N	2.69	0.50
1:A:175:GLU:O	1:A:179:ARG:HG3	2.11	0.50
1:B:602:PRO:O	1:B:603:ILE:C	2.53	0.50
1:B:679[B]:ARG:HG2	1:B:679[B]:ARG:NH1	2.24	0.50
1:A:288:MET:HG3	1:A:297:TYR:CE2	2.46	0.50
1:B:777:PRO:CB	5:B:506:GOL:H31	2.42	0.50
1:A:68:LYS:HE3	1:A:183:GLU:OE1	2.12	0.49
1:A:252:LYS:HE2	1:A:363:GLU:OE1	2.12	0.49
1:A:328:LYS:HB2	1:A:363:GLU:HG3	1.94	0.49
1:B:824:GLU:HG2	1:B:860[B]:CYS:SG	2.52	0.49
1:B:789:GLU:HG2	1:B:793:TYR:OH	2.13	0.49
1:B:841:HIS:CE1	1:B:843:GLU:HB2	2.46	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:774:ASP:HA	1:B:775:PRO:HD3	1.67	0.48
1:A:412[A]:ARG:HG2	1:A:412[A]:ARG:HH11	1.78	0.48
1:A:354:GLN:O	1:A:358:LYS:HG2	2.13	0.48
1:B:828:LYS:CB	1:B:863:GLU:HG3	2.44	0.48
1:A:277:PRO:CB	5:B:506:GOL:H2	2.43	0.48
1:A:116:THR:HB	1:A:117:PRO:HD3	1.94	0.48
1:B:600:THR:O	1:B:601:LEU:HD23	2.14	0.47
1:A:96:ARG:NH2	1:A:105:ASN:OD1	2.45	0.47
1:A:316:ASP:HB3	1:A:352:TYR:CE1	2.48	0.47
1:B:848:LEU:HD23	1:B:852:TYR:HD2	1.79	0.47
1:B:857:ALA:C	1:B:859:GLU:H	2.22	0.47
1:B:571:ILE:N	1:B:571:ILE:HD12	2.30	0.47
1:A:412[A]:ARG:HG2	6:A:660:HOH:O	2.13	0.47
1:B:598[A]:LEU:C	1:B:598[A]:LEU:HD23	2.39	0.47
1:B:598[B]:LEU:CD2	1:B:697[B]:SER:HA	2.45	0.47
1:A:352:TYR:O	1:A:356:LEU:HB3	2.15	0.47
1:A:217:PRO:HB2	6:A:790:HOH:O	2.15	0.46
1:A:408:ASN:CG	1:A:410:VAL:HG12	2.39	0.46
1:B:763:HIS:HD2	1:B:764:SER:O	1.98	0.46
1:A:85:VAL:O	1:A:88:PHE:HB3	2.16	0.46
1:B:639:GLN:HG2	6:B:980:HOH:O	2.15	0.46
1:A:422:GLN:HG2	1:A:423:LEU:HD23	1.98	0.46
1:B:712:GLN:C	1:B:714:GLY:H	2.23	0.46
1:A:212:GLN:C	1:A:214:GLY:N	2.73	0.46
1:A:369:GLU:HG2	1:A:370:SER:O	2.16	0.46
1:A:374:ASN:C	1:A:374:ASN:ND2	2.63	0.45
1:A:89:LEU:HD11	1:A:119:ILE:HD12	1.98	0.45
1:A:231:HIS:CE1	1:A:232:LEU:HG	2.51	0.45
1:A:68:LYS:CD	1:A:155:ALA:HB3	2.46	0.45
1:A:316:ASP:HB2	1:A:356:LEU:HD22	1.97	0.45
1:B:614:ARG:HD3	6:B:1101:HOH:O	2.16	0.45
1:B:710:TYR:HA	1:B:713:VAL:HG12	1.98	0.45
1:A:97:ASP:CG	1:A:408:ASN:HD21	2.25	0.45
1:B:735:GLN:HG3	1:B:790:ARG:NH2	2.30	0.45
1:A:68:LYS:HD3	1:A:155:ALA:HB3	1.99	0.45
1:A:412[A]:ARG:HH22	1:B:825:ARG:HD3	1.82	0.45
1:A:88:PHE:HD2	6:A:722:HOH:O	2.00	0.45
1:A:274:ASP:HA	1:A:275:PRO:HD3	1.72	0.44
1:A:289:GLU:HG2	1:A:293:TYR:OH	2.16	0.44
1:A:324:GLU:HG2	1:A:360[A]:CYS:SG	2.56	0.44
1:B:842:ILE:HG21	4:B:925:HEM:HBD1	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:MET:HE3	1:A:99:MET:HB2	1.92	0.44
1:B:735:GLN:HG3	1:B:790:ARG:CZ	2.46	0.44
1:A:102:PRO:O	1:A:103:ILE:C	2.60	0.44
1:B:825:ARG:HG3	1:B:825:ARG:HH11	1.83	0.44
1:A:216:LYS:HE3	1:A:217:PRO:HD2	1.99	0.44
1:B:638:LYS:NZ	6:B:1097:HOH:O	2.49	0.44
1:A:272[B]:ARG:O	1:A:403:CYS:HB3	2.17	0.44
1:B:673:ALA:O	1:B:677:MET:HG3	2.17	0.44
1:A:92:LEU:HD13	3:A:501:CHD:H183	1.99	0.44
1:B:738:ALA:CB	1:B:790:ARG:HD3	2.48	0.44
1:A:316:ASP:OD2	1:A:317:GLU:N	2.50	0.44
1:B:601:LEU:O	1:B:604:GLN:HB2	2.18	0.44
1:B:597:ASP:CG	1:B:708:ARG:HH22	2.25	0.44
1:B:669:LEU:HB2	1:B:672:GLU:HG3	1.98	0.44
1:B:579:PRO:HD3	1:B:588:PHE:CD2	2.53	0.43
1:B:619:ILE:HD11	4:B:925:HEM:O1A	2.18	0.43
1:A:119:ILE:HG21	6:A:722:HOH:O	2.17	0.43
1:B:828:LYS:HB2	1:B:863:GLU:HG3	1.99	0.43
1:B:678:GLU:HG3	1:B:718:THR:OG1	2.17	0.43
1:B:777:PRO:HB2	5:B:506:GOL:H31	2.01	0.43
1:B:838:THR:HG21	6:B:1015:HOH:O	2.18	0.43
1:A:119:ILE:HD11	3:A:501:CHD:H211	2.01	0.43
1:B:568:LYS:NZ	1:B:653:ASN:O	2.39	0.43
1:A:193:GLN:HG2	1:A:280:VAL:HA	2.00	0.43
1:B:853:SER:O	1:B:857:ALA:HB3	2.19	0.43
1:A:132:ILE:HG23	1:A:133:LYS:N	2.34	0.43
1:B:841:HIS:HE1	6:B:1023:HOH:O	2.02	0.43
1:A:282:ALA:HB1	1:B:785:GLN:HG2	2.01	0.42
1:B:915:LYS:HB3	1:B:915:LYS:HE2	1.85	0.42
1:A:99:MET:HE2	3:A:502:CHD:H111	2.02	0.42
1:A:132:ILE:HD13	1:A:132:ILE:C	2.44	0.42
1:B:721:TRP:H	1:B:921:GLN:NE2	2.17	0.42
1:B:570:GLY:HA3	1:B:682:LEU:HD13	2.01	0.42
4:B:925:HEM:HBC1	6:B:1000:HOH:O	2.18	0.42
1:A:184:ARG:HG3	6:A:610:HOH:O	2.17	0.42
1:B:632:ILE:HG23	1:B:633:LYS:N	2.34	0.42
1:A:169:LEU:HB2	1:A:172:GLU:HG3	2.02	0.42
1:B:590:LEU:HD13	1:B:609:PRO:HA	2.01	0.42
1:B:598[A]:LEU:HD23	1:B:598[A]:LEU:O	2.20	0.42
1:B:635:TRP:CE3	1:B:872:ASN:HB3	2.55	0.42
1:A:391:SER:O	1:A:392:ASN:HB2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:690:GLN:HG3	6:B:1019:HOH:O	2.19	0.42
1:A:313:PRO:CG	1:B:773:GLY:HA2	2.50	0.41
1:A:374:ASN:HD22	1:A:375:PRO:CD	2.33	0.41
1:B:752:LYS:HD3	1:B:829:ASN:HD21	1.85	0.41
1:A:304[A]:LYS:NZ	1:A:308:MET:O	2.52	0.41
1:A:119:ILE:CD1	3:A:501:CHD:H211	2.50	0.41
1:B:602:PRO:C	1:B:603:ILE:HG12	2.45	0.41
1:A:334:PRO:HD2	6:A:700:HOH:O	2.20	0.41
1:A:356:LEU:C	1:A:358:LYS:H	2.29	0.41
1:B:788:MET:HG3	1:B:797:TYR:CE2	2.55	0.41
1:A:304[A]:LYS:HD2	1:A:310:TRP:HB2	2.03	0.41
1:A:325:ARG:HG3	1:A:325:ARG:HH11	1.86	0.41
1:B:847:GLU:HG2	1:B:851:GLU:OE1	2.21	0.41
4:B:925:HEM:CMB	3:B:504:CHD:H193	2.51	0.41
1:A:365:ILE:O	1:A:365:ILE:HG23	2.21	0.41
1:B:852:TYR:O	1:B:856:LEU:HB3	2.21	0.41
1:B:865:ILE:O	1:B:865:ILE:HG23	2.21	0.41
1:B:903:CYS:HB2	1:B:906:CYS:HB2	2.03	0.41
1:A:76:MET:HG3	3:A:501:CHD:H11	2.02	0.41
1:A:360[B]:CYS:O	1:A:361:GLY:C	2.63	0.41
1:B:601:LEU:HD22	3:B:505:CHD:H152	2.02	0.41
1:B:610:PHE:CE2	1:B:614:ARG:HD2	2.56	0.41
1:A:252:LYS:O	1:A:256:VAL:HG23	2.21	0.40
1:A:403:CYS:HB2	1:A:406:CYS:HB2	2.02	0.40
1:A:132:ILE:CG2	1:A:133:LYS:N	2.84	0.40
1:A:216:LYS:HE2	1:A:217:PRO:O	2.21	0.40
1:B:860[B]:CYS:SG	1:B:860[B]:CYS:O	2.79	0.40
1:B:610:PHE:O	1:B:614:ARG:HG3	2.22	0.40
1:B:664:ARG:NH2	6:B:1091:HOH:O	2.50	0.40
1:B:835:ILE:HG13	1:B:835:ILE:O	2.22	0.40
1:B:850:ILE:O	1:B:854:GLN:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	364/359 (101%)	344 (94%)	18 (5%)	2 (0%)	24	27
1	B	364/359 (101%)	339 (93%)	21 (6%)	4 (1%)	11	10
All	All	728/718 (101%)	683 (94%)	39 (5%)	6 (1%)	18	16

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	155	ALA
1	A	361	GLY
1	B	861	GLY
1	B	596	ARG
1	B	860[A]	CYS
1	B	860[B]	CYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	331/324 (102%)	324 (98%)	7 (2%)	47	63
1	B	331/324 (102%)	328 (99%)	3 (1%)	70	84
All	All	662/648 (102%)	652 (98%)	10 (2%)	59	73

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	132	ILE
1	A	272[A]	ARG
1	A	272[B]	ARG
1	A	341	HIS
1	A	358	LYS
1	A	374	ASN
1	A	423	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	678	GLU
1	B	720	LYS
1	B	858	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	120	GLN
1	A	212	GLN
1	A	231	HIS
1	A	247	HIS
1	A	278	GLN
1	A	329	ASN
1	A	354	GLN
1	A	364	ASN
1	A	374	ASN
1	A	421	GLN
1	B	622	GLN
1	B	712	GLN
1	B	731	HIS
1	B	785	GLN
1	B	829	ASN
1	B	841	HIS
1	B	854	GLN
1	B	864	ASN
1	B	874	ASN
1	B	921	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CHD	B	504	-	32,32,32	2.19	14 (43%)	51,51,51	1.90	18 (35%)
2	FES	B	924	1	0,4,4	-	-	-	-	-
5	GOL	B	506	-	5,5,5	0.08	0	5,5,5	0.19	0
3	CHD	B	505	-	32,32,32	2.21	14 (43%)	51,51,51	1.85	16 (31%)
4	HEM	B	925	-	50,50,50	1.85	13 (26%)	67,82,82	1.21	5 (7%)
2	FES	A	601	1	0,4,4	-	-	-	-	-
3	CHD	A	503	-	32,32,32	2.20	13 (40%)	51,51,51	1.87	17 (33%)
3	CHD	A	502	-	32,32,32	2.13	14 (43%)	51,51,51	1.82	15 (29%)
3	CHD	A	501	-	32,32,32	2.16	13 (40%)	51,51,51	1.83	15 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FES	B	924	1	-	-	0/1/1/1
2	FES	A	601	1	-	-	0/1/1/1
5	GOL	B	506	-	-	1/4/4/4	-
3	CHD	B	505	-	-	4/9/74/74	0/4/4/4
4	HEM	B	925	-	-	7/14/54/54	-
3	CHD	B	504	-	-	4/9/74/74	0/4/4/4
3	CHD	A	503	-	-	5/9/74/74	0/4/4/4
3	CHD	A	502	-	-	2/9/74/74	0/4/4/4
3	CHD	A	501	-	-	5/9/74/74	0/4/4/4

All (81) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	505	CHD	O25-C24	4.76	1.37	1.22
3	B	504	CHD	O25-C24	4.71	1.37	1.22
3	A	501	CHD	O25-C24	4.67	1.37	1.22
3	A	502	CHD	O25-C24	4.63	1.37	1.22
3	A	503	CHD	O25-C24	4.61	1.37	1.22
4	B	925	HEM	C3B-C4B	4.38	1.53	1.44
3	B	504	CHD	C11-C9	4.36	1.60	1.53
3	A	503	CHD	C11-C9	4.08	1.60	1.53
3	A	501	CHD	C11-C9	4.07	1.60	1.53
3	B	505	CHD	C11-C9	3.98	1.60	1.53
4	B	925	HEM	O1D-CGD	3.85	1.34	1.22
3	B	504	CHD	C16-C17	3.76	1.62	1.54
3	B	505	CHD	C16-C17	3.75	1.62	1.54
4	B	925	HEM	O1A-CGA	3.73	1.34	1.22
3	A	502	CHD	C11-C9	3.71	1.59	1.53
3	A	502	CHD	C16-C17	3.66	1.61	1.54
3	A	503	CHD	C16-C17	3.64	1.61	1.54
4	B	925	HEM	CHB-C4A	-3.45	1.31	1.39
3	A	501	CHD	C16-C17	3.39	1.61	1.54
4	B	925	HEM	C1B-NB	-3.31	1.34	1.40
3	B	504	CHD	C6-C5	3.31	1.59	1.53
3	A	501	CHD	C6-C5	3.31	1.59	1.53
4	B	925	HEM	C4D-ND	-3.20	1.34	1.40
3	A	503	CHD	C6-C5	3.19	1.58	1.53
3	A	503	CHD	C10-C9	3.13	1.61	1.56
3	A	501	CHD	C10-C9	3.11	1.61	1.56
3	B	504	CHD	C10-C9	3.11	1.61	1.56
3	A	502	CHD	C10-C9	3.08	1.61	1.56
3	B	505	CHD	C6-C5	3.07	1.58	1.53
4	B	925	HEM	O2D-CGD	-3.05	1.20	1.30
4	B	925	HEM	CHA-C1A	-3.04	1.32	1.39
3	B	505	CHD	O12-C12	2.99	1.48	1.43
3	A	502	CHD	O12-C12	2.96	1.48	1.43
3	B	504	CHD	O12-C12	2.95	1.48	1.43
3	A	503	CHD	O12-C12	2.92	1.48	1.43
3	B	505	CHD	C10-C9	2.90	1.61	1.56
3	A	502	CHD	C6-C5	2.86	1.58	1.53
4	B	925	HEM	C1D-ND	-2.80	1.33	1.38
3	B	505	CHD	C18-C13	2.77	1.58	1.54
4	B	925	HEM	O2A-CGA	-2.76	1.21	1.30
3	A	501	CHD	O12-C12	2.75	1.48	1.43
3	A	501	CHD	O26-C24	-2.72	1.21	1.30
3	A	502	CHD	C13-C12	2.69	1.58	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	925	HEM	C1D-C2D	2.68	1.50	1.44
3	A	501	CHD	C18-C13	2.68	1.58	1.54
3	A	502	CHD	C18-C13	2.68	1.58	1.54
3	A	503	CHD	O26-C24	-2.68	1.22	1.30
3	B	505	CHD	C13-C12	2.67	1.58	1.54
3	A	503	CHD	C8-C14	2.61	1.58	1.53
4	B	925	HEM	C3B-C2B	-2.61	1.31	1.37
3	A	502	CHD	O26-C24	-2.61	1.22	1.30
3	A	503	CHD	C18-C13	2.61	1.58	1.54
3	B	504	CHD	O26-C24	-2.59	1.22	1.30
4	B	925	HEM	C2A-C3A	-2.57	1.32	1.38
3	B	505	CHD	C8-C7	2.56	1.58	1.53
3	B	505	CHD	O26-C24	-2.54	1.22	1.30
3	B	504	CHD	C13-C12	2.52	1.58	1.54
3	B	505	CHD	C19-C10	2.51	1.58	1.54
3	A	501	CHD	C19-C10	2.47	1.58	1.54
3	A	503	CHD	C8-C7	2.43	1.57	1.53
3	A	503	CHD	C13-C12	2.42	1.58	1.54
3	A	501	CHD	C8-C7	2.41	1.57	1.53
3	A	503	CHD	C19-C10	2.38	1.58	1.54
3	B	504	CHD	C8-C7	2.36	1.57	1.53
3	B	504	CHD	C8-C14	2.34	1.58	1.53
3	A	501	CHD	C13-C12	2.32	1.58	1.54
3	A	502	CHD	C19-C10	2.31	1.58	1.54
3	B	505	CHD	C8-C14	2.26	1.58	1.53
3	A	502	CHD	C8-C7	2.24	1.57	1.53
3	A	501	CHD	C8-C14	2.23	1.58	1.53
3	A	502	CHD	C8-C14	2.21	1.58	1.53
3	B	505	CHD	O7-C7	2.21	1.48	1.43
3	A	503	CHD	C20-C17	2.18	1.58	1.54
3	B	504	CHD	C4-C3	2.17	1.55	1.52
3	B	504	CHD	C18-C13	2.15	1.57	1.54
3	B	505	CHD	C20-C17	2.15	1.58	1.54
3	B	504	CHD	O7-C7	2.11	1.47	1.43
3	B	504	CHD	C8-C9	2.08	1.57	1.53
3	A	502	CHD	O7-C7	2.06	1.47	1.43
3	A	501	CHD	C8-C9	2.01	1.57	1.53
3	A	502	CHD	C20-C17	2.00	1.57	1.54

All (86) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	CHD	O26-C24-C23	4.31	127.63	114.00
3	B	504	CHD	O26-C24-C23	4.27	127.48	114.00
3	A	503	CHD	O26-C24-C23	4.22	127.33	114.00
3	B	505	CHD	O26-C24-C23	4.20	127.27	114.00
3	A	501	CHD	O26-C24-C23	4.15	127.12	114.00
3	B	505	CHD	C18-C13-C12	-3.93	105.12	109.06
3	A	503	CHD	C18-C13-C12	-3.88	105.17	109.06
3	A	502	CHD	C18-C13-C12	-3.84	105.21	109.06
3	A	501	CHD	C18-C13-C12	-3.81	105.25	109.06
3	A	502	CHD	C19-C10-C1	-3.74	102.37	108.31
3	B	504	CHD	C18-C13-C12	-3.73	105.32	109.06
3	A	501	CHD	C19-C10-C1	-3.57	102.64	108.31
3	B	505	CHD	C19-C10-C1	-3.56	102.65	108.31
3	A	503	CHD	C17-C13-C14	3.54	103.66	100.11
4	B	925	HEM	C2B-C1B-NB	3.46	113.81	109.84
3	A	503	CHD	C19-C10-C1	-3.44	102.83	108.31
3	B	505	CHD	C17-C13-C14	3.29	103.42	100.11
3	B	505	CHD	C17-C13-C12	3.29	120.63	117.67
4	B	925	HEM	C4B-C3B-C2B	-3.27	104.27	107.28
3	B	504	CHD	C17-C13-C12	3.25	120.59	117.67
3	B	504	CHD	O12-C12-C13	-3.19	105.63	111.02
3	B	504	CHD	C19-C10-C1	-3.19	103.24	108.31
3	A	503	CHD	O12-C12-C13	-3.17	105.66	111.02
3	A	501	CHD	O12-C12-C13	-3.12	105.76	111.02
3	A	502	CHD	C17-C13-C12	3.06	120.42	117.67
3	B	504	CHD	C6-C5-C4	3.06	114.72	111.23
3	A	502	CHD	C17-C13-C14	3.04	103.17	100.11
3	B	505	CHD	O12-C12-C13	-3.03	105.90	111.02
3	A	502	CHD	O12-C12-C13	-3.01	105.93	111.02
3	A	503	CHD	C17-C13-C12	3.01	120.38	117.67
3	A	501	CHD	C17-C13-C12	2.98	120.35	117.67
3	A	502	CHD	O25-C24-C23	-2.98	113.65	123.09
3	A	501	CHD	C17-C13-C14	2.96	103.08	100.11
3	B	505	CHD	O25-C24-C23	-2.91	113.85	123.09
3	B	504	CHD	C6-C5-C10	-2.90	109.57	112.66
3	A	503	CHD	O25-C24-C23	-2.89	113.91	123.09
3	B	504	CHD	O25-C24-C23	-2.89	113.92	123.09
3	A	501	CHD	O25-C24-C23	-2.83	114.12	123.09
3	B	504	CHD	C9-C11-C12	-2.78	110.66	114.29
3	A	503	CHD	C6-C5-C10	-2.76	109.73	112.66
3	B	504	CHD	C17-C13-C14	2.75	102.87	100.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	501	CHD	C16-C17-C13	-2.69	100.93	103.54
3	A	503	CHD	C11-C12-C13	2.61	113.92	111.26
3	A	501	CHD	C6-C5-C10	-2.59	109.90	112.66
3	B	504	CHD	C11-C12-C13	2.59	113.90	111.26
3	A	502	CHD	C1-C10-C5	2.57	111.43	107.75
3	B	505	CHD	C6-C5-C10	-2.54	109.95	112.66
3	A	501	CHD	C11-C12-C13	2.52	113.83	111.26
3	A	501	CHD	C9-C11-C12	-2.52	110.99	114.29
3	B	504	CHD	C13-C17-C20	2.52	122.54	119.48
3	B	504	CHD	C16-C17-C13	-2.49	101.12	103.54
3	A	503	CHD	C19-C10-C9	2.48	114.51	111.18
3	B	504	CHD	C1-C10-C5	2.48	111.31	107.75
3	A	503	CHD	C9-C8-C7	-2.46	108.76	111.86
3	A	502	CHD	C11-C9-C10	-2.46	111.21	113.70
3	A	503	CHD	C1-C10-C5	2.44	111.25	107.75
4	B	925	HEM	CHB-C1B-C2B	-2.43	120.03	126.95
3	B	504	CHD	C19-C10-C5	-2.43	106.38	110.44
3	A	502	CHD	C6-C5-C10	-2.43	110.08	112.66
3	B	505	CHD	C1-C10-C5	2.41	111.20	107.75
3	B	505	CHD	C11-C9-C10	-2.38	111.29	113.70
3	B	505	CHD	C11-C12-C13	2.38	113.68	111.26
3	B	504	CHD	C19-C10-C9	2.36	114.34	111.18
3	B	505	CHD	C9-C11-C12	-2.32	111.26	114.29
4	B	925	HEM	O2A-CGA-CBA	2.30	121.26	114.00
3	A	501	CHD	C11-C9-C10	-2.29	111.38	113.70
3	A	502	CHD	C9-C11-C12	-2.29	111.29	114.29
3	A	501	CHD	C1-C10-C5	2.29	111.04	107.75
3	A	502	CHD	C11-C12-C13	2.28	113.59	111.26
3	A	503	CHD	C16-C17-C13	-2.27	101.33	103.54
3	B	505	CHD	C16-C17-C13	-2.27	101.34	103.54
3	B	505	CHD	C19-C10-C9	2.25	114.20	111.18
3	A	503	CHD	C11-C9-C10	-2.25	111.42	113.70
3	A	503	CHD	C9-C11-C12	-2.24	111.36	114.29
3	A	502	CHD	C9-C8-C7	-2.24	109.04	111.86
3	A	503	CHD	C6-C5-C4	2.18	113.72	111.23
3	A	501	CHD	C19-C10-C9	2.16	114.09	111.18
3	A	501	CHD	C6-C5-C4	2.16	113.69	111.23
3	A	502	CHD	C19-C10-C9	2.13	114.04	111.18
3	B	504	CHD	C9-C8-C7	-2.11	109.20	111.86
4	B	925	HEM	O2D-CGD-CBD	2.10	120.64	114.00
3	B	504	CHD	C16-C17-C20	-2.09	109.02	112.18
3	A	502	CHD	C16-C17-C13	-2.05	101.55	103.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	505	CHD	C6-C5-C4	2.05	113.57	111.23
3	A	503	CHD	C21-C20-C22	-2.04	107.18	110.34
3	B	505	CHD	C16-C17-C20	-2.01	109.13	112.18

There are no chirality outliers.

All (28) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	503	CHD	C17-C20-C22-C23
3	B	505	CHD	C17-C20-C22-C23
3	A	503	CHD	C21-C20-C22-C23
3	B	505	CHD	C21-C20-C22-C23
3	B	504	CHD	C21-C20-C22-C23
3	B	504	CHD	C17-C20-C22-C23
3	A	501	CHD	C21-C20-C22-C23
3	A	501	CHD	C17-C20-C22-C23
4	B	925	HEM	C2C-C3C-CAC-CBC
4	B	925	HEM	C4B-C3B-CAB-CBB
3	A	501	CHD	C20-C22-C23-C24
5	B	506	GOL	O1-C1-C2-O2
4	B	925	HEM	C4C-C3C-CAC-CBC
3	A	501	CHD	C22-C23-C24-O25
3	B	504	CHD	C22-C23-C24-O26
3	A	502	CHD	C22-C23-C24-O25
3	A	501	CHD	C22-C23-C24-O26
3	B	504	CHD	C22-C23-C24-O25
4	B	925	HEM	CAA-CBA-CGA-O2A
4	B	925	HEM	CAD-CBD-CGD-O2D
3	A	502	CHD	C22-C23-C24-O26
3	A	503	CHD	C22-C23-C24-O26
3	B	505	CHD	C22-C23-C24-O25
3	B	505	CHD	C22-C23-C24-O26
4	B	925	HEM	CAA-CBA-CGA-O1A
3	A	503	CHD	C22-C23-C24-O25
4	B	925	HEM	CAD-CBD-CGD-O1D
3	A	503	CHD	C20-C22-C23-C24



There are no ring outliers.


6 monomers are involved in 20 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	504	CHD	2	0
5	B	506	GOL	4	0
3	B	505	CHD	1	0
4	B	925	HEM	7	0
3	A	502	CHD	2	0
3	A	501	CHD	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	359/359 (100%)	0.27	16 (4%)	38 35	10, 27, 43, 52	7 (1%)
1	B	359/359 (100%)	0.33	21 (5%)	29 25	10, 28, 50, 57	7 (1%)
All	All	718/718 (100%)	0.30	37 (5%)	33 29	10, 27, 45, 57	14 (1%)

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	598[A]	LEU	5.5
1	B	923	LEU	4.4
1	B	857	ALA	4.1
1	A	423	LEU	3.9
1	A	97	ASP	3.8
1	A	179	ARG	3.6
1	B	679[A]	ARG	3.5
1	A	155	ALA	3.4
1	A	356	LEU	3.4
1	A	357	ALA	3.3
1	B	856	LEU	3.2
1	B	580	GLU	3.0
1	B	596	ARG	3.0
1	B	599	MET	3.0
1	B	597	ASP	2.6
1	A	360[A]	CYS	2.6
1	A	412[A]	ARG	2.6
1	B	855	VAL	2.6
1	B	859	GLU	2.5
1	B	854	GLN	2.5
1	A	213	VAL	2.5
1	A	359	GLU	2.4
1	B	860[A]	CYS	2.4
1	A	353	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	600	THR	2.3
1	A	80[A]	GLU	2.2
1	B	565	ARG	2.2
1	B	602	PRO	2.2
1	A	212	GLN	2.2
1	A	214	GLY	2.2
1	B	594	LEU	2.1
1	A	355	VAL	2.1
1	B	853	SER	2.0
1	B	713	VAL	2.0
1	B	593	PHE	2.0
1	A	390	GLN	2.0
1	B	712	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	HEM	B	925	43/43	0.63	0.37	30,30,31,31	43
3	CHD	A	503	29/29	0.70	0.21	73,73,74,74	0
3	CHD	B	504	29/29	0.75	0.22	63,63,64,64	0
3	CHD	B	505	29/29	0.77	0.18	65,65,66,66	0
3	CHD	A	501	29/29	0.80	0.21	55,55,56,56	0
3	CHD	A	502	29/29	0.81	0.23	63,63,63,63	0
5	GOL	B	506	6/6	0.90	0.14	37,37,37,37	0
2	FES	B	924	4/4	0.99	0.03	24,24,24,24	0
2	FES	A	601	4/4	0.99	0.03	22,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around CHD A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD B 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around CHD B 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CHD A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.