Full wwPDB X-ray Structure Validation Report (i)

Aug 26, 2026 – 04:44 am BST

PDB ID	:	7QTH / pdb_00007qth
Title	:	Crystal structure of the Shewanella oneidensis MR1 MtrC mutant C453A
Authors	:	Edwards, M.J.; Clarke, T.A.
Deposited on	:	2022-01-14
Resolution	:	1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	671	2% 88% 6% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HEC	A	801[A]	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HEC	A	801[B]	X	-	-	-
2	HEC	A	802	X	-	-	-
2	HEC	A	803	X	-	-	-
2	HEC	A	804	X	-	-	-
2	HEC	A	805	X	-	-	-
2	HEC	A	806	X	-	-	-
2	HEC	A	807	X	-	-	-
2	HEC	A	808	X	-	-	-
2	HEC	A	809	X	-	-	-
2	HEC	A	810	X	-	-	-
5	ACT	A	823	-	-	X	-
5	ACT	A	827	-	-	X	-

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 6167 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Extracellular iron oxide respiratory system surface decaheme cytochrome c component MtrC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	627	4787	2961	825	968	33	0	13	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	453	ALA	CYS	engineered mutation	UNP Q8EG34

- Molecule 2 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{36}FeN_4O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Fe	N	O		
2	A	1	86	68	2	8	8	0	1
			Total	C	Fe	N	O		
2	A	1	43	34	1	4	4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Fe	N	O		
2	A	1	43	34	1	4	4	0	0
			Total	C	Fe	N	O		
2	A	1	43	34	1	4	4	0	0
			Total	C	Fe	N	O		
2	A	1	43	34	1	4	4	0	0
			Total	C	Fe	N	O		
2	A	1	43	34	1	4	4	0	0
			Total	C	Fe	N	O		
2	A	1	43	34	1	4	4	0	0
			Total	C	Fe	N	O		
2	A	1	43	34	1	4	4	0	0
			Total	C	Fe	N	O		
2	A	1	43	34	1	4	4	0	0
			Total	C	Fe	N	O		
2	A	1	43	34	1	4	4	0	0

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Ca		
3	A	5	5	5	0	0

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	A	1	4	2	2	0	0
4	A	1	4	2	2	0	0
4	A	1	4	2	2	0	0
4	A	1	4	2	2	0	0
4	A	1	4	2	2	0	0
4	A	1	4	2	2	0	0
4	A	1	4	2	2	0	0
4	A	1	4	2	2	0	0
4	A	1	4	2	2	0	0
4	A	1	8	4	4	0	1
4	A	1	4	2	2	0	0

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
5	A	1	4	2	2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
5	A	1	4	2	2	0	0
			Total	C	O		
5	A	1	4	2	2	0	0
			Total	C	O		
5	A	1	4	2	2	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
6	A	838	838	838	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Extracellular iron oxide respiratory system surface decaheme cytochrome c component MtrC

Chain A:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	53.06Å 89.80Å 154.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	77.73 – 1.90 77.61 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.4 (77.73-1.90) 99.4 (77.61-1.90)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	4.00 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.151 , 0.196 0.162 , 0.204	Depositor DCC
R_{free} test set	2892 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å^2)	15.9	Xtriage
Anisotropy	0.085	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 44.1	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.96	EDS
Total number of atoms	6167	wwPDB-VP
Average B, all atoms (Å^2)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.83% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, CA, HEC, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| >5$	RMSZ	$\#\|Z\| >5$
1	A	1.12	2/4876 (0.0%)	1.24	3/6623 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	335	ILE	C-O	6.25	1.30	1.24
1	A	575	ASN	C-O	5.48	1.30	1.23

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	536	ASP	CA-CB-CG	5.59	118.19	112.60
1	A	608	THR	CB-CA-C	5.57	118.59	109.46
1	A	640	ASP	CA-CB-CG	5.10	117.70	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4787	0	4587	26	0
2	A	473	0	330	9	0
3	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	48	0	72	2	0
5	A	16	0	12	5	0
6	A	838	0	0	10	0
All	All	6167	0	5001	32	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (32) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:289:ILE:HD11	2:A:805:HEC:HBA1	1.69	0.73
1:A:512:HIS:CE1	2:A:807:HEC:HBC2	2.30	0.67
1:A:530:LYS:HE3	6:A:1429:HOH:O	1.95	0.66
1:A:571:LEU:HD11	2:A:801[B]:HEC:HMD2	1.80	0.62
1:A:582[A]:ASP:OD1	4:A:826:EDO:H12	2.01	0.60
1:A:256:ASN:HB2	6:A:1509:HOH:O	2.01	0.59
1:A:626[A]:VAL:HG11	6:A:958:HOH:O	2.04	0.58
2:A:804:HEC:CHD	5:A:827:ACT:H2	2.34	0.58
1:A:251[B]:ASN:OD1	6:A:901:HOH:O	2.17	0.56
2:A:804:HEC:C1D	5:A:827:ACT:H2	2.36	0.55
1:A:46:ILE:HD11	5:A:823:ACT:H2	1.88	0.55
1:A:569:TYR:CD2	1:A:573:GLY:HA2	2.42	0.55
1:A:275:ARG:HD3	6:A:1633:HOH:O	2.07	0.55
1:A:191:VAL:HG23	1:A:571:LEU:O	2.08	0.54
5:A:823:ACT:H1	6:A:1263:HOH:O	2.08	0.53
2:A:801[B]:HEC:CHA	2:A:801[B]:HEC:HBA1	2.40	0.52
1:A:251[B]:ASN:ND2	6:A:927:HOH:O	2.43	0.51
1:A:569:TYR:CE2	1:A:573:GLY:HA2	2.49	0.48
2:A:801[B]:HEC:HBA1	2:A:801[B]:HEC:HHA	1.96	0.47
2:A:807:HEC:HBA1	6:A:1636:HOH:O	2.14	0.46
1:A:626[A]:VAL:HG22	2:A:810:HEC:HBA2	1.96	0.46
1:A:235:ALA:HA	1:A:246:PRO:HD2	1.98	0.44
1:A:582[A]:ASP:OD1	4:A:826:EDO:H21	2.17	0.44
1:A:251[B]:ASN:CG	6:A:903:HOH:O	2.60	0.44
1:A:524:THR:OG1	6:A:902:HOH:O	2.21	0.44
1:A:318:LEU:C	1:A:318:LEU:HD12	2.43	0.43
1:A:228:LEU:C	1:A:228:LEU:HD23	2.45	0.42
1:A:444:CYS:HB2	1:A:451:VAL:O	2.19	0.42
1:A:151:LYS:HD2	1:A:155:GLY:O	2.20	0.41
1:A:233:HIS:HA	1:A:249:ALA:HB1	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:46:ILE:HD12	1:A:158[B]:VAL:HG12	2.02	0.40
1:A:236:ASN:HD21	5:A:827:ACT:C	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	638/671 (95%)	620 (97%)	18 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	525/541 (97%)	519 (99%)	6 (1%)	65 67

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	241	LYS
1	A	242	ASP
1	A	263	GLU
1	A	295	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	549	SER
1	A	670	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	243	ASN
1	A	353	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 32 ligands modelled in this entry, 5 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
4	EDO	A	821	-	3,3,3	0.20	0	2,2,2	0.12	0
4	EDO	A	829[A]	-	3,3,3	0.09	0	2,2,2	0.22	0
4	EDO	A	829[B]	-	3,3,3	0.16	0	2,2,2	0.15	0
4	EDO	A	828	-	3,3,3	0.20	0	2,2,2	0.39	0
5	ACT	A	823	-	3,3,3	0.92	0	3,3,3	1.01	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
4	EDO	A	830	-	3,3,3	0.32	0	2,2,2	0.11	0
4	EDO	A	826	-	3,3,3	0.42	0	2,2,2	0.72	0
2	HEC	A	806	1	50,50,50	2.34	24 (48%)	68,82,82	2.30	27 (39%)
2	HEC	A	801[A]	1	50,50,50	2.40	25 (50%)	68,82,82	2.24	23 (33%)
2	HEC	A	801[B]	1	50,50,50	2.38	22 (44%)	68,82,82	2.37	26 (38%)
2	HEC	A	808	1	50,50,50	2.41	25 (50%)	68,82,82	2.53	32 (47%)
4	EDO	A	819	-	3,3,3	0.39	0	2,2,2	0.17	0
5	ACT	A	827	-	3,3,3	0.64	0	3,3,3	1.03	0
2	HEC	A	802	1	50,50,50	2.17	21 (42%)	68,82,82	2.45	29 (42%)
2	HEC	A	805	1	50,50,50	2.54	25 (50%)	68,82,82	2.19	28 (41%)
2	HEC	A	809	1	50,50,50	2.25	22 (44%)	68,82,82	2.52	27 (39%)
2	HEC	A	804	1	50,50,50	2.35	22 (44%)	68,82,82	2.53	35 (51%)
2	HEC	A	803	1	50,50,50	2.40	22 (44%)	68,82,82	2.37	24 (35%)
4	EDO	A	818	-	3,3,3	0.19	0	2,2,2	0.28	0
4	EDO	A	820	-	3,3,3	0.24	0	2,2,2	0.15	0
2	HEC	A	807	1	50,50,50	2.16	22 (44%)	68,82,82	2.48	26 (38%)
2	HEC	A	810	1	50,50,50	2.42	24 (48%)	68,82,82	2.56	33 (48%)
4	EDO	A	816	-	3,3,3	0.04	0	2,2,2	0.26	0
5	ACT	A	825	3	3,3,3	0.74	0	3,3,3	1.03	0
4	EDO	A	817	-	3,3,3	0.10	0	2,2,2	0.07	0
4	EDO	A	822	-	3,3,3	0.22	0	2,2,2	0.20	0
5	ACT	A	824	-	3,3,3	1.25	0	3,3,3	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	821	-	-	0/1/1/1	-
4	EDO	A	829[A]	-	-	1/1/1/1	-
4	EDO	A	829[B]	-	-	1/1/1/1	-
4	EDO	A	828	-	-	1/1/1/1	-
4	EDO	A	830	-	-	1/1/1/1	-
4	EDO	A	826	-	-	1/1/1/1	-
2	HEC	A	806	1	1/1/3/7	4/14/54/54	-
2	HEC	A	801[A]	1	1/1/3/7	4/14/54/54	-
2	HEC	A	801[B]	1	1/1/3/7	6/14/54/54	-
2	HEC	A	808	1	1/1/3/7	7/14/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	819	-	-	1/1/1/1	-
2	HEC	A	802	1	1/1/3/7	6/14/54/54	-
2	HEC	A	805	1	1/1/3/7	5/14/54/54	-
2	HEC	A	809	1	1/1/3/7	7/14/54/54	-
2	HEC	A	804	1	1/1/3/7	5/14/54/54	-
2	HEC	A	803	1	1/1/3/7	4/14/54/54	-
4	EDO	A	818	-	-	0/1/1/1	-
4	EDO	A	820	-	-	0/1/1/1	-
2	HEC	A	807	1	1/1/3/7	8/14/54/54	-
2	HEC	A	810	1	1/1/3/7	3/14/54/54	-
4	EDO	A	816	-	-	0/1/1/1	-
4	EDO	A	817	-	-	0/1/1/1	-
4	EDO	A	822	-	-	1/1/1/1	-

All (254) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	808	HEC	C1D-ND	-5.78	1.30	1.40
2	A	802	HEC	C4B-NB	-5.32	1.31	1.40
2	A	804	HEC	C3B-C2B	5.22	1.47	1.36
2	A	805	HEC	C3D-C2D	5.17	1.47	1.36
2	A	810	HEC	C2A-C3A	5.07	1.47	1.36
2	A	804	HEC	C1A-NA	-5.04	1.30	1.39
2	A	807	HEC	C1D-ND	-5.01	1.31	1.40
2	A	803	HEC	C1D-ND	-4.92	1.31	1.40
2	A	810	HEC	C4A-NA	-4.90	1.30	1.39
2	A	801[B]	HEC	C3D-C2D	4.83	1.47	1.36
2	A	806	HEC	C4B-NB	-4.74	1.32	1.40
2	A	805	HEC	C1D-ND	-4.70	1.32	1.40
2	A	806	HEC	C3D-C2D	4.60	1.46	1.36
2	A	807	HEC	C3B-C2B	4.57	1.46	1.36
2	A	810	HEC	C1C-NC	-4.55	1.30	1.39
2	A	802	HEC	C1D-ND	-4.55	1.32	1.40
2	A	803	HEC	CHA-C4D	4.52	1.49	1.39
2	A	801[A]	HEC	C3B-C2B	4.46	1.46	1.36
2	A	805	HEC	CHA-C1A	4.43	1.47	1.38
2	A	808	HEC	CHD-C1D	4.32	1.47	1.38
2	A	810	HEC	CHA-C1A	4.31	1.46	1.38
2	A	805	HEC	C4B-NB	-4.31	1.32	1.40
2	A	803	HEC	C3D-C2D	4.30	1.45	1.36
2	A	803	HEC	FE-ND	4.28	2.08	1.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801[B]	HEC	C4B-NB	-4.28	1.32	1.40
2	A	809	HEC	C1D-ND	-4.25	1.33	1.40
2	A	808	HEC	C4A-NA	-4.21	1.31	1.39
2	A	801[B]	HEC	C3B-C2B	4.18	1.45	1.36
2	A	801[A]	HEC	C3D-C2D	4.16	1.45	1.36
2	A	810	HEC	C4B-NB	-4.11	1.33	1.40
2	A	808	HEC	C1C-NC	-4.09	1.31	1.39
2	A	806	HEC	CHA-C1A	4.08	1.46	1.38
2	A	809	HEC	C4A-NA	-4.06	1.31	1.39
2	A	804	HEC	C1C-NC	-4.06	1.31	1.39
2	A	801[A]	HEC	FE-NB	4.05	2.07	1.94
2	A	803	HEC	C2A-C3A	4.04	1.45	1.36
2	A	801[A]	HEC	CHA-C1A	4.00	1.46	1.38
2	A	801[A]	HEC	C2A-C3A	4.00	1.45	1.36
2	A	801[B]	HEC	FE-NB	3.99	2.07	1.94
2	A	803	HEC	CHA-C1A	3.98	1.46	1.38
2	A	810	HEC	C3D-C2D	3.96	1.45	1.36
2	A	809	HEC	C1C-NC	-3.94	1.32	1.39
2	A	806	HEC	CHD-C1D	3.94	1.46	1.38
2	A	805	HEC	FE-NA	3.92	2.08	1.95
2	A	804	HEC	C1D-ND	-3.91	1.33	1.40
2	A	801[B]	HEC	CHA-C1A	3.90	1.46	1.38
2	A	806	HEC	FE-ND	3.89	2.06	1.94
2	A	805	HEC	FE-NB	3.86	2.06	1.94
2	A	805	HEC	C1A-NA	-3.85	1.32	1.39
2	A	809	HEC	C4B-NB	-3.83	1.33	1.40
2	A	806	HEC	C1A-NA	-3.81	1.32	1.39
2	A	810	HEC	C1D-ND	-3.80	1.33	1.40
2	A	803	HEC	C3B-C2B	3.78	1.44	1.36
2	A	801[B]	HEC	C2A-C3A	3.76	1.44	1.36
2	A	801[A]	HEC	CHC-C4B	3.76	1.46	1.38
2	A	809	HEC	FE-ND	3.75	2.06	1.94
2	A	802	HEC	FE-NB	3.74	2.06	1.94
2	A	801[A]	HEC	C4B-NB	-3.73	1.33	1.40
2	A	801[B]	HEC	FE-ND	3.72	2.06	1.94
2	A	810	HEC	C3B-C2B	3.70	1.44	1.36
2	A	804	HEC	C2A-C3A	3.70	1.44	1.36
2	A	809	HEC	CHA-C1A	3.69	1.45	1.38
2	A	808	HEC	C3B-C2B	3.69	1.44	1.36
2	A	805	HEC	CHD-C4C	3.68	1.47	1.39
2	A	810	HEC	FE-NA	3.66	2.07	1.95
2	A	801[B]	HEC	C1C-NC	-3.65	1.32	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	807	HEC	C3D-C2D	3.65	1.44	1.36
2	A	804	HEC	CHA-C1A	3.64	1.45	1.38
2	A	805	HEC	FE-ND	3.62	2.06	1.94
2	A	806	HEC	CHB-C4A	3.62	1.45	1.38
2	A	804	HEC	C4C-NC	-3.62	1.32	1.39
2	A	801[A]	HEC	FE-ND	3.60	2.06	1.94
2	A	801[A]	HEC	C1C-NC	-3.59	1.32	1.39
2	A	809	HEC	C3B-C2B	3.59	1.44	1.36
2	A	805	HEC	C2A-C3A	3.59	1.44	1.36
2	A	801[A]	HEC	CHB-C4A	3.58	1.45	1.38
2	A	803	HEC	FE-NA	3.57	2.07	1.95
2	A	802	HEC	C3D-C2D	3.57	1.44	1.36
2	A	805	HEC	CHA-C4D	3.56	1.47	1.39
2	A	802	HEC	C3B-C2B	3.56	1.44	1.36
2	A	808	HEC	C1A-NA	-3.55	1.32	1.39
2	A	806	HEC	FE-NB	3.55	2.05	1.94
2	A	804	HEC	C3D-C2D	3.53	1.44	1.36
2	A	801[B]	HEC	CHC-C4B	3.52	1.45	1.38
2	A	805	HEC	CHB-C4A	3.50	1.45	1.38
2	A	806	HEC	C3B-C2B	3.50	1.44	1.36
2	A	807	HEC	C4A-NA	-3.47	1.33	1.39
2	A	801[B]	HEC	CHD-C4C	3.46	1.47	1.39
2	A	805	HEC	C1B-NB	-3.45	1.31	1.38
2	A	809	HEC	CHC-C4B	3.44	1.45	1.38
2	A	810	HEC	C4C-NC	-3.44	1.33	1.39
2	A	806	HEC	CHC-C4B	3.42	1.45	1.38
2	A	802	HEC	CHA-C1A	3.42	1.45	1.38
2	A	808	HEC	CHB-C4A	3.42	1.45	1.38
2	A	808	HEC	C4B-C3B	3.40	1.50	1.45
2	A	804	HEC	FE-NB	3.37	2.05	1.94
2	A	808	HEC	C4B-NB	-3.36	1.34	1.40
2	A	808	HEC	FE-NC	3.35	2.06	1.95
2	A	807	HEC	C1A-NA	-3.31	1.33	1.39
2	A	803	HEC	C1B-NB	-3.31	1.32	1.38
2	A	801[B]	HEC	CHA-C4D	3.30	1.46	1.39
2	A	808	HEC	C3D-C2D	3.28	1.43	1.36
2	A	802	HEC	FE-ND	3.28	2.05	1.94
2	A	804	HEC	C1B-NB	-3.28	1.32	1.38
2	A	807	HEC	CHA-C4D	3.27	1.46	1.39
2	A	806	HEC	C1D-ND	-3.25	1.34	1.40
2	A	810	HEC	FE-NC	3.24	2.06	1.95
2	A	808	HEC	C2A-C3A	3.23	1.43	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801[A]	HEC	CHA-C4D	3.23	1.46	1.39
2	A	801[B]	HEC	C1D-ND	-3.23	1.34	1.40
2	A	801[B]	HEC	CHD-C1D	3.22	1.45	1.38
2	A	808	HEC	C4C-NC	-3.22	1.33	1.39
2	A	805	HEC	C1C-NC	-3.18	1.33	1.39
2	A	803	HEC	C1A-C2A	3.17	1.50	1.45
2	A	810	HEC	CHB-C4A	3.16	1.44	1.38
2	A	802	HEC	C1C-NC	-3.13	1.33	1.39
2	A	808	HEC	FE-NA	3.13	2.05	1.95
2	A	802	HEC	C3C-C2C	3.12	1.47	1.38
2	A	802	HEC	C2A-C3A	3.12	1.43	1.36
2	A	801[A]	HEC	C1D-ND	-3.11	1.34	1.40
2	A	809	HEC	FE-NB	3.08	2.04	1.94
2	A	803	HEC	FE-NC	3.05	2.05	1.95
2	A	804	HEC	C4D-ND	-3.03	1.32	1.38
2	A	801[A]	HEC	CHB-C1B	3.03	1.46	1.39
2	A	803	HEC	C1C-NC	-3.02	1.33	1.39
2	A	806	HEC	C4D-ND	-3.02	1.32	1.38
2	A	804	HEC	C4B-NB	-3.02	1.35	1.40
2	A	801[B]	HEC	FE-NA	3.00	2.05	1.95
2	A	804	HEC	CHB-C4A	3.00	1.44	1.38
2	A	802	HEC	CHA-C4D	3.00	1.46	1.39
2	A	801[A]	HEC	FE-NA	3.00	2.05	1.95
2	A	807	HEC	C2A-C3A	2.99	1.43	1.36
2	A	810	HEC	FE-NB	2.98	2.04	1.94
2	A	808	HEC	FE-NB	2.98	2.04	1.94
2	A	807	HEC	FE-NA	2.97	2.05	1.95
2	A	809	HEC	C1A-NA	-2.95	1.34	1.39
2	A	801[A]	HEC	CHD-C4C	2.94	1.46	1.39
2	A	803	HEC	CHB-C4A	2.94	1.44	1.38
2	A	802	HEC	CHC-C4B	2.94	1.44	1.38
2	A	803	HEC	C4A-NA	-2.92	1.34	1.39
2	A	808	HEC	FE-ND	2.92	2.03	1.94
2	A	805	HEC	C3B-C2B	2.90	1.42	1.36
2	A	801[A]	HEC	FE-NC	2.90	2.05	1.95
2	A	807	HEC	C4C-NC	-2.86	1.34	1.39
2	A	803	HEC	CHC-C4B	2.86	1.44	1.38
2	A	809	HEC	CHB-C1B	2.85	1.45	1.39
2	A	809	HEC	CHD-C4C	2.85	1.45	1.39
2	A	808	HEC	C4D-ND	-2.84	1.32	1.38
2	A	804	HEC	C4A-NA	-2.83	1.34	1.39
2	A	807	HEC	CHB-C1B	2.83	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	805	HEC	C1D-C2D	2.83	1.50	1.44
2	A	807	HEC	FE-NB	2.83	2.03	1.94
2	A	809	HEC	C3D-C2D	2.82	1.42	1.36
2	A	802	HEC	CHB-C4A	2.82	1.43	1.38
2	A	809	HEC	C4C-NC	-2.81	1.34	1.39
2	A	809	HEC	C2A-C3A	2.80	1.42	1.36
2	A	807	HEC	FE-NC	2.79	2.04	1.95
2	A	806	HEC	CHA-C4D	2.79	1.45	1.39
2	A	802	HEC	CHB-C1B	2.78	1.45	1.39
2	A	801[B]	HEC	CHB-C4A	2.76	1.43	1.38
2	A	803	HEC	CHD-C1D	2.75	1.44	1.38
2	A	805	HEC	CHC-C1C	2.74	1.45	1.39
2	A	801[B]	HEC	C4A-NA	-2.74	1.34	1.39
2	A	804	HEC	FE-NA	2.73	2.04	1.95
2	A	805	HEC	FE-NC	2.72	2.04	1.95
2	A	804	HEC	FE-ND	2.70	2.03	1.94
2	A	806	HEC	C2A-C3A	2.70	1.42	1.36
2	A	803	HEC	FE-NB	2.70	2.03	1.94
2	A	803	HEC	C4B-NB	-2.70	1.35	1.40
2	A	801[A]	HEC	C4D-ND	-2.69	1.33	1.38
2	A	809	HEC	CHB-C4A	2.65	1.43	1.38
2	A	810	HEC	C1A-NA	-2.65	1.34	1.39
2	A	805	HEC	CHB-C1B	2.63	1.45	1.39
2	A	803	HEC	C4A-C3A	2.63	1.50	1.45
2	A	805	HEC	CHD-C1D	2.63	1.43	1.38
2	A	810	HEC	CHD-C1D	2.61	1.43	1.38
2	A	801[B]	HEC	FE-NC	2.60	2.03	1.95
2	A	809	HEC	C1D-C2D	2.60	1.49	1.44
2	A	806	HEC	FE-NC	2.59	2.03	1.95
2	A	804	HEC	FE-NC	2.58	2.03	1.95
2	A	807	HEC	FE-ND	2.58	2.02	1.94
2	A	807	HEC	CHB-C4A	2.55	1.43	1.38
2	A	801[A]	HEC	CHD-C1D	2.55	1.43	1.38
2	A	801[A]	HEC	C4A-NA	-2.55	1.34	1.39
2	A	807	HEC	C4D-ND	-2.54	1.33	1.38
2	A	802	HEC	FE-NA	2.54	2.03	1.95
2	A	810	HEC	CHC-C1C	2.53	1.45	1.39
2	A	809	HEC	C4D-ND	-2.52	1.33	1.38
2	A	801[A]	HEC	C1A-NA	-2.51	1.34	1.39
2	A	810	HEC	O2D-CGD	-2.51	1.22	1.30
2	A	805	HEC	CBD-CGD	2.50	1.56	1.50
2	A	806	HEC	C1C-NC	-2.50	1.34	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801[B]	HEC	CHB-C1B	2.49	1.44	1.39
2	A	808	HEC	C1B-NB	-2.49	1.33	1.38
2	A	805	HEC	CHC-C4B	2.48	1.43	1.38
2	A	804	HEC	C1A-C2A	2.48	1.49	1.45
2	A	802	HEC	C1B-NB	-2.45	1.33	1.38
2	A	801[A]	HEC	C4C-NC	-2.45	1.35	1.39
2	A	805	HEC	C4A-NA	-2.44	1.35	1.39
2	A	809	HEC	C1B-NB	-2.44	1.33	1.38
2	A	802	HEC	FE-NC	2.41	2.03	1.95
2	A	804	HEC	CHD-C1D	2.40	1.43	1.38
2	A	810	HEC	CHA-C4D	2.40	1.44	1.39
2	A	807	HEC	CHC-C4B	2.40	1.43	1.38
2	A	808	HEC	C1C-C2C	2.39	1.48	1.43
2	A	809	HEC	FE-NC	2.39	2.03	1.95
2	A	801[B]	HEC	C1A-NA	-2.37	1.35	1.39
2	A	810	HEC	CHD-C4C	2.37	1.44	1.39
2	A	806	HEC	C1B-NB	-2.37	1.33	1.38
2	A	810	HEC	CHC-C4B	2.36	1.43	1.38
2	A	802	HEC	C1A-NA	-2.36	1.35	1.39
2	A	806	HEC	C1B-C2B	2.35	1.49	1.44
2	A	803	HEC	C1A-NA	-2.34	1.35	1.39
2	A	808	HEC	CHA-C1A	2.34	1.42	1.38
2	A	804	HEC	CHC-C4B	2.34	1.43	1.38
2	A	806	HEC	C4C-NC	-2.34	1.35	1.39
2	A	802	HEC	CHD-C1D	2.33	1.43	1.38
2	A	801[B]	HEC	C4C-NC	-2.33	1.35	1.39
2	A	806	HEC	C3C-C2C	2.33	1.45	1.38
2	A	809	HEC	FE-NA	2.33	2.03	1.95
2	A	806	HEC	C4A-NA	-2.32	1.35	1.39
2	A	806	HEC	O2D-CGD	-2.31	1.23	1.30
2	A	805	HEC	C3C-C2C	2.30	1.45	1.38
2	A	806	HEC	C4A-C3A	2.28	1.49	1.45
2	A	804	HEC	CHC-C1C	2.28	1.44	1.39
2	A	810	HEC	C3C-C2C	2.26	1.44	1.38
2	A	807	HEC	C4B-NB	-2.25	1.36	1.40
2	A	801[A]	HEC	C1C-C2C	2.24	1.48	1.43
2	A	807	HEC	CHD-C1D	2.24	1.43	1.38
2	A	801[A]	HEC	CHC-C1C	2.22	1.44	1.39
2	A	808	HEC	CHC-C1C	2.22	1.44	1.39
2	A	807	HEC	C3C-C2C	2.22	1.44	1.38
2	A	807	HEC	CHA-C1A	2.21	1.42	1.38
2	A	807	HEC	C1C-NC	-2.20	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801[B]	HEC	C4D-ND	-2.19	1.34	1.38
2	A	801[A]	HEC	C1B-NB	-2.17	1.34	1.38
2	A	808	HEC	CHA-C4D	2.17	1.44	1.39
2	A	802	HEC	O2D-CGD	-2.16	1.23	1.30
2	A	808	HEC	CMC-C2C	-2.14	1.46	1.50
2	A	803	HEC	C4D-ND	-2.13	1.34	1.38
2	A	801[B]	HEC	C1B-NB	-2.13	1.34	1.38
2	A	809	HEC	O2A-CGA	-2.10	1.23	1.30
2	A	806	HEC	FE-NA	2.10	2.02	1.95
2	A	802	HEC	C4D-ND	-2.09	1.34	1.38
2	A	804	HEC	CHB-C1B	2.07	1.44	1.39
2	A	805	HEC	O2A-CGA	-2.06	1.23	1.30
2	A	803	HEC	C4C-NC	-2.06	1.35	1.39
2	A	808	HEC	O2A-CGA	-2.05	1.23	1.30
2	A	807	HEC	C1B-NB	-2.04	1.34	1.38
2	A	808	HEC	CHC-C4B	2.04	1.42	1.38
2	A	810	HEC	CMD-C2D	2.04	1.55	1.50
2	A	801[A]	HEC	C3C-C2C	2.02	1.44	1.38
2	A	810	HEC	FE-ND	2.00	2.01	1.94
2	A	810	HEC	CBD-CGD	2.00	1.55	1.50

All (310) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	809	HEC	C2A-C1A-NA	6.84	116.97	110.32
2	A	807	HEC	C3D-C4D-ND	6.81	116.96	110.36
2	A	801[B]	HEC	C1B-C2B-C3B	-6.58	100.04	106.96
2	A	802	HEC	C2A-C1A-NA	6.37	116.52	110.32
2	A	810	HEC	C3B-C4B-NB	6.27	117.14	110.17
2	A	810	HEC	C3D-C4D-ND	6.26	116.42	110.36
2	A	807	HEC	C2A-C1A-NA	6.24	116.39	110.32
2	A	803	HEC	C3D-C4D-ND	6.21	116.37	110.36
2	A	804	HEC	C2A-C1A-NA	5.92	116.09	110.32
2	A	802	HEC	C1B-C2B-C3B	-5.72	100.94	106.96
2	A	801[B]	HEC	C2B-C1B-NB	5.69	116.70	109.88
2	A	801[A]	HEC	C1D-C2D-C3D	-5.67	100.99	106.96
2	A	808	HEC	C2A-C1A-NA	5.61	115.79	110.32
2	A	804	HEC	C3D-C4D-ND	5.55	115.73	110.36
2	A	805	HEC	C1B-C2B-C3B	-5.52	101.15	106.96
2	A	801[A]	HEC	C1B-C2B-C3B	-5.48	101.20	106.96
2	A	802	HEC	C2D-C1D-ND	5.47	116.32	109.84
2	A	805	HEC	C3D-C4D-ND	5.45	115.63	110.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	810	HEC	C2B-C1B-NB	5.42	116.37	109.88
2	A	810	HEC	C2D-C1D-ND	5.39	116.23	109.84
2	A	807	HEC	C2D-C1D-ND	5.28	116.10	109.84
2	A	807	HEC	CAB-C3B-C4B	5.27	131.65	124.81
2	A	803	HEC	CAB-C3B-C4B	5.25	131.62	124.81
2	A	801[B]	HEC	C2A-C1A-NA	5.19	115.37	110.32
2	A	804	HEC	C1B-C2B-C3B	-5.17	101.52	106.96
2	A	802	HEC	C2B-C1B-NB	5.17	116.07	109.88
2	A	808	HEC	CAB-C3B-C4B	5.12	131.45	124.81
2	A	801[A]	HEC	C2D-C1D-ND	5.07	115.85	109.84
2	A	808	HEC	C3B-C4B-NB	5.05	115.78	110.17
2	A	808	HEC	C2D-C1D-ND	5.04	115.81	109.84
2	A	806	HEC	CMA-C3A-C4A	5.00	133.53	124.71
2	A	806	HEC	C1B-C2B-C3B	-5.00	101.70	106.96
2	A	805	HEC	C2B-C1B-NB	4.98	115.84	109.88
2	A	801[A]	HEC	C2A-C1A-NA	4.96	115.15	110.32
2	A	806	HEC	C3D-C4D-ND	4.96	115.16	110.36
2	A	809	HEC	C1D-C2D-C3D	-4.90	101.80	106.96
2	A	809	HEC	C2B-C1B-NB	4.90	115.75	109.88
2	A	808	HEC	C2B-C1B-NB	4.89	115.74	109.88
2	A	801[B]	HEC	C1C-C2C-C3C	-4.84	101.16	106.83
2	A	801[A]	HEC	C2B-C1B-NB	4.80	115.63	109.88
2	A	803	HEC	C2B-C1B-NB	4.80	115.63	109.88
2	A	801[A]	HEC	C1C-C2C-C3C	-4.79	101.23	106.83
2	A	804	HEC	CBD-CAD-C3D	-4.72	99.51	112.63
2	A	809	HEC	C1B-C2B-C3B	-4.68	102.03	106.96
2	A	802	HEC	C1C-C2C-C3C	-4.68	101.35	106.83
2	A	810	HEC	C1D-C2D-C3D	-4.66	102.05	106.96
2	A	804	HEC	C2B-C1B-NB	4.62	115.42	109.88
2	A	808	HEC	CAC-C3C-C4C	4.62	131.33	124.92
2	A	809	HEC	CAC-C3C-C4C	4.61	131.31	124.92
2	A	810	HEC	C1B-C2B-C3B	-4.58	102.14	106.96
2	A	809	HEC	CAB-C3B-C4B	4.56	130.73	124.81
2	A	806	HEC	C3C-C4C-NC	4.56	115.24	110.15
2	A	803	HEC	C2D-C1D-ND	4.54	115.22	109.84
2	A	809	HEC	C2D-C1D-ND	4.50	115.17	109.84
2	A	806	HEC	C1C-C2C-C3C	-4.46	101.61	106.83
2	A	808	HEC	C1A-C2A-C3A	-4.45	101.33	107.13
2	A	803	HEC	C1B-C2B-C3B	-4.43	102.30	106.96
2	A	809	HEC	C2C-C1C-NC	4.40	116.78	110.08
2	A	808	HEC	CAD-CBD-CGD	-4.36	104.22	113.60
2	A	807	HEC	CAC-C3C-C4C	4.34	130.94	124.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	804	HEC	C2C-C1C-NC	4.33	116.67	110.08
2	A	805	HEC	C2A-C1A-NA	4.31	114.52	110.32
2	A	801[B]	HEC	CAC-C3C-C4C	4.30	130.89	124.92
2	A	802	HEC	C3D-C4D-ND	4.25	114.47	110.36
2	A	808	HEC	C1C-C2C-C3C	-4.24	101.87	106.83
2	A	807	HEC	C1C-C2C-C3C	-4.24	101.87	106.83
2	A	807	HEC	C1A-C2A-C3A	-4.23	101.62	107.13
2	A	804	HEC	CAC-C3C-C4C	4.22	130.77	124.92
2	A	804	HEC	C1C-C2C-C3C	-4.21	101.91	106.83
2	A	809	HEC	C1A-C2A-C3A	-4.20	101.66	107.13
2	A	803	HEC	CMD-C2D-C1D	4.19	131.41	125.04
2	A	803	HEC	C2A-C1A-NA	4.18	114.39	110.32
2	A	801[B]	HEC	C2C-C1C-NC	4.18	116.44	110.08
2	A	801[A]	HEC	C2C-C1C-NC	4.17	116.43	110.08
2	A	804	HEC	C3C-C4C-NC	4.15	114.79	110.15
2	A	801[B]	HEC	C1D-C2D-C3D	-4.12	102.63	106.96
2	A	801[B]	HEC	C2D-C1D-ND	4.08	114.68	109.84
2	A	801[B]	HEC	C3D-C4D-ND	4.07	114.30	110.36
2	A	809	HEC	C3C-C4C-NC	4.06	114.69	110.15
2	A	806	HEC	C4A-C3A-C2A	-4.00	101.09	106.94
2	A	810	HEC	CAC-C3C-C4C	3.97	130.43	124.92
2	A	802	HEC	C1D-C2D-C3D	-3.97	102.78	106.96
2	A	810	HEC	CAB-C3B-C4B	3.96	129.94	124.81
2	A	802	HEC	C2C-C1C-NC	3.95	116.10	110.08
2	A	806	HEC	C2A-C1A-NA	3.93	114.14	110.32
2	A	808	HEC	CAD-C3D-C4D	3.90	131.48	124.66
2	A	809	HEC	C3D-C4D-ND	3.90	114.13	110.36
2	A	805	HEC	C4D-C3D-C2D	-3.89	101.23	106.90
2	A	805	HEC	CMA-C3A-C4A	3.89	131.56	124.71
2	A	807	HEC	C4D-C3D-C2D	-3.88	101.25	106.90
2	A	803	HEC	C1D-C2D-C3D	-3.81	102.96	106.96
2	A	810	HEC	C2A-C1A-NA	3.79	114.01	110.32
2	A	809	HEC	C1C-C2C-C3C	-3.79	102.40	106.83
2	A	808	HEC	C4B-C3B-C2B	-3.77	101.41	106.90
2	A	802	HEC	C3B-C4B-NB	3.71	114.30	110.17
2	A	807	HEC	C2B-C1B-NB	3.70	114.31	109.88
2	A	808	HEC	C3D-C4D-ND	3.69	113.93	110.36
2	A	807	HEC	C3B-C4B-NB	3.69	114.27	110.17
2	A	807	HEC	CAD-C3D-C4D	3.69	131.10	124.66
2	A	809	HEC	CAD-CBD-CGD	-3.69	105.67	113.60
2	A	802	HEC	CMC-C2C-C3C	3.66	133.53	125.61
2	A	803	HEC	C3C-C4C-NC	3.66	114.23	110.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	808	HEC	C1D-C2D-C3D	-3.66	103.11	106.96
2	A	803	HEC	CAD-C3D-C4D	3.64	131.02	124.66
2	A	807	HEC	C2C-C1C-NC	3.64	115.62	110.08
2	A	804	HEC	C3A-C4A-NA	3.63	116.38	109.69
2	A	804	HEC	C1A-C2A-C3A	-3.62	102.42	107.13
2	A	802	HEC	CMB-C2B-C1B	3.61	130.54	125.04
2	A	809	HEC	C3B-C4B-NB	3.61	114.18	110.17
2	A	806	HEC	C2B-C1B-NB	3.61	114.20	109.88
2	A	801[A]	HEC	C3C-C4C-NC	3.60	114.17	110.15
2	A	807	HEC	C1D-C2D-C3D	-3.59	103.18	106.96
2	A	801[A]	HEC	C1A-C2A-C3A	-3.57	102.47	107.13
2	A	806	HEC	C2C-C1C-NC	3.57	115.52	110.08
2	A	802	HEC	CBA-CAA-C2A	-3.55	102.77	112.63
2	A	810	HEC	C4B-NB-C1B	-3.49	101.47	105.07
2	A	806	HEC	C3B-C4B-NB	3.48	114.04	110.17
2	A	804	HEC	C4A-C3A-C2A	-3.46	101.89	106.94
2	A	801[B]	HEC	C1A-C2A-C3A	-3.46	102.62	107.13
2	A	804	HEC	C3B-C4B-NB	3.45	114.00	110.17
2	A	802	HEC	C4A-NA-C1A	-3.43	101.98	105.35
2	A	804	HEC	C4D-C3D-C2D	-3.42	101.91	106.90
2	A	808	HEC	CMD-C2D-C1D	3.40	130.22	125.04
2	A	806	HEC	C1D-C2D-C3D	-3.38	103.40	106.96
2	A	806	HEC	CHA-C4D-C3D	-3.38	119.88	124.84
2	A	805	HEC	C2C-C1C-NC	3.36	115.20	110.08
2	A	804	HEC	CMC-C2C-C3C	3.36	132.87	125.61
2	A	807	HEC	C1B-C2B-C3B	-3.36	103.43	106.96
2	A	803	HEC	C4D-C3D-C2D	-3.34	102.02	106.90
2	A	803	HEC	C1C-C2C-C3C	-3.34	102.92	106.83
2	A	806	HEC	CMC-C2C-C3C	3.34	132.83	125.61
2	A	805	HEC	C1C-C2C-C3C	-3.31	102.95	106.83
2	A	810	HEC	C1C-C2C-C3C	-3.31	102.96	106.83
2	A	809	HEC	CHC-C1C-C2C	-3.31	117.89	127.24
2	A	802	HEC	C1A-C2A-C3A	-3.27	102.87	107.13
2	A	810	HEC	CMD-C2D-C1D	3.25	129.99	125.04
2	A	803	HEC	C3B-C4B-NB	3.25	113.78	110.17
2	A	808	HEC	CHB-C1B-C2B	-3.23	119.93	124.98
2	A	803	HEC	C3A-C4A-NA	3.20	115.60	109.69
2	A	801[A]	HEC	CMD-C2D-C1D	3.20	129.91	125.04
2	A	805	HEC	C2D-C1D-ND	3.19	113.62	109.84
2	A	801[B]	HEC	CHB-C1B-C2B	-3.18	120.02	124.98
2	A	806	HEC	CAC-C3C-C4C	3.17	129.31	124.92
2	A	805	HEC	C1A-C2A-C3A	-3.16	103.01	107.13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	801[B]	HEC	CHC-C1C-C2C	-3.16	118.32	127.24
2	A	801[B]	HEC	CMB-C2B-C1B	3.15	129.83	125.04
2	A	805	HEC	CHB-C1B-C2B	-3.14	120.08	124.98
2	A	810	HEC	CHA-C4D-C3D	-3.14	120.23	124.84
2	A	803	HEC	C4A-C3A-C2A	-3.13	102.37	106.94
2	A	806	HEC	CAB-C3B-C4B	3.12	128.86	124.81
2	A	808	HEC	C3A-C4A-NA	3.12	115.44	109.69
2	A	810	HEC	C4A-C3A-C2A	-3.10	102.41	106.94
2	A	806	HEC	C4D-C3D-C2D	-3.08	102.41	106.90
2	A	804	HEC	CAD-C3D-C4D	3.08	130.04	124.66
2	A	810	HEC	C3C-C4C-NC	3.06	113.57	110.15
2	A	801[A]	HEC	C3D-C4D-ND	3.05	113.31	110.36
2	A	805	HEC	CAD-C3D-C4D	3.05	129.98	124.66
2	A	806	HEC	C2D-C1D-ND	3.03	113.44	109.84
2	A	810	HEC	C2C-C1C-NC	3.02	114.67	110.08
2	A	808	HEC	C4D-C3D-C2D	-3.01	102.52	106.90
2	A	805	HEC	CMD-C2D-C1D	3.00	129.61	125.04
2	A	804	HEC	CMD-C2D-C1D	2.99	129.59	125.04
2	A	807	HEC	C3C-C4C-NC	2.97	113.46	110.15
2	A	808	HEC	C1B-C2B-C3B	-2.96	103.85	106.96
2	A	810	HEC	C1A-C2A-C3A	-2.95	103.28	107.13
2	A	807	HEC	CHC-C1C-C2C	-2.95	118.91	127.24
2	A	808	HEC	CMC-C2C-C1C	2.92	129.82	125.37
2	A	803	HEC	CHB-C1B-C2B	-2.92	120.41	124.98
2	A	810	HEC	C1D-ND-C4D	-2.91	102.07	105.07
2	A	804	HEC	CHB-C4A-C3A	-2.91	119.38	125.48
2	A	801[B]	HEC	O1A-CGA-CBA	-2.90	113.78	123.08
2	A	803	HEC	C1A-C2A-C3A	-2.88	103.37	107.13
2	A	801[B]	HEC	C3A-C4A-NA	2.86	114.97	109.69
2	A	804	HEC	C2D-C1D-ND	2.86	113.22	109.84
2	A	809	HEC	CMC-C2C-C3C	2.85	131.77	125.61
2	A	806	HEC	CAD-C3D-C2D	2.82	133.13	127.88
2	A	804	HEC	CHA-C1A-C2A	-2.82	120.37	124.94
2	A	807	HEC	CHA-C1A-C2A	-2.82	120.38	124.94
2	A	805	HEC	C1D-C2D-C3D	-2.80	104.01	106.96
2	A	810	HEC	C4B-C3B-C2B	-2.80	102.81	106.90
2	A	803	HEC	CAA-CBA-CGA	-2.78	107.61	113.60
2	A	803	HEC	C2C-C1C-NC	2.78	114.31	110.08
2	A	804	HEC	CHC-C1C-C2C	-2.78	119.39	127.24
2	A	810	HEC	CBA-CAA-C2A	-2.77	104.92	112.63
2	A	801[A]	HEC	C3B-C4B-NB	2.77	113.25	110.17
2	A	802	HEC	C3A-C4A-NA	2.77	114.80	109.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	801[A]	HEC	CHC-C1C-C2C	-2.76	119.44	127.24
2	A	804	HEC	CAB-C3B-C4B	2.76	128.39	124.81
2	A	808	HEC	CHA-C4D-C3D	-2.75	120.79	124.84
2	A	801[B]	HEC	C3B-C4B-NB	2.75	113.22	110.17
2	A	804	HEC	CHB-C1B-C2B	-2.73	120.72	124.98
2	A	803	HEC	CHA-C4D-C3D	-2.72	120.84	124.84
2	A	803	HEC	CMA-C3A-C4A	2.72	129.51	124.71
2	A	802	HEC	C4D-C3D-C2D	-2.72	102.94	106.90
2	A	809	HEC	C3A-C4A-NA	2.71	114.69	109.69
2	A	809	HEC	CHA-C1A-C2A	-2.71	120.55	124.94
2	A	801[A]	HEC	CMB-C2B-C1B	2.70	129.16	125.04
2	A	809	HEC	C4A-NA-C1A	-2.69	102.71	105.35
2	A	802	HEC	CBD-CAD-C3D	-2.69	105.15	112.63
2	A	805	HEC	CBD-CAD-C3D	-2.68	105.19	112.63
2	A	801[A]	HEC	CHB-C1B-C2B	-2.66	120.83	124.98
2	A	804	HEC	O2A-CGA-CBA	2.66	122.56	114.03
2	A	803	HEC	CMC-C2C-C3C	2.64	131.32	125.61
2	A	808	HEC	O1D-CGD-CBD	-2.64	114.61	123.08
2	A	809	HEC	C4C-NC-C1C	-2.63	102.78	105.35
2	A	808	HEC	C2C-C1C-NC	2.62	114.07	110.08
2	A	802	HEC	CHA-C1A-NA	-2.61	121.61	124.44
2	A	810	HEC	CHA-C1A-C2A	-2.61	120.70	124.94
2	A	804	HEC	O1A-CGA-CBA	-2.60	114.72	123.08
2	A	801[A]	HEC	CHD-C1D-C2D	-2.60	119.52	126.73
2	A	806	HEC	C4C-NC-C1C	-2.60	102.81	105.35
2	A	807	HEC	CMC-C2C-C3C	2.59	131.22	125.61
2	A	810	HEC	C4C-C3C-C2C	-2.59	102.82	106.89
2	A	810	HEC	O1A-CGA-CBA	-2.58	114.79	123.08
2	A	808	HEC	C3C-C4C-NC	2.57	113.02	110.15
2	A	801[B]	HEC	CHA-C1A-C2A	-2.57	120.78	124.94
2	A	804	HEC	C1D-C2D-C3D	-2.55	104.27	106.96
2	A	807	HEC	CHA-C4D-C3D	-2.55	121.09	124.84
2	A	809	HEC	CHB-C1B-NB	-2.52	121.67	124.42
2	A	810	HEC	C4D-C3D-C2D	-2.52	103.22	106.90
2	A	806	HEC	CBA-CAA-C2A	-2.52	105.63	112.63
2	A	810	HEC	CAD-CBD-CGD	-2.52	108.19	113.60
2	A	805	HEC	CHC-C4B-C3B	-2.51	120.61	125.33
2	A	805	HEC	C3C-C4C-NC	2.51	112.95	110.15
2	A	807	HEC	C1D-ND-C4D	-2.49	102.50	105.07
2	A	810	HEC	CHC-C4B-C3B	-2.49	120.65	125.33
2	A	804	HEC	CMA-C3A-C4A	2.48	129.09	124.71
2	A	801[A]	HEC	CHA-C1A-C2A	-2.47	120.93	124.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	804	HEC	CHA-C4D-C3D	-2.47	121.21	124.84
2	A	809	HEC	CHD-C1D-C2D	-2.46	119.91	126.73
2	A	805	HEC	CAC-C3C-C4C	2.45	128.32	124.92
2	A	801[B]	HEC	C4D-C3D-C2D	-2.45	103.33	106.90
2	A	802	HEC	CHB-C1B-C2B	-2.43	121.19	124.98
2	A	808	HEC	CHC-C1C-C2C	-2.41	120.43	127.24
2	A	801[A]	HEC	CMC-C2C-C3C	2.41	130.81	125.61
2	A	807	HEC	CHD-C1D-C2D	-2.40	120.06	126.73
2	A	806	HEC	O1D-CGD-CBD	-2.39	115.39	123.08
2	A	802	HEC	CHC-C4B-C3B	-2.38	120.86	125.33
2	A	810	HEC	CBD-CAD-C3D	-2.38	106.03	112.63
2	A	809	HEC	CMB-C2B-C1B	2.37	128.65	125.04
2	A	804	HEC	CHC-C4B-C3B	-2.37	120.88	125.33
2	A	805	HEC	CBC-CAC-C3C	2.36	118.94	112.43
2	A	801[B]	HEC	C4A-C3A-C2A	-2.34	103.52	106.94
2	A	804	HEC	CMB-C2B-C1B	2.34	128.60	125.04
2	A	801[A]	HEC	C3A-C4A-NA	2.32	113.98	109.69
2	A	806	HEC	C3A-C4A-NA	2.32	113.97	109.69
2	A	809	HEC	CMD-C2D-C3D	2.31	132.40	126.12
2	A	801[B]	HEC	CHA-C4D-C3D	-2.31	121.44	124.84
2	A	809	HEC	C4C-C3C-C2C	-2.31	103.27	106.89
2	A	804	HEC	CAA-C2A-C1A	2.30	129.23	124.89
2	A	805	HEC	CAA-CBA-CGA	-2.29	108.67	113.60
2	A	802	HEC	CHD-C1D-C2D	-2.29	120.36	126.73
2	A	808	HEC	CHB-C4A-C3A	-2.28	120.69	125.48
2	A	807	HEC	CHA-C4D-ND	-2.28	121.94	124.42
2	A	804	HEC	C4C-C3C-C2C	-2.28	103.31	106.89
2	A	807	HEC	CAD-CBD-CGD	-2.28	108.71	113.60
2	A	801[B]	HEC	CMC-C2C-C3C	2.26	130.51	125.61
2	A	801[B]	HEC	CHB-C4A-C3A	-2.26	120.74	125.48
2	A	802	HEC	C4A-C3A-C2A	-2.26	103.64	106.94
2	A	801[A]	HEC	CBC-CAC-C3C	2.25	118.64	112.43
2	A	803	HEC	C4B-C3B-C2B	-2.25	103.61	106.90
2	A	805	HEC	C3B-C4B-NB	2.25	112.67	110.17
2	A	802	HEC	CAD-CBD-CGD	-2.25	108.77	113.60
2	A	808	HEC	CAA-C2A-C1A	2.24	129.12	124.89
2	A	807	HEC	CHC-C4B-C3B	-2.23	121.13	125.33
2	A	805	HEC	CHA-C4D-C3D	-2.23	121.56	124.84
2	A	805	HEC	C4A-C3A-C2A	-2.23	103.68	106.94
2	A	808	HEC	CHD-C1D-C2D	-2.23	120.53	126.73
2	A	810	HEC	CHC-C1C-C2C	-2.22	120.96	127.24
2	A	802	HEC	CMD-C2D-C3D	2.22	132.15	126.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	802	HEC	CAD-C3D-C4D	2.22	128.53	124.66
2	A	810	HEC	CHB-C1B-C2B	-2.22	121.52	124.98
2	A	807	HEC	CMB-C2B-C1B	2.20	128.39	125.04
2	A	801[B]	HEC	CAC-C3C-C2C	-2.19	123.35	126.86
2	A	807	HEC	C4B-C3B-C2B	-2.19	103.70	106.90
2	A	804	HEC	C4A-NA-C1A	-2.18	103.21	105.35
2	A	809	HEC	CAA-C2A-C1A	2.18	129.01	124.89
2	A	808	HEC	CHA-C1A-C2A	-2.18	121.41	124.94
2	A	810	HEC	C3A-C4A-NA	2.18	113.71	109.69
2	A	805	HEC	CMC-C2C-C1C	2.18	128.68	125.37
2	A	810	HEC	CHB-C1B-NB	-2.17	122.06	124.42
2	A	810	HEC	CMC-C2C-C3C	2.17	130.30	125.61
2	A	802	HEC	C3C-C4C-NC	2.16	112.56	110.15
2	A	802	HEC	CBC-CAC-C3C	2.15	118.37	112.43
2	A	805	HEC	CMB-C2B-C1B	2.15	128.32	125.04
2	A	808	HEC	O2D-CGD-CBD	2.15	120.94	114.03
2	A	802	HEC	O2A-CGA-CBA	2.14	120.91	114.03
2	A	801[B]	HEC	CHD-C1D-C2D	-2.14	120.79	126.73
2	A	801[B]	HEC	CBA-CAA-C2A	-2.12	106.73	112.63
2	A	805	HEC	C3A-C4A-NA	2.09	113.55	109.69
2	A	804	HEC	C4B-C3B-C2B	-2.08	103.86	106.90
2	A	806	HEC	CHD-C4C-C3C	-2.08	120.82	125.36
2	A	802	HEC	CHB-C4A-C3A	-2.08	121.12	125.48
2	A	804	HEC	C4C-NC-C1C	-2.07	103.32	105.35
2	A	805	HEC	CHC-C1C-C2C	-2.07	121.40	127.24
2	A	801[B]	HEC	CBD-CAD-C3D	-2.06	106.89	112.63
2	A	806	HEC	CHD-C1D-ND	-2.06	121.83	124.37
2	A	809	HEC	C4A-C3A-C2A	-2.06	103.93	106.94
2	A	801[A]	HEC	CHD-C4C-C3C	-2.06	120.87	125.36
2	A	805	HEC	CAA-C2A-C1A	2.05	128.77	124.89
2	A	803	HEC	CAB-C3B-C2B	-2.05	124.02	127.53
2	A	808	HEC	CMA-C3A-C4A	2.05	128.33	124.71
2	A	808	HEC	C4A-NA-C1A	-2.05	103.34	105.35
2	A	806	HEC	CHC-C4B-C3B	-2.05	121.49	125.33
2	A	806	HEC	O2D-CGD-CBD	2.05	120.60	114.03
2	A	808	HEC	CAC-C3C-C2C	-2.04	123.59	126.86
2	A	806	HEC	CMD-C2D-C1D	2.04	128.15	125.04
2	A	810	HEC	CHD-C1D-C2D	-2.03	121.09	126.73
2	A	801[A]	HEC	C4A-C3A-C2A	-2.02	104.00	106.94
2	A	801[A]	HEC	CMA-C3A-C4A	2.01	128.25	124.71

All (11) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	801[A]	HEC	NA
2	A	801[B]	HEC	NA
2	A	802	HEC	NA
2	A	803	HEC	NA
2	A	804	HEC	NA
2	A	805	HEC	NA
2	A	806	HEC	NA
2	A	807	HEC	NA
2	A	808	HEC	NA
2	A	809	HEC	NA
2	A	810	HEC	NA

All (66) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	802	HEC	C2C-C3C-CAC-CBC
2	A	802	HEC	C4C-C3C-CAC-CBC
2	A	801[B]	HEC	C4C-C3C-CAC-CBC
2	A	801[B]	HEC	C2C-C3C-CAC-CBC
2	A	803	HEC	C2C-C3C-CAC-CBC
2	A	803	HEC	C4B-C3B-CAB-CBB
2	A	803	HEC	C4C-C3C-CAC-CBC
2	A	805	HEC	C2B-C3B-CAB-CBB
2	A	802	HEC	C2B-C3B-CAB-CBB
4	A	819	EDO	O1-C1-C2-O2
4	A	829[A]	EDO	O1-C1-C2-O2
4	A	829[B]	EDO	O1-C1-C2-O2
2	A	806	HEC	C4C-C3C-CAC-CBC
2	A	804	HEC	C4C-C3C-CAC-CBC
2	A	809	HEC	C4C-C3C-CAC-CBC
4	A	830	EDO	O1-C1-C2-O2
2	A	803	HEC	C2B-C3B-CAB-CBB
2	A	805	HEC	C4C-C3C-CAC-CBC
2	A	807	HEC	C4C-C3C-CAC-CBC
4	A	826	EDO	O1-C1-C2-O2
4	A	828	EDO	O1-C1-C2-O2
2	A	805	HEC	C4B-C3B-CAB-CBB
2	A	806	HEC	C2C-C3C-CAC-CBC
2	A	809	HEC	C2B-C3B-CAB-CBB
2	A	810	HEC	C4B-C3B-CAB-CBB
2	A	807	HEC	C2B-C3B-CAB-CBB
2	A	808	HEC	C2B-C3B-CAB-CBB
2	A	808	HEC	C4B-C3B-CAB-CBB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	809	HEC	C4B-C3B-CAB-CBB
2	A	801[B]	HEC	C3A-C2A-CAA-CBA
2	A	804	HEC	C2C-C3C-CAC-CBC
2	A	802	HEC	C4B-C3B-CAB-CBB
2	A	801[A]	HEC	C4C-C3C-CAC-CBC
2	A	801[B]	HEC	CAA-CBA-CGA-O1A
2	A	807	HEC	CAA-CBA-CGA-O2A
2	A	801[A]	HEC	CAA-CBA-CGA-O2A
2	A	801[A]	HEC	CAA-CBA-CGA-O1A
2	A	802	HEC	CAD-CBD-CGD-O2D
2	A	810	HEC	C4C-C3C-CAC-CBC
2	A	807	HEC	CAA-CBA-CGA-O1A
2	A	801[A]	HEC	C2B-C3B-CAB-CBB
2	A	801[B]	HEC	CAA-CBA-CGA-O2A
2	A	801[B]	HEC	C1A-C2A-CAA-CBA
2	A	802	HEC	CAD-CBD-CGD-O1D
4	A	822	EDO	O1-C1-C2-O2
2	A	808	HEC	CAA-CBA-CGA-O2A
2	A	809	HEC	CAD-CBD-CGD-O2D
2	A	809	HEC	C2C-C3C-CAC-CBC
2	A	807	HEC	CAD-CBD-CGD-O2D
2	A	810	HEC	C2B-C3B-CAB-CBB
2	A	807	HEC	C2C-C3C-CAC-CBC
2	A	804	HEC	CAD-CBD-CGD-O1D
2	A	806	HEC	CAD-CBD-CGD-O1D
2	A	808	HEC	CAD-CBD-CGD-O2D
2	A	804	HEC	C4B-C3B-CAB-CBB
2	A	808	HEC	C4C-C3C-CAC-CBC
2	A	809	HEC	CAD-CBD-CGD-O1D
2	A	804	HEC	CAD-CBD-CGD-O2D
2	A	807	HEC	CAD-CBD-CGD-O1D
2	A	808	HEC	CAD-CBD-CGD-O1D
2	A	806	HEC	CAD-CBD-CGD-O2D
2	A	808	HEC	CAA-CBA-CGA-O1A
2	A	805	HEC	CAD-CBD-CGD-O2D
2	A	809	HEC	C2A-CAA-CBA-CGA
2	A	807	HEC	C4B-C3B-CAB-CBB
2	A	805	HEC	CAD-CBD-CGD-O1D

There are no ring outliers.

8 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	823	ACT	2	0
4	A	826	EDO	2	0
2	A	801[B]	HEC	3	0
5	A	827	ACT	3	0
2	A	805	HEC	1	0
2	A	804	HEC	2	0
2	A	807	HEC	2	0
2	A	810	HEC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand HEC A 806



Ligand HEC A 801 (A)



Ligand HEC A 801 (B)



Bond lengths



Bond angles



Torsions



Rings

Ligand HEC A 808



Bond lengths



Bond angles



Torsions



Rings

Ligand HEC A 802



Bond lengths



Bond angles



Torsions



Rings

Ligand HEC A 805



Ligand HEC A 809



Bond lengths



Bond angles



Torsions



Rings

Ligand HEC A 804



Ligand HEC A 803



Bond lengths



Bond angles



Torsions



Rings

Ligand HEC A 807



Ligand HEC A 810



Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	627/671 (93%)	-0.29	12 (1%) 66 70	5, 16, 31, 57	13 (2%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	44	GLY	4.5
1	A	242	ASP	3.2
1	A	670	LYS	3.1
1	A	61	GLY	2.6
1	A	265	ASP	2.6
1	A	263	GLU	2.5
1	A	266	MET	2.5
1	A	59	GLU	2.4
1	A	45	SER	2.4
1	A	669	VAL	2.1
1	A	241	LYS	2.1
1	A	548	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
5	ACT	A	824	4/4	0.70	0.20	44,47,47,50	0
5	ACT	A	823	4/4	0.82	0.16	50,51,55,58	0
5	ACT	A	827	4/4	0.85	0.15	32,36,39,40	0
4	EDO	A	826	4/4	0.86	0.17	26,32,37,39	0
4	EDO	A	830	4/4	0.87	0.12	27,29,33,39	0
4	EDO	A	822	4/4	0.89	0.14	35,38,41,41	0
4	EDO	A	816	4/4	0.89	0.11	25,28,29,32	0
4	EDO	A	829[A]	4/4	0.89	0.19	44,49,50,51	4
4	EDO	A	829[B]	4/4	0.89	0.19	15,17,18,19	4
4	EDO	A	818	4/4	0.91	0.09	29,29,29,30	0
4	EDO	A	819	4/4	0.91	0.11	29,31,33,34	0
5	ACT	A	825	4/4	0.91	0.13	33,34,35,36	0
4	EDO	A	828	4/4	0.91	0.11	19,19,21,27	0
4	EDO	A	820	4/4	0.93	0.09	26,29,29,32	0
4	EDO	A	821	4/4	0.94	0.08	27,30,32,33	0
4	EDO	A	817	4/4	0.95	0.08	19,19,24,25	0
2	HEC	A	804	43/43	0.98	0.06	10,12,25,40	0
2	HEC	A	805	43/43	0.98	0.07	13,15,33,36	0
2	HEC	A	806	43/43	0.98	0.06	10,12,24,46	0
2	HEC	A	809	43/43	0.98	0.06	9,10,21,33	0
3	CA	A	815	1/1	0.98	0.10	31,31,31,31	0
2	HEC	A	801[A]	43/43	0.98	0.05	10,11,14,19	43
2	HEC	A	801[B]	43/43	0.98	0.05	9,10,11,12	43
2	HEC	A	803	43/43	0.99	0.04	8,9,10,11	0
2	HEC	A	810	43/43	0.99	0.05	10,11,16,20	0
3	CA	A	812	1/1	0.99	0.03	9,9,9,9	1
3	CA	A	814	1/1	0.99	0.05	10,10,10,10	1
2	HEC	A	802	43/43	0.99	0.05	9,11,15,19	0
2	HEC	A	807	43/43	0.99	0.05	11,12,22,36	0
2	HEC	A	808	43/43	0.99	0.04	8,10,12,12	0
3	CA	A	811	1/1	1.00	0.03	10,10,10,10	0
3	CA	A	813	1/1	1.00	0.03	15,15,15,15	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around HEC A 804:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEC A 805:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEC A 806:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around HEC A 809:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC A 801 (A):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around HEC A 801 (B):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around HEC A 803:

2mF$_o$-DF$_c$ (at 0.7 rmsd) in gray
mF$_o$-DF$_c$ (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around HEC A 810:

2mF$_o$-DF$_c$ (at 0.7 rmsd) in gray
mF$_o$-DF$_c$ (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around HEC A 802:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around HEC A 807:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC A 808:

2mF$_o$-DF$_c$ (at 0.7 rmsd) in gray
mF$_o$-DF$_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers (i)

There are no such residues in this entry.