



wwPDB EM Validation Summary Report ⓘ

Aug 25, 2026 – 12:43 am BST

PDB ID : 7R48 / pdb_00007r48
EMDB ID : EMD-14287
Title : Bovine complex I in the presence of IM1761092, deactive class iv (Composite map)
Authors : Bridges, H.R.; Blaza, J.N.; Yin, Z.; Chung, I.; Hirst, J.
Deposited on : 2022-02-08
Resolution : 2.30 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev133
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	4254 (1.80 - 2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	115	
2	B	216	
3	C	266	
4	D	463	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	249	
6	F	464	
7	G	727	
8	H	318	
9	I	212	
10	J	175	
11	K	98	
12	L	606	
13	M	459	
14	N	347	
15	O	343	
16	P	380	
17	Q	175	
18	R	124	
19	S	99	
20	T	156	
20	U	156	
21	V	116	
22	W	128	
23	X	172	
24	Y	141	
25	Z	144	
26	a	70	
27	b	84	
28	c	76	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	d	120	
30	e	106	
31	f	57	
32	g	154	
33	h	189	
34	i	127	
35	j	108	
36	k	98	
37	l	186	
38	m	129	
39	n	179	
40	o	136	
41	p	176	
42	q	145	
43	r	113	
44	s	109	

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 69247 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH-ubiquinone oxidoreductase chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	104	Total	C	N	O	S	0	0
			836	568	122	141	5		

- Molecule 2 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	156	Total	C	N	O	S	0	0
			1247	795	225	213	14		

- Molecule 3 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	206	Total	C	N	O	S	0	0
			1714	1107	295	309	3		

- Molecule 4 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	419	Total	C	N	O	S	0	0
			3373	2156	579	613	25		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	129	ARG	GLN	variant	UNP P17694

- Molecule 5 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	213	Total	C	N	O	S	0	0
			1655	1057	277	311	10		

- Molecule 6 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	431	Total	C	N	O	S	0	0
			3319	2091	593	615	20		

- Molecule 7 is a protein called NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	688	Total	C	N	O	S	0	0
			5279	3307	920	1013	39		

- Molecule 8 is a protein called NADH-ubiquinone oxidoreductase chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	311	Total	C	N	O	S	0	0
			2457	1648	377	409	23		

- Molecule 9 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	176	Total	C	N	O	S	0	0
			1414	889	243	270	12		

- Molecule 10 is a protein called NADH-ubiquinone oxidoreductase chain 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	174	Total	C	N	O	S	0	0
			1337	902	189	234	12		

- Molecule 11 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	98	Total	C	N	O	S	0	0
			745	486	112	131	16		

- Molecule 12 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	606	Total	C	N	O	S	0	0
			4786	3184	735	824	43		

- Molecule 13 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	459	Total	C	N	O	S	0	0
			3654	2436	570	609	39		

- Molecule 14 is a protein called NADH-ubiquinone oxidoreductase chain 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	347	Total	C	N	O	S	0	0
			2733	1817	416	457	43		

- Molecule 15 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	320	Total	C	N	O	S	0	0
			2589	1662	429	488	10		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
O	255	LYS	ASN	variant	UNP P34942

- Molecule 16 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	295	Total	C	N	O	S	0	0
			2353	1507	424	417	5		

- Molecule 17 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	125	Total	C	N	O	S	0	0
			1016	641	181	191	3		

- Molecule 18 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	95	Total	C	N	O	S	0	0
			730	448	137	142	3		

- Molecule 19 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex sub-unit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	86	Total	C	N	O	S	0	0
			691	434	129	126	2		

- Molecule 20 is a protein called Acyl carrier protein, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	76	Total	C	N	O	S	0	0
			612	393	90	124	5		
20	U	84	Total	C	N	O	S	0	0
			681	439	100	137	5		

- Molecule 21 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex sub-unit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	V	114	Total	C	N	O	S	0	0
			923	597	156	167	3		

- Molecule 22 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex sub-unit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	W	114	Total	C	N	O	S	0	0
			971	622	180	165	4		

- Molecule 23 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex sub-unit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	X	171	Total	C	N	O	S	0	0
			1402	887	253	252	10		

- Molecule 24 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex sub-unit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Y	140	Total	C	N	O	S	0	0
			1030	657	176	191	6		

- Molecule 25 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Z	141	Total	C	N	O	S	0	0
			1152	740	201	202	9		

- Molecule 26 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	a	69	Total	C	N	O	S	0	0
			561	361	103	92	5		

- Molecule 27 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	b	83	Total	C	N	O	S	0	0
			651	425	109	115	2		

- Molecule 28 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	c	48	Total	C	N	O	0	0
			405	268	69	68		

- Molecule 29 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	d	112	Total	C	N	O	S	0	0
			934	613	157	161	3		

- Molecule 30 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	e	95	Total	C	N	O	S	0	0
			799	506	150	137	6		

- Molecule 31 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	f	51	Total	C	N	O	S	0	0
			444	291	78	74	1		

- Molecule 32 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	g	98	Total	C	N	O	S	0	0
			824	529	137	154	4		

- Molecule 33 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	h	138	Total	C	N	O	S	0	0
			1154	759	196	197	2		

- Molecule 34 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	i	104	Total	C	N	O	S	0	0
			892	588	151	152	1		

- Molecule 35 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	j	67	Total	C	N	O	S	0	0
			580	381	95	103	1		

- Molecule 36 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	k	79	Total	C	N	O	S	0	0
			638	418	107	111	2		

- Molecule 37 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	l	155	Total	C	N	O	S	0	0
			1304	844	213	239	8		

- Molecule 38 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	m	126	Total	C	N	O	S	0	0
			1050	672	186	192			

- Molecule 39 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	n	171	Total	C	N	O	S	0	0
			1487	952	272	256	7		

- Molecule 40 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	o	120	Total	C	N	O	S	0	0
			1035	645	199	183	8		

- Molecule 41 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	p	170	Total	C	N	O	S	0	0
			1435	900	265	262	8		

- Molecule 42 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	q	145	Total	C	N	O	S	0	0
			1209	778	216	210	5		


- Molecule 43 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	r	94	Total	C	N	O	S	0	0
			767	485	143	136	3		

- Molecule 44 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	s	44	Total	C	N	O	S	0	0
			371	233	66	71	1		

- Molecule 45 is DODECYL-BETA-D-MALTOSE (CCD ID: LMT) (formula: C₂₄H₄₆O₁₁).




Mol	Chain	Residues	Atoms			AltConf
45	A	1	Total	C	O	0
			35	24	11	
45	A	1	Total	C	O	0
			35	24	11	
45	B	1	Total	C	O	0
			35	24	11	
45	J	1	Total	C	O	0
			35	24	11	
45	L	1	Total	C	O	0
			35	24	11	
45	M	1	Total	C	O	0
			35	24	11	
45	M	1	Total	C	O	0
			35	24	11	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
45	M	1	Total	C	O	0
			35	24	11	
45	N	1	Total	C	O	0
			35	24	11	
45	Y	1	Total	C	O	0
			35	24	11	
45	f	1	Total	C	O	0
			35	24	11	
45	h	1	Total	C	O	0
			35	24	11	
45	k	1	Total	C	O	0
			35	24	11	
45	l	1	Total	C	O	0
			35	24	11	
45	m	1	Total	C	O	0
			35	24	11	

- Molecule 46 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (CCD ID: 3PE) (formula: $C_{41}H_{82}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
46	A	1	Total	C	N	O	P	0
			48	38	1	8	1	
46	H	1	Total	C	N	O	P	0
			44	34	1	8	1	
46	H	1	Total	C	N	O	P	0
			34	24	1	8	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
46	I	1	Total	C	N	O	P	0
			51	41	1	8	1	
46	L	1	Total	C	N	O	P	0
			49	39	1	8	1	
46	L	1	Total	C	N	O	P	0
			45	35	1	8	1	
46	L	1	Total	C	N	O	P	0
			29	19	1	8	1	
46	M	1	Total	C	N	O	P	0
			46	36	1	8	1	
46	M	1	Total	C	N	O	P	0
			51	41	1	8	1	
46	N	1	Total	C	N	O	P	0
			41	31	1	8	1	
46	Y	1	Total	C	N	O	P	0
			35	25	1	8	1	
46	d	1	Total	C	N	O	P	0
			47	37	1	8	1	
46	m	1	Total	C	N	O	P	0
			41	31	1	8	1	

- Molecule 47 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).




Mol	Chain	Residues	Atoms			AltConf
47	B	1	Total	Fe	S	0
			8	4	4	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
47	F	1	Total	Fe	S	0
			8	4	4	
47	G	1	Total	Fe	S	0
			8	4	4	
47	G	1	Total	Fe	S	0
			8	4	4	
47	I	1	Total	Fe	S	0
			8	4	4	
47	I	1	Total	Fe	S	0
			8	4	4	

- Molecule 48 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PC1) (formula: $C_{44}H_{88}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
48	B	1	Total	C	N	O	P	0
			35	25	1	8	1	
48	g	1	Total	C	N	O	P	0
			49	39	1	8	1	

- Molecule 49 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe_2S_2).



Mol	Chain	Residues	Atoms			AltConf
49	E	1	Total	Fe	S	0
			4	2	2	
49	G	1	Total	Fe	S	0
			4	2	2	

- Molecule 50 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: C₁₇H₂₁N₄O₉P).




Mol	Chain	Residues	Atoms					AltConf
50	F	1	Total	C	N	O	P	0
			31	17	4	9	1	

- Molecule 51 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms		AltConf
51	G	1	Total	K	0
			1	1	

- Molecule 52 is 1-carbamimidoyl-3-[2-(3-chloranyl-4-iodanyl-phenyl)ethyl]guanidine (CCD ID: I49) (formula: $C_{10}H_{13}ClIN_5$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
52	H	1	Total	C	Cl	I	N	0
			17	10	1	1	5	
52	N	1	Total	C	Cl	I	N	0
			17	10	1	1	5	

- Molecule 53 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).



Mol	Chain	Residues	Atoms				AltConf
53	J	1	Total	C	O	P	0
			71	52	17	2	
53	L	1	Total	C	O	P	0
			69	50	17	2	
53	N	1	Total	C	O	P	0
			65	46	17	2	
53	d	1	Total	C	O	P	0
			73	54	17	2	
53	h	1	Total	C	O	P	0
			67	48	17	2	
53	q	1	Total	C	O	P	0
			76	57	17	2	

- Molecule 54 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).




Mol	Chain	Residues	Atoms					AltConf
54	O	1	Total 32	C 10	N 5	O 14	P 3	0

- Molecule 55 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
55	O	1	Total Mg 1 1	0

- Molecule 56 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: $\text{C}_{21}\text{H}_{30}\text{N}_7\text{O}_{17}\text{P}_3$).




Mol	Chain	Residues	Atoms					AltConf
56	P	1	Total	C	N	O	P	0
			48	21	7	17	3	

- Molecule 57 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
57	R	1	Total	Zn	0
			1	1	

- Molecule 58 is {S}-[2-[3-[(2 {R})-3,3-dimethyl-2-oxidanyl-4-phosphonooxy-butanoyl]amino]propanoylamino]ethyl] (3 {S})-3-oxidanyltetradecanethioate (CCD ID: EHZ) (formula: C₂₅H₄₉N₂O₉PS).



Mol	Chain	Residues	Atoms						AltConf
58	T	1	Total	C	N	O	P	S	0
			37	25	2	8	1	1	
58	U	1	Total	C	N	O	P	S	0
			37	25	2	8	1	1	

- Molecule 59 is MYRISTIC ACID (CCD ID: MYR) (formula: C₁₄H₂₈O₂).



Mol	Chain	Residues	Atoms			AltConf
59	o	1	Total	C	O	0
			15	14	1	

- Molecule 60 is water.

Mol	Chain	Residues	Atoms		AltConf
60	A	15	Total	O	0
			15	15	
60	B	63	Total	O	0
			63	63	
60	C	113	Total	O	0
			113	113	
60	D	184	Total	O	0
			184	184	
60	E	38	Total	O	0
			38	38	
60	F	92	Total	O	0
			92	92	
60	G	248	Total	O	0
			248	248	
60	H	61	Total	O	0
			61	61	
60	I	111	Total	O	0
			111	111	
60	J	20	Total	O	0
			20	20	
60	K	14	Total	O	0
			14	14	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
60	L	100	Total 100	O 100	0
60	M	110	Total 110	O 110	0
60	N	61	Total 61	O 61	0
60	O	36	Total 36	O 36	0
60	P	67	Total 67	O 67	0
60	Q	98	Total 98	O 98	0
60	R	53	Total 53	O 53	0
60	S	3	Total 3	O 3	0
60	T	2	Total 2	O 2	0
60	U	22	Total 22	O 22	0
60	V	20	Total 20	O 20	0
60	W	26	Total 26	O 26	0
60	X	44	Total 44	O 44	0
60	Y	3	Total 3	O 3	0
60	Z	30	Total 30	O 30	0
60	a	22	Total 22	O 22	0
60	b	13	Total 13	O 13	0
60	d	16	Total 16	O 16	0
60	e	30	Total 30	O 30	0
60	f	10	Total 10	O 10	0
60	g	30	Total 30	O 30	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
60	h	34	Total 34	O 34	0
60	i	19	Total 19	O 19	0
60	j	4	Total 4	O 4	0
60	k	17	Total 17	O 17	0
60	l	42	Total 42	O 42	0
60	m	26	Total 26	O 26	0
60	n	52	Total 52	O 52	0
60	o	35	Total 35	O 35	0
60	p	55	Total 55	O 55	0
60	q	41	Total 41	O 41	0
60	r	34	Total 34	O 34	0
60	s	10	Total 10	O 10	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADH-ubiquinone oxidoreductase chain 3




- Molecule 2: NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial



- Molecule 3: NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial




- Molecule 4: NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial




- Molecule 5: NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial

Chain E:  79% 7% 14%




- Molecule 6: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial

Chain F:  87% 6% 7%




- Molecule 7: NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial

Chain G:  87% 8% 5%




- Molecule 8: NADH-ubiquinone oxidoreductase chain 1

Chain H:  5% 86% 11%




- Molecule 9: NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial

Chain I:  81% 17%




- Molecule 10: NADH-ubiquinone oxidoreductase chain 6

Chain J:  9% 83% 16%




- Molecule 11: NADH-ubiquinone oxidoreductase chain 4L

Chain K:  92% 8%




- Molecule 12: NADH-ubiquinone oxidoreductase chain 5

Chain L:  90% 9%




- Molecule 13: NADH-ubiquinone oxidoreductase chain 4

Chain M:  89% 11%




- Molecule 14: NADH-ubiquinone oxidoreductase chain 2

Chain N:  90% 10%




- Molecule 15: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial

Chain O:  84% 8% 7%



- Molecule 16: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 9, mitochondrial

Chain P:  72% 6% 22%




- Molecule 17: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial

Chain Q:  66% 6% 29%





- Molecule 18: NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial


Chain R:  73% 23%




- Molecule 19: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2




- Molecule 20: Acyl carrier protein, mitochondrial





- Molecule 20: Acyl carrier protein, mitochondrial



- Molecule 21: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5




- Molecule 22: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6





- Molecule 23: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8







- Molecule 24: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11




- Molecule 25: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13




- Molecule 26: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1




- Molecule 27: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3




- Molecule 28: NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial





- Molecule 29: NADH dehydrogenase [ubiquinone] 1 subunit C2







- Molecule 30: NADH dehydrogenase [ubiquinone] iron-sulfur protein 5




- Molecule 31: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1





- Molecule 32: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial



- Molecule 33: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial




- Molecule 34: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6



- Molecule 35: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial

Chain j:  61% 38%




- Molecule 36: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3

Chain k:  74% 5% 19%



- Molecule 37: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial

Chain l:  79% 17%




- Molecule 38: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4

Chain m:  90% 8%




- Molecule 39: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9

Chain n:  87% 8%




- Molecule 40: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7

Chain o:  84% 12%





- Molecule 41: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10




- Molecule 42: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12



- Molecule 43: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7



- Molecule 44: NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	111066	Depositor
Resolution determination method	OTHER	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	44.750	Depositor
Minimum map value	-19.725	Depositor
Average map value	0.010	Depositor
Map value standard deviation	1.076	Depositor
Recommended contour level	6.5	Depositor
Map size ($\text{\AA}$)	482.46, 482.46, 482.46	wwPDB
Map dimensions	660, 660, 660	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.731, 0.731, 0.731	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, GTP, LMT, 2MR, SAC, CDL, MYR, K, MG, FMN, EHZ, PC1, FME, NDP, AYA, I49, SF4, FES, 3PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/846	0.30	0/1156
2	B	0.28	0/1278	0.36	0/1728
3	C	0.27	0/1765	0.34	0/2403
4	D	0.27	0/3446	0.34	0/4666
5	E	0.25	0/1695	0.30	0/2307
6	F	0.25	0/3393	0.30	0/4584
7	G	0.26	0/5367	0.33	0/7274
8	H	0.27	0/2517	0.35	0/3438
9	I	0.28	0/1445	0.36	0/1956
10	J	0.23	0/1362	0.30	0/1848
11	K	0.23	0/745	0.27	0/1008
12	L	0.28	0/4903	0.30	0/6672
13	M	0.28	0/3738	0.31	0/5097
14	N	0.26	0/2792	0.32	0/3800
15	O	0.25	0/2651	0.29	0/3587
16	P	0.24	0/2406	0.32	0/3252
17	Q	0.26	0/1039	0.32	0/1404
18	R	0.27	0/742	0.32	0/999
19	S	0.23	0/702	0.32	0/945
20	T	0.19	0/621	0.31	0/837
20	U	0.30	0/692	0.29	0/932
21	V	0.23	0/943	0.28	0/1277
22	W	0.24	0/995	0.29	0/1337
23	X	0.25	0/1439	0.31	0/1942
24	Y	0.17	0/1042	0.27	0/1414
25	Z	0.24	0/1181	0.29	0/1592
26	a	0.27	0/576	0.31	0/775
27	b	0.23	0/672	0.30	0/923
28	c	0.22	0/418	0.26	0/567
29	d	0.25	0/964	0.30	0/1305
30	e	0.23	0/818	0.33	0/1093

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
31	f	0.24	0/457	0.34	0/616
32	g	0.26	0/850	0.29	0/1154
33	h	0.27	0/1188	0.30	0/1607
34	i	0.29	0/912	0.33	0/1241
35	j	0.28	0/607	0.27	0/833
36	k	0.27	0/657	0.28	0/887
37	l	0.30	0/1358	0.31	0/1858
38	m	0.30	0/1076	0.32	0/1455
39	n	0.29	0/1540	0.31	0/2085
40	o	0.31	0/1060	0.33	0/1420
41	p	0.29	0/1468	0.31	0/1979
42	q	0.23	0/1250	0.32	0/1698
43	r	0.24	0/780	0.33	0/1056
44	s	0.23	0/383	0.27	0/518
All	All	0.26	0/66779	0.31	0/90525

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	D	0	2
34	i	0	1
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	D	275	TYR	Peptide
4	D	85	2MR	Mainchain
34	i	1	SAC	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	836	0	880	16	0
2	B	1247	0	1256	3	0
3	C	1714	0	1668	4	0
4	D	3373	0	3316	10	0
5	E	1655	0	1661	10	0
6	F	3319	0	3274	18	0
7	G	5279	0	5301	37	0
8	H	2457	0	2573	26	0
9	I	1414	0	1370	4	0
10	J	1337	0	1346	23	0
11	K	745	0	785	7	0
12	L	4786	0	4933	37	0
13	M	3654	0	3852	34	0
14	N	2733	0	2912	24	0
15	O	2589	0	2566	17	0
16	P	2353	0	2384	12	0
17	Q	1016	0	1014	5	0
18	R	730	0	707	2	0
19	S	691	0	706	4	0
20	T	612	0	604	7	0
20	U	681	0	677	6	0
21	V	923	0	964	2	0
22	W	971	0	989	4	0
23	X	1402	0	1383	6	0
24	Y	1030	0	1041	4	0
25	Z	1152	0	1151	6	0
26	a	561	0	564	9	0
27	b	651	0	662	1	0
28	c	405	0	409	2	0
29	d	934	0	919	7	0
30	e	799	0	807	4	0
31	f	444	0	444	2	0
32	g	824	0	772	4	0
33	h	1154	0	1168	6	0
34	i	892	0	911	3	0
35	j	580	0	519	1	0
36	k	638	0	621	5	0
37	l	1304	0	1203	6	0
38	m	1050	0	1051	8	0
39	n	1487	0	1433	8	0
40	o	1035	0	1002	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
41	p	1435	0	1411	8	0
42	q	1209	0	1182	4	0
43	r	767	0	776	1	0
44	s	371	0	344	0	0
45	A	70	0	92	1	0
45	B	35	0	46	0	0
45	J	35	0	46	1	0
45	L	35	0	46	0	0
45	M	105	0	138	3	0
45	N	35	0	46	0	0
45	Y	35	0	46	0	0
45	f	35	0	46	0	0
45	h	35	0	46	0	0
45	k	35	0	46	1	0
45	l	35	0	46	0	0
45	m	35	0	46	0	0
46	A	48	0	73	0	0
46	H	78	0	112	0	0
46	I	51	0	82	0	0
46	L	123	0	174	1	0
46	M	97	0	151	2	0
46	N	41	0	56	0	0
46	Y	35	0	44	0	0
46	d	47	0	71	1	0
46	m	41	0	59	4	0
47	B	8	0	0	0	0
47	F	8	0	0	0	0
47	G	16	0	0	0	0
47	I	16	0	0	0	0
48	B	35	0	44	0	0
48	g	49	0	75	2	0
49	E	4	0	0	0	0
49	G	4	0	0	0	0
50	F	31	0	19	0	0
51	G	1	0	0	0	0
52	H	17	0	0	1	0
52	N	17	0	0	3	0
53	J	71	0	86	0	0
53	L	69	0	82	0	0
53	N	65	0	77	0	0
53	d	73	0	90	1	0
53	h	67	0	81	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
53	q	76	0	96	0	0
54	O	32	0	12	2	0
55	O	1	0	0	0	0
56	P	48	0	26	3	0
57	R	1	0	0	0	0
58	T	37	0	0	0	0
58	U	37	0	0	0	0
59	o	15	0	27	1	0
60	A	15	0	0	0	0
60	B	63	0	0	0	0
60	C	113	0	0	0	0
60	D	184	0	0	2	0
60	E	38	0	0	1	0
60	F	92	0	0	3	0
60	G	248	0	0	10	0
60	H	61	0	0	0	0
60	I	111	0	0	1	0
60	J	20	0	0	0	0
60	K	14	0	0	0	0
60	L	100	0	0	2	0
60	M	110	0	0	4	0
60	N	61	0	0	1	0
60	O	36	0	0	1	0
60	P	67	0	0	0	0
60	Q	98	0	0	0	0
60	R	53	0	0	1	0
60	S	3	0	0	0	0
60	T	2	0	0	0	0
60	U	22	0	0	1	0
60	V	20	0	0	0	0
60	W	26	0	0	0	0
60	X	44	0	0	0	0
60	Y	3	0	0	0	0
60	Z	30	0	0	0	0
60	a	22	0	0	1	0
60	b	13	0	0	0	0
60	d	16	0	0	0	0
60	e	30	0	0	1	0
60	f	10	0	0	0	0
60	g	30	0	0	3	0
60	h	34	0	0	0	0
60	i	19	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
60	j	4	0	0	0	0
60	k	17	0	0	1	0
60	l	42	0	0	0	0
60	m	26	0	0	1	0
60	n	52	0	0	1	0
60	o	35	0	0	1	0
60	p	55	0	0	1	0
60	q	41	0	0	0	0
60	r	34	0	0	0	0
60	s	10	0	0	0	0
All	All	69247	0	67738	353	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 353 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:43:MET:HE1	14:N:72:MET:HE1	1.54	0.89
10:J:25:SER:OG	10:J:77:GLU:OE1	1.92	0.85
37:l:30:ARG:NH2	38:m:34:GLU:OE1	2.10	0.85
37:l:40:ASP:OD2	37:l:42:THR:OG1	1.96	0.83
20:T:29:LYS:O	20:T:29:LYS:NZ	2.11	0.82

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	100/115 (87%)	98 (98%)	2 (2%)	0	100	100
2	B	154/216 (71%)	149 (97%)	5 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	204/266 (77%)	198 (97%)	6 (3%)	0	100	100
4	D	412/463 (89%)	400 (97%)	11 (3%)	1 (0%)	43	55
5	E	211/249 (85%)	207 (98%)	4 (2%)	0	100	100
6	F	429/464 (92%)	422 (98%)	7 (2%)	0	100	100
7	G	686/727 (94%)	672 (98%)	14 (2%)	0	100	100
8	H	307/318 (96%)	294 (96%)	13 (4%)	0	100	100
9	I	174/212 (82%)	171 (98%)	3 (2%)	0	100	100
10	J	172/175 (98%)	162 (94%)	10 (6%)	0	100	100
11	K	96/98 (98%)	95 (99%)	1 (1%)	0	100	100
12	L	604/606 (100%)	583 (96%)	20 (3%)	1 (0%)	43	55
13	M	457/459 (100%)	451 (99%)	6 (1%)	0	100	100
14	N	345/347 (99%)	341 (99%)	4 (1%)	0	100	100
15	O	318/343 (93%)	314 (99%)	4 (1%)	0	100	100
16	P	287/380 (76%)	283 (99%)	4 (1%)	0	100	100
17	Q	123/175 (70%)	123 (100%)	0	0	100	100
18	R	93/124 (75%)	91 (98%)	2 (2%)	0	100	100
19	S	84/99 (85%)	80 (95%)	4 (5%)	0	100	100
20	T	74/156 (47%)	73 (99%)	1 (1%)	0	100	100
20	U	82/156 (53%)	81 (99%)	1 (1%)	0	100	100
21	V	112/116 (97%)	110 (98%)	2 (2%)	0	100	100
22	W	112/128 (88%)	110 (98%)	2 (2%)	0	100	100
23	X	169/172 (98%)	165 (98%)	4 (2%)	0	100	100
24	Y	138/141 (98%)	134 (97%)	4 (3%)	0	100	100
25	Z	139/144 (96%)	135 (97%)	4 (3%)	0	100	100
26	a	67/70 (96%)	67 (100%)	0	0	100	100
27	b	81/84 (96%)	79 (98%)	2 (2%)	0	100	100
28	c	46/76 (60%)	46 (100%)	0	0	100	100
29	d	110/120 (92%)	110 (100%)	0	0	100	100
30	e	93/106 (88%)	91 (98%)	2 (2%)	0	100	100
31	f	49/57 (86%)	49 (100%)	0	0	100	100
32	g	96/154 (62%)	93 (97%)	3 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
33	h	136/189 (72%)	136 (100%)	0	0	100	100
34	i	100/127 (79%)	97 (97%)	3 (3%)	0	100	100
35	j	65/108 (60%)	65 (100%)	0	0	100	100
36	k	77/98 (79%)	77 (100%)	0	0	100	100
37	l	153/186 (82%)	147 (96%)	6 (4%)	0	100	100
38	m	124/129 (96%)	122 (98%)	2 (2%)	0	100	100
39	n	169/179 (94%)	165 (98%)	4 (2%)	0	100	100
40	o	118/136 (87%)	113 (96%)	5 (4%)	0	100	100
41	p	168/176 (96%)	167 (99%)	1 (1%)	0	100	100
42	q	143/145 (99%)	142 (99%)	1 (1%)	0	100	100
43	r	90/113 (80%)	88 (98%)	2 (2%)	0	100	100
44	s	42/109 (38%)	42 (100%)	0	0	100	100
All	All	8009/9211 (87%)	7838 (98%)	169 (2%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
12	L	562	LEU
4	D	80	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	90/100 (90%)	88 (98%)	2 (2%)	45	65
2	B	132/175 (75%)	127 (96%)	5 (4%)	29	44
3	C	187/228 (82%)	187 (100%)	0	100	100
4	D	360/392 (92%)	357 (99%)	3 (1%)	73	86
5	E	183/205 (89%)	182 (100%)	1 (0%)	81	90
6	F	345/368 (94%)	343 (99%)	2 (1%)	78	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	G	578/608 (95%)	568 (98%)	10 (2%)	53	72
8	H	268/274 (98%)	264 (98%)	4 (2%)	57	75
9	I	151/175 (86%)	151 (100%)	0	100	100
10	J	140/141 (99%)	139 (99%)	1 (1%)	76	87
11	K	85/85 (100%)	84 (99%)	1 (1%)	63	79
12	L	529/533 (99%)	525 (99%)	4 (1%)	73	86
13	M	412/412 (100%)	410 (100%)	2 (0%)	81	90
14	N	315/315 (100%)	314 (100%)	1 (0%)	86	93
15	O	283/303 (93%)	278 (98%)	5 (2%)	51	70
16	P	254/327 (78%)	250 (98%)	4 (2%)	55	73
17	Q	112/153 (73%)	109 (97%)	3 (3%)	39	58
18	R	78/97 (80%)	76 (97%)	2 (3%)	40	59
19	S	76/82 (93%)	74 (97%)	2 (3%)	40	59
20	T	70/135 (52%)	67 (96%)	3 (4%)	26	39
20	U	78/135 (58%)	78 (100%)	0	100	100
21	V	101/102 (99%)	101 (100%)	0	100	100
22	W	107/114 (94%)	106 (99%)	1 (1%)	70	84
23	X	154/155 (99%)	149 (97%)	5 (3%)	34	51
24	Y	101/102 (99%)	96 (95%)	5 (5%)	22	33
25	Z	120/121 (99%)	119 (99%)	1 (1%)	73	86
26	a	58/59 (98%)	57 (98%)	1 (2%)	53	72
27	b	71/72 (99%)	68 (96%)	3 (4%)	26	40
28	c	44/68 (65%)	44 (100%)	0	100	100
29	d	100/105 (95%)	100 (100%)	0	100	100
30	e	86/96 (90%)	85 (99%)	1 (1%)	63	79
31	f	48/54 (89%)	48 (100%)	0	100	100
32	g	89/131 (68%)	88 (99%)	1 (1%)	65	81
33	h	121/158 (77%)	121 (100%)	0	100	100
34	i	99/120 (82%)	99 (100%)	0	100	100
35	j	61/84 (73%)	61 (100%)	0	100	100
36	k	61/76 (80%)	60 (98%)	1 (2%)	55	73

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	l	139/159 (87%)	139 (100%)	0	100	100
38	m	112/115 (97%)	110 (98%)	2 (2%)	51	70
39	n	156/161 (97%)	153 (98%)	3 (2%)	50	69
40	o	109/119 (92%)	107 (98%)	2 (2%)	51	70
41	p	154/157 (98%)	152 (99%)	2 (1%)	61	77
42	q	131/131 (100%)	128 (98%)	3 (2%)	44	63
43	r	84/97 (87%)	83 (99%)	1 (1%)	63	79
44	s	43/92 (47%)	42 (98%)	1 (2%)	44	63
All	All	7075/7891 (90%)	6987 (99%)	88 (1%)	61	79

5 of 88 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
23	X	17	VAL
30	e	18	THR
23	X	132	THR
24	Y	114	CYS
38	m	23	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 59 such sidechains are listed below:

Mol	Chain	Res	Type
14	N	268	GLN
41	p	122	GLN
20	T	33	ASN
41	p	120	HIS
38	m	125	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

11 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	FME	A	1	1	8,9,10	0.99	0	7,9,11	0.87	0
8	FME	H	1	8	8,9,10	0.97	0	7,9,11	0.83	0
34	SAC	i	1	34	7,8,9	1.86	1 (14%)	8,9,11	1.63	1 (12%)
24	AYA	Y	1	24	6,7,8	1.83	2 (33%)	5,8,10	1.25	1 (20%)
4	2MR	D	85	4	10,12,13	2.65	3 (30%)	5,13,15	1.30	1 (20%)
10	FME	J	1	10	8,9,10	0.94	0	7,9,11	0.86	0
12	FME	L	1	12	8,9,10	0.98	1 (12%)	7,9,11	0.94	0
14	FME	N	1	14	8,9,10	0.99	0	7,9,11	0.80	0
43	AYA	r	1	43	6,7,8	1.80	2 (33%)	5,8,10	1.24	1 (20%)
13	FME	M	1	13	8,9,10	1.01	1 (12%)	7,9,11	1.01	1 (14%)
11	FME	K	1	11	8,9,10	0.90	0	7,9,11	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	FME	A	1	1	-	3/7/9/11	-
8	FME	H	1	8	-	2/7/9/11	-
34	SAC	i	1	34	-	3/7/8/10	-
24	AYA	Y	1	24	-	0/4/6/8	-
4	2MR	D	85	4	-	0/10/13/15	-
10	FME	J	1	10	-	2/7/9/11	-
12	FME	L	1	12	-	1/7/9/11	-
14	FME	N	1	14	-	2/7/9/11	-
43	AYA	r	1	43	-	0/4/6/8	-
13	FME	M	1	13	-	0/7/9/11	-
11	FME	K	1	11	-	1/7/9/11	-

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	85	2MR	CZ-NH2	5.03	1.44	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	85	2MR	CZ-NE	4.67	1.44	1.34
34	i	1	SAC	O-C	4.20	1.36	1.19
4	D	85	2MR	O-C	3.84	1.35	1.19
24	Y	1	AYA	CT-N	3.27	1.45	1.34

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	i	1	SAC	O-C-CA	-3.78	114.88	124.78
4	D	85	2MR	NE-CZ-NH2	-2.62	117.08	119.48
24	Y	1	AYA	CM-CT-N	2.29	119.97	116.10
43	r	1	AYA	CM-CT-N	2.19	119.81	116.10
13	M	1	FME	C-CA-N	2.12	113.55	109.73

There are no chirality outliers.

5 of 14 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1	FME	N-CA-CB-CG
1	A	1	FME	C-CA-CB-CG
1	A	1	FME	O-C-CA-CB
10	J	1	FME	N-CA-CB-CG
14	N	1	FME	O1-CN-N-CA

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	J	1	FME	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 55 ligands modelled in this entry, 3 are monoatomic - leaving 52 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
53	CDL	N	503	-	64,64,99	1.08	8 (12%)	70,76,111	1.14	5 (7%)
53	CDL	J	202	-	70,70,99	1.03	8 (11%)	76,82,111	1.03	4 (5%)
45	LMT	M	605	-	36,36,36	1.24	4 (11%)	47,47,47	1.00	2 (4%)
45	LMT	A	301	-	36,36,36	1.20	2 (5%)	47,47,47	0.94	1 (2%)
56	NDP	P	501	-	49,52,52	2.06	7 (14%)	66,80,80	1.58	13 (19%)
47	SF4	G	801	7	0,12,12	-	-	-	-	-
53	CDL	h	1001	-	66,66,99	1.05	7 (10%)	72,78,111	1.23	4 (5%)
45	LMT	l	201	-	36,36,36	1.21	3 (8%)	47,47,47	0.90	0
50	FMN	F	501	-	33,33,33	1.11	2 (6%)	48,50,50	1.25	6 (12%)
46	3PE	L	704	-	44,44,50	0.91	3 (6%)	47,49,55	1.12	2 (4%)
53	CDL	L	703	-	68,68,99	1.03	6 (8%)	74,80,111	1.10	4 (5%)
45	LMT	m	201	-	36,36,36	1.24	3 (8%)	47,47,47	1.31	5 (10%)
46	3PE	H	401	-	43,43,50	0.91	4 (9%)	46,48,55	1.11	2 (4%)
45	LMT	B	202	-	36,36,36	1.18	2 (5%)	47,47,47	0.82	0
46	3PE	d	1201	-	46,46,50	0.90	4 (8%)	49,51,55	1.12	2 (4%)
46	3PE	m	202	-	40,40,50	0.96	4 (10%)	43,45,55	1.12	2 (4%)
48	PC1	B	203	-	34,34,53	1.15	4 (11%)	40,42,61	1.18	2 (5%)
46	3PE	H	402	-	33,33,50	1.37	4 (12%)	34,37,55	1.11	2 (5%)
45	LMT	M	603	-	36,36,36	1.16	2 (5%)	47,47,47	1.30	4 (8%)
45	LMT	f	1801	-	36,36,36	1.15	3 (8%)	47,47,47	1.14	5 (10%)
45	LMT	M	602	-	36,36,36	1.18	2 (5%)	47,47,47	0.94	0
47	SF4	I	203	9	0,12,12	-	-	-	-	-
46	3PE	A	302	-	47,47,50	0.87	4 (8%)	50,52,55	1.09	2 (4%)
58	EHZ	T	101	20	29,36,37	1.64	4 (13%)	35,44,47	1.32	4 (11%)
46	3PE	M	601	-	45,45,50	0.89	4 (8%)	48,50,55	1.15	2 (4%)
48	PC1	g	1501	-	48,48,53	1.00	3 (6%)	54,56,61	0.98	2 (3%)
54	GTP	O	401	55	30,34,34	3.04	11 (36%)	46,54,54	2.00	16 (34%)
53	CDL	d	1202	-	72,72,99	1.02	7 (9%)	78,84,111	1.22	5 (6%)
46	3PE	L	705	-	28,28,50	1.12	4 (14%)	31,33,55	1.20	2 (6%)
52	I49	H	403	-	15,17,17	1.55	2 (13%)	21,22,22	2.21	6 (28%)
45	LMT	A	303	-	36,36,36	1.19	3 (8%)	47,47,47	1.05	3 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
46	3PE	L	701	-	48,48,50	0.89	2 (4%)	51,53,55	1.00	2 (3%)
49	FES	G	803	7	0,4,4	-	-	-		
49	FES	E	301	5	0,4,4	-	-	-		
46	3PE	Y	401	-	34,34,50	1.04	3 (8%)	37,39,55	1.07	2 (5%)
45	LMT	Y	402	-	36,36,36	1.18	3 (8%)	47,47,47	1.01	0
46	3PE	I	201	-	50,50,50	0.87	4 (8%)	53,55,55	0.95	2 (3%)
46	3PE	M	604	-	50,50,50	0.87	3 (6%)	53,55,55	1.14	2 (3%)
47	SF4	B	201	2	0,12,12	-	-	-		
53	CDL	q	201	-	75,75,99	0.99	8 (10%)	81,87,111	1.07	4 (4%)
45	LMT	h	1002	-	36,36,36	1.24	4 (11%)	47,47,47	1.19	4 (8%)
45	LMT	J	201	-	36,36,36	1.21	3 (8%)	47,47,47	0.95	1 (2%)
46	3PE	N	502	-	40,40,50	0.95	4 (10%)	43,45,55	1.11	2 (4%)
45	LMT	N	501	-	36,36,36	1.15	3 (8%)	47,47,47	0.96	0
45	LMT	k	101	-	36,36,36	1.18	3 (8%)	47,47,47	0.84	0
47	SF4	F	502	6	0,12,12	-	-	-		
52	I49	N	504	-	15,17,17	1.54	2 (13%)	21,22,22	1.82	6 (28%)
59	MYR	o	201	40	14,14,15	0.90	0	13,13,15	0.69	0
45	LMT	L	702	-	36,36,36	1.18	3 (8%)	47,47,47	0.90	2 (4%)
47	SF4	G	802	7	0,12,12	-	-	-		
47	SF4	I	202	9	0,12,12	-	-	-		
58	EHZ	U	101	20	29,36,37	1.65	6 (20%)	35,44,47	1.50	4 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
53	CDL	N	503	-	-	36/75/75/110	-
53	CDL	J	202	-	-	30/81/81/110	-
45	LMT	M	605	-	-	9/21/61/61	0/2/2/2
45	LMT	A	301	-	-	11/21/61/61	0/2/2/2
47	SF4	G	801	7	-	-	0/6/5/5
53	CDL	h	1001	-	-	30/77/77/110	-
45	LMT	l	201	-	-	10/21/61/61	0/2/2/2
50	FMN	F	501	-	-	3/18/18/18	0/3/3/3
46	3PE	L	704	-	-	23/48/48/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
53	CDL	L	703	-	-	30/79/79/110	-
45	LMT	m	201	-	-	9/21/61/61	0/2/2/2
46	3PE	H	401	-	-	16/47/47/54	-
45	LMT	B	202	-	-	9/21/61/61	0/2/2/2
46	3PE	d	1201	-	-	24/50/50/54	-
46	3PE	m	202	-	-	21/44/44/54	-
48	PC1	B	203	-	-	14/38/38/57	-
46	3PE	H	402	-	-	11/36/36/54	-
47	SF4	G	802	7	-	-	0/6/5/5
45	LMT	M	603	-	-	4/21/61/61	0/2/2/2
45	LMT	f	1801	-	-	9/21/61/61	0/2/2/2
45	LMT	M	602	-	-	11/21/61/61	0/2/2/2
47	SF4	I	203	9	-	-	0/6/5/5
46	3PE	A	302	-	-	19/51/51/54	-
58	EHZ	T	101	20	-	12/42/44/45	-
46	3PE	M	601	-	-	22/49/49/54	-
48	PC1	g	1501	-	-	22/52/52/57	-
54	GTP	O	401	55	-	5/22/38/38	0/3/3/3
53	CDL	d	1202	-	-	37/83/83/110	-
46	3PE	L	705	-	-	14/32/32/54	-
52	I49	H	403	-	-	8/10/10/10	0/1/1/1
45	LMT	A	303	-	-	7/21/61/61	0/2/2/2
46	3PE	L	701	-	-	25/52/52/54	-
49	FES	G	803	7	-	-	0/1/1/1
49	FES	E	301	5	-	-	0/1/1/1
46	3PE	Y	401	-	-	18/38/38/54	-
45	LMT	Y	402	-	-	11/21/61/61	0/2/2/2
46	3PE	I	201	-	-	20/54/54/54	-
46	3PE	M	604	-	-	24/54/54/54	-
53	CDL	q	201	-	-	41/86/86/110	-
47	SF4	B	201	2	-	-	0/6/5/5
45	LMT	h	1002	-	-	4/21/61/61	0/2/2/2
45	LMT	J	201	-	-	8/21/61/61	0/2/2/2
46	3PE	N	502	-	-	18/44/44/54	-
45	LMT	N	501	-	-	9/21/61/61	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
45	LMT	k	101	-	-	5/21/61/61	0/2/2/2
52	I49	N	504	-	-	3/10/10/10	0/1/1/1
59	MYR	o	201	40	-	5/11/12/13	-
47	SF4	F	502	6	-	-	0/6/5/5
45	LMT	L	702	-	-	2/21/61/61	0/2/2/2
56	NDP	P	501	-	-	6/34/77/77	0/5/5/5
47	SF4	I	202	9	-	-	0/6/5/5
58	EHZ	U	101	20	-	9/42/44/45	-

The worst 5 of 175 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
56	P	501	NDP	P2B-O2B	11.64	1.81	1.59
54	O	401	GTP	O6-C6	8.53	1.39	1.23
54	O	401	GTP	C5-N7	6.78	1.52	1.39
58	U	101	EHZ	C15-N2	5.28	1.45	1.33
46	H	402	3PE	O21-C2	-5.23	1.40	1.46

The worst 5 of 138 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	O	401	GTP	C8-N9-C4	7.39	120.11	106.05
56	P	501	NDP	PN-O3-PA	-6.53	110.43	132.83
58	U	101	EHZ	C8-C9-S1	6.19	121.29	113.63
52	H	403	I49	C14-N02-C15	-5.93	115.32	125.21
52	H	403	I49	N01-C14-N03	5.06	129.74	120.26

There are no chirality outliers.

5 of 664 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
45	A	301	LMT	C2'-C1'-O1'-C1
45	A	301	LMT	O5'-C1'-O1'-C1
45	A	303	LMT	C2'-C1'-O1'-C1
45	A	303	LMT	O5'-C1'-O1'-C1
45	J	201	LMT	O5'-C1'-O1'-C1


There are no ring outliers.



16 monomers are involved in 26 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
45	A	301	LMT	1	0
56	P	501	NDP	3	0
46	L	704	3PE	1	0
46	d	1201	3PE	1	0
46	m	202	3PE	4	0
45	M	603	LMT	1	0
45	M	602	LMT	2	0
48	g	1501	PC1	2	0
54	O	401	GTP	2	0
53	d	1202	CDL	1	0
52	H	403	I49	1	0
46	M	604	3PE	2	0
45	J	201	LMT	1	0
45	k	101	LMT	1	0
52	N	504	I49	3	0
59	o	201	MYR	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















Ligand CDL L 703



























































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14287. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 330



Y Index: 330




Z Index: 330


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 356



Y Index: 338




Z Index: 422


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 6.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 257 nm^3 ; this corresponds to an approximate mass of 232 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.435 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14287 and PDB model 7R48. Per-residue inclusion information can be found in [section 3](#) on [page 24](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 6.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (6.5).

9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (6.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8810	 0.7110
A	 0.7480	 0.6800
B	 0.8890	 0.7340
C	 0.9630	 0.7490
D	 0.9240	 0.7420
E	 0.8860	 0.7050
F	 0.9230	 0.7190
G	 0.9150	 0.7270
H	 0.9070	 0.7160
I	 0.9660	 0.7530
J	 0.7850	 0.6910
K	 0.9430	 0.7280
L	 0.9220	 0.7060
M	 0.9460	 0.7230
N	 0.9380	 0.7260
O	 0.8540	 0.6910
P	 0.8510	 0.7070
Q	 0.9150	 0.7390
R	 0.8860	 0.7280
S	 0.8200	 0.6920
T	 0.6100	 0.6370
U	 0.9340	 0.7010
V	 0.8440	 0.7140
W	 0.8640	 0.7180
X	 0.8730	 0.6950
Y	 0.5510	 0.6600
Z	 0.8510	 0.7020
a	 0.9410	 0.7120
b	 0.8510	 0.6850
c	 0.7650	 0.6780
d	 0.8270	 0.6970
e	 0.8310	 0.6930
f	 0.7450	 0.6750
g	 0.8610	 0.6980
h	 0.8920	 0.7050



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.8440	 0.6760
j	 0.8800	 0.6790
k	 0.8270	 0.6680
l	 0.9040	 0.7000
m	 0.8420	 0.6850
n	 0.9180	 0.7040
o	 0.8840	 0.6760
p	 0.9120	 0.7030
q	 0.8270	 0.7180
r	 0.8720	 0.7260
s	 0.8560	 0.6990