



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 12:31 PM EDT

PDB ID : 3S3F / pdb_00003s3f
Title : Crystal Structure of the catalytic domain of PTP10D from *Drosophila melanogaster* with a small molecule inhibitor Vanadate
Authors : Madan, L.L.; Gopal, B.
Deposited on : 2011-05-18
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	307	
1	B	307	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	1BO	A	308	-	-	-	X
3	IPA	A	310	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4803 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tyrosine-protein phosphatase 10D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	287	Total	C	N	O	S	0	0	0
			2350	1493	422	418	17			
1	B	285	Total	C	N	O	S	0	0	0
			2334	1482	417	418	17			

There are 46 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP P35992
A	2	GLY	-	expression tag	UNP P35992
A	3	SER	-	expression tag	UNP P35992
A	4	SER	-	expression tag	UNP P35992
A	5	HIS	-	expression tag	UNP P35992
A	6	HIS	-	expression tag	UNP P35992
A	7	HIS	-	expression tag	UNP P35992
A	8	HIS	-	expression tag	UNP P35992
A	9	HIS	-	expression tag	UNP P35992
A	10	HIS	-	expression tag	UNP P35992
A	11	SER	-	expression tag	UNP P35992
A	12	SER	-	expression tag	UNP P35992
A	13	GLY	-	expression tag	UNP P35992
A	14	LEU	-	expression tag	UNP P35992
A	15	VAL	-	expression tag	UNP P35992
A	16	PRO	-	expression tag	UNP P35992
A	17	ARG	-	expression tag	UNP P35992
A	18	GLY	-	expression tag	UNP P35992
A	19	SER	-	expression tag	UNP P35992
A	20	HIS	-	expression tag	UNP P35992
A	21	MET	-	expression tag	UNP P35992
A	22	ALA	-	expression tag	UNP P35992
A	23	SER	-	expression tag	UNP P35992
B	1	MET	-	expression tag	UNP P35992
B	2	GLY	-	expression tag	UNP P35992

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	3	SER	-	expression tag	UNP P35992
B	4	SER	-	expression tag	UNP P35992
B	5	HIS	-	expression tag	UNP P35992
B	6	HIS	-	expression tag	UNP P35992
B	7	HIS	-	expression tag	UNP P35992
B	8	HIS	-	expression tag	UNP P35992
B	9	HIS	-	expression tag	UNP P35992
B	10	HIS	-	expression tag	UNP P35992
B	11	SER	-	expression tag	UNP P35992
B	12	SER	-	expression tag	UNP P35992
B	13	GLY	-	expression tag	UNP P35992
B	14	LEU	-	expression tag	UNP P35992
B	15	VAL	-	expression tag	UNP P35992
B	16	PRO	-	expression tag	UNP P35992
B	17	ARG	-	expression tag	UNP P35992
B	18	GLY	-	expression tag	UNP P35992
B	19	SER	-	expression tag	UNP P35992
B	20	HIS	-	expression tag	UNP P35992
B	21	MET	-	expression tag	UNP P35992
B	22	ALA	-	expression tag	UNP P35992
B	23	SER	-	expression tag	UNP P35992

- Molecule 2 is 1-BUTANOL (CCD ID: 1BO) (formula: C₄H₁₀O).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			5	4	1		

- Molecule 3 is ISOPROPYL ALCOHOL (CCD ID: IPA) (formula: C_3H_8O).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	3	1		
3	A	1	Total	C	O	0	0
			4	3	1		

- Molecule 4 is VANADATE ION (CCD ID: VO4) (formula: O_4V).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	V	0	0
			5	4	1		

- Molecule 5 is 1,4-BUTANEDIOL (CCD ID: BU1) (formula: $C_4H_{10}O_2$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	4	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	43	Total 43	O 43	0	0
6	B	47	Total 47	O 47	0	0

- Molecule 1: Tyrosine-protein phosphatase 10D



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	103.07Å 103.07Å 173.40Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	39.68 – 2.70 39.68 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.68-2.70) 99.7 (39.68-2.70)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.27 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.238 , 0.272 0.209 , 0.242	Depositor DCC
R_{free} test set	1514 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	28.8	Xtriage
Anisotropy	0.103	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.027 for -h,-k,l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4803	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IPA, VO4, 1BO, BU1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.75	6/2417 (0.2%)	0.91	5/3276 (0.2%)
1	B	0.72	4/2400 (0.2%)	0.92	6/3258 (0.2%)
All	All	0.73	10/4817 (0.2%)	0.91	11/6534 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	199	ILE	C-O	-7.05	1.16	1.24
1	B	95	ASP	C-O	-6.62	1.15	1.23
1	B	241	HIS	C-O	-6.52	1.15	1.23
1	A	103	ALA	CA-CB	-6.17	1.43	1.53
1	A	200	LEU	C-O	-6.01	1.16	1.23
1	A	198	ARG	C-O	-5.98	1.16	1.23
1	B	242	CYS	C-O	-5.36	1.19	1.23
1	A	285	VAL	C-O	-5.11	1.18	1.24
1	B	97	GLY	C-O	-5.10	1.17	1.23
1	A	284	MET	SD-CE	-5.07	1.66	1.79

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	284	MET	CA-C-N	-8.36	112.20	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	284	MET	C-N-CA	-8.36	112.20	122.90
1	A	20	HIS	N-CA-C	7.98	122.32	112.59
1	B	246	VAL	N-CA-C	-6.33	99.15	107.88
1	B	284	MET	CA-C-N	-6.13	114.90	122.93
1	B	284	MET	C-N-CA	-6.13	114.90	122.93
1	A	285	VAL	CB-CA-C	5.74	118.85	110.98
1	B	22	ALA	N-CA-C	-5.62	105.76	113.30
1	B	54	LYS	N-CA-C	5.52	117.74	111.11
1	B	216	PRO	N-CA-C	-5.48	104.01	110.70
1	A	54	LYS	N-CA-C	5.03	117.65	111.82

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	215	ASN	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2350	0	2242	32	0
1	B	2334	0	2219	60	0
2	A	5	0	10	0	0
2	B	5	0	10	1	0
3	A	8	0	16	1	0
4	B	5	0	0	1	0
5	B	6	0	10	1	0
6	A	43	0	0	0	0
6	B	47	0	0	2	0
All	All	4803	0	4507	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:246:VAL:O	1:A:284:MET:O	1.53	1.25
1:A:246:VAL:HA	1:A:284:MET:HE3	1.42	1.00
1:A:246:VAL:HA	1:A:284:MET:CE	2.03	0.88
1:B:152:ARG:HH11	1:B:152:ARG:HG3	1.47	0.79
1:B:112:PRO:HD3	5:B:309:BU1:H12	1.64	0.78
1:B:104:ASN:HD22	1:B:281:ARG:HH11	1.32	0.77
1:A:171:ILE:HD13	1:A:193:ARG:HG3	1.74	0.69
1:A:284:MET:CE	1:A:284:MET:HA	2.26	0.66
1:B:104:ASN:ND2	1:B:281:ARG:HH11	1.94	0.66
1:A:117:VAL:HG22	1:A:281:ARG:HD3	1.79	0.64
1:A:63:THR:HB	1:A:83:ASP:OD2	1.97	0.64
1:A:246:VAL:CA	1:A:284:MET:HE3	2.26	0.61
1:A:284:MET:HE3	1:A:284:MET:HA	1.83	0.61
1:A:171:ILE:CD1	1:A:193:ARG:HG3	2.31	0.60
1:B:26:ILE:HD11	1:B:31:PHE:HA	1.86	0.57
1:B:225:ARG:HH21	1:B:305:LYS:NZ	2.00	0.57
1:B:126:ARG:HD3	1:B:158:TYR:HA	1.87	0.57
1:B:152:ARG:HH11	1:B:152:ARG:CG	2.18	0.56
1:A:70:ASN:HA	1:A:73:LYS:HD2	1.86	0.56
1:B:28:ILE:HD13	1:B:302:LEU:HD22	1.88	0.56
1:B:243:SER:HB3	4:B:308:VO4:O4	2.06	0.56
1:A:180:HIS:H	3:A:310:IPA:H11	1.71	0.56
1:B:277:MET:CE	1:B:284:MET:HB3	2.36	0.55
1:B:26:ILE:HD12	1:B:31:PHE:CD1	2.42	0.54
1:B:117:VAL:CG2	1:B:281:ARG:HD3	2.37	0.54
1:B:231:ILE:HG22	1:B:232:GLY:N	2.21	0.54
1:A:186:MET:HE1	1:A:230:ARG:HG2	1.90	0.54
1:B:26:ILE:HD12	1:B:31:PHE:HD1	1.72	0.54
1:B:152:ARG:HG3	1:B:152:ARG:NH1	2.21	0.54
1:B:189:PHE:HE2	1:B:202:HIS:HB2	1.73	0.54
1:A:90:GLN:O	1:A:131:ARG:NH2	2.41	0.53
1:B:178:ASP:OD2	1:B:180:HIS:CE1	2.62	0.53
1:B:157:GLN:NE2	1:B:159:TRP:CE2	2.77	0.53
1:B:261:GLN:NE2	6:B:345:HOH:O	2.40	0.53
1:B:117:VAL:HG22	1:B:281:ARG:HD3	1.91	0.52
1:B:247:GLY:HA2	1:B:286:GLN:H	1.75	0.52
1:A:77:THR:HG23	1:B:68:PRO:HG3	1.92	0.51
1:A:31:PHE:CZ	1:A:298:LEU:HD23	2.45	0.51
1:A:84:HIS:CE1	1:A:85:SER:HB2	2.45	0.51
1:B:26:ILE:C	1:B:26:ILE:HD13	2.36	0.51
1:B:225:ARG:HH21	1:B:305:LYS:HZ2	1.57	0.50
1:A:34:HIS:O	1:A:38:MET:HG2	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:ASP:OD1	1:A:99:ASP:C	2.55	0.50
1:B:277:MET:HE3	1:B:284:MET:HE3	1.94	0.50
1:A:106:VAL:CG2	1:A:117:VAL:HG13	2.43	0.49
1:B:215:ASN:ND2	1:B:216:PRO:HD3	2.27	0.49
1:B:28:ILE:HD12	1:B:28:ILE:O	2.13	0.48
1:B:24:ARG:NH1	1:B:52:GLU:OE2	2.46	0.48
1:B:180:HIS:HD2	1:B:185:VAL:HG22	1.77	0.47
1:B:152:ARG:CG	1:B:152:ARG:NH1	2.76	0.47
1:B:30:ASN:N	1:B:30:ASN:ND2	2.61	0.47
1:B:81:PRO:HA	1:B:104:ASN:HD21	1.79	0.47
1:A:38:MET:HA	1:A:45:ARG:HB2	1.95	0.47
1:A:176:LEU:HD11	1:A:190:MET:HE2	1.96	0.47
1:B:192:CYS:SG	1:B:197:GLN:HG2	2.54	0.47
1:A:35:TYR:OH	1:A:296:GLN:HG3	2.16	0.46
1:A:259:LEU:HD21	1:A:301:VAL:HG21	1.97	0.46
1:B:247:GLY:N	1:B:284:MET:O	2.39	0.46
1:A:231:ILE:HD12	1:A:231:ILE:HA	1.83	0.45
1:B:278:ARG:NH2	1:B:285:VAL:O	2.45	0.45
1:B:30:ASN:N	1:B:30:ASN:HD22	2.13	0.45
1:B:172:LYS:HB3	1:B:192:CYS:HB2	1.99	0.45
1:B:141:ILE:HD12	1:B:200:LEU:HD21	1.98	0.45
1:B:180:HIS:CD2	1:B:185:VAL:HG22	2.52	0.44
1:B:105:TYR:HB3	1:B:113:ARG:HG2	2.00	0.44
1:B:63:THR:HB	1:B:83:ASP:OD2	2.18	0.44
1:A:139:ARG:CZ	1:A:198:ARG:HG2	2.49	0.43
1:A:143:MET:HG2	1:A:204:HIS:CD2	2.54	0.43
1:B:277:MET:HE3	1:B:284:MET:CE	2.48	0.43
1:B:208:TRP:CZ2	1:B:248:ARG:HG2	2.53	0.43
1:B:228:ARG:HD3	1:B:228:ARG:HA	1.79	0.43
1:B:277:MET:HE3	1:B:284:MET:HB3	2.01	0.43
1:A:246:VAL:HA	1:A:284:MET:HE1	1.94	0.42
1:B:33:GLU:O	1:B:37:LEU:HD22	2.18	0.42
1:A:106:VAL:HG13	1:A:107:PRO:HD2	2.02	0.42
1:A:165:PRO:HB3	1:A:174:GLN:HB2	2.02	0.42
1:A:43:ASP:O	1:A:44:PHE:C	2.63	0.42
1:B:208:TRP:CD1	1:B:209:PRO:HD2	2.54	0.41
1:B:22:ALA:HA	1:B:275:TYR:CD1	2.55	0.41
1:B:189:PHE:HE2	1:B:202:HIS:CB	2.34	0.41
1:B:225:ARG:HE	1:B:305:LYS:NZ	2.17	0.41
1:B:263:ASN:HA	2:B:310:1BO:H22	2.01	0.41
1:B:231:ILE:HG23	1:B:235:GLN:HB3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:258:ILE:HD12	1:B:298:LEU:HD22	2.02	0.41
1:B:261:GLN:NE2	6:B:344:HOH:O	2.52	0.41
1:B:250:GLY:HA2	1:B:284:MET:HE3	2.02	0.41
1:B:178:ASP:OD2	1:B:180:HIS:HE1	2.03	0.41
1:B:75:ARG:HD2	1:B:243:SER:O	2.20	0.40
1:A:167:PHE:CZ	1:A:172:LYS:HD2	2.56	0.40
1:B:59:ASP:OD2	1:B:59:ASP:N	2.52	0.40
1:B:167:PHE:CE1	1:B:172:LYS:HB2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	285/307 (93%)	276 (97%)	9 (3%)	0	100	100
1	B	283/307 (92%)	267 (94%)	14 (5%)	2 (1%)	18	41
All	All	568/614 (92%)	543 (96%)	23 (4%)	2 (0%)	30	54

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	216	PRO
1	B	215	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/278 (91%)	232 (92%)	21 (8%)	10	26
1	B	252/278 (91%)	233 (92%)	19 (8%)	12	31
All	All	505/556 (91%)	465 (92%)	40 (8%)	11	28

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	HIS
1	A	23	SER
1	A	27	LEU
1	A	63	THR
1	A	66	ASP
1	A	92	VAL
1	A	117	VAL
1	A	131	ARG
1	A	139	ARG
1	A	154	LYS
1	A	161	ASN
1	A	163	THR
1	A	177	ASN
1	A	193	ARG
1	A	207	THR
1	A	231	ILE
1	A	242	CYS
1	A	261	GLN
1	A	279	LYS
1	A	284	MET
1	A	285	VAL
1	B	26	ILE
1	B	28	ILE
1	B	30	ASN
1	B	37	LEU
1	B	42	SER
1	B	47	SER
1	B	63	THR
1	B	77	THR
1	B	117	VAL
1	B	152	ARG
1	B	157	GLN
1	B	186	MET
1	B	207	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	215	ASN
1	B	229	ASP
1	B	230	ARG
1	B	231	ILE
1	B	264	THR
1	B	268	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	109	HIS
1	A	123	HIS
1	A	177	ASN
1	A	261	GLN
1	A	263	ASN
1	B	30	ASN
1	B	90	GLN
1	B	104	ASN
1	B	161	ASN
1	B	180	HIS
1	B	215	ASN
1	B	261	GLN
1	B	263	ASN
1	B	286	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	VO4	B	308	-	0,4,4	-	-	-		
2	1BO	A	308	-	4,4,4	0.47	0	3,3,3	0.28	0
3	IPA	A	309	-	3,3,3	0.68	0	3,3,3	0.19	0
5	BU1	B	309	-	5,5,5	0.55	0	4,4,4	0.20	0
2	1BO	B	310	-	4,4,4	0.43	0	3,3,3	0.30	0
3	IPA	A	310	-	3,3,3	0.63	0	3,3,3	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BU1	B	309	-	-	1/3/3/3	-
2	1BO	B	310	-	-	2/2/2/2	-
2	1BO	A	308	-	-	1/2/2/2	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	308	1BO	C1-C2-C3-C4
2	B	310	1BO	C2-C3-C4-OH
2	B	310	1BO	C1-C2-C3-C4
5	B	309	BU1	O5-C1-C2-C3

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	308	VO4	1	0
5	B	309	BU1	1	0
2	B	310	1BO	1	0
3	A	310	IPA	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	287/307 (93%)	0.13	12 (4%) 40 37	17, 35, 59, 73	0
1	B	285/307 (92%)	0.35	25 (8%) 15 13	17, 37, 68, 88	0
All	All	572/614 (93%)	0.24	37 (6%) 25 22	17, 37, 63, 88	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	19	SER	6.7
1	B	304	GLY	4.7
1	A	94	ASP	4.4
1	A	20	HIS	4.1
1	B	21	MET	3.9
1	A	305	LYS	3.9
1	B	215	ASN	3.8
1	B	305	LYS	3.6
1	B	59	ASP	3.3
1	B	235	GLN	3.2
1	A	304	GLY	3.0
1	A	95	ASP	2.9
1	B	233	ALA	2.9
1	B	33	GLU	2.8
1	B	216	PRO	2.8
1	A	267	TYR	2.8
1	B	44	PHE	2.7
1	B	37	LEU	2.7
1	A	33	GLU	2.7
1	A	93	ASP	2.7
1	B	234	GLU	2.5
1	B	236	ARG	2.5
1	B	26	ILE	2.4
1	A	66	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	35	TYR	2.4
1	B	211	PHE	2.4
1	A	78	ASN	2.3
1	A	195	SER	2.3
1	B	39	SER	2.2
1	B	41	ASP	2.2
1	B	55	HIS	2.1
1	B	36	ARG	2.1
1	B	32	ALA	2.1
1	B	96	GLU	2.1
1	B	28	ILE	2.1
1	B	48	GLU	2.0
1	B	285	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	IPA	A	310	4/4	0.40	0.48	69,69,69,69	0
2	1BO	A	308	5/5	0.45	0.46	60,61,61,61	0
2	1BO	B	310	5/5	0.55	0.40	69,69,69,70	0
4	VO4	B	308	5/5	0.72	0.31	125,125,125,125	0
3	IPA	A	309	4/4	0.75	0.30	58,58,58,58	0
5	BU1	B	309	6/6	0.90	0.15	38,39,40,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.