



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 03:55 AM UTC

PDB ID : 7SSL / pdb_00007ssl
EMDB ID : EMD-25409
Title : Pre translocation intermediate with EF-G bound to GDP and Pi (Structure III)
Authors : Carbone, C.E.; Korostelev, A.A.
Deposited on : 2021-11-11
Resolution : 3.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	10198 (3.30 - 4.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	3	1539	
2	1	2903	
3	2	120	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	5	77	
5	8	697	
6	b	271	
7	c	209	
8	d	201	
9	e	177	
10	f	176	
11	g	149	
12	a	223	
13	i	141	
14	j	142	
15	k	122	
16	l	143	
17	m	136	
18	n	120	
19	o	116	
20	p	114	
21	q	117	
22	r	103	
23	s	110	
24	t	93	
25	u	102	
26	v	94	
27	w	75	
28	x	77	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	y	63	75% 25%
30	z	58	74% 26%
31	A	66	53% 17% 30%
32	B	56	64% 34%
33	C	50	10% 58% 42%
34	D	46	57% 39%
35	E	64	66% 34%
36	F	38	58% 42%
37	4	35	9% 17% 34% 46%
38	6	77	49% 45% 5%
39	G	225	67% 29%
40	H	206	5% 71% 28%
41	I	205	5% 72% 28%
42	J	157	69% 31%
43	K	100	65% 32%
44	L	151	6% 68% 28%
45	M	129	67% 33%
46	N	127	6% 47% 53%
47	O	98	13% 68% 32%
48	P	116	69% 31%
49	Q	123	7% 72% 28%
50	R	114	72% 28%
51	S	100	64% 36%
52	T	88	80% 20%
53	U	82	72% 28%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	V	80	 69% 31%
55	W	65	 75% 25%
56	X	79	 9% 76% 24%
57	Y	85	 5% 67% 33%
58	Z	65	 69% 28%

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 153348 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	3	1539	33012	14725	6052	10697	1538	0	0

- Molecule 2 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	1	2903	62317	27801	11468	20146	2902	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	747	C	U	conflict	GB 802133627

- Molecule 3 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	2	120	2568	1145	471	833	119	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	120	A	-	insertion	GB 1266961702

- Molecule 4 is a RNA chain called tRNA Pro.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
4	5	77	1647	733	295	542	77	0	0

- Molecule 5 is a protein called Elongation factor G.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	8	697	5400	3403	929	1043	25	0	0

- Molecule 6 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	b	271	2083	1288	423	365	7	0	0

- Molecule 7 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	c	209	1565	979	288	294	4	0	0

- Molecule 8 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	d	201	1552	974	283	290	5	0	0

- Molecule 9 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	e	177	1411	899	249	257	6	0	0

- Molecule 10 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	f	176	1323	832	243	246	2	0	0

- Molecule 11 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	g	149	1111	699	197	214	1	0	0

- Molecule 12 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	a	132	1014	638	183	191	2	0	0

- Molecule 13 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	i	141	1032	651	179	196	6	0	0

- Molecule 14 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	j	142	1129	714	212	199	4	0	0

- Molecule 15 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	k	122	939	587	180	166	6	0	0

- Molecule 16 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	l	143	1045	649	206	189	1	0	0

- Molecule 17 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	m	136	1074	686	205	177	6	0	0

- Molecule 18 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	n	120	961	593	196	167	5	0	0

- Molecule 19 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	o	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 20 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	p	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 21 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 22 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	r	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 23 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	s	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 24 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	t	93	Total	C	N	O	S	0	0
			739	466	139	132	2		

- Molecule 25 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	u	102	Total	C	N	O	0	0
			780	492	146	142		

- Molecule 26 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	v	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 27 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	w	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 28 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	x	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 29 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	y	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 30 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	z	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 31 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	A	46	Total	C	N	O	S	0	0
			355	221	62	66	6		

- Molecule 32 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	B	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 33 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
33	C	50	Total	C	N	O	0	0
			410	263	75	72		

- Molecule 34 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	D	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 35 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	E	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 36 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	F	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 37 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	4	19	Total	C	N	O	P	0	0
			413	186	85	124	18		

- Molecule 38 is a RNA chain called tRNA fMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	6	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		

- Molecule 39 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	G	218	Total	C	N	O	S	0	0
			1705	1081	305	312	7		

- Molecule 40 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	H	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 41 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	I	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 42 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	J	157	Total	C	N	O	S	0	0
			1157	719	218	214	6		

- Molecule 43 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	K	100	Total	C	N	O	S	0	0
			818	515	148	149	6		

- Molecule 44 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	L	151	Total	C	N	O	S	0	0
			1182	735	227	216	4		

- Molecule 45 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	M	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 46 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	N	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 47 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	O	98	Total	C	N	O	S	0	0
			787	493	150	143	1		

- Molecule 48 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	P	116	Total	C	N	O	S	0	0
			870	535	173	159	3		

- Molecule 49 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Q	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 50 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	R	114	Total	C	N	O	S	0	0
			884	546	178	157	3		

- Molecule 51 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	S	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 52 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	T	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 53 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	U	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 54 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	V	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 55 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	W	65	Total	C	N	O	S	0	0
			536	339	100	96	1		

- Molecule 56 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	X	79	Total	C	N	O	S	0	0
			638	408	120	108	2		

- Molecule 57 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	Y	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 58 is a protein called 30S ribosomal protein S21.


Mol	Chain	Residues	Atoms					AltConf	Trace
58	Z	65	Total	C	N	O	S	0	0
			545	335	117	92	1		

- Molecule 59 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂) (labeled as "Ligand of Interest" by depositor).


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 16S rRNA





U2656	U2657	C2658	G2659	A2660	G2661	A2662	U2663	G2664	U2665	A2666	G2667	U2668	G2669	A2670	U2671	G2672	A2673	G2674	A2675	C2676	G2677	U2680	C2681	A2682	C2683	U2684	G2685	U2689	U2690	G2691	A2692	U2693	G2694	U2695	U2696	C2703	C2704	A2705	U2706	U2707	C2710	U2713	G2714	C2715	C2716	C2717	G2718	A2721	G2722	C2723	U2724	A2725	A2726	U2727	U2728																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
U2580	G2581	G2582	G2583	U2584	U2585	A2586	A2587	G2588	A2589	U2596	G2597	A2598	G2599	A2600	C2601	A2602	G2603	A2604	U2605	G2606	G2607	G2608	U2609	C2610	C2611	U2612	A2613	A2614	U2615	C2616	U2617	G2618	C2619	C2620	C2626	G2627	C2628	U2629	G2630	G2633	A2634	U2637	G2638	G2641	G2642	G2643	G2644	G2645	C2646	U2647	G2648	U2653	U2654	U2655	U2656	U2657	U2658	U2659	U2660	U2661	U2662	U2663	U2664	U2665	U2666	U2667	U2668	U2669	U2670	U2671	U2672	U2673	U2674	U2675	U2676	U2677	U2678	U2679	U2680	U2681	U2682	U2683	U2684	U2685	U2686	U2687	U2688	U2689	U2690	U2691	U2692	U2693	U2694	U2695	U2696	U2697	U2698	U2699	U2700	U2701	U2702	U2703	U2704	U2705	U2706	U2707	U2708	U2709	U2710	U2711	U2712	U2713	U2714	U2715	U2716	U2717	U2718	U2719	U2720	U2721	U2722	U2723	U2724	U2725	U2726	U2727	U2728	U2729	U2730	U2731	U2732	U2733	U2734	U2735	U2736	U2737	U2738	U2739	U2740	U2741	U2742	U2743	U2744	U2745	U2746	U2747	U2748	U2749	U2750	U2751	U2752	U2753	U2754	U2755	U2756	U2757	U2758	U2759	U2760	U2761	U2762	U2763	U2764	U2765	U2766	U2767	U2768	U2769	U2770	U2771	U2772	U2773	U2774	U2775	U2776	U2777	U2778	U2779	U2780	U2781	U2782	U2783	U2784	U2785	U2786	U2787	U2788	U2789	U2790	U2791	U2792	U2793	U2794	U2795	U2796	U2797	U2798	U2799	U2800	U2801	U2802	U2803	U2804	U2805	U2806	U2807	U2808	U2809	U2810	U2811	U2812	U2813	U2814	U2815	U2816	U2817	U2818	U2819	U2820	U2821	U2822	U2823	U2824	U2825	U2826	U2827	U2828	U2829	U2830	U2831	U2832	U2833	U2834	U2835	U2836	U2837	U2838	U2839	U2840	U2841	U2842	U2843	U2844	U2845	U2846	U2847	U2848	U2849	U2850	U2851	U2852	U2853	U2854	U2855	U2856	U2857	U2858	U2859	U2860	U2861	U2862	U2863	U2864	U2865	U2866	U2867	U2868	U2869	U2870	U2871	U2872	U2873	U2874	U2875	U2876	U2877	U2878	U2879	U2880	U2881	U2882	U2883	U2884	U2885	U2886	U2887	U2888	U2889	U2890	U2891	U2892	U2893	U2894	U2895	U2896	U2897	U2898	U2899	U2900	U2901	U2902	U2903	U2904	U2905	U2906	U2907	U2908	U2909	U2910	U2911	U2912	U2913	U2914	U2915	U2916	U2917	U2918	U2919	U2920	U2921	U2922	U2923	U2924	U2925	U2926	U2927	U2928	U2929	U2930	U2931	U2932	U2933	U2934	U2935	U2936	U2937	U2938	U2939	U2940	U2941	U2942	U2943	U2944	U2945	U2946	U2947	U2948	U2949	U2950	U2951	U2952	U2953	U2954	U2955	U2956	U2957	U2958	U2959	U2960	U2961	U2962	U2963	U2964	U2965	U2966	U2967	U2968	U2969	U2970	U2971	U2972	U2973	U2974	U2975	U2976	U2977	U2978	U2979	U2980	U2981	U2982	U2983	U2984	U2985	U2986	U2987	U2988	U2989	U2990	U2991	U2992	U2993	U2994	U2995	U2996	U2997	U2998	U2999	U3000	U3001	U3002	U3003	U3004	U3005	U3006	U3007	U3008	U3009	U3010	U3011	U3012	U3013	U3014	U3015	U3016	U3017	U3018	U3019	U3020	U3021	U3022	U3023	U3024	U3025	U3026	U3027	U3028	U3029	U3030	U3031	U3032	U3033	U3034	U3035	U3036	U3037	U3038	U3039	U3040	U3041	U3042	U3043	U3044	U3045	U3046	U3047	U3048	U3049	U3050	U3051	U3052	U3053	U3054	U3055	U3056	U3057	U3058	U3059	U3060	U3061	U3062	U3063	U3064	U3065	U3066	U3067	U3068	U3069	U3070	U3071	U3072	U3073	U3074	U3075	U3076	U3077	U3078	U3079	U3080	U3081	U3082	U3083	U3084	U3085	U3086	U3087	U3088	U3089	U3090	U3091	U3092	U3093	U3094	U3095	U3096	U3097	U3098	U3099	U3100	U3101	U3102	U3103	U3104	U3105	U3106	U3107	U3108	U3109	U3110	U3111	U3112	U3113	U3114	U3115	U3116	U3117	U3118	U3119	U3120	U3121	U3122	U3123	U3124	U3125	U3126	U3127	U3128	U3129	U3130	U3131	U3132	U3133	U3134	U3135	U3136	U3137	U3138	U3139	U3140	U3141	U3142	U3143	U3144	U3145	U3146	U3147	U3148	U3149	U3150	U3151	U3152	U3153	U3154	U3155	U3156	U3157	U3158	U3159	U3160	U3161	U3162	U3163	U3164	U3165	U3166	U3167	U3168	U3169	U3170	U3171	U3172	U3173	U3174	U3175	U3176	U3177	U3178	U3179	U3180	U3181	U3182	U3183	U3184	U3185	U3186	U3187	U3188	U3189	U3190	U3191	U3192	U3193	U3194	U3195	U3196	U3197	U3198	U3199	U3200	U3201	U3202	U3203	U3204	U3205	U3206	U3207	U3208	U3209	U3210	U3211	U3212	U3213	U3214	U3215	U3216	U3217	U3218	U3219	U3220	U3221	U3222	U3223	U3224	U3225	U3226	U3227	U3228	U3229	U3230	U3231	U3232	U3233	U3234	U3235	U3236	U3237	U3238	U3239	U3240	U3241	U3242	U3243	U3244	U3245	U3246	U3247	U3248	U3249	U3250	U3251	U3252	U3253	U3254	U3255	U3256	U3257	U3258	U3259	U3260	U3261	U3262	U3263	U3264	U3265	U3266	U3267	U3268	U3269	U3270	U3271	U3272	U3273	U3274	U3275	U3276	U3277	U3278	U3279	U3280	U3281	U3282	U3283	U3284	U3285	U3286	U3287	U3288	U3289	U3290	U3291	U3292	U3293	U3294	U3295	U3296	U3297	U3298	U3299	U3300	U3301	U3302	U3303	U3304	U3305	U3306	U3307	U3308	U3309	U3310	U3311	U3312	U3313	U3314	U3315	U3316	U3317	U3318	U3319	U3320	U3321	U3322	U3323	U3324	U3325	U3326	U3327	U3328	U3329	U3330	U3331	U3332	U3333	U3334	U3335	U3336	U3337	U3338	U3339	U3340	U3341	U3342	U3343	U3344	U3345	U3346	U3347	U3348	U3349	U3350	U3351	U3352	U3353	U3354	U3355	U3356	U3357	U3358	U3359	U3360	U3361	U3362	U3363	U3364	U3365	U3366	U3367	U3368	U3369	U3370	U3371	U3372	U3373	U3374	U3375	U3376	U3377	U3378	U3379	U3380	U3381	U3382	U3383	U3384	U3385	U3386	U3387	U3388	U3389	U3390	U3391	U3392	U3393	U3394	U3395	U3396	U3397	U3398	U3399	U3400	U3401	U3402	U3403	U3404	U3405	U3406	U3407	U3408	U3409	U3410	U3411	U3412	U3413	U3414	U3415	U3416	U3417	U3418	U3419	U3420	U3421	U3422	U3423	U3424	U3425	U3426	U3427	U3428	U3429	U3430	U3431	U3432	U3433	U3434	U3435	U3436	U3437	U3438	U3439	U3440	U3441	U3442	U3443	U3444	U3445	U3446	U3447	U3448	U3449	U3450	U3451	U3452	U3453	U3454	U3455	U3456	U3457	U3458	U3459	U3460	U3461	U3462	U3463	U3464	U3465	U3466	U3467	U3468	U3469	U3470	U3471	U3472	U3473	U3474	U3475	U3476	U3477	U3478	U3479	U3480	U3481	U3482	U3483	U3484	U3485	U3486	U3487	U3488	U3489	U3490	U3491	U3492	U3493	U3494	U3495	U3496	U3497	U3498	U3499	U3500	U3501	U3502	U3503	U3504	U3505	U3506	U3507	U3508	U3509	U3510	U3511	U3512	U3513	U3514	U3515	U3516	U3517	U3518	U3519	U3520	U3521	U3522	U3523	U3524	U3525	U3526	U3527	U3528	U3529	U3530	U3531	U3532	U3533	U3534	U3535	U3536	U3537	U3538	U3539	U3540	U3541	U3542	U3543	U3544	U3545	U3546	U3547	U3548	U3549	U3550	U3551	U3552	U3553	U3554	U3555	U3556	U3557	U3558	U3559	U3560	U3561	U3562	U3563	U3564	U3565	U3566	U3567	U3568	U3569	U3570	U3571	U3572	U3573	U3574	U3575	U3576	U3577	U3578	U3579	U3580	U3581	U3582	U3583	U3584	U3585	U3586	U3587	U3588	U3589	U3590	U3591	U3592	U3593	U3594	U3595	U3596	U3597	U3598	U3599	U3600	U3601	U3602	U3603	U3604	U3605	U3606	U3607	U3608	U3609	U3610	U3611	U3612	U3613	U3614	U3615	U3616	U3617	U3618	U3619	U3620	U3621	U3622	U3623	U3624	U3625	U3626	U3627	U3628	U3629	U3630	U3631	U3632	U3633	U3634	U3635	U3636	U3637	U3638	U3639	U3640	U3641	U3642	U3643	U3644	U3645	U3646	U3647	U3648	U3649	U3650	U3651	U3652	U3653	U3654	U3655	U3656	U3657	U3658	U3659	U3660	U3661	U3662	U3663	U3664	U3665	U3666	U3667	U3668	U3669	U3670	U3671	U3672	U3673	U3674	U3675	U3676	U3677	U3678	U3679	U3680	U3681	U3682	U3683	U3684	U3685	U3686	U3687	U3688	U3689	U3690	U3691	U3692	U3693	U3694	U3695	U3696	U3697	U3698	U3699	U3700	U3701	U3702	U3703	U3704	U3705	U3706	U3707	U3708	U3709	U3710	U3711	U3712	U3713	U3714	U3715	U3716	U3717	U3718	U3719	U3720	U3721	U3722	U3723	U3724	U3725	U3726	U3727	U3728	U3729	U3730	U3731	U3732	U3733	U3734	U3735	U3736	U3737	U3738	U3739	U3740	U3741	U3742	U3743	U3744	U3745	U3746	U3747	U3748	U3749	U3750	U3751	U3752	U3753	U3754	U3755	U3756	U3757	U3758	U3759	U3760	U3761	U3762	U3763	U3764	U3765	U3766	U3767	U3768	U3769	U3770	U3771	U3772	U3773	U37






• Molecule 3: 5S rRNA




• Molecule 4: tRNA Pro



• Molecule 5: Elongation factor G






• Molecule 6: 50S ribosomal protein L2




• Molecule 7: 50S ribosomal protein L3




• Molecule 8: 50S ribosomal protein L4




- Molecule 13: 50S ribosomal protein L11




- Molecule 14: 50S ribosomal protein L13




- Molecule 15: 50S ribosomal protein L14



- Molecule 16: 50S ribosomal protein L15




- Molecule 17: 50S ribosomal protein L16




- Molecule 18: 50S ribosomal protein L17








- Molecule 19: 50S ribosomal protein L18




- Molecule 20: 50S ribosomal protein L19



- Molecule 21: 50S ribosomal protein L20



- Molecule 22: 50S ribosomal protein L21



- Molecule 23: 50S ribosomal protein L22





- Molecule 24: 50S ribosomal protein L23








- Molecule 25: 50S ribosomal protein L24



- Molecule 26: 50S ribosomal protein L25




- Molecule 27: 50S ribosomal protein L27



- Molecule 28: 50S ribosomal protein L28



- Molecule 29: 50S ribosomal protein L29




- Molecule 30: 50S ribosomal protein L30



- Molecule 31: 50S ribosomal protein L31




- Molecule 38: tRNA fMet

Chain 6: 




- Molecule 39: 30S ribosomal protein S2

Chain G: 




- Molecule 40: 30S ribosomal protein S3

Chain H: 



- Molecule 41: 30S ribosomal protein S4

Chain I: 




- Molecule 42: 30S ribosomal protein S5


Chain J: 




- Molecule 43: 30S ribosomal protein S6




- Molecule 44: 30S ribosomal protein S7




- Molecule 45: 30S ribosomal protein S8




- Molecule 46: 30S ribosomal protein S9




- Molecule 47: 30S ribosomal protein S10




- Molecule 48: 30S ribosomal protein S11




- Molecule 49: 30S ribosomal protein S12




- Molecule 50: 30S ribosomal protein S13




- Molecule 51: 30S ribosomal protein S14




- Molecule 52: 30S ribosomal protein S15




- Molecule 53: 30S ribosomal protein S16




- Molecule 54: 30S ribosomal protein S17




- Molecule 55: 30S ribosomal protein S18



- Molecule 56: 30S ribosomal protein S19




- Molecule 57: 30S ribosomal protein S20



- Molecule 58: 30S ribosomal protein S21





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1657	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	47.6	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	21.111	Depositor
Minimum map value	-12.565	Depositor
Average map value	0.116	Depositor
Map value standard deviation	0.863	Depositor
Recommended contour level	1.25	Depositor
Map size (Å)	370.5408, 370.5408, 370.5408	wwPDB
Map dimensions	448, 448, 448	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8271, 0.8271, 0.8271	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	3	0.59	0/36963	0.56	5/57662 (0.0%)
2	1	0.59	3/69796 (0.0%)	0.63	31/108888 (0.0%)
3	2	0.60	0/2872	0.55	1/4479 (0.0%)
4	5	0.69	0/1840	0.69	3/2868 (0.1%)
5	8	0.29	0/5502	0.67	4/7446 (0.1%)
6	b	0.48	0/2122	0.82	0/2852
7	c	0.43	0/1586	0.75	0/2134
8	d	0.37	0/1571	0.81	3/2113 (0.1%)
9	e	0.29	0/1435	0.66	0/1926
10	f	0.28	0/1343	0.61	0/1816
11	g	0.27	0/1122	0.75	3/1515 (0.2%)
12	a	0.26	0/1021	0.70	0/1370
13	i	0.28	0/1046	0.75	1/1410 (0.1%)
14	j	0.42	0/1152	0.72	0/1551
15	k	0.41	0/948	0.91	1/1268 (0.1%)
16	l	0.41	1/1054 (0.1%)	0.80	2/1403 (0.1%)
17	m	0.39	0/1093	0.81	2/1460 (0.1%)
18	n	0.48	1/974 (0.1%)	0.85	0/1301
19	o	0.32	0/902	0.68	0/1209
20	p	0.39	0/929	0.72	0/1242
21	q	0.43	0/960	0.71	0/1278
22	r	0.38	0/829	0.78	1/1107 (0.1%)
23	s	0.40	0/864	0.78	0/1156
24	t	0.33	0/745	0.77	1/994 (0.1%)
25	u	0.33	0/788	0.74	2/1051 (0.2%)
26	v	0.35	0/766	0.66	0/1025
27	w	0.40	0/582	0.78	0/769
28	x	0.50	0/635	1.19	6/848 (0.7%)
29	y	0.28	0/510	0.71	0/677
30	z	0.35	0/453	0.76	1/605 (0.2%)
31	A	0.25	0/362	0.72	0/485
32	B	0.36	0/450	0.80	2/599 (0.3%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	C	0.31	0/417	0.61	0/554
34	D	0.47	0/380	0.95	0/498
35	E	0.40	0/513	0.77	0/676
36	F	0.40	0/303	0.79	0/397
37	4	0.64	0/465	0.62	0/725
38	6	0.59	0/1832	0.59	0/2855
39	G	0.28	0/1736	0.75	0/2338
40	H	0.28	0/1652	0.72	0/2225
41	I	0.27	0/1665	0.75	1/2227 (0.0%)
42	J	0.36	0/1170	0.81	0/1573
43	K	0.32	0/836	0.85	2/1128 (0.2%)
44	L	0.38	0/1196	0.88	6/1602 (0.4%)
45	M	0.30	0/989	0.75	0/1326
46	N	0.29	0/1034	0.74	0/1375
47	O	0.30	0/797	0.70	0/1077
48	P	0.36	0/886	0.79	2/1195 (0.2%)
49	Q	0.36	0/969	0.79	0/1300
50	R	0.28	0/893	0.68	0/1193
51	S	0.27	0/817	0.68	1/1088 (0.1%)
52	T	0.36	0/722	0.73	0/964
53	U	0.29	0/659	0.63	0/884
54	V	0.32	0/658	0.72	0/881
55	W	0.28	0/545	0.69	0/731
56	X	0.27	0/653	0.64	0/877
57	Y	0.25	0/671	0.64	2/888 (0.2%)
58	Z	0.35	0/551	1.05	2/728 (0.3%)
All	All	0.53	5/166224 (0.0%)	0.65	85/247812 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	3	0	1
2	1	0	9
5	8	0	1
8	d	0	1
11	g	0	1
13	i	0	1
14	j	0	1
18	n	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
23	s	0	1
35	E	0	1
39	G	0	3
42	J	0	2
43	K	0	1
49	Q	0	1
58	Z	0	3
All	All	0	28

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	1	2064	C	O3'-P	-7.72	1.49	1.61
2	1	2102	G	O3'-P	-6.42	1.51	1.61
18	n	66	ALA	CA-C	-5.96	1.44	1.52
16	l	18	ARG	CA-CB	-5.05	1.44	1.52
2	1	905	A	O3'-P	-5.05	1.53	1.61

The worst 5 of 85 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	1	2102	G	O3'-P-O5'	-51.91	26.14	104.00
2	1	2187	U	P-O3'-C3'	20.85	151.47	120.20
2	1	2102	G	P-O3'-C3'	-20.25	89.82	120.20
2	1	2578	G	P-O3'-C3'	-15.28	97.28	120.20
2	1	905	A	P-O3'-C3'	12.31	138.67	120.20

There are no chirality outliers.

5 of 28 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	1	1275	A	Sidechain
2	1	702	U	Sidechain
2	1	761	A	Sidechain
2	1	980	A	Sidechain
1	3	533	A	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	3	33012	0	16618	738	0
2	1	62317	0	31346	1452	0
3	2	2568	0	1303	60	0
4	5	1647	0	832	38	0
5	8	5400	0	5363	166	0
6	b	2083	0	2157	65	0
7	c	1565	0	1616	59	0
8	d	1552	0	1619	48	0
9	e	1411	0	1447	42	0
10	f	1323	0	1374	31	0
11	g	1111	0	1148	24	0
12	a	1014	0	1079	79	0
13	i	1032	0	1088	37	0
14	j	1129	0	1162	30	0
15	k	939	0	1012	20	0
16	l	1045	0	1117	32	0
17	m	1074	0	1157	30	0
18	n	961	0	1000	36	0
19	o	892	0	923	20	0
20	p	917	0	965	25	0
21	q	947	0	1022	21	0
22	r	816	0	839	20	0
23	s	857	0	922	19	0
24	t	739	0	807	17	0
25	u	780	0	834	19	0
26	v	753	0	780	14	0
27	w	575	0	592	18	0
28	x	625	0	655	32	0
29	y	509	0	543	13	0
30	z	449	0	491	10	0
31	A	355	0	353	10	0
32	B	444	0	461	17	0
33	C	410	0	440	17	0
34	D	377	0	418	18	0
35	E	504	0	574	16	0
36	F	302	0	341	15	0
37	4	413	0	209	14	0
38	6	1640	0	837	29	0
39	G	1705	0	1732	48	0
40	H	1625	0	1699	42	0
41	I	1643	0	1710	44	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
42	J	1157	0	1199	38	0
43	K	818	0	808	27	0
44	L	1182	0	1240	49	0
45	M	979	0	1034	31	0
46	N	1022	0	1070	52	0
47	O	787	0	828	29	0
48	P	870	0	878	27	0
49	Q	955	0	1019	38	0
50	R	884	0	944	25	0
51	S	805	0	847	33	0
52	T	714	0	737	16	0
53	U	649	0	666	21	0
54	V	649	0	691	18	0
55	W	536	0	552	16	0
56	X	638	0	665	16	0
57	Y	665	0	714	21	0
58	Z	545	0	579	17	0
59	8	28	0	12	3	0
60	8	5	0	0	0	0
All	All	153348	0	105068	3374	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 3374 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:1:2121:G:C5	12:a:167:LYS:HE2	1.24	1.66
2:1:2121:G:C4	12:a:167:LYS:CE	1.79	1.64
2:1:2121:G:C2	12:a:167:LYS:HE3	1.44	1.51
2:1:2121:G:N3	12:a:167:LYS:CB	1.71	1.47
2:1:2121:G:N3	12:a:167:LYS:HE3	1.32	1.42

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	8	695/697 (100%)	617 (89%)	74 (11%)	4 (1%)	21	54
6	b	269/271 (99%)	227 (84%)	42 (16%)	0	100	100
7	c	207/209 (99%)	178 (86%)	29 (14%)	0	100	100
8	d	199/201 (99%)	181 (91%)	18 (9%)	0	100	100
9	e	175/177 (99%)	164 (94%)	11 (6%)	0	100	100
10	f	174/176 (99%)	157 (90%)	17 (10%)	0	100	100
11	g	147/149 (99%)	125 (85%)	22 (15%)	0	100	100
12	a	128/223 (57%)	105 (82%)	23 (18%)	0	100	100
13	i	139/141 (99%)	124 (89%)	15 (11%)	0	100	100
14	j	140/142 (99%)	120 (86%)	20 (14%)	0	100	100
15	k	120/122 (98%)	98 (82%)	22 (18%)	0	100	100
16	l	141/143 (99%)	117 (83%)	24 (17%)	0	100	100
17	m	134/136 (98%)	116 (87%)	18 (13%)	0	100	100
18	n	118/120 (98%)	102 (86%)	16 (14%)	0	100	100
19	o	114/116 (98%)	103 (90%)	11 (10%)	0	100	100
20	p	112/114 (98%)	105 (94%)	7 (6%)	0	100	100
21	q	115/117 (98%)	108 (94%)	7 (6%)	0	100	100
22	r	101/103 (98%)	88 (87%)	13 (13%)	0	100	100
23	s	108/110 (98%)	93 (86%)	15 (14%)	0	100	100
24	t	91/93 (98%)	77 (85%)	14 (15%)	0	100	100
25	u	100/102 (98%)	83 (83%)	17 (17%)	0	100	100
26	v	92/94 (98%)	79 (86%)	13 (14%)	0	100	100
27	w	73/75 (97%)	63 (86%)	10 (14%)	0	100	100
28	x	75/77 (97%)	68 (91%)	7 (9%)	0	100	100
29	y	61/63 (97%)	61 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
30	z	56/58 (97%)	50 (89%)	6 (11%)	0	100	100
31	A	44/66 (67%)	38 (86%)	6 (14%)	0	100	100
32	B	54/56 (96%)	48 (89%)	6 (11%)	0	100	100
33	C	48/50 (96%)	37 (77%)	11 (23%)	0	100	100
34	D	44/46 (96%)	35 (80%)	9 (20%)	0	100	100
35	E	62/64 (97%)	50 (81%)	10 (16%)	2 (3%)	3	24
36	F	36/38 (95%)	29 (81%)	7 (19%)	0	100	100
39	G	216/225 (96%)	186 (86%)	30 (14%)	0	100	100
40	H	204/206 (99%)	184 (90%)	20 (10%)	0	100	100
41	I	203/205 (99%)	172 (85%)	30 (15%)	1 (0%)	24	57
42	J	155/157 (99%)	129 (83%)	24 (16%)	2 (1%)	9	38
43	K	98/100 (98%)	79 (81%)	18 (18%)	1 (1%)	12	43
44	L	149/151 (99%)	130 (87%)	19 (13%)	0	100	100
45	M	127/129 (98%)	110 (87%)	17 (13%)	0	100	100
46	N	125/127 (98%)	110 (88%)	15 (12%)	0	100	100
47	O	96/98 (98%)	83 (86%)	12 (12%)	1 (1%)	12	43
48	P	114/116 (98%)	104 (91%)	10 (9%)	0	100	100
49	Q	121/123 (98%)	98 (81%)	23 (19%)	0	100	100
50	R	112/114 (98%)	99 (88%)	13 (12%)	0	100	100
51	S	98/100 (98%)	86 (88%)	12 (12%)	0	100	100
52	T	86/88 (98%)	80 (93%)	6 (7%)	0	100	100
53	U	80/82 (98%)	69 (86%)	11 (14%)	0	100	100
54	V	78/80 (98%)	69 (88%)	9 (12%)	0	100	100
55	W	63/65 (97%)	59 (94%)	4 (6%)	0	100	100
56	X	77/79 (98%)	70 (91%)	7 (9%)	0	100	100
57	Y	83/85 (98%)	77 (93%)	6 (7%)	0	100	100
58	Z	63/65 (97%)	46 (73%)	16 (25%)	1 (2%)	7	35
All	All	6520/6744 (97%)	5686 (87%)	822 (13%)	12 (0%)	44	73

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	8	489	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	8	664	PHE
35	E	31	ILE
43	K	54	LEU
47	O	89	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	8	574/574 (100%)	570 (99%)	4 (1%)	76	77
6	b	216/216 (100%)	212 (98%)	4 (2%)	50	66
7	c	164/164 (100%)	163 (99%)	1 (1%)	78	79
8	d	165/165 (100%)	160 (97%)	5 (3%)	36	57
9	e	148/148 (100%)	146 (99%)	2 (1%)	59	70
10	f	137/137 (100%)	136 (99%)	1 (1%)	76	77
11	g	114/114 (100%)	113 (99%)	1 (1%)	70	74
12	a	109/174 (63%)	108 (99%)	1 (1%)	70	74
13	i	109/109 (100%)	109 (100%)	0	100	100
14	j	116/116 (100%)	114 (98%)	2 (2%)	53	67
15	k	103/103 (100%)	100 (97%)	3 (3%)	37	58
16	l	102/102 (100%)	100 (98%)	2 (2%)	48	65
17	m	109/109 (100%)	108 (99%)	1 (1%)	70	74
18	n	100/100 (100%)	100 (100%)	0	100	100
19	o	86/86 (100%)	86 (100%)	0	100	100
20	p	99/99 (100%)	99 (100%)	0	100	100
21	q	89/89 (100%)	89 (100%)	0	100	100
22	r	84/84 (100%)	84 (100%)	0	100	100
23	s	93/93 (100%)	89 (96%)	4 (4%)	26	50
24	t	80/80 (100%)	79 (99%)	1 (1%)	61	71

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
25	u	83/83 (100%)	82 (99%)	1 (1%)	63	72
26	v	78/78 (100%)	77 (99%)	1 (1%)	61	71
27	w	57/57 (100%)	57 (100%)	0	100	100
28	x	67/67 (100%)	65 (97%)	2 (3%)	36	57
29	y	55/55 (100%)	55 (100%)	0	100	100
30	z	48/48 (100%)	47 (98%)	1 (2%)	47	64
31	A	42/59 (71%)	42 (100%)	0	100	100
32	B	47/47 (100%)	47 (100%)	0	100	100
33	C	45/45 (100%)	44 (98%)	1 (2%)	45	63
34	D	38/38 (100%)	35 (92%)	3 (8%)	11	36
35	E	51/51 (100%)	50 (98%)	1 (2%)	48	65
36	F	34/34 (100%)	33 (97%)	1 (3%)	37	58
39	G	180/186 (97%)	179 (99%)	1 (1%)	78	79
40	H	170/170 (100%)	168 (99%)	2 (1%)	63	72
41	I	172/172 (100%)	170 (99%)	2 (1%)	63	72
42	J	119/119 (100%)	116 (98%)	3 (2%)	42	61
43	K	87/87 (100%)	86 (99%)	1 (1%)	65	73
44	L	124/124 (100%)	122 (98%)	2 (2%)	55	68
45	M	104/104 (100%)	102 (98%)	2 (2%)	50	66
46	N	105/105 (100%)	105 (100%)	0	100	100
47	O	86/86 (100%)	86 (100%)	0	100	100
48	P	89/89 (100%)	88 (99%)	1 (1%)	65	73
49	Q	103/103 (100%)	103 (100%)	0	100	100
50	R	92/92 (100%)	91 (99%)	1 (1%)	65	73
51	S	83/83 (100%)	82 (99%)	1 (1%)	63	72
52	T	76/76 (100%)	76 (100%)	0	100	100
53	U	65/65 (100%)	65 (100%)	0	100	100
54	V	74/74 (100%)	74 (100%)	0	100	100
55	W	56/56 (100%)	56 (100%)	0	100	100
56	X	70/70 (100%)	70 (100%)	0	100	100
57	Y	65/65 (100%)	65 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
58	Z	55/55 (100%)	55 (100%)	0	100	100
All	All	5417/5505 (98%)	5358 (99%)	59 (1%)	63	73

5 of 59 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
23	s	74	ILE
45	M	109	VAL
28	x	57	VAL
45	M	100	ILE
42	J	116	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 122 such sidechains are listed below:

Mol	Chain	Res	Type
24	t	92	ASN
52	T	45	HIS
39	G	119	GLN
51	S	59	GLN
57	Y	67	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	3	1538/1539 (99%)	191 (12%)	1 (0%)
2	1	2902/2903 (99%)	435 (14%)	6 (0%)
3	2	119/120 (99%)	18 (15%)	0
37	4	18/35 (51%)	2 (11%)	0
38	6	76/77 (98%)	14 (18%)	0
4	5	76/77 (98%)	18 (23%)	3 (3%)
All	All	4729/4751 (99%)	678 (14%)	10 (0%)

5 of 678 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	3	3	A
1	3	6	G
1	3	8	A
1	3	9	G
1	3	32	A

5 of 10 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
4	5	2	G
4	5	3	G
4	5	41	A
2	1	1106	G
2	1	1801	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
60	PO4	8	802	-	4,4,4	1.00	0	6,6,6	0.51	0
59	GDP	8	801	-	29,30,30	1.16	3 (10%)	45,47,47	1.89	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	GDP	8	801	-	-	2/16/32/32	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	8	801	GDP	C5-C4	2.84	1.46	1.38
59	8	801	GDP	C6-N1	-2.60	1.34	1.38
59	8	801	GDP	C4-N9	-2.03	1.32	1.38

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
59	8	801	GDP	C5-C4-N3	-5.99	118.85	128.39
59	8	801	GDP	C2-N3-C4	5.12	121.11	112.30
59	8	801	GDP	N9-C4-N3	4.52	135.00	125.95
59	8	801	GDP	C6-C5-N7	3.67	136.96	130.29
59	8	801	GDP	C4-C5-N7	-2.77	106.28	110.67

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
59	8	801	GDP	C5'-O5'-PA-O3A
59	8	801	GDP	C5'-O5'-PA-O1A


There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
59	8	801	GDP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25409. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 224




Y Index: 224




Z Index: 224


6.2.2 Raw map



X Index: 224



Y Index: 224




Z Index: 224


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 254




Y Index: 207




Z Index: 226


6.3.2 Raw map



X Index: 224



Y Index: 215




Z Index: 220


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1914 nm³; this corresponds to an approximate mass of 1729 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.92	8.40	5.20

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.92 differs from the reported value 3.8 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-25409 and PDB model 7SSL. Per-residue inclusion information can be found in section 3 on page 16.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.25).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

















































The table lists the average atom inclusion at the recommended contour level (1.25) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8900	 0.3260
1	 0.9380	 0.3480
2	 0.9350	 0.3010
3	 0.9090	 0.2770
4	 0.7050	 0.1450
5	 0.7650	 0.1320
6	 0.9060	 0.2390
8	 0.5500	 0.2430
A	 0.8690	 0.2950
B	 0.9060	 0.4310
C	 0.7710	 0.3500
D	 0.9010	 0.4600
E	 0.9210	 0.4420
F	 0.8800	 0.4160
G	 0.7880	 0.2940
H	 0.8010	 0.2980
I	 0.8130	 0.2910
J	 0.8600	 0.3420
K	 0.9030	 0.3070
L	 0.8010	 0.2670
M	 0.8690	 0.3390
N	 0.8180	 0.2860
O	 0.7150	 0.2680
P	 0.9230	 0.3810
Q	 0.8330	 0.3490
R	 0.8550	 0.2890
S	 0.8400	 0.2830
T	 0.9170	 0.3710
U	 0.8600	 0.3550
V	 0.8770	 0.3380
W	 0.8850	 0.3490
X	 0.7990	 0.2630
Y	 0.8480	 0.3170
Z	 0.8650	 0.3630
a	 0.7590	 0.2680



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
b	 0.9250	 0.4470
c	 0.9250	 0.4330
d	 0.9000	 0.4040
e	 0.8510	 0.3130
f	 0.8710	 0.3300
g	 0.5800	 0.2430
i	 0.4560	 0.1880
j	 0.9240	 0.4230
k	 0.9050	 0.4230
l	 0.9110	 0.4320
m	 0.9060	 0.4250
n	 0.9330	 0.4380
o	 0.8810	 0.3640
p	 0.9130	 0.4100
q	 0.9120	 0.4300
r	 0.9130	 0.4110
s	 0.9130	 0.4190
t	 0.9160	 0.4170
u	 0.8740	 0.3760
v	 0.8870	 0.3460
w	 0.9190	 0.4350
x	 0.9200	 0.3980
y	 0.9090	 0.3770
z	 0.9430	 0.4420