



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:34 PM UTC

PDB ID : 7SUX / pdb_00007sux
Title : NADPH-dependent cytochrome P450 reductase 2b from Sorghum bicolor (SbCPR2b) -NADP⁺ complex
Authors : Zhang, B.; Kang, C.
Deposited on : 2021-11-18
Resolution : 2.36 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.36 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	706	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 3185 atoms, of which 25 are hydrogens and 0 are deuteriums.


In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADPH-cytochrome P450 reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total	C	N	O	S	0	0	0
			3019	1908	525	570	16			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	P	0	0
			73	21	25	7	17	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	40	Total O 40 40	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	47.13Å 69.65Å 153.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.82 – 2.36 37.82 – 2.36	Depositor EDS
% Data completeness (in resolution range)	99.1 (37.82-2.36) 99.1 (37.82-2.36)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.17 (at 2.37Å)	Xtriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, R_{free}	0.232 , 0.264 0.234 , 0.267	Depositor DCC
R_{free} test set	2000 reflections (9.30%)	wwPDB-VP
Wilson B-factor (Å ²)	57.5	Xtriage
Anisotropy	0.258	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 39.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3185	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	0/3093	0.97	13/4198 (0.3%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	304	HIS	CA-C-N	18.12	137.61	120.21
1	A	304	HIS	C-N-CA	18.12	137.61	120.21
1	A	562	GLY	CA-C-N	14.19	134.21	120.31
1	A	562	GLY	C-N-CA	14.19	134.21	120.31
1	A	450	VAL	N-CA-C	11.68	121.51	110.53
1	A	588	GLY	CA-C-N	-9.71	109.76	119.76
1	A	588	GLY	C-N-CA	-9.71	109.76	119.76
1	A	562	GLY	N-CA-C	9.24	131.19	112.34
1	A	561	ILE	N-CA-C	8.59	123.47	113.42
1	A	585	ALA	N-CA-C	5.71	117.43	110.41
1	A	577	ARG	CB-CA-C	-5.61	102.07	110.88
1	A	626	SER	N-CA-C	5.53	120.19	113.38
1	A	633	GLU	N-CA-C	5.45	117.61	108.73

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3019	0	2944	121	0
2	A	53	0	31	2	0
3	A	48	25	25	1	0
4	A	40	0	0	6	0
All	All	3160	25	3000	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:394:SER:HA	4:A:905:HOH:O	1.36	1.24
1:A:494:MET:HE3	1:A:494:MET:HA	1.41	1.01
1:A:683:LEU:HD23	1:A:687:LYS:HG3	1.52	0.89
1:A:597:ARG:HG2	1:A:627:ARG:HD2	1.53	0.89
1:A:300:HIS:ND1	1:A:300:HIS:O	2.06	0.88
1:A:494:MET:HA	1:A:494:MET:CE	2.04	0.84
1:A:621:LEU:HG	1:A:623:LEU:HD11	1.61	0.83
1:A:587:LEU:HD22	1:A:587:LEU:H	1.42	0.83
1:A:394:SER:O	4:A:901:HOH:O	1.96	0.82
1:A:558:ILE:HD12	1:A:558:ILE:O	1.85	0.76
1:A:414:LYS:NZ	4:A:904:HOH:O	2.19	0.76
1:A:528:VAL:HG12	1:A:536:CYS:HA	1.69	0.74
1:A:581:LYS:HD3	1:A:581:LYS:C	2.12	0.74
1:A:587:LEU:HD22	1:A:587:LEU:N	2.03	0.73
1:A:312:VAL:HG12	1:A:329:GLU:HB2	1.71	0.70
1:A:590:SER:HB2	1:A:618:LEU:HA	1.72	0.70
1:A:515:VAL:O	4:A:902:HOH:O	2.10	0.70
1:A:590:SER:O	1:A:619:SER:HB3	1.92	0.70
1:A:621:LEU:O	1:A:623:LEU:HD12	1.92	0.70
1:A:677:VAL:O	1:A:681:GLY:N	2.25	0.69
1:A:590:SER:HB2	1:A:619:SER:H	1.56	0.69
1:A:683:LEU:HD12	1:A:683:LEU:N	2.07	0.69
1:A:494:MET:HE3	1:A:494:MET:CA	2.21	0.69
1:A:681:GLY:C	1:A:683:LEU:HD12	2.17	0.69
1:A:490:SER:HB3	1:A:500:HIS:HB2	1.75	0.68
1:A:312:VAL:CG1	1:A:329:GLU:HB2	2.24	0.68
1:A:578:LEU:C	1:A:578:LEU:HD23	2.20	0.66
1:A:613:LEU:HD23	1:A:618:LEU:O	1.96	0.66
1:A:654:ALA:O	1:A:700:ARG:NH1	2.29	0.66
1:A:603:PHE:CE1	1:A:606:GLU:HG3	2.31	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:306:CYS:HB3	1:A:337:LEU:HD11	1.77	0.66
1:A:321:SER:HA	1:A:601:MET:HG2	1.76	0.66
1:A:328:LEU:HB3	1:A:501:VAL:HG22	1.77	0.66
1:A:490:SER:HB3	1:A:500:HIS:CG	2.31	0.66
1:A:570:PHE:HA	1:A:573:PHE:HB2	1.76	0.65
1:A:646:ILE:HD11	1:A:676:ILE:HD13	1.78	0.65
1:A:597:ARG:HB2	1:A:602:ASP:OD2	1.96	0.65
1:A:646:ILE:HD11	1:A:676:ILE:CD1	2.28	0.64
1:A:656:ILE:HG23	1:A:701:TYR:HA	1.80	0.63
1:A:587:LEU:H	1:A:587:LEU:CD2	2.10	0.62
1:A:683:LEU:HD23	1:A:687:LYS:CG	2.28	0.62
1:A:656:ILE:HD13	1:A:673:LEU:HD21	1.82	0.60
1:A:621:LEU:HG	1:A:623:LEU:CD1	2.30	0.60
1:A:626:SER:OG	1:A:633:GLU:O	2.20	0.60
1:A:621:LEU:O	1:A:623:LEU:CD1	2.49	0.60
1:A:557:PRO:O	1:A:654:ALA:HA	2.03	0.59
1:A:681:GLY:O	1:A:683:LEU:HD12	2.02	0.59
1:A:455:SER:OG	4:A:903:HOH:O	2.17	0.59
1:A:302:ALA:HA	1:A:542:PHE:CD2	2.39	0.57
1:A:558:ILE:HD12	1:A:558:ILE:C	2.29	0.57
1:A:622:VAL:C	1:A:623:LEU:HD12	2.29	0.57
1:A:632:LYS:HG2	1:A:632:LYS:O	2.04	0.57
1:A:621:LEU:HG	1:A:621:LEU:O	2.05	0.56
1:A:548:PHE:O	1:A:549:LYS:HD3	2.06	0.55
1:A:656:ILE:CD1	1:A:673:LEU:HD21	2.36	0.55
1:A:317:HIS:HB3	1:A:321:SER:CB	2.37	0.54
1:A:598:ASN:HB3	1:A:601:MET:HB2	1.90	0.54
1:A:349:THR:HG21	1:A:520:CYS:HB2	1.90	0.53
1:A:490:SER:HB3	1:A:500:HIS:CB	2.38	0.53
1:A:681:GLY:O	1:A:682:SER:HB2	2.08	0.53
1:A:316:LEU:HB3	1:A:604:ILE:HG22	1.92	0.52
1:A:557:PRO:HB3	1:A:589:PRO:HG2	1.91	0.52
1:A:532:GLU:O	1:A:532:GLU:HG3	2.11	0.51
1:A:603:PHE:HZ	1:A:623:LEU:HD21	1.75	0.51
1:A:405:TYR:O	1:A:480:ARG:HA	2.11	0.51
1:A:587:LEU:N	1:A:587:LEU:CD2	2.73	0.51
1:A:316:LEU:HD21	1:A:327:HIS:HB2	1.93	0.51
1:A:548:PHE:C	1:A:549:LYS:HD3	2.36	0.51
1:A:558:ILE:HG22	1:A:655:TYR:HB2	1.93	0.51
1:A:603:PHE:CD1	1:A:606:GLU:HB2	2.46	0.51
1:A:681:GLY:O	1:A:682:SER:CB	2.56	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:363:LEU:HD21	1:A:473:PHE:CD1	2.46	0.50
1:A:681:GLY:C	1:A:683:LEU:CD1	2.83	0.50
1:A:613:LEU:CD2	1:A:618:LEU:O	2.60	0.49
1:A:603:PHE:CZ	1:A:623:LEU:HD21	2.48	0.49
1:A:635:VAL:O	1:A:639:MET:HG3	2.13	0.49
1:A:681:GLY:O	1:A:683:LEU:CD1	2.61	0.49
1:A:328:LEU:HB3	1:A:501:VAL:CG2	2.43	0.49
1:A:590:SER:CB	1:A:618:LEU:HD12	2.42	0.48
1:A:603:PHE:CE2	1:A:623:LEU:HD23	2.49	0.48
1:A:623:LEU:HD12	1:A:623:LEU:N	2.28	0.48
1:A:590:SER:CB	1:A:618:LEU:HA	2.41	0.48
1:A:590:SER:C	1:A:618:LEU:HD12	2.39	0.48
1:A:354:GLU:OE2	1:A:517:LYS:NZ	2.43	0.47
1:A:558:ILE:C	1:A:558:ILE:CD1	2.87	0.47
1:A:683:LEU:N	1:A:683:LEU:CD1	2.77	0.47
1:A:551:PRO:HD3	1:A:657:TYR:OH	2.14	0.47
1:A:590:SER:HB2	1:A:619:SER:N	2.27	0.47
1:A:659:CYS:HA	1:A:704:ASP:O	2.15	0.47
1:A:676:ILE:C	1:A:676:ILE:HD12	2.40	0.46
1:A:571:ARG:O	1:A:575:GLN:HG3	2.13	0.46
1:A:562:GLY:H	1:A:570:PHE:HE2	1.62	0.46
1:A:663:LYS:HB2	1:A:663:LYS:HE2	1.76	0.46
1:A:557:PRO:HG2	1:A:654:ALA:HB2	1.97	0.46
1:A:695:LEU:HD21	1:A:700:ARG:NH2	2.31	0.46
1:A:677:VAL:O	1:A:681:GLY:CA	2.64	0.45
1:A:581:LYS:HB2	1:A:587:LEU:HD11	1.99	0.45
1:A:394:SER:O	4:A:905:HOH:O	2.21	0.44
1:A:488:ILE:HG12	1:A:499:ILE:HG23	2.01	0.43
1:A:553:ASP:OD1	1:A:553:ASP:N	2.51	0.43
1:A:646:ILE:C	1:A:646:ILE:HD12	2.43	0.43
2:A:801:FAD:H1'1	2:A:801:FAD:H9	1.79	0.43
1:A:367:PRO:HA	1:A:398:VAL:HB	1.99	0.43
1:A:622:VAL:HG11	1:A:638:LYS:HB3	2.01	0.42
1:A:693:LYS:HA	1:A:693:LYS:HD3	1.87	0.42
1:A:305:PRO:HB2	1:A:540:PRO:HB3	2.00	0.42
1:A:578:LEU:HA	1:A:581:LYS:HB3	2.01	0.42
1:A:590:SER:H	1:A:619:SER:HB3	1.85	0.42
1:A:494:MET:HG2	1:A:575:GLN:HB3	2.00	0.42
1:A:516:HIS:CD2	2:A:801:FAD:H2B	2.54	0.41
1:A:624:ALA:HB1	1:A:633:GLU:O	2.19	0.41
1:A:578:LEU:C	1:A:578:LEU:CD2	2.92	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:590:SER:HB3	1:A:618:LEU:HD12	2.02	0.41
1:A:303:GLN:HE21	1:A:303:GLN:HB3	1.59	0.41
1:A:313:ARG:CB	1:A:529:PRO:HG3	2.51	0.41
1:A:603:PHE:HD1	1:A:606:GLU:HB2	1.84	0.41
1:A:340:GLU:HB3	1:A:549:LYS:NZ	2.35	0.41
1:A:506:VAL:HG22	3:A:802:NAP:O3D	2.20	0.41
1:A:677:VAL:CG2	1:A:678:GLN:N	2.83	0.41
1:A:330:PHE:O	1:A:498:ARG:HA	2.20	0.41
1:A:547:ASN:OD1	1:A:547:ASN:N	2.49	0.41
1:A:588:GLY:O	1:A:589:PRO:C	2.60	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	384/706 (54%)	366 (95%)	18 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	323/560 (58%)	315 (98%)	8 (2%)	42	55

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	373	ILE
1	A	452	SER
1	A	493	SER
1	A	499	ILE
1	A	578	LEU
1	A	587	LEU
1	A	628	GLN
1	A	677	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	303	GLN
1	A	680	GLN
1	A	694	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	A	801	-	58,58,58	1.75	11 (18%)	85,89,89	1.67	22 (25%)
3	NAP	A	802	-	50,52,52	1.36	5 (10%)	71,80,80	1.70	14 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	801	-	-	7/34/50/50	0/6/6/6
3	NAP	A	802	-	-	18/35/67/67	0/5/5/5

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	FAD	C5A-N7A	-4.16	1.31	1.39
2	A	801	FAD	C9A-C5X	3.98	1.47	1.41
2	A	801	FAD	C5X-N5	-3.88	1.32	1.39
3	A	802	NAP	C5A-N7A	-3.70	1.32	1.39
2	A	801	FAD	C4A-N9A	-3.69	1.30	1.37
2	A	801	FAD	C4-N3	-3.45	1.32	1.38
3	A	802	NAP	C4A-N9A	-3.43	1.30	1.37
2	A	801	FAD	C8A-N9A	-3.24	1.32	1.37
3	A	802	NAP	C8A-N9A	-3.18	1.32	1.37
2	A	801	FAD	C2-N3	-2.92	1.32	1.39
3	A	802	NAP	C5A-C4A	2.73	1.44	1.39
2	A	801	FAD	P-O2P	-2.62	1.43	1.55
2	A	801	FAD	C5A-C4A	2.48	1.43	1.39
2	A	801	FAD	PA-O2A	-2.20	1.45	1.55
2	A	801	FAD	C8-C7	2.15	1.46	1.40
3	A	802	NAP	P2B-O3X	-2.05	1.47	1.54

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	FAD	C5A-C4A-N3A	-5.45	119.22	126.72
3	A	802	NAP	C5A-C4A-N3A	-5.27	119.46	126.72
3	A	802	NAP	N3A-C4A-N9A	4.63	135.04	127.17
3	A	802	NAP	C4A-N9A-C8A	4.12	110.07	105.74
2	A	801	FAD	C4A-C5A-N7A	-4.10	105.89	110.58
3	A	802	NAP	N3A-C2A-N1A	-3.95	122.61	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	802	NAP	O4B-C1B-N9A	3.86	115.50	108.09
2	A	801	FAD	C2A-N3A-C4A	3.69	120.85	111.83
3	A	802	NAP	C2A-N3A-C4A	3.64	120.72	111.83
2	A	801	FAD	N3A-C4A-N9A	3.55	133.20	127.17
2	A	801	FAD	N3A-C2A-N1A	-3.49	123.30	128.58
2	A	801	FAD	O2-C2-N1	-3.22	116.45	121.80
3	A	802	NAP	C4A-C5A-N7A	-3.20	106.92	110.58
2	A	801	FAD	C4-C4X-N5	3.05	122.42	118.21
3	A	802	NAP	N9A-C8A-N7A	-2.96	109.73	113.94
2	A	801	FAD	C5A-N7A-C8A	2.76	107.78	103.45
3	A	802	NAP	C5A-N7A-C8A	2.75	107.78	103.45
2	A	801	FAD	C6A-C5A-N7A	2.72	137.33	132.09
2	A	801	FAD	O4-C4-C4X	-2.61	119.63	126.53
2	A	801	FAD	C4-N3-C2	-2.54	121.13	125.64
2	A	801	FAD	C4X-C10-N1	-2.43	118.62	124.59
2	A	801	FAD	C4X-C4-N3	2.36	119.27	113.25
3	A	802	NAP	C2A-N1A-C6A	2.28	122.47	118.73
2	A	801	FAD	C10-N1-C2	2.27	121.76	116.85
2	A	801	FAD	N9A-C8A-N7A	-2.23	110.77	113.94
2	A	801	FAD	C4X-C10-N10	2.22	119.66	116.48
3	A	802	NAP	C2B-C1B-N9A	-2.20	110.14	113.75
2	A	801	FAD	C5X-C9A-N10	2.19	119.95	117.97
3	A	802	NAP	C3B-C2B-C1B	-2.19	98.61	102.81
3	A	802	NAP	O2B-P2B-O1X	-2.17	101.61	109.33
2	A	801	FAD	C2A-N1A-C6A	2.17	122.29	118.73
2	A	801	FAD	C4A-N9A-C8A	2.12	107.97	105.74
2	A	801	FAD	O2A-PA-O1A	2.08	122.14	112.44
3	A	802	NAP	C6A-C5A-N7A	2.07	136.08	132.09
2	A	801	FAD	C9-C9A-N10	-2.03	119.12	121.85
2	A	801	FAD	O3P-PA-O1A	-2.01	104.67	110.70

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	FAD	C2B-C1B-N9A-C8A
2	A	801	FAD	C5'-O5'-P-O3P
3	A	802	NAP	C5B-O5B-PA-O1A
3	A	802	NAP	C5B-O5B-PA-O3
3	A	802	NAP	C5D-O5D-PN-O1N
3	A	802	NAP	O4D-C1D-N1N-C6N
3	A	802	NAP	C2N-C3N-C7N-O7N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	802	NAP	C2N-C3N-C7N-N7N
3	A	802	NAP	C4N-C3N-C7N-O7N
3	A	802	NAP	C4N-C3N-C7N-N7N
2	A	801	FAD	C2B-C1B-N9A-C4A
3	A	802	NAP	C2B-C1B-N9A-C8A
3	A	802	NAP	PN-O3-PA-O1A
3	A	802	NAP	C5B-O5B-PA-O2A
3	A	802	NAP	C5D-O5D-PN-O3
3	A	802	NAP	C2B-C1B-N9A-C4A
3	A	802	NAP	O4D-C1D-N1N-C2N
2	A	801	FAD	PA-O3P-P-O1P
3	A	802	NAP	O4B-C1B-N9A-C8A
2	A	801	FAD	PA-O3P-P-O2P
3	A	802	NAP	PN-O3-PA-O2A
2	A	801	FAD	O2'-C2'-C3'-C4'
3	A	802	NAP	C2B-O2B-P2B-O1X
2	A	801	FAD	O4B-C1B-N9A-C8A
3	A	802	NAP	PA-O3-PN-O2N


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	FAD	2	0
3	A	802	NAP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	388/706 (54%)	0.44	17 (4%)	39 45	36, 75, 112, 148	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	631	THR	3.6
1	A	585	ALA	3.1
1	A	300	HIS	3.0
1	A	587	LEU	2.7
1	A	616	GLY	2.6
1	A	647	TRP	2.6
1	A	626	SER	2.5
1	A	487	SER	2.5
1	A	558	ILE	2.5
1	A	630	PRO	2.4
1	A	302	ALA	2.3
1	A	583	SER	2.3
1	A	308	ALA	2.2
1	A	561	ILE	2.2
1	A	639	MET	2.1
1	A	534	LYS	2.1
1	A	495	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAP	A	802	48/48	0.83	0.11	67,92,121,126	0
2	FAD	A	801	53/53	0.97	0.07	38,53,63,69	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.