



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 6, 2026 – 09:13 AM EDT

PDB ID : 8T8B / pdb_00008t8b
Title : Crystal structure of the *Thermus thermophilus* 70S ribosome in complex with protein Y, A-site aminoacyl-tRNA analog ACC-PMN, and P-site formyl-MAI-tripeptidyl-tRNA analog ACCA-IAMf at 2.65Å resolution
Authors : Thaler, J.; Syroegin, E.A.; Breuker, K.; Polikanov, Y.S.; Micura, R.
Deposited on : 2023-06-22
Resolution : 2.65 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)
RNA backbone	3983	1090 (2.90-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	2915	 2% 52% 39% 8%
1	2A	2915	 3% 47% 42% 9%
2	1B	121	 0% 60% 31% 8%
2	2B	121	 7% 42% 48% 9%












Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	1D	276	
3	2D	276	
4	1E	206	
4	2E	206	
5	1F	210	
5	2F	210	
6	1G	182	
6	2G	182	
7	1H	180	
7	2H	180	
8	1I	148	
8	2I	148	
9	1N	140	
9	2N	140	
10	1O	122	
10	2O	122	
11	1P	150	
11	2P	150	
12	1Q	141	
12	2Q	141	
13	1R	118	
13	2R	118	
14	1S	112	
14	2S	112	
15	1T	146	





Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	2T	146	
16	1U	118	
16	2U	118	
17	1V	101	
17	2V	101	
18	1W	113	
18	2W	113	
19	1X	96	
19	2X	96	
20	1Y	110	
20	2Y	110	
21	1Z	206	
21	2Z	206	
22	10	85	
22	20	85	
23	11	98	
23	21	98	
24	12	72	
24	22	72	
25	13	60	
25	23	60	
26	14	71	
26	24	71	
27	15	60	
27	25	60	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	16	54	
28	26	54	
29	17	49	
29	27	49	
30	18	65	
30	28	65	
31	19	37	
31	29	37	
32	1a	1521	
32	2a	1521	
33	1b	256	
33	2b	256	
34	1c	239	
34	2c	239	
35	1d	209	
35	2d	209	
36	1e	162	
36	2e	162	
37	1f	101	
37	2f	101	
38	1g	156	
38	2g	156	
39	1h	138	
39	2h	138	
40	1i	128	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	2i	128	
41	1j	105	
41	2j	105	
42	1k	129	
42	2k	129	
43	1l	132	
43	2l	132	
44	1m	126	
44	2m	126	
45	1n	61	
45	2n	61	
46	1o	89	
46	2o	89	
47	1p	88	
47	2p	88	
48	1q	105	
48	2q	105	
49	1r	88	
49	2r	88	
50	1s	93	
50	2s	93	
51	1t	106	
51	2t	106	
52	1u	27	
52	2u	27	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	1y	113	
53	2y	113	
54	1w	4	
54	2w	4	
55	1x	4	
55	2x	4	
56	1v	3	
56	2v	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
57	MG	1A	3854	-	-	-	X
57	MG	2A	3177	-	-	-	X
57	MG	2A	3310	-	-	-	X
57	MG	2B	201	-	-	-	X
57	MG	2G	202	-	-	-	X
57	MG	2a	3058	-	-	-	X
57	MG	2a	3069	-	-	-	X

2 Entry composition

There are 62 unique types of molecules in this entry. The entry contains 295092 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1A	2872	Total	C	N	O	P	0	0	0
			61869	27540	11574	19884	2871			
1	2A	2867	Total	C	N	O	P	0	0	0
			61758	27491	11552	19850	2865			

- Molecule 2 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	1B	120	Total	C	N	O	P	0	0	0
			2572	1145	476	832	119			
2	2B	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	1D	275	Total	C	N	O	S	0	0	0
			2131	1346	422	360	3			
3	2D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	1E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			
4	2E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	1F	203	Total	C	N	O	S	0	0	1
			1584	1009	298	275	2			
5	2F	203	Total	C	N	O	S	0	0	1
			1580	1007	297	274	2			

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	1G	181	Total	C	N	O	S	0	0	0
			1426	916	253	253	4			
6	2G	181	Total	C	N	O	S	0	0	0
			1424	912	259	249	4			

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	1H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			
7	2H	173	Total	C	N	O	S	0	0	0
			1324	842	247	234	1			

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	1I	147	Total	C	N	O	S	0	0	0
			1094	699	191	203	1			
8	2I	146	Total	C	N	O	S	0	0	0
			1076	687	186	202	1			

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	1N	140	Total	C	N	O	S	0	0	0
			1121	722	208	187	4			
9	2N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	1O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	2O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	1P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			
11	2P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	1Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
12	2Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	1R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
13	2R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	1S	110	Total	C	N	O	0	0	0
			877	553	175	149			
14	2S	110	Total	C	N	O	0	0	0
			870	549	173	148			

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	1T	131	Total	C	N	O	S	0	0	0
			1091	680	225	185	1			
15	2T	131	Total	C	N	O	S	0	0	0
			1083	675	224	183	1			

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	1U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			
16	2U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	1V	101	Total	C	N	O	S	0	0	0
			775	498	141	135	1			
17	2V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	1W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			
18	2W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	1X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			
19	2X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	1Y	107	Total	C	N	O	S	0	0	0
			810	520	153	131	6			
20	2Y	107	Total	C	N	O	S	0	0	0
			810	519	153	132	6			

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	1Z	203	Total	C	N	O	S	0	0	0
			1587	1011	282	292	2			
21	2Z	201	Total	C	N	O	S	0	0	0
			1557	995	274	286	2			

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	10	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			
22	20	83	Total	C	N	O	S	0	0	0
			650	401	139	109	1			

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	11	97	Total	C	N	O	S	0	0	0
			754	475	148	130	1			
23	21	97	Total	C	N	O	S	0	0	0
			759	478	149	131	1			

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	12	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			
24	22	70	Total	C	N	O	S	0	0	0
			592	368	119	103	2			

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	13	59	Total	C	N	O	0	0	0
			469	298	90	81			
25	23	59	Total	C	N	O	0	0	0
			464	296	90	78			

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	14	69	Total	C	N	O	S	0	0	0
			546	346	96	99	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	24	69	Total	C	N	O	S	0	0	0
			536	342	98	91	5			

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	15	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			
27	25	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	16	53	Total	C	N	O	S	0	0	0
			453	281	91	77	4			
28	26	53	Total	C	N	O	S	0	0	0
			449	279	91	75	4			

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	17	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			
29	27	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	18	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
30	28	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	19	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
31	29	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 32 is a RNA chain called 16S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	1a	1500	Total	C	N	O	P	0	0	0
			32246	14358	5975	10413	1500			
32	2a	1504	Total	C	N	O	P	0	0	0
			32331	14396	5990	10441	1504			

- Molecule 33 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	1b	231	Total	C	N	O	S	0	0	0
			1842	1175	330	332	5			
33	2b	231	Total	C	N	O	S	0	0	0
			1825	1167	326	327	5			

- Molecule 34 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	1c	206	Total	C	N	O	S	0	0	0
			1558	979	305	273	1			
34	2c	206	Total	C	N	O	S	0	0	0
			1542	968	300	273	1			

- Molecule 35 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	1d	208	Total	C	N	O	S	0	0	0
			1665	1043	329	286	7			
35	2d	208	Total	C	N	O	S	0	0	0
			1668	1047	330	284	7			

- Molecule 36 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	1e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			
36	2e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			

- Molecule 37 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	1f	100	Total	C	N	O	S	0	0	0
			814	516	144	151	3			
37	2f	100	Total	C	N	O	S	0	0	0
			816	516	146	151	3			

- Molecule 38 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	1g	155	Total	C	N	O	S	0	0	0
			1235	769	244	216	6			
38	2g	155	Total	C	N	O	S	0	0	0
			1229	766	241	216	6			

- Molecule 39 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	1h	137	Total	C	N	O	S	0	0	0
			1098	694	210	192	2			
39	2h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			

- Molecule 40 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	1i	127	Total	C	N	O	0	0	0
			986	625	193	168			
40	2i	126	Total	C	N	O	0	0	0
			966	613	186	167			

- Molecule 41 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
41	1j	97	Total	C	N	O	0	0	0
			719	446	142	131			
41	2j	96	Total	C	N	O	0	0	0
			710	442	137	131			

- Molecule 42 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	1k	114	Total	C	N	O	S	0	0	0
			834	520	156	155	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	2k	114	Total	C	N	O	S	0	0	0
			833	519	156	155	3			

- Molecule 43 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	1l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			
43	2l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			

- Molecule 44 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	1m	116	Total	C	N	O	S	0	0	0
			914	564	189	159	2			
44	2m	114	Total	C	N	O	S	0	0	0
			895	550	186	157	2			

- Molecule 45 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	1n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
45	2n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 46 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	1o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			
46	2o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			

- Molecule 47 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	1p	82	Total	C	N	O	S	0	0	0
			681	433	134	113	1			
47	2p	82	Total	C	N	O	S	0	0	0
			677	430	133	113	1			

- Molecule 48 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	1q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			
48	2q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			

- Molecule 49 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	1r	68	Total	C	N	O		0	0	0
			555	355	108	92				
49	2r	68	Total	C	N	O		0	0	0
			555	355	108	92				

- Molecule 50 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	1s	83	Total	C	N	O	S	0	0	0
			648	415	120	111	2			
50	2s	83	Total	C	N	O	S	0	0	0
			645	410	118	115	2			

- Molecule 51 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	1t	96	Total	C	N	O	S	0	0	0
			732	449	157	124	2			
51	2t	98	Total	C	N	O	S	0	0	0
			733	451	154	126	2			

- Molecule 52 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
52	1u	23	Total	C	N	O	0	0	0
			199	122	48	29			
52	2u	23	Total	C	N	O	0	0	0
			199	122	48	29			

- Molecule 53 is a protein called Ribosome-associated inhibitor A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	1y	97	Total	C	N	O	S	0	0	0
			764	478	144	139	3			
53	2y	96	Total	C	N	O	S	0	0	0
			749	468	141	137	3			

- Molecule 54 is a RNA chain called A-site Aminoacyl-tRNA Analog.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	1w	4	Total	C	N	O	P	0	0	1
			78	40	13	22	3			
54	2w	4	Total	C	N	O	P	0	0	1
			78	40	13	22	3			

- Molecule 55 is a RNA chain called P-site Peptidyl-tRNA Analog RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	1x	4	Total	C	N	O	P	0	0	1
			63	28	12	20	3			
55	2x	4	Total	C	N	O	P	0	0	1
			63	28	12	20	3			

- Molecule 56 is a protein called P-site Peptidyl-tRNA Analog Peptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
56	1v	3	Total	C	N	O	S	0	0	0
			23	15	3	4	1			
56	2v	3	Total	C	N	O	S	0	0	0
			23	15	3	4	1			

- Molecule 57 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	1A	1004	Total	Mg	0	0
			1004	1004		
57	1B	30	Total	Mg	0	0
			30	30		
57	1D	17	Total	Mg	0	0
			17	17		
57	1E	9	Total	Mg	0	0
			9	9		
57	1F	15	Total	Mg	0	0
			15	15		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	1G	4	Total 4	Mg 4	0	0
57	1H	2	Total 2	Mg 2	0	0
57	1N	4	Total 4	Mg 4	0	0
57	1O	1	Total 1	Mg 1	0	0
57	1P	5	Total 5	Mg 5	0	0
57	1Q	9	Total 9	Mg 9	0	0
57	1R	5	Total 5	Mg 5	0	0
57	1S	1	Total 1	Mg 1	0	0
57	1T	6	Total 6	Mg 6	0	0
57	1U	5	Total 5	Mg 5	0	0
57	1V	7	Total 7	Mg 7	0	0
57	1W	4	Total 4	Mg 4	0	0
57	1Z	1	Total 1	Mg 1	0	0
57	10	7	Total 7	Mg 7	0	0
57	11	5	Total 5	Mg 5	0	0
57	13	4	Total 4	Mg 4	0	0
57	15	7	Total 7	Mg 7	0	0
57	17	4	Total 4	Mg 4	0	0
57	18	3	Total 3	Mg 3	0	0
57	19	2	Total 2	Mg 2	0	0
57	1a	257	Total 257	Mg 257	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	1b	1	Total 1	Mg 1	0	0
57	1d	5	Total 5	Mg 5	0	0
57	1e	4	Total 4	Mg 4	0	0
57	1f	1	Total 1	Mg 1	0	0
57	1g	2	Total 2	Mg 2	0	0
57	1h	2	Total 2	Mg 2	0	0
57	1i	1	Total 1	Mg 1	0	0
57	1l	2	Total 2	Mg 2	0	0
57	1m	2	Total 2	Mg 2	0	0
57	1n	2	Total 2	Mg 2	0	0
57	1o	3	Total 3	Mg 3	0	0
57	1r	1	Total 1	Mg 1	0	0
57	1t	2	Total 2	Mg 2	0	0
57	1y	2	Total 2	Mg 2	0	0
57	1x	1	Total 1	Mg 1	0	0
57	2A	716	Total 716	Mg 716	0	0
57	2B	17	Total 17	Mg 17	0	0
57	2D	9	Total 9	Mg 9	0	0
57	2E	8	Total 8	Mg 8	0	0
57	2F	5	Total 5	Mg 5	0	0
57	2G	2	Total 2	Mg 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	2O	1	Total 1	Mg 1	0	0
57	2Q	3	Total 3	Mg 3	0	0
57	2R	2	Total 2	Mg 2	0	0
57	2T	4	Total 4	Mg 4	0	0
57	2U	1	Total 1	Mg 1	0	0
57	2V	3	Total 3	Mg 3	0	0
57	2W	2	Total 2	Mg 2	0	0
57	2X	1	Total 1	Mg 1	0	0
57	2Y	1	Total 1	Mg 1	0	0
57	20	3	Total 3	Mg 3	0	0
57	21	2	Total 2	Mg 2	0	0
57	23	3	Total 3	Mg 3	0	0
57	25	1	Total 1	Mg 1	0	0
57	26	1	Total 1	Mg 1	0	0
57	27	2	Total 2	Mg 2	0	0
57	28	2	Total 2	Mg 2	0	0
57	2a	178	Total 178	Mg 178	0	0
57	2e	1	Total 1	Mg 1	0	0
57	2f	1	Total 1	Mg 1	0	0
57	2j	1	Total 1	Mg 1	0	0
57	2k	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	2l	1	Total	Mg	0	0
			1	1		
57	2n	1	Total	Mg	0	0
			1	1		
57	2p	1	Total	Mg	0	0
			1	1		
57	2r	2	Total	Mg	0	0
			2	2		
57	2t	1	Total	Mg	0	0
			1	1		
57	2y	1	Total	Mg	0	0
			1	1		
57	2x	1	Total	Mg	0	0
			1	1		

- Molecule 58 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
58	1A	1	Total	C	O	0	0
			8	6	2		
58	1T	1	Total	C	O	0	0
			8	6	2		
58	18	1	Total	C	O	0	0
			8	6	2		
58	1a	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
58	2A	1	Total	C	O	0	0
			8	6	2		
58	2A	1	Total	C	O	0	0
			8	6	2		

- Molecule 59 is ARGinine (CCD ID: ARG) (formula: $C_6H_{15}N_4O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
59	1B	1	Total	C	N	O	0	0
			12	6	4	2		
59	1F	1	Total	C	N	O	0	0
			12	6	4	2		

- Molecule 60 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	1Y	1	Total	Zn	0	0
			1	1		
60	14	1	Total	Zn	0	0
			1	1		
60	15	1	Total	Zn	0	0
			1	1		
60	16	1	Total	Zn	0	0
			1	1		
60	19	1	Total	Zn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	1n	1	Total	Zn	0	0
			1	1		
60	2Y	1	Total	Zn	0	0
			1	1		
60	24	1	Total	Zn	0	0
			1	1		
60	25	1	Total	Zn	0	0
			1	1		
60	26	1	Total	Zn	0	0
			1	1		
60	29	1	Total	Zn	0	0
			1	1		
60	2n	1	Total	Zn	0	0
			1	1		

- Molecule 61 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
61	1d	1	Total	Fe	S	0	0
			8	4	4		
61	2d	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 62 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
62	1A	3076	Total 3076	O 3076	0	0
62	1B	63	Total 63	O 63	0	0
62	1D	79	Total 79	O 79	0	0
62	1E	51	Total 51	O 51	0	0
62	1F	34	Total 34	O 34	0	0
62	1G	9	Total 9	O 9	0	0
62	1H	5	Total 5	O 5	0	0
62	1I	4	Total 4	O 4	0	0
62	1N	33	Total 33	O 33	0	0
62	1O	8	Total 8	O 8	0	0
62	1P	45	Total 45	O 45	0	0
62	1Q	21	Total 21	O 21	0	0
62	1R	19	Total 19	O 19	0	0
62	1S	7	Total 7	O 7	0	0
62	1T	24	Total 24	O 24	0	0
62	1U	35	Total 35	O 35	0	0
62	1V	24	Total 24	O 24	0	0
62	1W	19	Total 19	O 19	0	0
62	1X	20	Total 20	O 20	0	0
62	1Y	5	Total 5	O 5	0	0
62	1Z	3	Total 3	O 3	0	0
62	10	18	Total 18	O 18	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
62	11	19	Total 19	O 19	0	0
62	12	6	Total 6	O 6	0	0
62	13	13	Total 13	O 13	0	0
62	14	2	Total 2	O 2	0	0
62	15	18	Total 18	O 18	0	0
62	16	13	Total 13	O 13	0	0
62	17	9	Total 9	O 9	0	0
62	18	19	Total 19	O 19	0	0
62	19	4	Total 4	O 4	0	0
62	1a	316	Total 316	O 316	0	0
62	1b	1	Total 1	O 1	0	0
62	1d	5	Total 5	O 5	0	0
62	1e	1	Total 1	O 1	0	0
62	1f	1	Total 1	O 1	0	0
62	1h	1	Total 1	O 1	0	0
62	1l	3	Total 3	O 3	0	0
62	1m	1	Total 1	O 1	0	0
62	1p	2	Total 2	O 2	0	0
62	1y	1	Total 1	O 1	0	0
62	1w	4	Total 4	O 4	0	0
62	1x	4	Total 4	O 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
62	2A	1380	Total 1380	O 1380	0	0
62	2B	18	Total 18	O 18	0	0
62	2D	25	Total 25	O 25	0	0
62	2E	14	Total 14	O 14	0	0
62	2F	18	Total 18	O 18	0	0
62	2G	1	Total 1	O 1	0	0
62	2H	1	Total 1	O 1	0	0
62	2I	1	Total 1	O 1	0	0
62	2N	1	Total 1	O 1	0	0
62	2O	5	Total 5	O 5	0	0
62	2P	9	Total 9	O 9	0	0
62	2Q	6	Total 6	O 6	0	0
62	2R	11	Total 11	O 11	0	0
62	2S	1	Total 1	O 1	0	0
62	2T	4	Total 4	O 4	0	0
62	2U	2	Total 2	O 2	0	0
62	2V	2	Total 2	O 2	0	0
62	2W	7	Total 7	O 7	0	0
62	2X	3	Total 3	O 3	0	0
62	2Z	4	Total 4	O 4	0	0
62	20	3	Total 3	O 3	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
62	21	10	Total 10	O 10	0	0
62	23	3	Total 3	O 3	0	0
62	25	6	Total 6	O 6	0	0
62	26	1	Total 1	O 1	0	0
62	27	5	Total 5	O 5	0	0
62	28	8	Total 8	O 8	0	0
62	2a	179	Total 179	O 179	0	0
62	2d	2	Total 2	O 2	0	0
62	2e	2	Total 2	O 2	0	0
62	2l	2	Total 2	O 2	0	0
62	2m	1	Total 1	O 1	0	0
62	2o	2	Total 2	O 2	0	0
62	2r	1	Total 1	O 1	0	0
62	2t	1	Total 1	O 1	0	0
62	2w	2	Total 2	O 2	0	0
62	2x	2	Total 2	O 2	0	0

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Chain 1A:

Chain ID	Length (Amino Acids)
G	1
U	2
C	3
A	4
A6	5
G7	6
A8	7
G11	8
A118	9
A119	10
A120	11
G121	12
G124	13
G117	14
C18	15
G23	16
G24	17
U25	18
G26	19
G27	20
A28	21
C34	22
G35	23
G36	24
G42	25
A43	26
G44	27
C45	28
C47	29
G55	30
A56	31
C57	32
G58	33
U59	34
G60	35
G61	36
A64	37
C65	38
C66	39
U67	40
G68	41
C69	42
G70	43
A71	44
U72	45
A73	46
A74	47
G75	48
C76	49
C77	50
A78	51
G79	52
G83	53
C86	54
G85	55
G86	56
U87	57
G88	58
C89	59
U193	60
G194	61
A195	62
C196	63
U197	64
G198	65
C199	66
U200	67
C201	68
A204	69
G205	70
U206	71
C207	72
G208	73
C209	74
G210	75
C211	76
U212	77
G213	78
C214	79
U215	80
G216	81
C217	82
U218	83
G219	84
C220	85
U221	86
G222	87
C223	88
U224	89
G225	90
C226	91
U227	92
G228	93
C229	94
U230	95
G231	96
C232	97
U233	98
G234	99
C235	100

G2093	G1998	G1906	G1793	U1693	A1587	A1494	U1406	U1300	U1205	A1111	A1046	U958	C857
G2096	C1999	U1911	U1794	A1700	C1588	A1495	C1407	A1301	U1205	G1112	G1047	A959	U888
C2097	G2000	A1912	C1795	A1701	C1589	A1496	A1412	G1303	A1210	U1113	A1048	A960	G859
U2098	A2001	A1913	U1796	G1702	G1594	G1501	G1413	C1304	U1211	G1114	C1053	C961	U860
U2099	G2002	C1914	U1797	G1703	G1595	G1502	G1416	G1310	G1212	G1115	A1054	G962	A861
G2100	U2011	U1915	G1799	G1707	G1595	U1503	C1417	G1311	C1218	C1116	G1055	C965	G862
U2101	G2012	A1916	C1800	G1800	A1603	C1504	U1420	G1314	G1219	C1124	G1056	U969	A863
A2101	A2013	U1917	U1801	C1801	C1604	A1508	G1421	C1315	A1220	G1125	A1057	C970	G864
C2103	A2014	A1918	A1802	G1712	C1605	G1509	G1422	U1316	A1220	A1126	G1058	C971	A866
G2104	U2017	C1920	A1803	U1713	C1607	A1509A	G1423	U1316	G1224	U1130	U1060	G972	U871
C2107	G2018	G1921	A1810	G1718	A1608	A1509B	G1424	G1325	G1225	G1131	U1061	A872	A872
A2109	A2019	G1922	G1811	G1719	A1609	A1510	U1428	G1328	G1230	C1135	G1063	C975	G875
U2108	A2020	U1923	G1812	G1719	A1610	C1511	G1429	U1329	G1231	G1136	C1064	C975	C876
G2110	C2021	U1924	G1813	G1720	C1611	U1512	G1430	C1330	G1232	G1139	U1065	A983	U877
C2111	U2022	G1925	G1814	G1721	C1611	C1513	G1431	G1331	G1233	U1141	U1066	A983	A878
G2114	G2023	U1926	A1815	G1722	A1614	U1514	U1431	A1331	U1240	C1140	C1072	C994	G879
A2114	G2024	A1927	G1816	U1739	A1614	G1515	C1432	G1332	G1235	U1141	C1073	C994	G880
G2115	C2025	A1928	G1817	G1740	A1630	G1515	C1432	G1332	G1236	U1142	G1068	A990	G881
A2116	G2029	G1929	U1818	A1741	G1630	U1518	G1435	U1335	G1237	U1142A	A1070	C991	C882
A2117	A2030	U1930	A1819	G1742	C1631	G1519	G1436	G1335	G1238	A1143	G1071	C992	G883
A2118	A2031	A1932	G1823	C1743	A1632	G1520	U1439	G1338	U1240	G1144	C1072	C993	C884
C2119	G2032	G1933	G1824	G1748	G1633	G1520	U1439	G1338	U1240	C1145	C1073	C994	C885
G2120	A2033	C1934	G1824	G1748	A1634	G1520	U1439	G1338	U1240	C1145	C1073	C994	C885
U2121	U2034	G1935	G1825	C1751	A1637	G1526	G1442	G1344	G1243	G1149	G1074	C995	C886
G2122	A2036	A1936	G1826	G1752	C1637	U1528	G1445	U1352	G1244	C1152	C1076	A996	C887
C2123	C2036	A1937	C1827	G1753	C1638	U1528	G1445	U1352	G1244	C1152	C1076	A996	C888
G2124	G2037	G1938	G1828	C1754	C1639	C1532	G1450	G1355	G1252	C1161	C1079	A1000	C889
A2125	U2038	U1939	A1829	G1755	A1641	C1532	G1450	G1355	G1252	C1161	C1079	A1000	A890
C2126	C2039	U1940	C1830	G1756	G1642	U	G1459	G1358	A1253	G1162	C1080	G1003	C894
U2127	C2040	C1941	C1844	U1757	G1643	A	A1460	A1359	A1254	G1163	U1081	C1006	U895
C2128	U2041	G1942	C1845	G1758	C1644	C	G1461	A1360	G1255	G1164	U1082	C1007	A896
G2129	A2042	C1942	G1846	A1759	G1647	G1537	C1462	G1361	G1256	C1165	U1083	C1008	C897
U2130	C2043	A1952	G1847	G1762	C1648	G1541	G1465	A1365	G1260	U1167	A1084	A1009	U907
U2131	A1953	G1954	A1847	G1763	G1649	A1542	G1466	A1365	G1260	U1167	A1085	A1010	C908
G2133	C2050	U1955	G1848	G1764	G1649	A1542	G1467	G1371	U1263	G1170	A1086	G1011	C908
A2135	C2055	U1956	G1849	G1764	A1652	C1543	G1468	U1372	G1264	G1171	A1087	C1012	A909
C2136	G2056	U1957	G1850	G1770	A1654	C1546	A1469	U1372	G1265	G1171	A1088	C1013	A910
A2058	A2057	C1962	G1857	G1773	A1654	C1550	G1470	G1376	U1266	U1173	U1089	U1019	A911
C2137	C2058	U1963	G1858	C1774	A1664	C1557	G1471	G1377	U1267	U1175	C1091	A1020	C912
A2059	G1964	C1965	U1864	C1774	A1664	C1557	G1472	G1378	U1268	G1176	C1092	C915	C915
A2060	G2061	C1966	U1864	C1774	A1664	C1557	G1473	G1379	A1269	A1177	G1093	U1023	C915
C2064	C2065	C1967	A1877	U1778	A1669	A1558	A1477	A1384	G1270	C1178	U1094	U1023	A918
C2065	C2066	A1970	G1878	U1779	C1670	A1566	G1478	G1385	A1271	C1179	A1095	G1024	G919
U2144	C2066	A1971	C1879	G1781	U1671	A1567	G1478	C1386	U1273	C1180	A1096	U1026	U922
C2145	G2069	G1972	C1882	A1783	G1674	A1568	G1482	C1387	A1274	G1186	A1098	A1027	C923
G2146	C2074	C1974	G1883	A1784	C1675	A1569	G1484	C1387	A1275	G1187	G1099	A1028	C923
U2074	U2075	A1981	A1889	A1785	G1682	U1578	G1485	A1392	C1291	U1188	C1100	U1033	G932
U2075	U2075	A1981	A1890	A1787	C1683	A1579	A1486	A1393	U1292	U1188	U1101	U1035	G944
U2079	U2079	U1983	G1891	G1788	C1684	A1580	G1487	C1399	C1293	A1194	C1102	U1035	G944
G2151	G2152	U1983	G1891	A1789	C1685	G1581	G1488	G1400	G1296	G1195	C1103	G1039	G946
C2153	G2153	U1983	G1891	A1789	C1686	G1582	U1489	G1401	C1297	U1198	C1104	C1040	A953
G2155	G2155	U1983	G1891	A1789	C1687	A1583	A1490	G1401	C1298	U1198	U1105	C1041	A953
G2155	G2155	U1983	G1891	A1789	C1688	A1584	C1493	U1405	G1299	C1201	G1106	A1045	A957




• Molecule 1: 23S Ribosomal RNA







A1569	A1570	A1571	A1572	G1573	U1497	C1498	C1499	G1500	A1508	U1509	A1509A	A1509B	G1510	U1514	G1515	U1518	G1519	G1520	U1523	G1524	G1525	G1526	G1527	G1533	U	A	C1536	G1537	U1540	G1541	A1542	C1543	C1544	A1545	C1546	C1547	C1548	C1549	C1550	C1557	A1558	G1559	G1560	G1561	G1562	G1563	A1566																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
A1569	A1570	A1571	A1572	G1573	U1497	C1498	C1499	G1500	A1508	U1509	A1509A	A1509B	G1510	U1514	G1515	U1518	G1519	G1520	U1523	G1524	G1525	G1526	G1527	G1533	U	A	C1536	G1537	U1540	G1541	A1542	C1543	C1544	A1545	C1546	C1547	C1548	C1549	C1550	C1557	A1558	G1559	G1560	G1561	G1562	G1563	A1566																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
A1664	A1665	G1666	A1783	G1667	A1668	C1786	A1669	C1790	A1791	U1794	G1674	C1675	A1676	A1677	C1686	G1687	U1688	G1689	C1801	A1802	A1803	G1696	G1697	C1914	A1698	G1699	A1700	A1701	G1702	G1703	U1709	C1710	C1711	C1712	C1713	C1714	C1715	C1716	C1717	C1718	A1608	G1719	A1609	U1720	G1930	U1931	U1932	A1614	G1622	G1628	A1938	G1750	C1751	C1752	G1753	A1544	G1633	A1755	G1756	U1757	U1639	C1640	G1758	A1759	G1647	A1762	G1763	A1652	G1559	G1652	G1653	A1654	G1655	C1772	A1773	C1657	C1658	G1784	C1785	C1786	C1787	C1788	C1789	C1790	C1791	C1792	C1793	C1794	C1795	C1796	C1797	C1798	C1799	C1800	C1801	C1802	C1803	C1804	C1805	C1806	C1807	C1808	C1809	C1810	C1811	C1812	C1813	C1814	C1815	C1816	C1817	C1818	C1819	C1820	C1821	C1822	C1823	C1824	C1825	C1826	C1827	C1828	C1829	C1830	C1831	C1832	C1833	C1834	C1835	C1836	C1837	C1838	C1839	C1840	C1841	C1842	C1843	C1844	C1845	C1846	C1847	C1848	C1849	C1850	C1851	C1852	C1853	C1854	C1855	C1856	C1857	C1858	C1859	C1860	C1861	C1862	C1863	C1864	C1865	C1866	C1867	C1868	C1869	C1870	C1871	C1872	C1873	C1874	C1875	C1876	C1877	C1878	C1879	C1880	C1881	C1882	C1883	C1884	C1885	C1886	C1887	C1888	C1889	C1890	C1891	C1892	C1893	C1894	C1895	C1896	C1897	C1898	C1899	C1900	C1901	C1902	C1903	C1904	C1905	C1906	C1907	C1908	C1909	C1910	C1911	C1912	C1913	C1914	C1915	C1916	C1917	C1918	C1919	C1920	C1921	C1922	C1923	C1924	C1925	C1926	C1927	C1928	C1929	C1930	C1931	C1932	C1933	C1934	C1935	C1936	C1937	C1938	C1939	C1940	C1941	C1942	C1943	C1944	C1945	C1946	C1947	C1948	C1949	C1950	C1951	C1952	C1953	C1954	C1955	C1956	C1957	C1958	C1959	C1960	C1961	C1962	C1963	C1964	C1965	C1966	C1967	C1968	C1969	C1970	C1971	C1972	C1973	C1974	C1975	C1976	C1977	C1978	C1979	C1980	C1981	C1982	C1983	C1984	C1985	C1986	C1987	C1988	C1989	C1990	C1991	C1992	C1993	C1994	C1995	C1996	C1997	C1998	C1999	C2000	C2001	C2002	C2003	C2004	C2005	C2006	C2007	C2008	C2009	C2010	C2011	C2012	C2013	C2014	C2015	C2016	C2017	C2018	C2019	C2020	C2021	C2022	C2023	C2024	C2025	C2026	C2027	C2028	C2029	C2030	C2031	C2032	C2033	C2034	C2035	C2036	C2037	C2038	C2039	C2040	C2041	C2042	C2043	C2044	C2045	C2046	C2047	C2048	C2049	C2050	C2051	C2052	C2053	C2054	C2055	C2056	C2057	C2058	C2059	C2060	C2061	C2062	C2063	C2064	C2065	C2066	C2067	C2068	C2069	C2070	C2071	C2072	C2073	C2074	C2075	C2076	C2077	C2078	C2079	C2080	C2081	C2082	C2083	C2084	C2085	C2086	C2087	C2088	C2089	C2090	C2091	C2092	C2093	C2094	C2095	C2096	C2097	C2098	C2099	C2100	C2101	C2102	C2103	C2104	C2105	C2106	C2107	C2108	C2109	C2110	C2111	C2112	C2113	C2114	C2115	C2116	C2117	C2118	C2119	C2120	C2121	C2122	C2123	C2124	C2125	C2126	C2127	C2128	C2129	C2130	C2131	C2132	C2133	C2134	C2135	C2136	C2137	C2138	C2139	C2140	C2141	C2142	C2143	C2144	C2145	C2146	C2147	C2148	C2149	C2150	C2151	C2152	C2153	C2154	C2155	C2156	C2157	C2158	C2159	C2160	C2161	C2162	C2163	C2164	C2165	C2166	C2167	C2168	C2169	C2170	C2171	C2172	C2173	C2174	C2175	C2176	C2177	C2178	C2179	C2180	C2181	C2182	C2183	C2184	C2185	C2186	C2187	C2188	C2189	C2190	C2191	C2192	C2193	C2194	C2195	C2196	C2197	C2198	C2199	C2200	C2201	C2202	C2203	C2204	C2205	C2206	C2207	C2208	C2209	C2210	C2211	C2212	C2213	C2214	C2215	C2216	C2217	C2218	C2219	C2220	C2221	C2222	C2223	C2224	C2225	C2226	C2227	C2228	C2229	C2230	C2231	C2232	C2233	C2234	C2235	C2236	C2237	C2238	C2239	C2240	C2241	C2242	C2243	C2244	C2245	C2246	C2247	C2248	C2249	C2250	C2251	C2252	C2253	C2254	C2255	C2256	C2257	C2258	C2259	C2260	C2261	C2262	C2263	C2264	C2265	C2266	C2267	C2268	C2269	C2270	C2271	C2272	C2273	C2274	C2275	C2276	C2277	C2278	C2279	C2280	C2281	C2282	C2283	C2284	C2285	C2286	C2287	C2288	C2289	C2290	C2291	C2292	C2293	C2294	C2295	C2296	C2297	C2298	C2299	C2300	C2301	C2302	C2303	C2304	C2305	C2306	C2307	C2308	C2309	C2310	C2311	C2312	C2313	C2314	C2315	C2316	C2317	C2318	C2319	C2320	C2321	C2322	C2323	C2324	C2325	C2326	C2327	C2328	C2329	C2330	C2331	C2332	C2333	C2334	C2335	C2336	C2337	C2338	C2339	C2340	C2341	C2342	C2343	C2344	C2345	C2346	C2347	C2348	C2349	C2350	C2351	C2352	C2353	C2354	C2355	C2356	C2357	C2358	C2359	C2360	C2361	C2362	C2363	C2364	C2365	C2366	C2367	C2368	C2369	C2370	C2371	C2372	C2373	C2374	C2375	C2376	C2377	C2378	C2379	C2380	C2381	C2382	C2383	C2384	C2385	C2386	C2387	C2388	C2389	C2390	C2391	C2392	C2393	C2394	C2395	C2396	C2397	C2398	C2399	C2400	C2401	C2402	C2403	C2404	C2405	C2406	C2407	C2408	C2409	C2410	C2411	C2412	C2413	C2414	C2415	C2416	C2417	C2418	C2419	C2420	C2421	C2422	C2423	C2424	C2425	C2426	C2427	C2428	C2429	C2430	C2431	C2432	C2433	C2434	C2435	C2436	C2437	C2438	C2439	C2440	C2441	C2442	C2443	C2444	C2445	C2446	C2447	C2448	C2449	C2450	C2451	C2452	C2453	C2454	C2455	C2456	C2457	C2458	C2459	C2460	C2461	C2462	C2463	C2464	C2465	C2466	C2467	C2468	C2469	C2470	C2471	C2472	C2473	C2474	C2475	C2476	C2477	C2478	C2479	C2480	C2481	C2482	C2483	C2484	C2485	C2486	C2487	C2488	C2489	C2490	C2491	C2492	C2493	C2494	C2495	C2496	C2497	C2498	C2499	C2500	C2501	C2502	C2503	C2504	C2505	C2506	C2507	C2508	C2509	C2510	C2511	C2512	C2513	C2514	C2515	C2516	C2517	C2518	C2519	C2520	C2521	C2522	C2523	C2524	C2525	C2526	C2527	C2528	C2529	C2530	C2531	C2532	C2533	C2534	C2535	C2536	C2537	C2538	C2539	C2540	C2541	C2542	C2543	C2544	C2545	C2546	C2547	C2548	C2549	C2550	C2551	C2552	C2553	C2554	C2555	C2556	C2557	C2558	C2559	C2560	C2561	C2562	C2563	C2564	C2565	C2566	C2567	C2568	C2569	C2570	C2571	C2572	C2573	C2574	C2575	C2576	C2577	C2578	C2579	C2580	C2581	C2582	C2583	C2584	C2585	C2586	C2587	C2588	C2589	C2590	C2591	C2592	C2593	C2594	C2595	C2596	C2597	C2598	C2599	C2600	C2601	C2602	C2603	C2604	C2605	C2606	C2607	C2608	C2609	C2610	C2611	C2612	C2613	C2614	C2615	C2616	C2617	C2618	C2619	C2620	C2621	C2622	C2623	C2624	C2625	C2626	C2627	C2628	C2629	C2630	C2631	C2632	C2633	C2634	C2635	C2636	C2637	C2638	C2639	C2640	C2641	C2642	C2643	C2644	C2645	C2646	C2647	C2648	C2649	C2650	C2651	C2652	C2653	C2654	C2655	C2656	C2657	C2658	C2659	C2660	C2661	C2662	C2663	C2664	C2665	C2666	C2667	C2668	C2669	C2670	C2671	C2672	C2673	C2674	C2675	C2676	C2677	C2678	C2679	C2680	C2681	C2682	C2683	C2684	C2685	C2686	C2687	C2688	C2689	C2690	C2691	C2692	C2693	C2694	C2695	C2696	C2697	C2698	C2699	C2700	C2701	C2702	C2703	C2704	C2705	C2706	C2707	C2708	C2709	C2710	C2711	C2712	C2713	C2714	C2715	C2716	C2717	C2718	C2719	C2720	C2721	C2722	C2723	C2724	C2725	C2726	C2727	C2728	C2729	C2730	C2731	C2732	C2733	C2734	C2735	C2736	C2737	C2738	C2739	C2740	C2741	C2742	C2743	C2744	C2745	C2746	C2747	C2748	C2749	C2750	C2751	C2752	C2753	C2754	C2755	C2756	C2757	C2758	C2759	C2760	C2761	C2762	C2763	C2764	C2765	C2766	C2767	C2768	C2769	C2770	C2771	C2772	C2773	C2774	C2775	C2776	C2777	C2778	C2779	C2780	C2781	C2782	C2783	C2784	C2785	C2786	C2787	C2788	C2789	C2790	C2791	C2792	C2793	C2794	C2795	C2796	C2797	C2798	C2799	C2800	C2801	C2802	C2803	C2804	C2805	C2806	C2807	C2808	C2809	C2810	C2811	C2812	C2813	C2814	C2815	C2816	C2817	C2818	C2819	C2820	C2821	C2822	C2823	C2824	C2825	C2826	C2827	C2828	C2829	C2830	C2831	C2832	C2833	C2834	C2835	C2836	C2837	C2838	C2839	C2840	C2841	C2842	C2843	C2844	C2845	C2846	C2847	C2848	C2849	C2850	C2851	C2852	C2853	C2854	C2855	C2856	C2857	C2858	C2859	C2860	C2861	C2862	C2863	C2864	C2865	C2866	C2867	C2868	C2869	C2870	C2871	C2872	C2873	C2874	C2875	C2876	C2877	C2878	C2879	C2880	C2881	C2882	C2883	C2884	C2885	C2886	C2887	C2888	C2889	C2890	C2891	C2892	C2893	C2894	C2895	C2896	C2897	C2898	C2899	C2900	C2901	C2902	C2903	C2904	C2905	C2906	C2907	C2908	C2909	C2910	C2911	C2912	C2913	C2914	C2915	C2916	C2917	C2918	C2919	C2920	C2921	C2922	C2923	C2924	C2925	C2926	C2927	C2928	C2929	C2930	C2931	C2932	C2933	C2934	C2935	C2936	C2937	C2938	C2939	C2940	C2941	C2942	C2943	C2944	C2945	C2946	C2947	C2948	C2949	C2950	C2951	C2952	C2953	C2954	C2955	C2956	C2957	C2958	C2959	C2960	C2961	C2962	C2963	C2964	C2965	C2966	C2967	C2968	C2969	C2970	C2971	C2972	C2973	C2974	C2975	C2976	C2977	C2978	C2979	C2980	C2981	C2982	C298








• Molecule 4: 50S ribosomal protein L3




• Molecule 4: 50S ribosomal protein L3




• Molecule 5: 50S ribosomal protein L4




• Molecule 5: 50S ribosomal protein L4







• Molecule 6: 50S ribosomal protein L5




• Molecule 6: 50S ribosomal protein L5




• Molecule 7: 50S ribosomal protein L6




• Molecule 7: 50S ribosomal protein L6







• Molecule 8: 50S ribosomal protein L9





• Molecule 8: 50S ribosomal protein L9



• Molecule 9: 50S ribosomal protein L13



• Molecule 9: 50S ribosomal protein L13




- Molecule 10: 50S ribosomal protein L14

Chain 1O:  64% 33% .




- Molecule 10: 50S ribosomal protein L14

Chain 2O:  2% 59% 39% .




- Molecule 11: 50S ribosomal protein L15

Chain 1P:  65% 31% . .




- Molecule 11: 50S ribosomal protein L15

Chain 2P:  3% 63% 32% 5% .




- Molecule 12: 50S ribosomal protein L16

Chain 1Q:  % 71% 28% .







- Molecule 12: 50S ribosomal protein L16




- Molecule 13: 50S ribosomal protein L17



- Molecule 13: 50S ribosomal protein L17




- Molecule 14: 50S ribosomal protein L18




- Molecule 14: 50S ribosomal protein L18






• Molecule 15: 50S ribosomal protein L19




• Molecule 15: 50S ribosomal protein L19




• Molecule 16: 50S ribosomal protein L20




• Molecule 16: 50S ribosomal protein L20




• Molecule 17: 50S ribosomal protein L21





- Molecule 17: 50S ribosomal protein L21




- Molecule 18: 50S ribosomal protein L22




- Molecule 18: 50S ribosomal protein L22



- Molecule 19: 50S ribosomal protein L23



- Molecule 19: 50S ribosomal protein L23




- Molecule 20: 50S ribosomal protein L24









- Molecule 20: 50S ribosomal protein L24




- Molecule 21: 50S ribosomal protein L25



- Molecule 21: 50S ribosomal protein L25




- Molecule 22: 50S ribosomal protein L27




- Molecule 22: 50S ribosomal protein L27








- Molecule 23: 50S ribosomal protein L28




- Molecule 23: 50S ribosomal protein L28



- Molecule 24: 50S ribosomal protein L29




- Molecule 24: 50S ribosomal protein L29




- Molecule 25: 50S ribosomal protein L30




- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L31




- Molecule 26: 50S ribosomal protein L31




- Molecule 27: 50S ribosomal protein L32




- Molecule 27: 50S ribosomal protein L32




- Molecule 28: 50S ribosomal protein L33




- Molecule 28: 50S ribosomal protein L33




- Molecule 29: 50S ribosomal protein L34




- Molecule 29: 50S ribosomal protein L34




- Molecule 30: 50S ribosomal protein L35




- Molecule 30: 50S ribosomal protein L35




- Molecule 31: 50S ribosomal protein L36




- Molecule 31: 50S ribosomal protein L36




- Molecule 32: 16S Ribosomal RNA









• Molecule 32: 16S Ribosomal RNA







• Molecule 33: 30S ribosomal protein S2




• Molecule 33: 30S ribosomal protein S2




• Molecule 35: 30S ribosomal protein S4



• Molecule 36: 30S ribosomal protein S5



• Molecule 36: 30S ribosomal protein S5



• Molecule 37: 30S ribosomal protein S6







- Molecule 37: 30S ribosomal protein S6




- Molecule 38: 30S ribosomal protein S7




- Molecule 38: 30S ribosomal protein S7




- Molecule 39: 30S ribosomal protein S8




- Molecule 39: 30S ribosomal protein S8




- Molecule 40: 30S ribosomal protein S9



- Molecule 40: 30S ribosomal protein S9




- Molecule 41: 30S ribosomal protein S10




- Molecule 41: 30S ribosomal protein S10







• Molecule 42: 30S ribosomal protein S11




• Molecule 42: 30S ribosomal protein S11




• Molecule 43: 30S ribosomal protein S12




• Molecule 43: 30S ribosomal protein S12




- Molecule 44: 30S ribosomal protein S13




- Molecule 44: 30S ribosomal protein S13




- Molecule 45: 30S ribosomal protein S14 type Z



- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 46: 30S ribosomal protein S15




- Molecule 46: 30S ribosomal protein S15






- Molecule 47: 30S ribosomal protein S16




- Molecule 47: 30S ribosomal protein S16



- Molecule 48: 30S ribosomal protein S17




- Molecule 48: 30S ribosomal protein S17




- Molecule 49: 30S ribosomal protein S18




- Molecule 49: 30S ribosomal protein S18




- Molecule 50: 30S ribosomal protein S19




- Molecule 50: 30S ribosomal protein S19




- Molecule 51: 30S ribosomal protein S20




- Molecule 51: 30S ribosomal protein S20







- Molecule 52: 30S ribosomal protein Thx





- Molecule 52: 30S ribosomal protein Thx




- Molecule 53: Ribosome-associated inhibitor A



- Molecule 53: Ribosome-associated inhibitor A



- Molecule 54: A-site Aminoacyl-tRNA Analog



- Molecule 54: A-site Aminoacyl-tRNA Analog






- Molecule 55: P-site Peptidyl-tRNA Analog RNA



- Molecule 55: P-site Peptidyl-tRNA Analog RNA



- Molecule 56: P-site Peptidyl-tRNA Analog Peptide



- Molecule 56: P-site Peptidyl-tRNA Analog Peptide



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	207.11Å 441.13Å 612.49Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	119.32 – 2.65 119.32 – 2.65	Depositor EDS
% Data completeness (in resolution range)	99.0 (119.32-2.65) 99.0 (119.32-2.65)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.29 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.8.2	Depositor
R, R_{free}	0.211 , 0.257 0.214 , 0.258	Depositor DCC
R_{free} test set	79582 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	65.4	Xtriage
Anisotropy	0.172	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.22$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	295092	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: OMG, ZN, 2MA, 5MC, OMC, UR3, SF4, G7M, MPD, PPU, 5MU, 8AN, M2G, 2MU, PSU, MG, MA6, FME, 4OC, 0TD, 2MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1A	0.31	0/69030	0.47	0/107750
1	2A	0.24	0/68902	0.42	1/107548 (0.0%)
2	1B	0.25	0/2876	0.42	0/4486
2	2B	0.20	0/2878	0.39	0/4490
3	1D	0.30	0/2181	0.53	0/2940
3	2D	0.25	0/2186	0.49	0/2944
4	1E	0.27	0/1592	0.49	0/2149
4	2E	0.25	0/1592	0.46	0/2149
5	1F	0.27	0/1619	0.47	0/2193
5	2F	0.21	0/1615	0.46	0/2188
6	1G	0.21	0/1451	0.45	0/1961
6	2G	0.23	0/1449	0.48	0/1957
7	1H	0.23	0/1356	0.44	0/1834
7	2H	0.19	0/1350	0.41	0/1826
8	1I	0.19	0/1109	0.44	0/1512
8	2I	0.22	0/1091	0.48	0/1490
9	1N	0.28	0/1148	0.48	0/1547
9	2N	0.21	0/1144	0.39	0/1543
10	1O	0.28	0/943	0.49	0/1269
10	2O	0.22	0/943	0.45	0/1269
11	1P	0.27	0/1152	0.53	0/1533
11	2P	0.22	0/1152	0.51	1/1533 (0.1%)
12	1Q	0.30	0/1143	0.49	0/1527
12	2Q	0.21	0/1143	0.43	0/1527
13	1R	0.29	0/982	0.50	0/1312
13	2R	0.24	0/982	0.46	0/1312
14	1S	0.23	0/887	0.49	0/1180
14	2S	0.21	0/880	0.45	0/1172
15	1T	0.26	0/1105	0.46	0/1477
15	2T	0.23	0/1097	0.46	0/1468
16	1U	0.28	0/977	0.47	0/1301

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
16	2U	0.19	0/977	0.40	0/1301
17	1V	0.27	0/786	0.46	0/1053
17	2V	0.19	0/782	0.39	0/1049
18	1W	0.30	0/897	0.49	0/1205
18	2W	0.23	0/897	0.41	0/1205
19	1X	0.28	0/764	0.47	0/1025
19	2X	0.22	0/764	0.41	0/1025
20	1Y	0.25	0/823	0.52	0/1099
20	2Y	0.21	0/823	0.41	0/1100
21	1Z	0.24	0/1620	0.46	0/2200
21	2Z	0.21	0/1590	0.45	0/2162
22	10	0.28	0/662	0.51	0/881
22	20	0.22	0/659	0.48	0/877
23	11	0.27	0/761	0.45	0/1013
23	21	0.25	0/766	0.46	0/1018
24	12	0.25	0/590	0.46	0/781
24	22	0.21	0/594	0.37	0/785
25	13	0.27	0/474	0.49	0/635
25	23	0.20	0/469	0.44	0/630
26	14	0.22	0/559	0.56	0/754
26	24	0.27	0/549	0.56	0/741
27	15	0.30	0/473	0.49	0/639
27	25	0.24	0/469	0.44	0/635
28	16	0.27	0/460	0.48	0/613
28	26	0.23	0/456	0.46	0/608
29	17	0.32	0/426	0.56	0/561
29	27	0.26	0/426	0.51	0/561
30	18	0.30	0/525	0.51	0/691
30	28	0.22	0/525	0.42	0/691
31	19	0.29	0/310	0.50	0/407
31	29	0.20	0/310	0.41	0/407
32	1a	0.22	0/35795	0.40	0/55864
32	2a	0.21	0/35890	0.39	0/56012
33	1b	0.21	0/1876	0.46	0/2533
33	2b	0.22	0/1860	0.49	0/2518
34	1c	0.19	0/1582	0.39	0/2137
34	2c	0.20	0/1566	0.40	0/2119
35	1d	0.20	0/1695	0.42	0/2274
35	2d	0.20	0/1698	0.44	0/2277
36	1e	0.22	0/1149	0.44	0/1548
36	2e	0.20	0/1149	0.41	0/1548
37	1f	0.23	0/827	0.41	0/1120
37	2f	0.18	0/829	0.44	0/1123

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	1g	0.18	0/1254	0.39	0/1683
38	2g	0.20	0/1248	0.39	0/1676
39	1h	0.21	0/1118	0.43	0/1506
39	2h	0.19	0/1108	0.44	0/1494
40	1i	0.19	0/1005	0.42	0/1351
40	2i	0.21	0/985	0.46	0/1329
41	1j	0.22	0/732	0.43	0/993
41	2j	0.22	0/723	0.44	0/984
42	1k	0.21	0/849	0.40	0/1150
42	2k	0.20	0/848	0.44	0/1149
43	1l	0.21	0/937	0.44	0/1260
43	2l	0.20	0/937	0.44	0/1260
44	1m	0.21	0/924	0.45	0/1242
44	2m	0.22	0/905	0.46	0/1217
45	1n	0.22	0/501	0.45	0/664
45	2n	0.19	0/501	0.40	0/664
46	1o	0.21	0/739	0.38	0/985
46	2o	0.18	0/739	0.37	0/985
47	1p	0.24	0/697	0.50	0/939
47	2p	0.24	0/693	0.49	0/935
48	1q	0.20	0/836	0.43	0/1117
48	2q	0.21	0/836	0.44	0/1117
49	1r	0.22	0/560	0.45	0/746
49	2r	0.18	0/560	0.38	0/746
50	1s	0.19	0/663	0.48	0/895
50	2s	0.21	0/660	0.45	0/893
51	1t	0.19	0/734	0.43	0/969
51	2t	0.20	0/736	0.47	0/976
52	1u	0.21	0/203	0.45	0/266
52	2u	0.23	0/203	0.47	0/266
53	1y	0.20	0/776	0.45	0/1048
53	2y	0.25	0/761	0.48	0/1030
54	1w	1.70	1/44 (2.3%)	1.60	2/67 (3.0%)
54	2w	1.56	1/44 (2.3%)	1.28	1/67 (1.5%)
55	1x	0.27	0/44	0.50	0/67
55	2x	0.31	0/44	0.49	0/67
56	1v	0.41	0/12	0.45	0/15
56	2v	0.26	0/12	0.40	0/15
All	All	0.25	2/310228 (0.0%)	0.44	5/463645 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a

sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
14	1S	0	1
33	2b	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
54	1w	74	C	O3'-P	-6.67	1.51	1.61
54	2w	74	C	O3'-P	-5.95	1.52	1.61

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	1w	75	C	C3'-C2'-O2'	-6.98	100.22	110.70
54	1w	75	C	C2'-C3'-O3'	-6.85	103.43	113.70
54	2w	75	C	C4'-C3'-O3'	-6.76	102.86	113.00
11	2P	26	GLY	N-CA-C	-5.44	108.34	115.47
1	2A	1992	G	C2'-C3'-O3'	5.17	117.26	109.50

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
14	1S	58	LEU	Peptide
33	2b	127	ILE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1A	61869	0	31201	1038	0
1	2A	61758	0	31148	1129	0
2	1B	2572	0	1305	38	0
2	2B	2573	0	1306	67	0
3	1D	2131	0	2207	53	0
3	2D	2136	0	2218	67	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	1E	1559	0	1618	47	0
4	2E	1559	0	1618	38	0
5	1F	1584	0	1625	42	0
5	2F	1580	0	1619	65	0
6	1G	1426	0	1445	63	0
6	2G	1424	0	1441	83	0
7	1H	1330	0	1407	40	0
7	2H	1324	0	1402	59	0
8	1I	1094	0	1127	30	0
8	2I	1076	0	1094	48	0
9	1N	1121	0	1195	29	0
9	2N	1117	0	1184	24	0
10	1O	933	0	996	35	0
10	2O	933	0	996	35	0
11	1P	1135	0	1212	42	0
11	2P	1135	0	1212	41	0
12	1Q	1122	0	1177	27	0
12	2Q	1122	0	1177	39	0
13	1R	968	0	1033	26	0
13	2R	968	0	1033	29	0
14	1S	877	0	938	24	0
14	2S	870	0	923	49	0
15	1T	1091	0	1151	25	0
15	2T	1083	0	1136	40	0
16	1U	959	0	1019	26	0
16	2U	959	0	1019	43	0
17	1V	775	0	841	22	0
17	2V	771	0	830	29	0
18	1W	886	0	940	22	0
18	2W	886	0	940	22	0
19	1X	750	0	814	21	0
19	2X	750	0	814	15	0
20	1Y	810	0	892	21	0
20	2Y	810	0	887	22	0
21	1Z	1587	0	1598	43	0
21	2Z	1557	0	1564	68	0
22	10	653	0	674	27	0
22	20	650	0	665	17	0
23	11	754	0	823	15	0
23	21	759	0	837	27	0
24	12	588	0	643	13	0
24	22	592	0	654	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
25	13	469	0	518	13	0
25	23	464	0	514	18	0
26	14	546	0	522	25	0
26	24	536	0	514	19	0
27	15	459	0	476	13	0
27	25	455	0	465	14	0
28	16	453	0	473	13	0
28	26	449	0	469	14	0
29	17	418	0	467	17	0
29	27	418	0	467	8	0
30	18	517	0	582	13	0
30	28	517	0	582	21	0
31	19	307	0	335	3	0
31	29	307	0	335	12	0
32	1a	32246	0	16294	605	0
32	2a	32331	0	16338	717	0
33	1b	1842	0	1862	72	0
33	2b	1825	0	1828	85	0
34	1c	1558	0	1557	40	0
34	2c	1542	0	1517	69	0
35	1d	1665	0	1687	71	0
35	2d	1668	0	1703	61	0
36	1e	1133	0	1191	43	0
36	2e	1133	0	1191	41	0
37	1f	814	0	808	15	0
37	2f	816	0	808	32	0
38	1g	1235	0	1249	27	0
38	2g	1229	0	1238	46	0
39	1h	1098	0	1143	46	0
39	2h	1088	0	1126	41	0
40	1i	986	0	990	64	0
40	2i	966	0	953	59	0
41	1j	719	0	672	39	0
41	2j	710	0	661	35	0
42	1k	834	0	838	22	0
42	2k	833	0	836	25	0
43	1l	932	0	981	21	0
43	2l	932	0	981	24	0
44	1m	914	0	954	34	0
44	2m	895	0	920	55	0
45	1n	492	0	528	17	0
45	2n	492	0	529	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
46	1o	728	0	760	15	0
46	2o	728	0	760	19	0
47	1p	681	0	697	29	0
47	2p	677	0	686	17	0
48	1q	823	0	891	26	0
48	2q	823	0	891	23	0
49	1r	555	0	618	14	0
49	2r	555	0	618	17	0
50	1s	648	0	658	27	0
50	2s	645	0	635	36	0
51	1t	732	0	809	20	0
51	2t	733	0	795	23	0
52	1u	199	0	208	8	0
52	2u	199	0	208	12	0
53	1y	764	0	786	23	0
53	2y	749	0	757	38	0
54	1w	78	0	50	9	0
54	2w	78	0	50	9	0
55	1x	63	0	33	3	0
55	2x	63	0	33	1	0
56	1v	23	0	26	0	0
56	2v	23	0	26	1	0
57	10	7	0	0	0	0
57	11	5	0	0	0	0
57	13	4	0	0	0	0
57	15	7	0	0	0	0
57	17	4	0	0	0	0
57	18	3	0	0	0	0
57	19	2	0	0	0	0
57	1A	1004	0	0	0	0
57	1B	30	0	0	0	0
57	1D	17	0	0	0	0
57	1E	9	0	0	0	0
57	1F	15	0	0	0	0
57	1G	4	0	0	0	0
57	1H	2	0	0	0	0
57	1N	4	0	0	0	0
57	1O	1	0	0	0	0
57	1P	5	0	0	0	0
57	1Q	9	0	0	0	0
57	1R	5	0	0	0	0
57	1S	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	1T	6	0	0	0	0
57	1U	5	0	0	0	0
57	1V	7	0	0	0	0
57	1W	4	0	0	0	0
57	1Z	1	0	0	0	0
57	1a	257	0	0	0	0
57	1b	1	0	0	0	0
57	1d	5	0	0	0	0
57	1e	4	0	0	0	0
57	1f	1	0	0	0	0
57	1g	2	0	0	0	0
57	1h	2	0	0	0	0
57	1i	1	0	0	0	0
57	1l	2	0	0	0	0
57	1m	2	0	0	0	0
57	1n	2	0	0	0	0
57	1o	3	0	0	0	0
57	1r	1	0	0	0	0
57	1t	2	0	0	0	0
57	1x	1	0	0	0	0
57	1y	2	0	0	0	0
57	20	3	0	0	0	0
57	21	2	0	0	0	0
57	23	3	0	0	0	0
57	25	1	0	0	0	0
57	26	1	0	0	0	0
57	27	2	0	0	0	0
57	28	2	0	0	0	0
57	2A	716	0	0	0	0
57	2B	17	0	0	0	0
57	2D	9	0	0	0	0
57	2E	8	0	0	0	0
57	2F	5	0	0	0	0
57	2G	2	0	0	0	0
57	2O	1	0	0	0	0
57	2Q	3	0	0	0	0
57	2R	2	0	0	0	0
57	2T	4	0	0	0	0
57	2U	1	0	0	0	0
57	2V	3	0	0	0	0
57	2W	2	0	0	0	0
57	2X	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	2Y	1	0	0	0	0
57	2a	178	0	0	0	0
57	2e	1	0	0	0	0
57	2f	1	0	0	0	0
57	2j	1	0	0	0	0
57	2k	1	0	0	0	0
57	2l	1	0	0	0	0
57	2n	1	0	0	0	0
57	2p	1	0	0	0	0
57	2r	2	0	0	0	0
57	2t	1	0	0	0	0
57	2x	1	0	0	0	0
57	2y	1	0	0	0	0
58	18	8	0	14	1	0
58	1A	8	0	14	0	0
58	1T	8	0	14	0	0
58	1a	8	0	11	5	0
58	2A	16	0	28	1	0
59	1B	12	0	12	1	0
59	1F	12	0	12	2	0
60	14	1	0	0	0	0
60	15	1	0	0	0	0
60	16	1	0	0	0	0
60	19	1	0	0	0	0
60	1Y	1	0	0	0	0
60	1n	1	0	0	0	0
60	24	1	0	0	0	0
60	25	1	0	0	0	0
60	26	1	0	0	0	0
60	29	1	0	0	0	0
60	2Y	1	0	0	0	0
60	2n	1	0	0	0	0
61	1d	8	0	0	0	0
61	2d	8	0	0	0	0
62	10	18	0	0	3	0
62	11	19	0	0	1	0
62	12	6	0	0	2	0
62	13	13	0	0	1	0
62	14	2	0	0	0	0
62	15	18	0	0	2	0
62	16	13	0	0	0	0
62	17	9	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
62	18	19	0	0	0	0
62	19	4	0	0	0	0
62	1A	3076	0	0	150	0
62	1B	63	0	0	4	0
62	1D	79	0	0	3	0
62	1E	51	0	0	3	0
62	1F	34	0	0	1	0
62	1G	9	0	0	1	0
62	1H	5	0	0	0	0
62	1I	4	0	0	0	0
62	1N	33	0	0	1	0
62	1O	8	0	0	1	0
62	1P	45	0	0	1	0
62	1Q	21	0	0	3	0
62	1R	19	0	0	4	0
62	1S	7	0	0	0	0
62	1T	24	0	0	1	0
62	1U	35	0	0	5	0
62	1V	24	0	0	0	0
62	1W	19	0	0	0	0
62	1X	20	0	0	1	0
62	1Y	5	0	0	0	0
62	1Z	3	0	0	0	0
62	1a	316	0	0	26	0
62	1b	1	0	0	0	0
62	1d	5	0	0	1	0
62	1e	1	0	0	0	0
62	1f	1	0	0	0	0
62	1h	1	0	0	0	0
62	1l	3	0	0	1	0
62	1m	1	0	0	0	0
62	1p	2	0	0	0	0
62	1w	4	0	0	1	0
62	1x	4	0	0	1	0
62	1y	1	0	0	0	0
62	20	3	0	0	0	0
62	21	10	0	0	1	0
62	23	3	0	0	0	0
62	25	6	0	0	0	0
62	26	1	0	0	0	0
62	27	5	0	0	0	0
62	28	8	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
62	2A	1380	0	0	112	0
62	2B	18	0	0	1	0
62	2D	25	0	0	0	0
62	2E	14	0	0	0	0
62	2F	18	0	0	0	0
62	2G	1	0	0	0	0
62	2H	1	0	0	0	0
62	2I	1	0	0	0	0
62	2N	1	0	0	0	0
62	2O	5	0	0	0	0
62	2P	9	0	0	1	0
62	2Q	6	0	0	0	0
62	2R	11	0	0	0	0
62	2S	1	0	0	0	0
62	2T	4	0	0	0	0
62	2U	2	0	0	0	0
62	2V	2	0	0	1	0
62	2W	7	0	0	1	0
62	2X	3	0	0	0	0
62	2Z	4	0	0	0	0
62	2a	179	0	0	23	0
62	2d	2	0	0	0	0
62	2e	2	0	0	0	0
62	2l	2	0	0	0	0
62	2m	1	0	0	0	0
62	2o	2	0	0	0	0
62	2r	1	0	0	0	0
62	2t	1	0	0	0	0
62	2w	2	0	0	0	0
62	2x	2	0	0	2	0
All	All	295092	0	194800	5930	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 5930 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
54:2w:76:PPU:H8	54:2w:76:PPU:H5''	1.12	1.10
1:2A:2122:U:H3	1:2A:2176:A:N6	1.50	1.09
32:1a:1003:G:H2'	32:1a:1004:A:H4'	1.36	1.04

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1A:1082:U:H3	1:1A:1086:A:N6	1.57	1.03
54:1w:76:PPU:H5''	54:1w:76:PPU:H8	1.38	1.03

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	1D	273/276 (99%)	257 (94%)	16 (6%)	0	100	100
3	2D	273/276 (99%)	251 (92%)	22 (8%)	0	100	100
4	1E	202/206 (98%)	189 (94%)	12 (6%)	1 (0%)	24	39
4	2E	202/206 (98%)	193 (96%)	8 (4%)	1 (0%)	24	39
5	1F	201/210 (96%)	194 (96%)	6 (3%)	1 (0%)	24	39
5	2F	201/210 (96%)	193 (96%)	7 (4%)	1 (0%)	24	39
6	1G	179/182 (98%)	158 (88%)	17 (10%)	4 (2%)	5	9
6	2G	179/182 (98%)	155 (87%)	22 (12%)	2 (1%)	11	19
7	1H	172/180 (96%)	156 (91%)	14 (8%)	2 (1%)	10	17
7	2H	171/180 (95%)	145 (85%)	22 (13%)	4 (2%)	5	8
8	1I	145/148 (98%)	129 (89%)	14 (10%)	2 (1%)	9	14
8	2I	144/148 (97%)	126 (88%)	14 (10%)	4 (3%)	4	6
9	1N	138/140 (99%)	132 (96%)	6 (4%)	0	100	100
9	2N	138/140 (99%)	132 (96%)	6 (4%)	0	100	100
10	1O	120/122 (98%)	111 (92%)	9 (8%)	0	100	100
10	2O	120/122 (98%)	110 (92%)	9 (8%)	1 (1%)	16	27
11	1P	147/150 (98%)	138 (94%)	8 (5%)	1 (1%)	18	30
11	2P	147/150 (98%)	136 (92%)	9 (6%)	2 (1%)	9	14

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	1Q	139/141 (99%)	133 (96%)	6 (4%)	0	100	100
12	2Q	139/141 (99%)	133 (96%)	5 (4%)	1 (1%)	18	30
13	1R	116/118 (98%)	111 (96%)	5 (4%)	0	100	100
13	2R	116/118 (98%)	109 (94%)	7 (6%)	0	100	100
14	1S	108/112 (96%)	99 (92%)	8 (7%)	1 (1%)	14	24
14	2S	108/112 (96%)	98 (91%)	10 (9%)	0	100	100
15	1T	129/146 (88%)	123 (95%)	5 (4%)	1 (1%)	16	27
15	2T	129/146 (88%)	119 (92%)	8 (6%)	2 (2%)	7	12
16	1U	114/118 (97%)	114 (100%)	0	0	100	100
16	2U	114/118 (97%)	112 (98%)	2 (2%)	0	100	100
17	1V	99/101 (98%)	90 (91%)	7 (7%)	2 (2%)	6	10
17	2V	99/101 (98%)	87 (88%)	11 (11%)	1 (1%)	12	20
18	1W	110/113 (97%)	108 (98%)	2 (2%)	0	100	100
18	2W	110/113 (97%)	108 (98%)	2 (2%)	0	100	100
19	1X	93/96 (97%)	90 (97%)	2 (2%)	1 (1%)	11	19
19	2X	93/96 (97%)	87 (94%)	5 (5%)	1 (1%)	11	19
20	1Y	105/110 (96%)	96 (91%)	7 (7%)	2 (2%)	6	10
20	2Y	105/110 (96%)	96 (91%)	9 (9%)	0	100	100
21	1Z	201/206 (98%)	184 (92%)	16 (8%)	1 (0%)	24	39
21	2Z	199/206 (97%)	177 (89%)	19 (10%)	3 (2%)	8	13
22	10	81/85 (95%)	77 (95%)	4 (5%)	0	100	100
22	20	81/85 (95%)	73 (90%)	7 (9%)	1 (1%)	10	17
23	11	95/98 (97%)	91 (96%)	4 (4%)	0	100	100
23	21	95/98 (97%)	90 (95%)	5 (5%)	0	100	100
24	12	68/72 (94%)	67 (98%)	1 (2%)	0	100	100
24	22	68/72 (94%)	64 (94%)	4 (6%)	0	100	100
25	13	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
25	23	57/60 (95%)	54 (95%)	3 (5%)	0	100	100
26	14	67/71 (94%)	49 (73%)	15 (22%)	3 (4%)	2	2
26	24	67/71 (94%)	45 (67%)	19 (28%)	3 (4%)	2	2
27	15	57/60 (95%)	54 (95%)	3 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
27	25	57/60 (95%)	53 (93%)	4 (7%)	0	100	100
28	16	51/54 (94%)	48 (94%)	3 (6%)	0	100	100
28	26	51/54 (94%)	47 (92%)	4 (8%)	0	100	100
29	17	46/49 (94%)	44 (96%)	2 (4%)	0	100	100
29	27	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
30	18	62/65 (95%)	62 (100%)	0	0	100	100
30	28	62/65 (95%)	60 (97%)	2 (3%)	0	100	100
31	19	35/37 (95%)	35 (100%)	0	0	100	100
31	29	35/37 (95%)	35 (100%)	0	0	100	100
33	1b	229/256 (90%)	185 (81%)	34 (15%)	10 (4%)	2	2
33	2b	229/256 (90%)	186 (81%)	36 (16%)	7 (3%)	3	5
34	1c	204/239 (85%)	181 (89%)	21 (10%)	2 (1%)	12	20
34	2c	204/239 (85%)	181 (89%)	21 (10%)	2 (1%)	12	20
35	1d	206/209 (99%)	192 (93%)	14 (7%)	0	100	100
35	2d	206/209 (99%)	197 (96%)	9 (4%)	0	100	100
36	1e	146/162 (90%)	136 (93%)	8 (6%)	2 (1%)	9	14
36	2e	146/162 (90%)	139 (95%)	7 (5%)	0	100	100
37	1f	98/101 (97%)	94 (96%)	4 (4%)	0	100	100
37	2f	98/101 (97%)	93 (95%)	5 (5%)	0	100	100
38	1g	153/156 (98%)	144 (94%)	9 (6%)	0	100	100
38	2g	153/156 (98%)	137 (90%)	16 (10%)	0	100	100
39	1h	135/138 (98%)	128 (95%)	7 (5%)	0	100	100
39	2h	135/138 (98%)	124 (92%)	9 (7%)	2 (2%)	8	13
40	1i	125/128 (98%)	113 (90%)	10 (8%)	2 (2%)	7	12
40	2i	124/128 (97%)	102 (82%)	21 (17%)	1 (1%)	16	27
41	1j	95/105 (90%)	79 (83%)	11 (12%)	5 (5%)	1	2
41	2j	94/105 (90%)	81 (86%)	10 (11%)	3 (3%)	3	4
42	1k	112/129 (87%)	105 (94%)	6 (5%)	1 (1%)	14	24
42	2k	112/129 (87%)	104 (93%)	6 (5%)	2 (2%)	6	11
43	1l	119/132 (90%)	110 (92%)	7 (6%)	2 (2%)	7	12
43	2l	119/132 (90%)	108 (91%)	9 (8%)	2 (2%)	7	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
44	1m	114/126 (90%)	100 (88%)	11 (10%)	3 (3%)	4	6
44	2m	112/126 (89%)	100 (89%)	11 (10%)	1 (1%)	14	24
45	1n	58/61 (95%)	55 (95%)	3 (5%)	0	100	100
45	2n	58/61 (95%)	54 (93%)	4 (7%)	0	100	100
46	1o	86/89 (97%)	75 (87%)	11 (13%)	0	100	100
46	2o	86/89 (97%)	81 (94%)	5 (6%)	0	100	100
47	1p	80/88 (91%)	69 (86%)	9 (11%)	2 (2%)	4	7
47	2p	80/88 (91%)	70 (88%)	10 (12%)	0	100	100
48	1q	97/105 (92%)	92 (95%)	5 (5%)	0	100	100
48	2q	97/105 (92%)	91 (94%)	6 (6%)	0	100	100
49	1r	66/88 (75%)	64 (97%)	2 (3%)	0	100	100
49	2r	66/88 (75%)	62 (94%)	3 (4%)	1 (2%)	8	13
50	1s	81/93 (87%)	74 (91%)	6 (7%)	1 (1%)	10	17
50	2s	81/93 (87%)	70 (86%)	10 (12%)	1 (1%)	10	17
51	1t	94/106 (89%)	89 (95%)	4 (4%)	1 (1%)	11	19
51	2t	96/106 (91%)	88 (92%)	5 (5%)	3 (3%)	3	5
52	1u	21/27 (78%)	20 (95%)	1 (5%)	0	100	100
52	2u	21/27 (78%)	19 (90%)	2 (10%)	0	100	100
53	1y	95/113 (84%)	93 (98%)	1 (1%)	1 (1%)	11	19
53	2y	94/113 (83%)	82 (87%)	11 (12%)	1 (1%)	11	19
56	1v	1/3 (33%)	1 (100%)	0	0	100	100
56	2v	1/3 (33%)	1 (100%)	0	0	100	100
All	All	11643/12360 (94%)	10696 (92%)	840 (7%)	107 (1%)	14	24

5 of 107 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	1F	130	ALA
6	1G	50	ALA
7	1H	159	GLU
26	14	47	GLN
33	1b	17	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	1D	214/218 (98%)	201 (94%)	13 (6%)	17	30
3	2D	215/218 (99%)	195 (91%)	20 (9%)	8	13
4	1E	164/166 (99%)	156 (95%)	8 (5%)	22	38
4	2E	164/166 (99%)	155 (94%)	9 (6%)	19	33
5	1F	160/166 (96%)	140 (88%)	20 (12%)	4	6
5	2F	159/166 (96%)	140 (88%)	19 (12%)	5	7
6	1G	144/156 (92%)	129 (90%)	15 (10%)	7	10
6	2G	142/156 (91%)	119 (84%)	23 (16%)	2	3
7	1H	144/148 (97%)	134 (93%)	10 (7%)	14	24
7	2H	143/148 (97%)	127 (89%)	16 (11%)	6	8
8	1I	111/124 (90%)	97 (87%)	14 (13%)	4	6
8	2I	108/124 (87%)	88 (82%)	20 (18%)	1	2
9	1N	119/119 (100%)	108 (91%)	11 (9%)	8	14
9	2N	118/119 (99%)	110 (93%)	8 (7%)	14	25
10	1O	100/100 (100%)	92 (92%)	8 (8%)	11	19
10	2O	100/100 (100%)	95 (95%)	5 (5%)	22	37
11	1P	115/116 (99%)	107 (93%)	8 (7%)	14	24
11	2P	115/116 (99%)	104 (90%)	11 (10%)	8	12
12	1Q	111/111 (100%)	106 (96%)	5 (4%)	24	42
12	2Q	111/111 (100%)	105 (95%)	6 (5%)	20	35
13	1R	101/101 (100%)	95 (94%)	6 (6%)	18	30
13	2R	101/101 (100%)	96 (95%)	5 (5%)	22	37
14	1S	87/88 (99%)	79 (91%)	8 (9%)	8	14
14	2S	85/88 (97%)	74 (87%)	11 (13%)	4	6
15	1T	115/127 (91%)	110 (96%)	5 (4%)	26	44
15	2T	113/127 (89%)	104 (92%)	9 (8%)	11	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
16	1U	93/94 (99%)	86 (92%)	7 (8%)	12	21
16	2U	93/94 (99%)	88 (95%)	5 (5%)	20	35
17	1V	81/82 (99%)	76 (94%)	5 (6%)	16	29
17	2V	80/82 (98%)	72 (90%)	8 (10%)	7	11
18	1W	90/92 (98%)	82 (91%)	8 (9%)	9	15
18	2W	90/92 (98%)	80 (89%)	10 (11%)	6	9
19	1X	77/78 (99%)	72 (94%)	5 (6%)	15	27
19	2X	77/78 (99%)	75 (97%)	2 (3%)	40	63
20	1Y	86/91 (94%)	75 (87%)	11 (13%)	4	6
20	2Y	86/91 (94%)	81 (94%)	5 (6%)	18	31
21	1Z	169/179 (94%)	156 (92%)	13 (8%)	12	20
21	2Z	165/179 (92%)	144 (87%)	21 (13%)	4	6
22	10	65/67 (97%)	61 (94%)	4 (6%)	16	29
22	20	64/67 (96%)	60 (94%)	4 (6%)	16	29
23	11	79/83 (95%)	76 (96%)	3 (4%)	29	49
23	21	81/83 (98%)	73 (90%)	8 (10%)	7	11
24	12	65/67 (97%)	62 (95%)	3 (5%)	24	41
24	22	66/67 (98%)	56 (85%)	10 (15%)	3	4
25	13	51/52 (98%)	50 (98%)	1 (2%)	48	69
25	23	50/52 (96%)	45 (90%)	5 (10%)	7	11
26	14	58/63 (92%)	50 (86%)	8 (14%)	3	5
26	24	54/63 (86%)	46 (85%)	8 (15%)	3	4
27	15	51/52 (98%)	45 (88%)	6 (12%)	5	7
27	25	50/52 (96%)	46 (92%)	4 (8%)	11	19
28	16	51/52 (98%)	47 (92%)	4 (8%)	11	20
28	26	50/52 (96%)	44 (88%)	6 (12%)	5	7
29	17	41/42 (98%)	39 (95%)	2 (5%)	22	38
29	27	41/42 (98%)	39 (95%)	2 (5%)	22	38
30	18	54/55 (98%)	51 (94%)	3 (6%)	19	32
30	28	54/55 (98%)	50 (93%)	4 (7%)	13	21
31	19	34/34 (100%)	31 (91%)	3 (9%)	9	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
31	29	34/34 (100%)	32 (94%)	2 (6%)	18	30
33	1b	191/220 (87%)	171 (90%)	20 (10%)	6	10
33	2b	187/220 (85%)	164 (88%)	23 (12%)	4	7
34	1c	144/188 (77%)	129 (90%)	15 (10%)	7	10
34	2c	140/188 (74%)	124 (89%)	16 (11%)	5	8
35	1d	171/181 (94%)	154 (90%)	17 (10%)	7	11
35	2d	172/181 (95%)	160 (93%)	12 (7%)	14	24
36	1e	114/123 (93%)	105 (92%)	9 (8%)	11	19
36	2e	114/123 (93%)	100 (88%)	14 (12%)	4	7
37	1f	85/90 (94%)	77 (91%)	8 (9%)	8	13
37	2f	85/90 (94%)	81 (95%)	4 (5%)	23	40
38	1g	120/127 (94%)	109 (91%)	11 (9%)	8	14
38	2g	119/127 (94%)	106 (89%)	13 (11%)	6	9
39	1h	116/119 (98%)	105 (90%)	11 (10%)	8	13
39	2h	114/119 (96%)	101 (89%)	13 (11%)	5	8
40	1i	91/99 (92%)	78 (86%)	13 (14%)	3	4
40	2i	88/99 (89%)	77 (88%)	11 (12%)	4	6
41	1j	68/92 (74%)	58 (85%)	10 (15%)	3	4
41	2j	68/92 (74%)	60 (88%)	8 (12%)	5	7
42	1k	83/99 (84%)	76 (92%)	7 (8%)	10	17
42	2k	83/99 (84%)	75 (90%)	8 (10%)	8	12
43	1l	96/108 (89%)	94 (98%)	2 (2%)	47	69
43	2l	96/108 (89%)	94 (98%)	2 (2%)	47	69
44	1m	90/101 (89%)	83 (92%)	7 (8%)	11	20
44	2m	87/101 (86%)	79 (91%)	8 (9%)	8	14
45	1n	49/50 (98%)	45 (92%)	4 (8%)	10	18
45	2n	49/50 (98%)	45 (92%)	4 (8%)	10	18
46	1o	78/80 (98%)	73 (94%)	5 (6%)	16	28
46	2o	78/80 (98%)	74 (95%)	4 (5%)	21	36
47	1p	69/74 (93%)	62 (90%)	7 (10%)	7	11
47	2p	68/74 (92%)	62 (91%)	6 (9%)	9	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
48	1q	94/97 (97%)	87 (93%)	7 (7%)	13	21
48	2q	94/97 (97%)	86 (92%)	8 (8%)	10	17
49	1r	59/77 (77%)	56 (95%)	3 (5%)	21	36
49	2r	59/77 (77%)	57 (97%)	2 (3%)	32	53
50	1s	68/80 (85%)	63 (93%)	5 (7%)	13	21
50	2s	67/80 (84%)	54 (81%)	13 (19%)	1	2
51	1t	71/82 (87%)	64 (90%)	7 (10%)	7	11
51	2t	70/82 (85%)	65 (93%)	5 (7%)	13	23
52	1u	18/22 (82%)	15 (83%)	3 (17%)	2	3
52	2u	18/22 (82%)	15 (83%)	3 (17%)	2	3
53	1y	82/98 (84%)	79 (96%)	3 (4%)	30	50
53	2y	79/98 (81%)	73 (92%)	6 (8%)	12	21
56	1v	1/1 (100%)	1 (100%)	0	100	100
56	2v	1/1 (100%)	1 (100%)	0	100	100
All	All	9533/10262 (93%)	8693 (91%)	840 (9%)	9	15

5 of 840 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
7	2H	24	VAL
18	2W	96	ILE
47	2p	20	VAL
7	2H	114	VAL
7	2H	17	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 156 such sidechains are listed below:

Mol	Chain	Res	Type
34	2c	181	ASN
48	2q	26	GLN
35	2d	160	GLN
40	2i	3	GLN
53	2y	19	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1A	2865/2915 (98%)	428 (14%)	28 (0%)
1	2A	2858/2915 (98%)	491 (17%)	31 (1%)
2	1B	119/121 (98%)	18 (15%)	0
2	2B	119/121 (98%)	16 (13%)	0
32	1a	1497/1521 (98%)	245 (16%)	0
32	2a	1501/1521 (98%)	290 (19%)	0
54	1w	1/4 (25%)	1 (100%)	0
54	2w	1/4 (25%)	0	0
55	1x	1/4 (25%)	0	0
55	2x	1/4 (25%)	0	0
All	All	8963/9130 (98%)	1489 (16%)	59 (0%)

5 of 1489 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1A	12	U
1	1A	34	C
1	1A	45	C
1	1A	61	G
1	1A	64	A

5 of 59 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	2A	195	A
1	2A	2406	U
1	2A	764	A
1	2A	2321	G
1	2A	1491	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

54 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	5MC	1a	1400	32	19,22,23	1.74	3 (15%)	26,32,35	1.15	2 (7%)
1	2MA	1A	2503	1,57	22,25,26	1.53	4 (18%)	32,37,40	2.39	9 (28%)
1	OMG	1A	2251	55,1,12	23,26,27	1.24	3 (13%)	32,38,41	2.07	7 (21%)
32	4OC	1a	1402	32	20,23,24	0.69	0	25,32,35	0.96	1 (4%)
56	FME	2v	1	56	8,9,10	0.94	0	8,9,11	0.89	0
1	5MU	1A	1939	1	19,22,23	1.27	3 (15%)	27,32,35	2.25	6 (22%)
1	OMG	2A	2251	55,1,57,12	23,26,27	1.26	3 (13%)	32,38,41	1.92	6 (18%)
32	MA6	2a	1519	32	23,26,27	0.42	0	33,38,41	2.10	10 (30%)
1	PSU	1A	2605	1	18,21,22	1.34	2 (11%)	21,30,33	2.12	4 (19%)
32	MA6	2a	1518	32	23,26,27	0.38	0	33,38,41	2.03	9 (27%)
32	5MC	2a	1400	32	19,22,23	1.88	2 (10%)	26,32,35	1.33	2 (7%)
32	2MG	1a	1207	32	23,26,27	1.24	3 (13%)	33,38,41	2.26	8 (24%)
32	MA6	1a	1518	32	23,26,27	0.41	0	33,38,41	1.96	9 (27%)
32	G7M	1a	527	32,57	23,26,27	1.52	4 (17%)	34,39,42	1.65	5 (14%)
1	PSU	1A	1911	1	18,21,22	1.39	2 (11%)	21,30,33	1.99	4 (19%)
1	2MU	1A	2552	1,57	19,22,24	1.26	2 (10%)	25,31,36	1.82	5 (20%)
43	0TD	1l	92	43	8,9,10	4.74	2 (25%)	6,11,13	5.32	3 (50%)
32	2MG	2a	1207	32	23,26,27	1.24	2 (8%)	33,38,41	2.16	7 (21%)
32	5MC	1a	1407	32	19,22,23	1.32	3 (15%)	26,32,35	1.18	3 (11%)
1	2MU	2A	2552	1,57	19,22,24	1.32	3 (15%)	25,31,36	1.69	5 (20%)
32	M2G	1a	966	32	24,27,28	1.28	4 (16%)	33,40,43	1.81	6 (18%)
32	UR3	1a	1498	32	19,22,23	0.92	1 (5%)	26,32,35	1.82	4 (15%)
32	UR3	2a	1498	32	19,22,23	0.99	0	26,32,35	1.70	2 (7%)
32	PSU	2a	516	32,57	18,21,22	1.34	2 (11%)	21,30,33	2.01	5 (23%)
32	4OC	2a	1402	32	20,23,24	0.74	0	25,32,35	0.96	1 (4%)
32	5MC	1a	1404	32	19,22,23	1.53	2 (10%)	26,32,35	1.19	4 (15%)
1	5MC	2A	1962	1,57	19,22,23	1.57	3 (15%)	26,32,35	1.13	2 (7%)
1	2MA	2A	2503	1,57	22,25,26	1.40	5 (22%)	32,37,40	2.36	9 (28%)
1	PSU	1A	1917	1,57	18,21,22	1.38	2 (11%)	21,30,33	1.94	3 (14%)
1	PSU	2A	2605	1	18,21,22	1.34	2 (11%)	21,30,33	2.01	5 (23%)
54	PPU	2w	76	1,54	37,40,41	2.35	15 (40%)	47,57,60	2.32	20 (42%)
56	FME	1v	1	56	8,9,10	1.01	1 (12%)	8,9,11	0.92	0
1	PSU	2A	1917	1	18,21,22	1.37	2 (11%)	21,30,33	1.90	3 (14%)
54	PPU	1w	76	1,54	37,40,41	2.52	18 (48%)	47,57,60	2.29	15 (31%)
32	5MC	1a	967	32	19,22,23	1.69	3 (15%)	26,32,35	1.13	3 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	M2G	2a	966	32	24,27,28	1.34	4 (16%)	33,40,43	1.85	6 (18%)
1	5MU	1A	1915	1	19,22,23	1.48	5 (26%)	27,32,35	2.32	8 (29%)
1	OMC	1A	1920	1	19,22,23	0.76	0	25,31,34	1.03	1 (4%)
1	OMC	2A	1920	1	19,22,23	0.77	0	25,31,34	1.01	1 (4%)
32	5MC	2a	967	32	19,22,23	1.69	3 (15%)	26,32,35	1.18	4 (15%)
1	5MC	1A	1942	1	19,22,23	1.27	3 (15%)	26,32,35	1.11	4 (15%)
1	PSU	2A	1911	1	18,21,22	1.42	2 (11%)	21,30,33	2.02	3 (14%)
55	8AN	1x	76	55,57,56	21,24,25	1.50	2 (9%)	26,35,38	2.19	10 (38%)
1	5MU	2A	1939	1	19,22,23	1.47	5 (26%)	27,32,35	2.14	7 (25%)
32	5MC	2a	1404	32	19,22,23	1.67	3 (15%)	26,32,35	1.17	4 (15%)
1	5MC	2A	1942	1	19,22,23	1.79	3 (15%)	26,32,35	1.32	3 (11%)
32	G7M	2a	527	32,57	23,26,27	1.52	3 (13%)	34,39,42	1.65	5 (14%)
43	0TD	2l	92	43	8,9,10	4.56	2 (25%)	6,11,13	1.73	2 (33%)
55	8AN	2x	76	55,57,56	21,24,25	1.38	3 (14%)	26,35,38	2.35	11 (42%)
32	5MC	2a	1407	32	19,22,23	1.58	3 (15%)	26,32,35	1.11	3 (11%)
1	5MU	2A	1915	1	19,22,23	1.43	4 (21%)	27,32,35	2.12	8 (29%)
32	MA6	1a	1519	32	23,26,27	0.47	0	33,38,41	2.06	9 (27%)
32	PSU	1a	516	32,57	18,21,22	1.41	3 (16%)	21,30,33	2.03	5 (23%)
1	5MC	1A	1962	1,57	19,22,23	1.65	3 (15%)	26,32,35	1.07	2 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	5MC	1a	1400	32	-	1/7/25/26	0/2/2/2
1	2MA	1A	2503	1,57	-	2/7/25/26	0/3/3/3
1	OMG	1A	2251	55,1,12	-	0/9/27/28	0/3/3/3
32	4OC	1a	1402	32	-	0/9/29/30	0/2/2/2
56	FME	2v	1	56	-	4/7/9/11	-
1	5MU	1A	1939	1	-	0/7/25/26	0/2/2/2
1	OMG	2A	2251	55,1,57,12	-	0/9/27/28	0/3/3/3
32	MA6	2a	1519	32	-	3/11/29/30	0/3/3/3
1	PSU	1A	2605	1	-	0/7/25/26	0/2/2/2
32	MA6	2a	1518	32	-	0/11/29/30	0/3/3/3
32	5MC	2a	1400	32	-	6/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	2MG	1a	1207	32	-	0/9/27/28	0/3/3/3
32	MA6	1a	1518	32	-	0/11/29/30	0/3/3/3
32	G7M	1a	527	32,57	-	0/7/25/26	0/3/3/3
1	PSU	1A	1911	1	-	0/7/25/26	0/2/2/2
1	2MU	1A	2552	1,57	-	0/9/27/28	0/2/2/2
43	0TD	1l	92	43	-	2/7/12/14	-
32	2MG	2a	1207	32	-	0/9/27/28	0/3/3/3
32	5MC	1a	1407	32	-	0/7/25/26	0/2/2/2
1	2MU	2A	2552	1,57	-	0/9/27/28	0/2/2/2
32	M2G	1a	966	32	-	0/11/29/30	0/3/3/3
32	UR3	1a	1498	32	-	0/7/25/26	0/2/2/2
32	UR3	2a	1498	32	-	1/7/25/26	0/2/2/2
32	PSU	2a	516	32,57	-	2/7/25/26	0/2/2/2
32	4OC	2a	1402	32	-	0/9/29/30	0/2/2/2
32	5MC	1a	1404	32	-	0/7/25/26	0/2/2/2
1	5MC	2A	1962	1,57	-	0/7/25/26	0/2/2/2
1	2MA	2A	2503	1,57	-	0/7/25/26	0/3/3/3
1	PSU	1A	1917	1,57	-	0/7/25/26	0/2/2/2
1	PSU	2A	2605	1	-	0/7/25/26	0/2/2/2
54	PPU	2w	76	1,54	-	1/25/43/44	0/4/4/4
56	FME	1v	1	56	-	3/7/9/11	-
1	PSU	2A	1917	1	-	0/7/25/26	0/2/2/2
54	PPU	1w	76	1,54	-	3/25/43/44	0/4/4/4
32	5MC	1a	967	32	-	0/7/25/26	0/2/2/2
32	M2G	2a	966	32	-	0/11/29/30	0/3/3/3
1	5MU	1A	1915	1	-	2/7/25/26	0/2/2/2
1	OMC	1A	1920	1	-	1/9/27/28	0/2/2/2
1	OMC	2A	1920	1	-	1/9/27/28	0/2/2/2
32	5MC	2a	967	32	-	0/7/25/26	0/2/2/2
1	5MC	1A	1942	1	-	0/7/25/26	0/2/2/2
1	PSU	2A	1911	1	-	0/7/25/26	0/2/2/2
55	8AN	1x	76	55,57,56	-	1/7/25/26	0/3/3/3
1	5MU	2A	1939	1	-	0/7/25/26	0/2/2/2
32	5MC	2a	1404	32	-	0/7/25/26	0/2/2/2
1	5MC	2A	1942	1	-	0/7/25/26	0/2/2/2
32	G7M	2a	527	32,57	-	2/7/25/26	0/3/3/3
43	0TD	2l	92	43	-	2/7/12/14	-
55	8AN	2x	76	55,57,56	-	1/7/25/26	0/3/3/3
32	5MC	2a	1407	32	-	0/7/25/26	0/2/2/2
1	5MU	2A	1915	1	-	2/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	MA6	1a	1519	32	-	2/11/29/30	0/3/3/3
32	PSU	1a	516	32,57	-	0/7/25/26	0/2/2/2
1	5MC	1A	1962	1,57	-	0/7/25/26	0/2/2/2

The worst 5 of 152 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	1l	92	0TD	CB-SB	-12.79	1.69	1.82
43	2l	92	0TD	CB-SB	-12.37	1.69	1.82
32	2a	1400	5MC	C5-C4	6.94	1.49	1.44
1	2A	1942	5MC	C5-C4	6.56	1.49	1.44
32	2a	967	5MC	C5-C4	6.24	1.48	1.44

The worst 5 of 283 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	1l	92	0TD	CSB-SB-CB	12.16	124.23	102.36
1	1A	2503	2MA	C5-C4-N3	-8.01	118.75	127.18
1	2A	2503	2MA	C5-C4-N3	-7.90	118.86	127.18
32	1a	1498	UR3	C4-N3-C2	-7.37	118.65	124.58
32	1a	1207	2MG	C2-N3-C4	7.03	120.79	112.00

There are no chirality outliers.

5 of 42 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	1A	1915	5MU	O4'-C1'-N1-C2
1	1A	1915	5MU	O4'-C1'-N1-C6
43	1l	92	0TD	CG-CB-SB-CSB
1	2A	1915	5MU	O4'-C1'-N1-C2
1	2A	1915	5MU	O4'-C1'-N1-C6

There are no ring outliers.

34 monomers are involved in 62 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
32	1a	1400	5MC	2	0
1	1A	2503	2MA	3	0
1	1A	2251	OMG	1	0
32	1a	1402	4OC	2	0
56	2v	1	FME	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	1A	1939	5MU	2	0
1	2A	2251	OMG	1	0
32	2a	1519	MA6	2	0
32	2a	1518	MA6	3	0
32	2a	1400	5MC	2	0
32	1a	1518	MA6	3	0
32	1a	527	G7M	1	0
43	1l	92	0TD	1	0
32	2a	1207	2MG	1	0
32	1a	1407	5MC	2	0
1	2A	2552	2MU	4	0
32	1a	966	M2G	1	0
32	1a	1498	UR3	1	0
32	2a	1498	UR3	1	0
32	2a	1402	4OC	2	0
32	1a	1404	5MC	1	0
54	2w	76	PPU	5	0
54	1w	76	PPU	8	0
32	2a	966	M2G	2	0
1	2A	1920	OMC	1	0
32	2a	967	5MC	3	0
1	2A	1911	PSU	1	0
55	1x	76	8AN	3	0
1	2A	1939	5MU	1	0
1	2A	1942	5MC	1	0
32	2a	527	G7M	1	0
43	2l	92	0TD	1	0
55	2x	76	8AN	1	0
32	1a	1519	MA6	3	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2450 ligands modelled in this entry, 2440 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
61	SF4	2d	501	35	0,12,12	-	-	-		
58	MPD	2A	3718	-	7,7,7	0.30	0	9,10,10	0.24	0
58	MPD	1T	207	-	7,7,7	0.31	0	9,10,10	0.44	0
58	MPD	2A	3717	-	7,7,7	0.30	0	9,10,10	0.12	0
59	ARG	1B	231	-	10,11,11	0.72	1 (10%)	9,13,13	1.00	1 (11%)
61	SF4	1d	306	35	0,12,12	-	-	-		
58	MPD	1a	1858	32	7,7,7	0.34	0	9,10,10	0.51	0
58	MPD	1A	4005	-	7,7,7	0.32	0	9,10,10	0.33	0
59	ARG	1F	316	57	10,11,11	0.74	1 (10%)	9,13,13	0.99	1 (11%)
58	MPD	18	104	-	7,7,7	0.34	0	9,10,10	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
61	SF4	2d	501	35	-	-	0/6/5/5
58	MPD	2A	3718	-	-	3/5/5/5	-
58	MPD	1T	207	-	-	4/5/5/5	-
58	MPD	2A	3717	-	-	5/5/5/5	-
59	ARG	1B	231	-	-	4/11/11/11	-
61	SF4	1d	306	35	-	-	0/6/5/5
58	MPD	1a	1858	32	-	4/5/5/5	-
58	MPD	1A	4005	-	-	3/5/5/5	-
59	ARG	1F	316	57	-	1/11/11/11	-
58	MPD	18	104	-	-	4/5/5/5	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	1F	316	ARG	OXT-C	-2.16	1.23	1.30
59	1B	231	ARG	OXT-C	-2.01	1.24	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
59	1B	231	ARG	OXT-C-O	-2.91	117.47	124.08
59	1F	316	ARG	OXT-C-O	-2.70	117.95	124.08

There are no chirality outliers.

5 of 28 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
58	1A	4005	MPD	C2-C3-C4-O4
58	1A	4005	MPD	C2-C3-C4-C5
58	1T	207	MPD	C1-C2-C3-C4
58	1T	207	MPD	O2-C2-C3-C4
58	1a	1858	MPD	C2-C3-C4-O4

There are no ring outliers.

5 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	2A	3717	MPD	1	0
59	1B	231	ARG	1	0
58	1a	1858	MPD	5	0
59	1F	316	ARG	2	0
58	18	104	MPD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1A	2861/2915 (98%)	-0.40	62 (2%) 62 56	33, 51, 106, 123	0
1	2A	2856/2915 (97%)	-0.02	81 (2%) 55 48	47, 70, 110, 123	0
2	1B	120/121 (99%)	-0.35	1 (0%) 82 79	43, 64, 77, 93	0
2	2B	120/121 (99%)	0.84	8 (6%) 24 18	75, 96, 105, 113	0
3	1D	275/276 (99%)	0.02	2 (0%) 84 82	35, 49, 62, 75	0
3	2D	275/276 (99%)	0.45	5 (1%) 67 63	44, 64, 76, 93	0
4	1E	204/206 (99%)	0.11	3 (1%) 72 67	35, 57, 74, 87	0
4	2E	204/206 (99%)	0.35	2 (0%) 79 76	45, 68, 83, 94	0
5	1F	203/210 (96%)	0.06	3 (1%) 72 67	36, 57, 80, 98	0
5	2F	203/210 (96%)	0.44	2 (0%) 79 76	46, 79, 91, 99	0
6	1G	181/182 (99%)	0.53	7 (3%) 43 35	58, 76, 89, 97	0
6	2G	181/182 (99%)	1.43	36 (19%) 3 2	88, 97, 103, 109	0
7	1H	174/180 (96%)	0.29	1 (0%) 85 83	54, 67, 79, 86	0
7	2H	173/180 (96%)	0.94	10 (5%) 29 22	76, 93, 99, 101	0
8	1I	147/148 (99%)	0.71	4 (2%) 56 49	60, 83, 95, 102	0
8	2I	146/148 (98%)	1.49	37 (25%) 1 1	69, 91, 104, 110	0
9	1N	140/140 (100%)	0.14	1 (0%) 84 82	40, 55, 72, 89	0
9	2N	140/140 (100%)	0.48	1 (0%) 84 82	58, 76, 89, 95	0
10	1O	122/122 (100%)	0.04	0 100 100	42, 54, 72, 82	0
10	2O	122/122 (100%)	0.35	3 (2%) 58 52	53, 67, 79, 86	0
11	1P	149/150 (99%)	0.15	0 100 100	34, 60, 79, 95	0
11	2P	149/150 (99%)	0.58	5 (3%) 48 40	53, 78, 93, 99	0
12	1Q	141/141 (100%)	-0.09	1 (0%) 84 82	40, 53, 65, 79	0
12	2Q	141/141 (100%)	0.90	11 (7%) 19 14	58, 79, 87, 94	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	1R	118/118 (100%)	0.07	0 100 100	40, 51, 64, 72	0
13	2R	118/118 (100%)	0.26	3 (2%) 58 52	53, 63, 74, 81	0
14	1S	110/112 (98%)	0.37	3 (2%) 56 49	51, 63, 73, 80	0
14	2S	110/112 (98%)	1.33	23 (20%) 2 1	80, 90, 95, 97	0
15	1T	131/146 (89%)	0.12	3 (2%) 61 54	49, 60, 79, 95	0
15	2T	131/146 (89%)	0.36	2 (1%) 72 67	56, 70, 87, 95	0
16	1U	116/118 (98%)	0.01	1 (0%) 81 78	37, 47, 62, 80	0
16	2U	116/118 (98%)	0.62	4 (3%) 48 40	56, 75, 86, 92	0
17	1V	101/101 (100%)	0.06	1 (0%) 79 76	37, 56, 73, 82	0
17	2V	101/101 (100%)	0.48	2 (1%) 65 59	58, 85, 92, 95	0
18	1W	112/113 (99%)	0.01	1 (0%) 81 78	39, 49, 67, 91	0
18	2W	112/113 (99%)	0.44	3 (2%) 56 49	47, 64, 81, 104	0
19	1X	95/96 (98%)	0.14	1 (1%) 78 75	43, 52, 71, 82	0
19	2X	95/96 (98%)	0.87	7 (7%) 20 15	62, 74, 87, 89	0
20	1Y	107/110 (97%)	0.23	0 100 100	50, 64, 80, 89	0
20	2Y	107/110 (97%)	1.07	9 (8%) 17 12	73, 83, 92, 96	0
21	1Z	203/206 (98%)	0.29	3 (1%) 72 67	54, 69, 83, 97	0
21	2Z	201/206 (97%)	1.15	29 (14%) 6 4	76, 90, 98, 103	0
22	10	83/85 (97%)	0.13	0 100 100	42, 50, 64, 68	0
22	20	83/85 (97%)	1.04	9 (10%) 11 9	59, 76, 85, 86	0
23	11	97/98 (98%)	0.37	3 (3%) 51 43	39, 58, 78, 82	0
23	21	97/98 (98%)	0.56	4 (4%) 41 33	54, 69, 86, 90	0
24	12	70/72 (97%)	0.32	3 (4%) 40 32	50, 64, 76, 92	0
24	22	70/72 (97%)	0.71	2 (2%) 53 46	71, 84, 89, 92	0
25	13	59/60 (98%)	-0.03	2 (3%) 48 40	41, 51, 72, 83	0
25	23	59/60 (98%)	0.80	3 (5%) 33 26	69, 78, 92, 93	0
26	14	69/71 (97%)	0.91	8 (11%) 9 8	69, 90, 101, 106	0
26	24	69/71 (97%)	1.58	19 (27%) 1 1	88, 102, 108, 110	0
27	15	59/60 (98%)	0.01	1 (1%) 69 64	36, 50, 66, 76	0
27	25	59/60 (98%)	0.24	0 100 100	49, 64, 75, 79	0
28	16	53/54 (98%)	-0.00	0 100 100	46, 57, 71, 74	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	26	53/54 (98%)	0.41	0 100 100	66, 75, 83, 85	0
29	17	48/49 (97%)	0.09	1 (2%) 63 57	36, 43, 63, 73	0
29	27	48/49 (97%)	0.35	5 (10%) 11 9	49, 55, 76, 83	0
30	18	64/65 (98%)	0.14	1 (1%) 70 66	42, 48, 54, 69	0
30	28	64/65 (98%)	0.52	0 100 100	61, 68, 75, 82	0
31	19	37/37 (100%)	0.28	0 100 100	46, 55, 71, 74	0
31	29	37/37 (100%)	1.19	3 (8%) 18 13	70, 79, 89, 92	0
32	1a	1488/1521 (97%)	0.08	22 (1%) 72 67	48, 80, 105, 118	0
32	2a	1492/1521 (98%)	0.42	51 (3%) 48 40	59, 89, 109, 122	0
33	1b	231/256 (90%)	0.81	24 (10%) 11 9	76, 88, 98, 102	0
33	2b	231/256 (90%)	1.28	44 (19%) 3 2	87, 97, 104, 109	0
34	1c	206/239 (86%)	0.67	6 (2%) 53 46	73, 83, 94, 98	0
34	2c	206/239 (86%)	1.27	35 (16%) 4 3	86, 97, 102, 106	0
35	1d	208/209 (99%)	0.76	12 (5%) 29 22	70, 82, 93, 98	0
35	2d	208/209 (99%)	0.89	9 (4%) 40 32	72, 84, 92, 99	0
36	1e	148/162 (91%)	0.53	3 (2%) 65 59	64, 76, 86, 94	0
36	2e	148/162 (91%)	0.77	12 (8%) 18 13	76, 87, 94, 105	0
37	1f	100/101 (99%)	0.36	2 (2%) 65 59	63, 76, 86, 88	0
37	2f	100/101 (99%)	0.46	4 (4%) 42 34	71, 83, 93, 95	0
38	1g	155/156 (99%)	0.46	5 (3%) 50 42	74, 83, 91, 97	0
38	2g	155/156 (99%)	1.17	26 (16%) 4 3	87, 94, 100, 103	0
39	1h	137/138 (99%)	0.56	5 (3%) 46 38	68, 78, 86, 91	0
39	2h	137/138 (99%)	0.73	6 (4%) 39 31	80, 88, 92, 99	0
40	1i	127/128 (99%)	1.06	16 (12%) 8 6	71, 88, 97, 99	0
40	2i	126/128 (98%)	1.86	51 (40%) 0 0	91, 100, 104, 107	0
41	1j	97/105 (92%)	1.08	16 (16%) 4 3	72, 89, 98, 101	0
41	2j	96/105 (91%)	1.66	35 (36%) 1 0	91, 99, 104, 107	0
42	1k	114/129 (88%)	0.31	2 (1%) 67 63	55, 74, 84, 91	0
42	2k	114/129 (88%)	0.70	5 (4%) 39 31	73, 87, 94, 96	0
43	1l	121/132 (91%)	0.61	9 (7%) 20 15	59, 70, 82, 87	0
43	2l	121/132 (91%)	0.86	15 (12%) 8 7	72, 79, 86, 92	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	1m	116/126 (92%)	0.69	6 (5%) 33 25	75, 85, 91, 95	0
44	2m	114/126 (90%)	1.49	27 (23%) 2 1	90, 97, 101, 103	0
45	1n	60/61 (98%)	0.95	8 (13%) 7 6	74, 82, 89, 90	0
45	2n	60/61 (98%)	2.23	34 (56%) 0 0	87, 98, 103, 104	0
46	1o	88/89 (98%)	0.74	8 (9%) 15 11	59, 76, 87, 93	0
46	2o	88/89 (98%)	0.72	6 (6%) 23 17	73, 85, 93, 99	0
47	1p	82/88 (93%)	1.30	16 (19%) 3 2	70, 83, 93, 98	0
47	2p	82/88 (93%)	1.11	10 (12%) 8 7	70, 81, 91, 95	0
48	1q	99/105 (94%)	0.84	9 (9%) 15 11	67, 79, 89, 94	0
48	2q	99/105 (94%)	0.94	3 (3%) 52 45	72, 83, 90, 94	0
49	1r	68/88 (77%)	0.38	1 (1%) 72 67	64, 75, 86, 89	0
49	2r	68/88 (77%)	0.64	3 (4%) 39 31	78, 87, 93, 99	0
50	1s	83/93 (89%)	0.77	6 (7%) 21 16	76, 88, 96, 99	0
50	2s	83/93 (89%)	1.70	27 (32%) 1 0	91, 99, 103, 106	0
51	1t	96/106 (90%)	1.08	12 (12%) 8 6	75, 83, 93, 95	0
51	2t	98/106 (92%)	0.77	5 (5%) 33 26	69, 81, 91, 92	0
52	1u	23/27 (85%)	1.03	2 (8%) 16 12	79, 83, 87, 89	0
52	2u	23/27 (85%)	2.15	11 (47%) 0 0	94, 98, 101, 103	0
53	1y	97/113 (85%)	0.99	11 (11%) 10 8	64, 74, 85, 94	0
53	2y	96/113 (84%)	2.63	61 (63%) 0 0	83, 98, 104, 108	0
54	1w	3/4 (75%)	0.14	0 100 100	45, 45, 53, 65	0
54	2w	3/4 (75%)	1.05	1 (33%) 1 0	59, 59, 64, 83	0
55	1x	3/4 (75%)	0.23	1 (33%) 1 0	40, 40, 40, 54	0
55	2x	3/4 (75%)	1.49	1 (33%) 1 0	52, 52, 56, 67	0
56	1v	2/3 (66%)	-0.08	0 100 100	38, 38, 38, 39	0
56	2v	2/3 (66%)	0.57	0 100 100	56, 56, 56, 62	0
All	All	20794/21490 (96%)	0.36	1129 (5%) 31 25	33, 76, 102, 123	0

The worst 5 of 1129 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	1A	1087	G	7.3
45	2n	2	ALA	7.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
53	2y	40	ILE	6.5
53	1y	98	ALA	6.3
53	2y	8	LYS	6.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	5MU	2A	1915	21/22	0.83	0.12	93,99,102,108	0
32	5MC	2a	1400	21/22	0.87	0.19	81,95,104,107	0
1	PSU	2A	1917	20/21	0.88	0.09	85,92,105,108	0
1	PSU	2A	1911	20/21	0.89	0.08	85,90,94,101	0
32	PSU	2a	516	20/21	0.89	0.10	86,90,96,96	0
32	G7M	2a	527	24/25	0.89	0.14	77,84,89,93	0
32	M2G	2a	966	25/26	0.89	0.14	73,90,99,107	0
1	5MU	1A	1915	21/22	0.89	0.10	79,85,96,100	0
1	PSU	1A	1917	20/21	0.90	0.09	65,79,88,89	0
32	2MG	2a	1207	24/25	0.90	0.09	98,101,107,112	0
1	OMC	2A	1920	21/22	0.90	0.10	81,86,92,94	0
1	PSU	1A	1911	20/21	0.91	0.10	62,75,80,83	0
32	5MC	2a	967	21/22	0.91	0.12	85,90,94,99	0
43	0TD	2l	92	10/11	0.93	0.11	78,85,88,92	0
32	4OC	2a	1402	22/23	0.94	0.11	73,81,84,88	0
32	5MC	2a	1404	21/22	0.94	0.09	73,76,80,83	0
1	5MC	2A	1942	21/22	0.94	0.10	55,66,73,81	0
32	MA6	1a	1519	24/25	0.95	0.12	56,61,67,69	0
43	0TD	1l	92	10/11	0.95	0.09	66,72,76,77	0
32	G7M	1a	527	24/25	0.95	0.10	59,67,72,73	0
32	5MC	2a	1407	21/22	0.95	0.10	74,80,83,85	0
32	UR3	2a	1498	21/22	0.95	0.09	73,80,91,94	0
32	MA6	2a	1519	24/25	0.95	0.13	75,81,86,87	0
32	2MG	1a	1207	24/25	0.95	0.08	73,84,88,94	0
56	FME	2v	1	10/11	0.95	0.14	54,64,69,79	0
32	5MC	1a	1407	21/22	0.96	0.10	58,63,71,76	0
32	MA6	1a	1518	24/25	0.96	0.10	50,60,65,68	0
1	5MU	2A	1939	21/22	0.96	0.09	49,54,58,60	0
32	PSU	1a	516	20/21	0.96	0.08	67,73,76,76	0
1	5MC	2A	1962	21/22	0.96	0.09	56,63,67,77	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	OMG	2A	2251	24/25	0.96	0.10	45,53,58,59	0
1	PSU	2A	2605	20/21	0.96	0.09	46,53,57,58	0
32	MA6	2a	1518	24/25	0.96	0.09	76,82,87,88	0
1	OMC	1A	1920	21/22	0.96	0.08	58,73,77,79	0
1	5MC	1A	1942	21/22	0.96	0.08	46,53,56,58	0
55	8AN	2x	76	22/23	0.96	0.10	48,55,57,62	0
56	FME	1v	1	10/11	0.96	0.12	38,41,63,71	0
32	5MC	1a	1404	21/22	0.96	0.11	57,60,65,67	0
1	2MU	1A	2552	21/23	0.97	0.08	42,45,50,51	0
32	5MC	1a	1400	21/22	0.97	0.09	55,64,68,71	0
32	4OC	1a	1402	22/23	0.97	0.10	59,65,67,76	0
32	M2G	1a	966	25/26	0.97	0.09	60,71,81,81	0
32	5MC	1a	967	21/22	0.97	0.09	65,77,84,88	0
54	PPU	1w	76	37/38	0.97	0.08	31,39,44,54	0
54	PPU	2w	76	37/38	0.97	0.09	39,52,57,61	0
1	2MA	2A	2503	23/24	0.97	0.09	44,48,52,54	0
1	2MU	2A	2552	21/23	0.97	0.07	41,52,57,63	0
32	UR3	1a	1498	21/22	0.97	0.10	55,61,66,70	0
1	2MA	1A	2503	23/24	0.98	0.07	27,37,42,44	0
1	5MU	1A	1939	21/22	0.98	0.06	35,41,44,47	0
55	8AN	1x	76	22/23	0.98	0.06	34,40,43,44	0
1	PSU	1A	2605	20/21	0.98	0.07	36,41,47,51	0
1	5MC	1A	1962	21/22	0.98	0.07	38,49,55,61	0
1	OMG	1A	2251	24/25	0.98	0.07	27,37,44,46	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3302	1/1	0.28	0.26	114,114,114,114	0
57	MG	1A	3690	1/1	0.35	0.15	96,96,96,96	0
57	MG	1A	3965	1/1	0.43	0.18	98,98,98,98	0
57	MG	2a	3119	1/1	0.50	0.18	97,97,97,97	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2a	3131	1/1	0.54	0.23	95,95,95,95	0
57	MG	1A	3970	1/1	0.56	0.39	81,81,81,81	0
57	MG	2a	3049	1/1	0.57	0.40	95,95,95,95	0
57	MG	1A	3998	1/1	0.58	0.23	85,85,85,85	0
57	MG	1A	3059	1/1	0.58	0.30	74,74,74,74	0
57	MG	1a	1712	1/1	0.59	0.20	95,95,95,95	0
57	MG	2a	3069	1/1	0.59	0.50	90,90,90,90	0
57	MG	1a	1643	1/1	0.61	0.32	82,82,82,82	0
57	MG	2A	3603	1/1	0.62	0.25	87,87,87,87	0
57	MG	2A	3389	1/1	0.63	0.15	92,92,92,92	0
57	MG	2A	3320	1/1	0.64	0.32	90,90,90,90	0
57	MG	2A	3082	1/1	0.65	0.38	94,94,94,94	0
57	MG	2a	3113	1/1	0.66	0.34	97,97,97,97	0
57	MG	2A	3641	1/1	0.66	0.21	89,89,89,89	0
57	MG	2G	202	1/1	0.66	0.41	90,90,90,90	0
57	MG	1a	1843	1/1	0.68	0.17	83,83,83,83	0
57	MG	1A	4000	1/1	0.68	0.20	87,87,87,87	0
57	MG	2a	3003	1/1	0.68	0.26	88,88,88,88	0
57	MG	2A	3105	1/1	0.68	0.24	91,91,91,91	0
57	MG	2a	3166	1/1	0.68	0.35	89,89,89,89	0
57	MG	2a	3171	1/1	0.68	0.35	91,91,91,91	0
57	MG	2a	3040	1/1	0.69	0.20	88,88,88,88	0
57	MG	1a	1717	1/1	0.69	0.24	84,84,84,84	0
57	MG	1F	313	1/1	0.69	0.26	63,63,63,63	0
57	MG	2A	3177	1/1	0.69	0.46	91,91,91,91	0
57	MG	1A	3610	1/1	0.70	0.22	82,82,82,82	0
57	MG	2a	3080	1/1	0.70	0.35	82,82,82,82	0
57	MG	2B	203	1/1	0.70	0.25	83,83,83,83	0
57	MG	2A	3379	1/1	0.70	0.22	75,75,75,75	0
57	MG	1B	227	1/1	0.70	0.26	78,78,78,78	0
57	MG	1a	1671	1/1	0.70	0.38	84,84,84,84	0
57	MG	2A	3607	1/1	0.70	0.25	82,82,82,82	0
57	MG	2A	3500	1/1	0.71	0.25	67,67,67,67	0
57	MG	2A	3150	1/1	0.71	0.27	98,98,98,98	0
57	MG	1A	3848	1/1	0.71	0.27	80,80,80,80	0
57	MG	1B	204	1/1	0.71	0.24	95,95,95,95	0
57	MG	1B	220	1/1	0.71	0.20	75,75,75,75	0
57	MG	2G	201	1/1	0.71	0.21	100,100,100,100	0
57	MG	1A	3648	1/1	0.71	0.20	85,85,85,85	0
57	MG	2Y	201	1/1	0.71	0.29	79,79,79,79	0
57	MG	2A	3464	1/1	0.71	0.23	68,68,68,68	0
57	MG	1a	1832	1/1	0.72	0.19	90,90,90,90	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3488	1/1	0.72	0.30	79,79,79,79	0
57	MG	1A	3176	1/1	0.72	0.29	78,78,78,78	0
57	MG	2A	3184	1/1	0.72	0.24	79,79,79,79	0
57	MG	1a	1694	1/1	0.73	0.10	76,76,76,76	0
57	MG	1a	1710	1/1	0.73	0.21	88,88,88,88	0
57	MG	1A	3657	1/1	0.73	0.20	73,73,73,73	0
57	MG	1A	3854	1/1	0.73	0.41	55,55,55,55	0
57	MG	2a	3022	1/1	0.73	0.33	76,76,76,76	0
57	MG	1a	1727	1/1	0.73	0.20	77,77,77,77	0
57	MG	2A	3535	1/1	0.73	0.21	88,88,88,88	0
57	MG	1a	1794	1/1	0.73	0.14	91,91,91,91	0
57	MG	2A	3283	1/1	0.73	0.22	88,88,88,88	0
57	MG	2A	3629	1/1	0.73	0.24	76,76,76,76	0
57	MG	2A	3319	1/1	0.73	0.28	87,87,87,87	0
57	MG	2A	3713	1/1	0.73	0.20	81,81,81,81	0
57	MG	2a	3153	1/1	0.73	0.16	101,101,101,101	0
57	MG	2B	201	1/1	0.73	0.43	91,91,91,91	0
57	MG	1A	3649	1/1	0.73	0.27	80,80,80,80	0
57	MG	2a	3089	1/1	0.74	0.18	77,77,77,77	0
57	MG	2a	3147	1/1	0.74	0.14	100,100,100,100	0
57	MG	1a	1656	1/1	0.74	0.21	82,82,82,82	0
57	MG	2a	3114	1/1	0.74	0.16	97,97,97,97	0
57	MG	1D	312	1/1	0.74	0.39	65,65,65,65	0
57	MG	1a	1672	1/1	0.75	0.21	96,96,96,96	0
57	MG	1a	1774	1/1	0.75	0.13	75,75,75,75	0
57	MG	2A	3429	1/1	0.75	0.23	82,82,82,82	0
57	MG	2A	3264	1/1	0.75	0.32	87,87,87,87	0
57	MG	2A	3715	1/1	0.75	0.18	80,80,80,80	0
57	MG	2A	3486	1/1	0.76	0.34	85,85,85,85	0
57	MG	2A	3547	1/1	0.76	0.15	80,80,80,80	0
57	MG	2a	3159	1/1	0.76	0.23	92,92,92,92	0
57	MG	2A	3587	1/1	0.76	0.17	79,79,79,79	0
57	MG	2a	3109	1/1	0.76	0.17	81,81,81,81	0
57	MG	2a	3177	1/1	0.76	0.17	93,93,93,93	0
57	MG	2A	3282	1/1	0.77	0.11	94,94,94,94	0
57	MG	1a	1681	1/1	0.77	0.19	79,79,79,79	0
57	MG	2A	3312	1/1	0.77	0.37	78,78,78,78	0
57	MG	1a	1813	1/1	0.77	0.17	80,80,80,80	0
57	MG	1a	1693	1/1	0.77	0.22	76,76,76,76	0
57	MG	2A	3323	1/1	0.77	0.20	75,75,75,75	0
57	MG	1A	3529	1/1	0.77	0.23	86,86,86,86	0
57	MG	2A	3042	1/1	0.77	0.14	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3045	1/1	0.77	0.20	69,69,69,69	0
57	MG	2A	3047	1/1	0.77	0.25	80,80,80,80	0
57	MG	1a	1639	1/1	0.77	0.31	90,90,90,90	0
57	MG	1A	3758	1/1	0.77	0.15	52,52,52,52	0
57	MG	2A	3110	1/1	0.77	0.23	86,86,86,86	0
57	MG	2A	3528	1/1	0.77	0.27	102,102,102,102	0
57	MG	2A	3149	1/1	0.77	0.30	78,78,78,78	0
57	MG	1A	3063	1/1	0.77	0.28	76,76,76,76	0
57	MG	2A	3157	1/1	0.77	0.26	87,87,87,87	0
57	MG	2A	3172	1/1	0.77	0.18	85,85,85,85	0
57	MG	1A	3639	1/1	0.77	0.17	40,40,40,40	0
57	MG	1D	315	1/1	0.77	0.18	77,77,77,77	0
57	MG	2A	3218	1/1	0.77	0.14	72,72,72,72	0
57	MG	2A	3252	1/1	0.77	0.27	66,66,66,66	0
57	MG	2a	3175	1/1	0.77	0.18	86,86,86,86	0
57	MG	1a	1783	1/1	0.77	0.19	84,84,84,84	0
57	MG	1a	1833	1/1	0.78	0.14	70,70,70,70	0
57	MG	1a	1790	1/1	0.78	0.24	95,95,95,95	0
57	MG	2A	3230	1/1	0.78	0.27	80,80,80,80	0
57	MG	1d	301	1/1	0.78	0.28	80,80,80,80	0
57	MG	1A	3207	1/1	0.78	0.12	85,85,85,85	0
57	MG	2a	3053	1/1	0.78	0.22	76,76,76,76	0
57	MG	2a	3058	1/1	0.78	0.42	89,89,89,89	0
57	MG	1A	3604	1/1	0.78	0.25	74,74,74,74	0
57	MG	2B	214	1/1	0.78	0.13	85,85,85,85	0
57	MG	2a	3172	1/1	0.78	0.14	74,74,74,74	0
57	MG	1a	1828	1/1	0.78	0.32	79,79,79,79	0
57	MG	1A	3721	1/1	0.78	0.15	80,80,80,80	0
57	MG	2A	3247	1/1	0.79	0.17	68,68,68,68	0
57	MG	1a	1806	1/1	0.79	0.27	77,77,77,77	0
57	MG	2A	3436	1/1	0.79	0.14	72,72,72,72	0
57	MG	2A	3259	1/1	0.79	0.29	76,76,76,76	0
57	MG	1a	1753	1/1	0.79	0.23	94,94,94,94	0
57	MG	1A	3851	1/1	0.79	0.10	84,84,84,84	0
57	MG	2A	3490	1/1	0.79	0.17	68,68,68,68	0
57	MG	1a	1716	1/1	0.79	0.40	80,80,80,80	0
57	MG	2A	3299	1/1	0.79	0.27	74,74,74,74	0
57	MG	2A	3310	1/1	0.79	0.52	72,72,72,72	0
57	MG	2A	3078	1/1	0.79	0.29	85,85,85,85	0
57	MG	2a	3034	1/1	0.79	0.26	80,80,80,80	0
57	MG	2a	3167	1/1	0.79	0.26	82,82,82,82	0
57	MG	2a	3170	1/1	0.79	0.23	90,90,90,90	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3759	1/1	0.79	0.24	65,65,65,65	0
57	MG	1A	3486	1/1	0.79	0.16	65,65,65,65	0
57	MG	1a	1857	1/1	0.79	0.15	71,71,71,71	0
57	MG	2A	3231	1/1	0.79	0.25	66,66,66,66	0
58	MPD	2A	3717	8/8	0.79	0.29	76,85,93,98	0
57	MG	2a	3018	1/1	0.80	0.15	95,95,95,95	0
57	MG	2A	3064	1/1	0.80	0.22	80,80,80,80	0
57	MG	1A	3142	1/1	0.80	0.10	76,76,76,76	0
57	MG	2a	3035	1/1	0.80	0.25	94,94,94,94	0
57	MG	1a	1721	1/1	0.80	0.17	76,76,76,76	0
57	MG	1a	1688	1/1	0.80	0.35	84,84,84,84	0
57	MG	2a	3052	1/1	0.80	0.10	104,104,104,104	0
57	MG	2A	3520	1/1	0.80	0.13	78,78,78,78	0
57	MG	1A	3866	1/1	0.80	0.25	76,76,76,76	0
57	MG	2A	3136	1/1	0.80	0.29	76,76,76,76	0
57	MG	1A	3953	1/1	0.80	0.20	85,85,85,85	0
57	MG	1A	3762	1/1	0.80	0.24	77,77,77,77	0
57	MG	2A	3152	1/1	0.80	0.15	82,82,82,82	0
57	MG	1A	3752	1/1	0.80	0.14	69,69,69,69	0
57	MG	2A	3023	1/1	0.80	0.21	88,88,88,88	0
57	MG	1a	1713	1/1	0.80	0.67	84,84,84,84	0
57	MG	2A	3673	1/1	0.80	0.30	81,81,81,81	0
57	MG	2A	3682	1/1	0.80	0.31	84,84,84,84	0
57	MG	2A	3182	1/1	0.80	0.31	78,78,78,78	0
57	MG	2A	3351	1/1	0.80	0.20	69,69,69,69	0
57	MG	1a	1803	1/1	0.80	0.17	94,94,94,94	0
57	MG	2A	3195	1/1	0.80	0.28	82,82,82,82	0
57	MG	2A	3413	1/1	0.80	0.14	80,80,80,80	0
57	MG	2E	305	1/1	0.80	0.22	57,57,57,57	0
57	MG	1A	3702	1/1	0.80	0.34	76,76,76,76	0
57	MG	2A	3224	1/1	0.80	0.31	60,60,60,60	0
57	MG	2A	3441	1/1	0.80	0.24	89,89,89,89	0
57	MG	2e	201	1/1	0.80	0.25	78,78,78,78	0
57	MG	2A	3051	1/1	0.80	0.14	86,86,86,86	0
57	MG	1A	3162	1/1	0.81	0.14	64,64,64,64	0
57	MG	2A	3301	1/1	0.81	0.31	85,85,85,85	0
57	MG	1a	1628	1/1	0.81	0.26	79,79,79,79	0
57	MG	2a	3108	1/1	0.81	0.23	80,80,80,80	0
57	MG	1a	1633	1/1	0.81	0.24	82,82,82,82	0
57	MG	1A	3442	1/1	0.81	0.14	83,83,83,83	0
57	MG	2A	3174	1/1	0.81	0.37	78,78,78,78	0
57	MG	1A	3715	1/1	0.81	0.09	80,80,80,80	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3326	1/1	0.81	0.24	92,92,92,92	0
57	MG	2A	3350	1/1	0.81	0.15	92,92,92,92	0
57	MG	2A	3538	1/1	0.81	0.12	73,73,73,73	0
57	MG	2a	3010	1/1	0.81	0.20	84,84,84,84	0
57	MG	1a	1743	1/1	0.81	0.29	95,95,95,95	0
57	MG	1A	3913	1/1	0.81	0.14	69,69,69,69	0
57	MG	2A	3386	1/1	0.81	0.12	87,87,87,87	0
57	MG	1A	3925	1/1	0.81	0.12	42,42,42,42	0
57	MG	2A	3204	1/1	0.81	0.25	83,83,83,83	0
57	MG	2A	3290	1/1	0.81	0.24	81,81,81,81	0
57	MG	2A	3294	1/1	0.81	0.26	76,76,76,76	0
57	MG	2A	3439	1/1	0.81	0.37	78,78,78,78	0
57	MG	2n	101	1/1	0.81	0.28	83,83,83,83	0
57	MG	2A	3696	1/1	0.81	0.13	89,89,89,89	0
57	MG	2a	3030	1/1	0.82	0.25	75,75,75,75	0
57	MG	1A	3665	1/1	0.82	0.20	71,71,71,71	0
57	MG	2A	3341	1/1	0.82	0.27	72,72,72,72	0
57	MG	2a	3038	1/1	0.82	0.25	89,89,89,89	0
57	MG	2A	3596	1/1	0.82	0.14	76,76,76,76	0
57	MG	1A	3627	1/1	0.82	0.17	62,62,62,62	0
57	MG	2a	3051	1/1	0.82	0.25	87,87,87,87	0
57	MG	1A	3310	1/1	0.82	0.16	60,60,60,60	0
57	MG	1A	3644	1/1	0.82	0.47	58,58,58,58	0
57	MG	1a	1853	1/1	0.82	0.13	62,62,62,62	0
57	MG	2A	3662	1/1	0.82	0.22	84,84,84,84	0
57	MG	2A	3672	1/1	0.82	0.21	86,86,86,86	0
57	MG	2a	3087	1/1	0.82	0.26	84,84,84,84	0
57	MG	1A	3541	1/1	0.82	0.22	75,75,75,75	0
57	MG	2A	3412	1/1	0.82	0.13	66,66,66,66	0
57	MG	1a	1630	1/1	0.82	0.12	75,75,75,75	0
57	MG	2A	3709	1/1	0.82	0.25	73,73,73,73	0
57	MG	2A	3273	1/1	0.82	0.33	82,82,82,82	0
57	MG	1y	3101	1/1	0.82	0.18	77,77,77,77	0
57	MG	1a	1785	1/1	0.82	0.10	84,84,84,84	0
57	MG	2A	3173	1/1	0.82	0.28	70,70,70,70	0
57	MG	2a	3150	1/1	0.82	0.13	90,90,90,90	0
57	MG	2B	205	1/1	0.82	0.20	78,78,78,78	0
57	MG	1A	3072	1/1	0.82	0.13	52,52,52,52	0
57	MG	1A	3903	1/1	0.82	0.19	81,81,81,81	0
57	MG	1a	1800	1/1	0.82	0.13	78,78,78,78	0
57	MG	1B	211	1/1	0.82	0.15	63,63,63,63	0
57	MG	2Q	201	1/1	0.82	0.25	74,74,74,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3194	1/1	0.82	0.12	89,89,89,89	0
57	MG	2A	3053	1/1	0.82	0.38	82,82,82,82	0
57	MG	1A	3191	1/1	0.82	0.38	79,79,79,79	0
57	MG	1a	1660	1/1	0.82	0.16	80,80,80,80	0
57	MG	2A	3324	1/1	0.82	0.20	74,74,74,74	0
57	MG	2a	3028	1/1	0.82	0.16	87,87,87,87	0
57	MG	1A	3228	1/1	0.83	0.29	71,71,71,71	0
57	MG	2A	3234	1/1	0.83	0.22	69,69,69,69	0
57	MG	2A	3590	1/1	0.83	0.13	70,70,70,70	0
57	MG	1a	1835	1/1	0.83	0.19	86,86,86,86	0
57	MG	2A	3365	1/1	0.83	0.13	64,64,64,64	0
57	MG	2A	3606	1/1	0.83	0.21	70,70,70,70	0
57	MG	2A	3375	1/1	0.83	0.23	68,68,68,68	0
57	MG	1a	1683	1/1	0.83	0.25	80,80,80,80	0
57	MG	2A	3385	1/1	0.83	0.11	48,48,48,48	0
57	MG	2A	3658	1/1	0.83	0.13	95,95,95,95	0
57	MG	1a	1848	1/1	0.83	0.20	90,90,90,90	0
57	MG	2A	3387	1/1	0.83	0.13	59,59,59,59	0
57	MG	2a	3063	1/1	0.83	0.18	78,78,78,78	0
57	MG	1a	1764	1/1	0.83	0.21	86,86,86,86	0
57	MG	2A	3680	1/1	0.83	0.19	79,79,79,79	0
57	MG	2A	3266	1/1	0.83	0.32	65,65,65,65	0
57	MG	1A	3619	1/1	0.83	0.27	54,54,54,54	0
57	MG	2a	3099	1/1	0.83	0.17	81,81,81,81	0
57	MG	2A	3708	1/1	0.83	0.25	78,78,78,78	0
57	MG	2A	3420	1/1	0.83	0.17	83,83,83,83	0
57	MG	2a	3111	1/1	0.83	0.14	88,88,88,88	0
57	MG	1A	3946	1/1	0.83	0.22	72,72,72,72	0
57	MG	1t	202	1/1	0.83	0.18	75,75,75,75	0
57	MG	1a	1636	1/1	0.83	0.24	82,82,82,82	0
57	MG	1A	3164	1/1	0.83	0.35	57,57,57,57	0
57	MG	1A	3590	1/1	0.83	0.14	77,77,77,77	0
57	MG	1A	3684	1/1	0.83	0.21	72,72,72,72	0
57	MG	1A	3995	1/1	0.83	0.12	79,79,79,79	0
57	MG	1a	1666	1/1	0.83	0.35	73,73,73,73	0
57	MG	2a	3165	1/1	0.83	0.21	73,73,73,73	0
57	MG	1a	1810	1/1	0.83	0.17	99,99,99,99	0
57	MG	2A	3514	1/1	0.83	0.18	87,87,87,87	0
57	MG	2T	204	1/1	0.83	0.20	72,72,72,72	0
57	MG	2U	201	1/1	0.83	0.21	95,95,95,95	0
57	MG	2V	203	1/1	0.83	0.14	63,63,63,63	0
57	MG	1A	3309	1/1	0.83	0.39	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	20	101	1/1	0.83	0.15	68,68,68,68	0
57	MG	1G	202	1/1	0.83	0.07	62,62,62,62	0
57	MG	2j	201	1/1	0.83	0.12	88,88,88,88	0
57	MG	1a	1740	1/1	0.83	0.17	70,70,70,70	0
57	MG	2A	3092	1/1	0.83	0.16	83,83,83,83	0
58	MPD	2A	3718	8/8	0.83	0.23	71,79,86,88	0
57	MG	1A	3629	1/1	0.84	0.15	50,50,50,50	0
57	MG	2A	3475	1/1	0.84	0.18	70,70,70,70	0
57	MG	2A	3263	1/1	0.84	0.17	56,56,56,56	0
57	MG	1a	1782	1/1	0.84	0.15	80,80,80,80	0
57	MG	2A	3265	1/1	0.84	0.25	64,64,64,64	0
57	MG	2A	3494	1/1	0.84	0.10	84,84,84,84	0
57	MG	2a	3020	1/1	0.84	0.35	72,72,72,72	0
57	MG	1A	3184	1/1	0.84	0.16	86,86,86,86	0
57	MG	1A	3901	1/1	0.84	0.23	79,79,79,79	0
57	MG	2a	3029	1/1	0.84	0.26	83,83,83,83	0
57	MG	2A	3275	1/1	0.84	0.41	84,84,84,84	0
57	MG	1A	3255	1/1	0.84	0.19	67,67,67,67	0
57	MG	1A	3260	1/1	0.84	0.09	67,67,67,67	0
57	MG	1A	3918	1/1	0.84	0.18	68,68,68,68	0
57	MG	2a	3039	1/1	0.84	0.20	78,78,78,78	0
57	MG	2A	3543	1/1	0.84	0.15	69,69,69,69	0
57	MG	1A	3188	1/1	0.84	0.26	70,70,70,70	0
57	MG	2A	3557	1/1	0.84	0.15	68,68,68,68	0
57	MG	1A	3173	1/1	0.84	0.31	51,51,51,51	0
57	MG	1a	1708	1/1	0.84	0.31	83,83,83,83	0
57	MG	2A	3122	1/1	0.84	0.15	84,84,84,84	0
57	MG	1a	1616	1/1	0.84	0.18	77,77,77,77	0
57	MG	1a	1817	1/1	0.84	0.13	86,86,86,86	0
57	MG	1A	3204	1/1	0.84	0.15	74,74,74,74	0
57	MG	1A	3781	1/1	0.84	0.28	72,72,72,72	0
57	MG	1A	3785	1/1	0.84	0.28	83,83,83,83	0
57	MG	1A	3979	1/1	0.84	0.23	63,63,63,63	0
57	MG	2A	3336	1/1	0.84	0.23	78,78,78,78	0
57	MG	2A	3663	1/1	0.84	0.25	77,77,77,77	0
57	MG	1a	1838	1/1	0.84	0.27	74,74,74,74	0
57	MG	1a	1718	1/1	0.84	0.12	81,81,81,81	0
57	MG	2A	3675	1/1	0.84	0.36	70,70,70,70	0
57	MG	2A	3676	1/1	0.84	0.18	76,76,76,76	0
57	MG	1A	3982	1/1	0.84	0.27	55,55,55,55	0
57	MG	1A	3796	1/1	0.84	0.21	49,49,49,49	0
57	MG	1A	3314	1/1	0.84	0.26	82,82,82,82	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2a	3152	1/1	0.84	0.18	84,84,84,84	0
57	MG	2A	3186	1/1	0.84	0.27	59,59,59,59	0
57	MG	1a	1657	1/1	0.84	0.27	82,82,82,82	0
57	MG	2a	3160	1/1	0.84	0.27	92,92,92,92	0
57	MG	1d	305	1/1	0.84	0.10	97,97,97,97	0
57	MG	1n	101	1/1	0.84	0.16	90,90,90,90	0
57	MG	2A	3213	1/1	0.84	0.19	77,77,77,77	0
57	MG	2A	3391	1/1	0.84	0.25	78,78,78,78	0
57	MG	1o	101	1/1	0.84	0.23	78,78,78,78	0
57	MG	2B	208	1/1	0.84	0.17	81,81,81,81	0
57	MG	1t	201	1/1	0.84	0.17	74,74,74,74	0
57	MG	1a	1749	1/1	0.84	0.17	78,78,78,78	0
57	MG	1a	1658	1/1	0.84	0.17	78,78,78,78	0
57	MG	2A	3016	1/1	0.84	0.18	82,82,82,82	0
57	MG	1a	1756	1/1	0.84	0.16	84,84,84,84	0
57	MG	1A	3082	1/1	0.84	0.11	66,66,66,66	0
57	MG	2A	3463	1/1	0.84	0.15	71,71,71,71	0
59	ARG	1F	316	12/12	0.84	0.15	72,81,90,92	0
57	MG	2a	3037	1/1	0.85	0.23	78,78,78,78	0
57	MG	2A	3253	1/1	0.85	0.20	75,75,75,75	0
57	MG	2A	3115	1/1	0.85	0.22	82,82,82,82	0
57	MG	1A	3045	1/1	0.85	0.21	70,70,70,70	0
57	MG	2A	3398	1/1	0.85	0.18	82,82,82,82	0
57	MG	2A	3408	1/1	0.85	0.15	52,52,52,52	0
57	MG	1A	3271	1/1	0.85	0.20	56,56,56,56	0
57	MG	1A	3499	1/1	0.85	0.12	37,37,37,37	0
57	MG	2a	3056	1/1	0.85	0.22	84,84,84,84	0
57	MG	1A	3175	1/1	0.85	0.19	58,58,58,58	0
57	MG	1A	3620	1/1	0.85	0.14	67,67,67,67	0
57	MG	2A	3430	1/1	0.85	0.27	87,87,87,87	0
57	MG	1a	1812	1/1	0.85	0.19	91,91,91,91	0
57	MG	2a	3086	1/1	0.85	0.32	78,78,78,78	0
57	MG	1A	3825	1/1	0.85	0.14	63,63,63,63	0
57	MG	2A	3021	1/1	0.85	0.09	61,61,61,61	0
57	MG	2A	3453	1/1	0.85	0.21	61,61,61,61	0
57	MG	2a	3106	1/1	0.85	0.25	73,73,73,73	0
57	MG	1A	3999	1/1	0.85	0.26	84,84,84,84	0
57	MG	1a	1822	1/1	0.85	0.13	93,93,93,93	0
57	MG	2A	3179	1/1	0.85	0.41	75,75,75,75	0
57	MG	2A	3043	1/1	0.85	0.18	83,83,83,83	0
57	MG	2A	3304	1/1	0.85	0.45	74,74,74,74	0
57	MG	2a	3117	1/1	0.85	0.14	84,84,84,84	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3920	1/1	0.85	0.24	79,79,79,79	0
57	MG	1A	3826	1/1	0.85	0.16	74,74,74,74	0
57	MG	2a	3145	1/1	0.85	0.29	82,82,82,82	0
57	MG	2A	3191	1/1	0.85	0.29	68,68,68,68	0
57	MG	2A	3511	1/1	0.85	0.13	74,74,74,74	0
57	MG	2a	3151	1/1	0.85	0.14	75,75,75,75	0
57	MG	1a	1704	1/1	0.85	0.16	71,71,71,71	0
57	MG	1a	1773	1/1	0.85	0.17	86,86,86,86	0
57	MG	2A	3198	1/1	0.85	0.15	83,83,83,83	0
57	MG	2A	3533	1/1	0.85	0.24	79,79,79,79	0
57	MG	1A	3934	1/1	0.85	0.14	61,61,61,61	0
57	MG	2A	3069	1/1	0.85	0.23	65,65,65,65	0
57	MG	27	101	1/1	0.85	0.25	66,66,66,66	0
57	MG	2a	3169	1/1	0.85	0.17	88,88,88,88	0
57	MG	2A	3337	1/1	0.85	0.41	90,90,90,90	0
57	MG	2a	3005	1/1	0.85	0.14	74,74,74,74	0
57	MG	2A	3340	1/1	0.85	0.24	84,84,84,84	0
57	MG	1a	1778	1/1	0.85	0.10	58,58,58,58	0
57	MG	2A	3081	1/1	0.85	0.29	81,81,81,81	0
57	MG	2A	3227	1/1	0.85	0.25	68,68,68,68	0
57	MG	1a	1647	1/1	0.85	0.23	81,81,81,81	0
57	MG	1A	3625	1/1	0.85	0.17	68,68,68,68	0
57	MG	2A	3093	1/1	0.85	0.19	64,64,64,64	0
57	MG	1A	3947	1/1	0.85	0.20	66,66,66,66	0
57	MG	1A	3337	1/1	0.85	0.15	74,74,74,74	0
57	MG	2A	3116	1/1	0.86	0.23	74,74,74,74	0
57	MG	1a	1814	1/1	0.86	0.12	81,81,81,81	0
57	MG	1B	210	1/1	0.86	0.12	72,72,72,72	0
57	MG	2A	3148	1/1	0.86	0.31	76,76,76,76	0
57	MG	2A	3347	1/1	0.86	0.13	57,57,57,57	0
57	MG	1A	3743	1/1	0.86	0.28	66,66,66,66	0
57	MG	1a	1827	1/1	0.86	0.14	86,86,86,86	0
57	MG	2A	3355	1/1	0.86	0.12	90,90,90,90	0
57	MG	2B	210	1/1	0.86	0.32	77,77,77,77	0
57	MG	1B	212	1/1	0.86	0.35	84,84,84,84	0
57	MG	1A	3882	1/1	0.86	0.12	38,38,38,38	0
57	MG	1A	3891	1/1	0.86	0.16	63,63,63,63	0
57	MG	1A	3895	1/1	0.86	0.16	44,44,44,44	0
57	MG	1A	3129	1/1	0.86	0.15	70,70,70,70	0
57	MG	2A	3175	1/1	0.86	0.14	59,59,59,59	0
57	MG	1A	3531	1/1	0.86	0.14	59,59,59,59	0
57	MG	1A	3387	1/1	0.86	0.11	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1W	201	1/1	0.86	0.31	63,63,63,63	0
57	MG	1a	1856	1/1	0.86	0.14	78,78,78,78	0
57	MG	23	103	1/1	0.86	0.11	71,71,71,71	0
57	MG	26	101	1/1	0.86	0.11	77,77,77,77	0
57	MG	2A	3409	1/1	0.86	0.20	86,86,86,86	0
57	MG	10	107	1/1	0.86	0.18	70,70,70,70	0
57	MG	15	106	1/1	0.86	0.14	63,63,63,63	0
57	MG	2a	3008	1/1	0.86	0.15	69,69,69,69	0
57	MG	2A	3192	1/1	0.86	0.18	74,74,74,74	0
57	MG	2a	3011	1/1	0.86	0.17	84,84,84,84	0
57	MG	1d	303	1/1	0.86	0.29	80,80,80,80	0
57	MG	1a	1722	1/1	0.86	0.14	74,74,74,74	0
57	MG	1h	202	1/1	0.86	0.11	87,87,87,87	0
57	MG	2a	3023	1/1	0.86	0.51	84,84,84,84	0
57	MG	2a	3026	1/1	0.86	0.18	76,76,76,76	0
57	MG	1a	1726	1/1	0.86	0.27	80,80,80,80	0
57	MG	2A	3205	1/1	0.86	0.15	63,63,63,63	0
57	MG	2A	3450	1/1	0.86	0.34	89,89,89,89	0
57	MG	2A	3207	1/1	0.86	0.17	73,73,73,73	0
57	MG	2A	3458	1/1	0.86	0.13	67,67,67,67	0
57	MG	1a	1602	1/1	0.86	0.10	87,87,87,87	0
57	MG	2A	3217	1/1	0.86	0.32	80,80,80,80	0
57	MG	1A	3394	1/1	0.86	0.10	66,66,66,66	0
57	MG	2A	3477	1/1	0.86	0.23	72,72,72,72	0
57	MG	1a	1619	1/1	0.86	0.22	73,73,73,73	0
57	MG	1a	1746	1/1	0.86	0.26	77,77,77,77	0
57	MG	1A	3396	1/1	0.86	0.20	64,64,64,64	0
57	MG	1A	3663	1/1	0.86	0.14	78,78,78,78	0
57	MG	2a	3054	1/1	0.86	0.25	78,78,78,78	0
57	MG	2A	3496	1/1	0.86	0.10	75,75,75,75	0
57	MG	2A	3232	1/1	0.86	0.34	73,73,73,73	0
57	MG	2A	3233	1/1	0.86	0.14	76,76,76,76	0
57	MG	2a	3067	1/1	0.86	0.19	79,79,79,79	0
57	MG	1A	3932	1/1	0.86	0.17	69,69,69,69	0
57	MG	2a	3070	1/1	0.86	0.13	77,77,77,77	0
57	MG	2a	3076	1/1	0.86	0.17	69,69,69,69	0
57	MG	2A	3516	1/1	0.86	0.19	80,80,80,80	0
57	MG	2A	3033	1/1	0.86	0.15	76,76,76,76	0
57	MG	2A	3527	1/1	0.86	0.17	73,73,73,73	0
57	MG	2A	3034	1/1	0.86	0.21	72,72,72,72	0
57	MG	2a	3097	1/1	0.86	0.23	88,88,88,88	0
57	MG	2a	3098	1/1	0.86	0.30	82,82,82,82	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3037	1/1	0.86	0.36	77,77,77,77	0
57	MG	2a	3100	1/1	0.86	0.30	80,80,80,80	0
57	MG	1A	3790	1/1	0.86	0.19	60,60,60,60	0
57	MG	1A	3795	1/1	0.86	0.14	70,70,70,70	0
57	MG	1A	3298	1/1	0.86	0.19	72,72,72,72	0
57	MG	1A	3805	1/1	0.86	0.23	47,47,47,47	0
57	MG	2A	3556	1/1	0.86	0.18	56,56,56,56	0
57	MG	2A	3050	1/1	0.86	0.19	68,68,68,68	0
57	MG	2A	3566	1/1	0.86	0.14	86,86,86,86	0
57	MG	1a	1649	1/1	0.86	0.23	75,75,75,75	0
57	MG	1A	3458	1/1	0.86	0.24	63,63,63,63	0
57	MG	2A	3591	1/1	0.86	0.24	82,82,82,82	0
57	MG	2A	3277	1/1	0.86	0.26	71,71,71,71	0
57	MG	2A	3062	1/1	0.86	0.17	44,44,44,44	0
57	MG	1A	3460	1/1	0.86	0.18	75,75,75,75	0
57	MG	1A	3846	1/1	0.86	0.11	58,58,58,58	0
57	MG	2A	3292	1/1	0.86	0.19	72,72,72,72	0
57	MG	2A	3077	1/1	0.86	0.16	70,70,70,70	0
57	MG	2A	3644	1/1	0.86	0.15	75,75,75,75	0
57	MG	2A	3649	1/1	0.86	0.19	83,83,83,83	0
57	MG	2A	3656	1/1	0.86	0.13	72,72,72,72	0
57	MG	1A	3470	1/1	0.86	0.15	68,68,68,68	0
57	MG	1a	1799	1/1	0.86	0.14	70,70,70,70	0
57	MG	1A	3850	1/1	0.86	0.11	68,68,68,68	0
57	MG	2A	3667	1/1	0.86	0.14	82,82,82,82	0
57	MG	2A	3086	1/1	0.86	0.17	65,65,65,65	0
57	MG	1A	3269	1/1	0.86	0.14	86,86,86,86	0
57	MG	1A	3335	1/1	0.86	0.15	63,63,63,63	0
57	MG	1a	1677	1/1	0.86	0.15	73,73,73,73	0
57	MG	2A	3109	1/1	0.86	0.17	72,72,72,72	0
57	MG	2k	201	1/1	0.86	0.25	78,78,78,78	0
57	MG	2A	3681	1/1	0.86	0.19	78,78,78,78	0
57	MG	2r	101	1/1	0.86	0.22	84,84,84,84	0
58	MPD	1T	207	8/8	0.86	0.16	86,88,94,96	0
57	MG	1A	3859	1/1	0.86	0.14	76,76,76,76	0
57	MG	1A	3865	1/1	0.86	0.14	62,62,62,62	0
57	MG	2A	3705	1/1	0.86	0.16	85,85,85,85	0
57	MG	1a	1792	1/1	0.87	0.11	86,86,86,86	0
57	MG	2A	3262	1/1	0.87	0.17	71,71,71,71	0
57	MG	1a	1654	1/1	0.87	0.14	85,85,85,85	0
57	MG	1A	3361	1/1	0.87	0.15	54,54,54,54	0
57	MG	1A	3843	1/1	0.87	0.12	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3183	1/1	0.87	0.21	80,80,80,80	0
57	MG	2a	3017	1/1	0.87	0.33	77,77,77,77	0
57	MG	2A	3079	1/1	0.87	0.17	60,60,60,60	0
57	MG	1A	3208	1/1	0.87	0.10	68,68,68,68	0
57	MG	1A	3591	1/1	0.87	0.12	39,39,39,39	0
57	MG	2A	3523	1/1	0.87	0.17	56,56,56,56	0
57	MG	1a	1670	1/1	0.87	0.16	69,69,69,69	0
57	MG	1A	3705	1/1	0.87	0.19	51,51,51,51	0
57	MG	1A	3030	1/1	0.87	0.10	44,44,44,44	0
57	MG	2A	3101	1/1	0.87	0.28	75,75,75,75	0
57	MG	1a	1816	1/1	0.87	0.22	74,74,74,74	0
57	MG	2A	3297	1/1	0.87	0.48	81,81,81,81	0
57	MG	1A	4001	1/1	0.87	0.13	80,80,80,80	0
57	MG	1A	4003	1/1	0.87	0.18	70,70,70,70	0
57	MG	1A	3398	1/1	0.87	0.10	57,57,57,57	0
57	MG	1B	206	1/1	0.87	0.09	67,67,67,67	0
57	MG	2A	3582	1/1	0.87	0.12	81,81,81,81	0
57	MG	1B	207	1/1	0.87	0.20	67,67,67,67	0
57	MG	2A	3314	1/1	0.87	0.41	71,71,71,71	0
57	MG	2A	3133	1/1	0.87	0.27	70,70,70,70	0
57	MG	1A	3861	1/1	0.87	0.10	31,31,31,31	0
57	MG	2a	3055	1/1	0.87	0.10	86,86,86,86	0
57	MG	2A	3600	1/1	0.87	0.16	89,89,89,89	0
57	MG	2A	3141	1/1	0.87	0.11	73,73,73,73	0
57	MG	2a	3062	1/1	0.87	0.23	81,81,81,81	0
57	MG	2A	3144	1/1	0.87	0.19	67,67,67,67	0
57	MG	1a	1699	1/1	0.87	0.17	77,77,77,77	0
57	MG	2A	3614	1/1	0.87	0.11	58,58,58,58	0
57	MG	1A	3399	1/1	0.87	0.11	78,78,78,78	0
57	MG	2a	3072	1/1	0.87	0.27	77,77,77,77	0
57	MG	2a	3073	1/1	0.87	0.15	83,83,83,83	0
57	MG	1A	3440	1/1	0.87	0.13	42,42,42,42	0
57	MG	1B	213	1/1	0.87	0.28	75,75,75,75	0
57	MG	1a	1849	1/1	0.87	0.12	73,73,73,73	0
57	MG	1A	3239	1/1	0.87	0.20	71,71,71,71	0
57	MG	1A	3453	1/1	0.87	0.17	71,71,71,71	0
57	MG	1A	3149	1/1	0.87	0.17	61,61,61,61	0
57	MG	1A	3897	1/1	0.87	0.12	84,84,84,84	0
57	MG	1A	3767	1/1	0.87	0.11	50,50,50,50	0
57	MG	1A	3259	1/1	0.87	0.09	85,85,85,85	0
57	MG	1f	201	1/1	0.87	0.11	57,57,57,57	0
57	MG	1P	204	1/1	0.87	0.31	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1T	206	1/1	0.87	0.09	67,67,67,67	0
57	MG	2A	3187	1/1	0.87	0.21	75,75,75,75	0
57	MG	2a	3112	1/1	0.87	0.13	70,70,70,70	0
57	MG	1A	3905	1/1	0.87	0.09	65,65,65,65	0
57	MG	1a	1736	1/1	0.87	0.20	80,80,80,80	0
57	MG	2A	3684	1/1	0.87	0.19	78,78,78,78	0
57	MG	2A	3688	1/1	0.87	0.29	81,81,81,81	0
57	MG	2a	3120	1/1	0.87	0.20	83,83,83,83	0
57	MG	1A	3642	1/1	0.87	0.20	63,63,63,63	0
57	MG	1A	3323	1/1	0.87	0.39	58,58,58,58	0
57	MG	1y	3102	1/1	0.87	0.15	80,80,80,80	0
57	MG	2A	3006	1/1	0.87	0.24	70,70,70,70	0
57	MG	2A	3710	1/1	0.87	0.30	81,81,81,81	0
57	MG	1A	3794	1/1	0.87	0.25	75,75,75,75	0
57	MG	2A	3414	1/1	0.87	0.20	84,84,84,84	0
57	MG	2a	3156	1/1	0.87	0.26	81,81,81,81	0
57	MG	1A	3329	1/1	0.87	0.25	55,55,55,55	0
57	MG	1a	1618	1/1	0.87	0.14	65,65,65,65	0
57	MG	1A	3158	1/1	0.87	0.17	52,52,52,52	0
57	MG	1A	3801	1/1	0.87	0.17	59,59,59,59	0
57	MG	2A	3035	1/1	0.87	0.31	83,83,83,83	0
57	MG	1a	1766	1/1	0.87	0.23	82,82,82,82	0
57	MG	2E	303	1/1	0.87	0.20	66,66,66,66	0
57	MG	2A	3442	1/1	0.87	0.17	75,75,75,75	0
57	MG	2F	303	1/1	0.87	0.19	76,76,76,76	0
57	MG	2A	3039	1/1	0.87	0.15	64,64,64,64	0
57	MG	1A	3938	1/1	0.87	0.14	85,85,85,85	0
57	MG	2A	3455	1/1	0.87	0.14	105,105,105,105	0
57	MG	1A	3524	1/1	0.87	0.10	68,68,68,68	0
57	MG	1A	3810	1/1	0.87	0.11	32,32,32,32	0
57	MG	1A	3821	1/1	0.87	0.11	59,59,59,59	0
57	MG	2A	3471	1/1	0.87	0.14	78,78,78,78	0
57	MG	1A	3962	1/1	0.87	0.19	66,66,66,66	0
57	MG	20	102	1/1	0.87	0.27	85,85,85,85	0
57	MG	1A	3038	1/1	0.87	0.12	57,57,57,57	0
59	ARG	1B	231	12/12	0.87	0.15	41,61,73,75	0
57	MG	1A	3968	1/1	0.87	0.35	72,72,72,72	0
57	MG	1a	1720	1/1	0.88	0.10	72,72,72,72	0
57	MG	1A	3315	1/1	0.88	0.11	60,60,60,60	0
57	MG	1A	3238	1/1	0.88	0.14	71,71,71,71	0
57	MG	2A	3201	1/1	0.88	0.25	78,78,78,78	0
57	MG	1a	1724	1/1	0.88	0.26	72,72,72,72	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3811	1/1	0.88	0.15	52,52,52,52	0
57	MG	2A	3206	1/1	0.88	0.14	75,75,75,75	0
57	MG	2I	102	1/1	0.88	0.21	74,74,74,74	0
57	MG	1a	1613	1/1	0.88	0.08	76,76,76,76	0
57	MG	2A	3460	1/1	0.88	0.10	76,76,76,76	0
57	MG	1a	1729	1/1	0.88	0.19	71,71,71,71	0
57	MG	2a	3002	1/1	0.88	0.22	71,71,71,71	0
57	MG	2A	3214	1/1	0.88	0.27	83,83,83,83	0
57	MG	1A	3954	1/1	0.88	0.12	74,74,74,74	0
57	MG	2A	3473	1/1	0.88	0.22	78,78,78,78	0
57	MG	1A	3551	1/1	0.88	0.24	73,73,73,73	0
57	MG	2A	3223	1/1	0.88	0.15	74,74,74,74	0
57	MG	2A	3479	1/1	0.88	0.28	56,56,56,56	0
57	MG	1A	3668	1/1	0.88	0.13	81,81,81,81	0
57	MG	2A	3024	1/1	0.88	0.18	70,70,70,70	0
57	MG	2A	3228	1/1	0.88	0.10	72,72,72,72	0
57	MG	2A	3030	1/1	0.88	0.18	79,79,79,79	0
57	MG	2a	3024	1/1	0.88	0.23	83,83,83,83	0
57	MG	1A	3677	1/1	0.88	0.38	52,52,52,52	0
57	MG	2A	3497	1/1	0.88	0.11	68,68,68,68	0
57	MG	1A	3680	1/1	0.88	0.13	63,63,63,63	0
57	MG	1A	3553	1/1	0.88	0.09	46,46,46,46	0
57	MG	1A	3577	1/1	0.88	0.15	67,67,67,67	0
57	MG	1a	1638	1/1	0.88	0.12	78,78,78,78	0
57	MG	2a	3036	1/1	0.88	0.28	88,88,88,88	0
57	MG	2A	3249	1/1	0.88	0.32	69,69,69,69	0
57	MG	2A	3522	1/1	0.88	0.17	85,85,85,85	0
57	MG	1A	3990	1/1	0.88	0.22	71,71,71,71	0
57	MG	1a	1640	1/1	0.88	0.20	65,65,65,65	0
57	MG	1A	3992	1/1	0.88	0.28	70,70,70,70	0
57	MG	2A	3529	1/1	0.88	0.28	79,79,79,79	0
57	MG	1A	3699	1/1	0.88	0.17	50,50,50,50	0
57	MG	1a	1648	1/1	0.88	0.20	79,79,79,79	0
57	MG	1A	3582	1/1	0.88	0.21	69,69,69,69	0
57	MG	1a	1784	1/1	0.88	0.12	92,92,92,92	0
57	MG	2A	3055	1/1	0.88	0.12	60,60,60,60	0
57	MG	2A	3056	1/1	0.88	0.14	70,70,70,70	0
57	MG	2A	3060	1/1	0.88	0.14	57,57,57,57	0
57	MG	1A	3588	1/1	0.88	0.19	57,57,57,57	0
57	MG	2a	3066	1/1	0.88	0.21	74,74,74,74	0
57	MG	2A	3567	1/1	0.88	0.12	60,60,60,60	0
57	MG	1A	3194	1/1	0.88	0.19	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3299	1/1	0.88	0.33	81,81,81,81	0
57	MG	2A	3289	1/1	0.88	0.34	70,70,70,70	0
57	MG	1A	3724	1/1	0.88	0.18	65,65,65,65	0
57	MG	2a	3075	1/1	0.88	0.36	74,74,74,74	0
57	MG	1A	3119	1/1	0.88	0.28	67,67,67,67	0
57	MG	2A	3597	1/1	0.88	0.13	70,70,70,70	0
57	MG	1a	1662	1/1	0.88	0.32	71,71,71,71	0
57	MG	2A	3295	1/1	0.88	0.18	70,70,70,70	0
57	MG	1a	1801	1/1	0.88	0.12	83,83,83,83	0
57	MG	2a	3094	1/1	0.88	0.30	73,73,73,73	0
57	MG	2a	3095	1/1	0.88	0.21	63,63,63,63	0
57	MG	2a	3096	1/1	0.88	0.20	74,74,74,74	0
57	MG	1a	1664	1/1	0.88	0.23	78,78,78,78	0
57	MG	1A	3352	1/1	0.88	0.18	77,77,77,77	0
57	MG	2A	3303	1/1	0.88	0.34	87,87,87,87	0
57	MG	2A	3634	1/1	0.88	0.13	87,87,87,87	0
57	MG	1A	3883	1/1	0.88	0.15	37,37,37,37	0
57	MG	1A	3755	1/1	0.88	0.16	67,67,67,67	0
57	MG	1A	3468	1/1	0.88	0.15	65,65,65,65	0
57	MG	1a	1675	1/1	0.88	0.48	80,80,80,80	0
57	MG	1A	3308	1/1	0.88	0.21	66,66,66,66	0
57	MG	1A	3475	1/1	0.88	0.17	63,63,63,63	0
57	MG	1a	1820	1/1	0.88	0.14	71,71,71,71	0
57	MG	1A	3481	1/1	0.88	0.13	52,52,52,52	0
57	MG	1a	1824	1/1	0.88	0.15	83,83,83,83	0
57	MG	2A	3124	1/1	0.88	0.09	66,66,66,66	0
57	MG	1a	1684	1/1	0.88	0.29	64,64,64,64	0
57	MG	2a	3139	1/1	0.88	0.12	86,86,86,86	0
57	MG	1A	3122	1/1	0.88	0.13	78,78,78,78	0
57	MG	1B	229	1/1	0.88	0.08	69,69,69,69	0
57	MG	1D	301	1/1	0.88	0.34	73,73,73,73	0
57	MG	2A	3147	1/1	0.88	0.27	82,82,82,82	0
57	MG	1A	3488	1/1	0.88	0.10	77,77,77,77	0
57	MG	1a	1703	1/1	0.88	0.31	68,68,68,68	0
57	MG	2A	3692	1/1	0.88	0.22	76,76,76,76	0
57	MG	2a	3158	1/1	0.88	0.23	61,61,61,61	0
57	MG	1A	3640	1/1	0.88	0.30	77,77,77,77	0
57	MG	2A	3698	1/1	0.88	0.24	72,72,72,72	0
57	MG	1a	1706	1/1	0.88	0.18	72,72,72,72	0
57	MG	2A	3707	1/1	0.88	0.36	79,79,79,79	0
57	MG	2A	3153	1/1	0.88	0.19	64,64,64,64	0
57	MG	1A	3793	1/1	0.88	0.16	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3164	1/1	0.88	0.32	78,78,78,78	0
57	MG	1A	3034	1/1	0.88	0.21	70,70,70,70	0
57	MG	1a	1711	1/1	0.88	0.26	73,73,73,73	0
57	MG	1A	3313	1/1	0.88	0.16	71,71,71,71	0
57	MG	2a	3176	1/1	0.88	0.15	79,79,79,79	0
57	MG	1T	202	1/1	0.88	0.10	71,71,71,71	0
57	MG	1d	302	1/1	0.88	0.18	80,80,80,80	0
57	MG	1T	205	1/1	0.88	0.07	87,87,87,87	0
57	MG	2A	3411	1/1	0.88	0.22	60,60,60,60	0
57	MG	2l	201	1/1	0.88	0.16	85,85,85,85	0
57	MG	1d	304	1/1	0.88	0.12	85,85,85,85	0
57	MG	1A	3528	1/1	0.88	0.11	41,41,41,41	0
57	MG	2r	102	1/1	0.88	0.21	76,76,76,76	0
57	MG	1e	201	1/1	0.88	0.36	80,80,80,80	0
58	MPD	1a	1858	8/8	0.88	0.12	71,81,88,90	0
57	MG	2E	306	1/1	0.88	0.16	73,73,73,73	0
57	MG	1A	3132	1/1	0.88	0.12	67,67,67,67	0
57	MG	1a	1719	1/1	0.88	0.31	78,78,78,78	0
57	MG	1l	202	1/1	0.88	0.20	81,81,81,81	0
57	MG	1D	307	1/1	0.89	0.10	50,50,50,50	0
57	MG	2A	3493	1/1	0.89	0.13	45,45,45,45	0
57	MG	1a	1850	1/1	0.89	0.15	83,83,83,83	0
57	MG	2A	3095	1/1	0.89	0.16	85,85,85,85	0
57	MG	1A	3496	1/1	0.89	0.14	65,65,65,65	0
57	MG	1A	3412	1/1	0.89	0.11	62,62,62,62	0
57	MG	2A	3505	1/1	0.89	0.12	58,58,58,58	0
57	MG	2A	3269	1/1	0.89	0.23	66,66,66,66	0
57	MG	1A	3502	1/1	0.89	0.11	52,52,52,52	0
57	MG	1A	3505	1/1	0.89	0.16	50,50,50,50	0
57	MG	1a	1665	1/1	0.89	0.31	66,66,66,66	0
57	MG	1A	3522	1/1	0.89	0.10	66,66,66,66	0
57	MG	1Q	201	1/1	0.89	0.34	54,54,54,54	0
57	MG	1T	201	1/1	0.89	0.12	59,59,59,59	0
57	MG	2A	3126	1/1	0.89	0.20	64,64,64,64	0
57	MG	2A	3129	1/1	0.89	0.26	68,68,68,68	0
57	MG	1A	3067	1/1	0.89	0.39	48,48,48,48	0
57	MG	2A	3534	1/1	0.89	0.12	71,71,71,71	0
57	MG	1e	203	1/1	0.89	0.27	75,75,75,75	0
57	MG	2A	3140	1/1	0.89	0.22	73,73,73,73	0
57	MG	2A	3540	1/1	0.89	0.18	51,51,51,51	0
57	MG	1A	3226	1/1	0.89	0.12	74,74,74,74	0
57	MG	1A	3444	1/1	0.89	0.17	79,79,79,79	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3549	1/1	0.89	0.33	74,74,74,74	0
57	MG	1i	201	1/1	0.89	0.17	73,73,73,73	0
57	MG	1V	205	1/1	0.89	0.20	68,68,68,68	0
57	MG	1A	3984	1/1	0.89	0.19	69,69,69,69	0
57	MG	2a	3047	1/1	0.89	0.14	82,82,82,82	0
57	MG	1A	3448	1/1	0.89	0.12	36,36,36,36	0
57	MG	2a	3050	1/1	0.89	0.24	71,71,71,71	0
57	MG	2A	3151	1/1	0.89	0.12	75,75,75,75	0
57	MG	1r	101	1/1	0.89	0.26	73,73,73,73	0
57	MG	1a	1685	1/1	0.89	0.19	68,68,68,68	0
57	MG	15	102	1/1	0.89	0.25	56,56,56,56	0
57	MG	2A	3158	1/1	0.89	0.12	74,74,74,74	0
57	MG	1a	1786	1/1	0.89	0.20	82,82,82,82	0
57	MG	2A	3335	1/1	0.89	0.12	73,73,73,73	0
57	MG	2A	3168	1/1	0.89	0.20	76,76,76,76	0
57	MG	1a	1789	1/1	0.89	0.17	76,76,76,76	0
57	MG	2a	3065	1/1	0.89	0.36	75,75,75,75	0
57	MG	15	104	1/1	0.89	0.31	50,50,50,50	0
57	MG	2A	3009	1/1	0.89	0.18	60,60,60,60	0
57	MG	1A	3539	1/1	0.89	0.11	76,76,76,76	0
57	MG	2A	3630	1/1	0.89	0.20	82,82,82,82	0
57	MG	2A	3631	1/1	0.89	0.10	77,77,77,77	0
57	MG	2A	3348	1/1	0.89	0.15	74,74,74,74	0
57	MG	2A	3635	1/1	0.89	0.14	66,66,66,66	0
57	MG	2A	3349	1/1	0.89	0.15	70,70,70,70	0
57	MG	1a	1695	1/1	0.89	0.30	73,73,73,73	0
57	MG	2a	3084	1/1	0.89	0.18	80,80,80,80	0
57	MG	1a	1796	1/1	0.89	0.07	67,67,67,67	0
57	MG	2A	3652	1/1	0.89	0.19	60,60,60,60	0
57	MG	1a	1696	1/1	0.89	0.19	61,61,61,61	0
57	MG	2A	3356	1/1	0.89	0.24	68,68,68,68	0
57	MG	2A	3660	1/1	0.89	0.10	96,96,96,96	0
57	MG	2A	3025	1/1	0.89	0.14	59,59,59,59	0
57	MG	1a	1698	1/1	0.89	0.35	70,70,70,70	0
57	MG	1A	3770	1/1	0.89	0.13	44,44,44,44	0
57	MG	2A	3669	1/1	0.89	0.12	55,55,55,55	0
57	MG	2A	3188	1/1	0.89	0.25	74,74,74,74	0
57	MG	2a	3105	1/1	0.89	0.15	70,70,70,70	0
57	MG	1A	3997	1/1	0.89	0.20	75,75,75,75	0
57	MG	1A	3301	1/1	0.89	0.17	71,71,71,71	0
57	MG	2A	3388	1/1	0.89	0.15	58,58,58,58	0
57	MG	2A	3036	1/1	0.89	0.17	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1a	1809	1/1	0.89	0.23	83,83,83,83	0
57	MG	2A	3196	1/1	0.89	0.29	64,64,64,64	0
57	MG	1A	3653	1/1	0.89	0.12	56,56,56,56	0
57	MG	2A	3199	1/1	0.89	0.13	62,62,62,62	0
57	MG	2A	3689	1/1	0.89	0.16	65,65,65,65	0
57	MG	2A	3200	1/1	0.89	0.25	79,79,79,79	0
57	MG	2a	3121	1/1	0.89	0.22	78,78,78,78	0
57	MG	1A	3545	1/1	0.89	0.11	67,67,67,67	0
57	MG	2a	3133	1/1	0.89	0.09	73,73,73,73	0
57	MG	1A	3371	1/1	0.89	0.19	63,63,63,63	0
57	MG	1A	3189	1/1	0.89	0.15	59,59,59,59	0
57	MG	2a	3146	1/1	0.89	0.16	81,81,81,81	0
57	MG	2A	3706	1/1	0.89	0.12	81,81,81,81	0
57	MG	2a	3148	1/1	0.89	0.25	83,83,83,83	0
57	MG	2A	3046	1/1	0.89	0.13	80,80,80,80	0
57	MG	2A	3421	1/1	0.89	0.18	69,69,69,69	0
57	MG	1A	3568	1/1	0.89	0.17	57,57,57,57	0
57	MG	1A	3390	1/1	0.89	0.09	52,52,52,52	0
57	MG	1a	1714	1/1	0.89	0.31	81,81,81,81	0
57	MG	1A	3469	1/1	0.89	0.10	76,76,76,76	0
57	MG	2A	3054	1/1	0.89	0.21	78,78,78,78	0
57	MG	1A	3307	1/1	0.89	0.18	70,70,70,70	0
57	MG	2a	3162	1/1	0.89	0.26	81,81,81,81	0
57	MG	2A	3448	1/1	0.89	0.21	75,75,75,75	0
57	MG	1a	1826	1/1	0.89	0.20	65,65,65,65	0
57	MG	1A	3258	1/1	0.89	0.17	72,72,72,72	0
57	MG	2B	211	1/1	0.89	0.17	79,79,79,79	0
57	MG	1A	3698	1/1	0.89	0.46	54,54,54,54	0
57	MG	2B	216	1/1	0.89	0.17	85,85,85,85	0
57	MG	2D	305	1/1	0.89	0.15	55,55,55,55	0
57	MG	2a	3174	1/1	0.89	0.23	86,86,86,86	0
57	MG	2D	309	1/1	0.89	0.20	70,70,70,70	0
57	MG	2A	3456	1/1	0.89	0.20	63,63,63,63	0
57	MG	1A	3814	1/1	0.89	0.11	69,69,69,69	0
57	MG	1A	3818	1/1	0.89	0.14	44,44,44,44	0
57	MG	2F	301	1/1	0.89	0.28	60,60,60,60	0
57	MG	2A	3070	1/1	0.89	0.19	73,73,73,73	0
57	MG	1a	1834	1/1	0.89	0.24	72,72,72,72	0
57	MG	1A	3331	1/1	0.89	0.25	73,73,73,73	0
57	MG	2A	3239	1/1	0.89	0.24	58,58,58,58	0
57	MG	2T	201	1/1	0.89	0.23	93,93,93,93	0
57	MG	1a	1651	1/1	0.89	0.17	72,72,72,72	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1a	1842	1/1	0.89	0.15	67,67,67,67	0
57	MG	1A	3295	1/1	0.89	0.13	68,68,68,68	0
57	MG	1A	3401	1/1	0.89	0.08	48,48,48,48	0
57	MG	2A	3087	1/1	0.89	0.13	70,70,70,70	0
57	MG	2A	3489	1/1	0.89	0.17	73,73,73,73	0
57	MG	1A	3338	1/1	0.90	0.21	72,72,72,72	0
57	MG	2a	3004	1/1	0.90	0.44	76,76,76,76	0
57	MG	1A	3919	1/1	0.90	0.17	61,61,61,61	0
57	MG	2A	3524	1/1	0.90	0.09	72,72,72,72	0
57	MG	2a	3009	1/1	0.90	0.07	86,86,86,86	0
57	MG	2A	3280	1/1	0.90	0.23	69,69,69,69	0
57	MG	1A	3611	1/1	0.90	0.26	72,72,72,72	0
57	MG	2a	3015	1/1	0.90	0.09	73,73,73,73	0
57	MG	1A	3921	1/1	0.90	0.14	70,70,70,70	0
57	MG	1a	1844	1/1	0.90	0.20	76,76,76,76	0
57	MG	1A	3193	1/1	0.90	0.20	61,61,61,61	0
57	MG	2A	3291	1/1	0.90	0.21	76,76,76,76	0
57	MG	1A	3286	1/1	0.90	0.36	64,64,64,64	0
57	MG	2A	3293	1/1	0.90	0.30	74,74,74,74	0
57	MG	1A	3779	1/1	0.90	0.22	67,67,67,67	0
57	MG	2A	3545	1/1	0.90	0.22	78,78,78,78	0
57	MG	1a	1852	1/1	0.90	0.24	71,71,71,71	0
57	MG	1A	3623	1/1	0.90	0.18	66,66,66,66	0
57	MG	2a	3032	1/1	0.90	0.14	72,72,72,72	0
57	MG	2a	3033	1/1	0.90	0.11	88,88,88,88	0
57	MG	10	104	1/1	0.90	0.13	73,73,73,73	0
57	MG	1A	3942	1/1	0.90	0.12	36,36,36,36	0
57	MG	2A	3559	1/1	0.90	0.14	69,69,69,69	0
57	MG	2A	3561	1/1	0.90	0.21	68,68,68,68	0
57	MG	1A	3945	1/1	0.90	0.13	59,59,59,59	0
57	MG	1A	3293	1/1	0.90	0.30	69,69,69,69	0
57	MG	2A	3578	1/1	0.90	0.17	79,79,79,79	0
57	MG	2a	3043	1/1	0.90	0.31	77,77,77,77	0
57	MG	1A	3382	1/1	0.90	0.10	68,68,68,68	0
57	MG	2A	3143	1/1	0.90	0.14	81,81,81,81	0
57	MG	1A	3497	1/1	0.90	0.12	34,34,34,34	0
57	MG	2A	3317	1/1	0.90	0.19	72,72,72,72	0
57	MG	2A	3145	1/1	0.90	0.15	67,67,67,67	0
57	MG	1a	1605	1/1	0.90	0.18	69,69,69,69	0
57	MG	2A	3598	1/1	0.90	0.17	70,70,70,70	0
57	MG	1A	3632	1/1	0.90	0.12	54,54,54,54	0
57	MG	1e	202	1/1	0.90	0.11	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2a	3057	1/1	0.90	0.15	73,73,73,73	0
57	MG	1A	3635	1/1	0.90	0.14	41,41,41,41	0
57	MG	1A	3383	1/1	0.90	0.16	79,79,79,79	0
57	MG	1a	1728	1/1	0.90	0.11	75,75,75,75	0
57	MG	2a	3064	1/1	0.90	0.51	86,86,86,86	0
57	MG	1A	3049	1/1	0.90	0.15	59,59,59,59	0
57	MG	1a	1626	1/1	0.90	0.19	67,67,67,67	0
57	MG	1A	3969	1/1	0.90	0.15	30,30,30,30	0
57	MG	1a	1741	1/1	0.90	0.12	74,74,74,74	0
57	MG	1A	3802	1/1	0.90	0.15	59,59,59,59	0
57	MG	1A	3971	1/1	0.90	0.14	55,55,55,55	0
57	MG	1A	3389	1/1	0.90	0.15	84,84,84,84	0
57	MG	2a	3074	1/1	0.90	0.15	79,79,79,79	0
57	MG	1A	3513	1/1	0.90	0.12	73,73,73,73	0
57	MG	2A	3651	1/1	0.90	0.18	71,71,71,71	0
57	MG	2a	3078	1/1	0.90	0.23	74,74,74,74	0
57	MG	1A	3159	1/1	0.90	0.34	49,49,49,49	0
57	MG	1A	3989	1/1	0.90	0.18	67,67,67,67	0
57	MG	2a	3085	1/1	0.90	0.25	78,78,78,78	0
57	MG	2A	3359	1/1	0.90	0.24	81,81,81,81	0
57	MG	1A	3160	1/1	0.90	0.12	59,59,59,59	0
57	MG	2A	3011	1/1	0.90	0.10	60,60,60,60	0
57	MG	2a	3091	1/1	0.90	0.33	77,77,77,77	0
57	MG	2A	3012	1/1	0.90	0.11	76,76,76,76	0
57	MG	2A	3665	1/1	0.90	0.09	71,71,71,71	0
57	MG	1A	3095	1/1	0.90	0.12	54,54,54,54	0
57	MG	1A	3656	1/1	0.90	0.09	45,45,45,45	0
57	MG	2A	3670	1/1	0.90	0.22	68,68,68,68	0
57	MG	1A	3215	1/1	0.90	0.21	52,52,52,52	0
57	MG	1A	3658	1/1	0.90	0.44	59,59,59,59	0
57	MG	2a	3103	1/1	0.90	0.07	96,96,96,96	0
57	MG	2A	3674	1/1	0.90	0.12	63,63,63,63	0
57	MG	1A	3305	1/1	0.90	0.25	52,52,52,52	0
57	MG	1A	3108	1/1	0.90	0.16	61,61,61,61	0
57	MG	2A	3032	1/1	0.90	0.19	74,74,74,74	0
57	MG	2A	3404	1/1	0.90	0.25	70,70,70,70	0
57	MG	1A	3058	1/1	0.90	0.10	67,67,67,67	0
57	MG	1A	3229	1/1	0.90	0.49	56,56,56,56	0
57	MG	1a	1788	1/1	0.90	0.14	71,71,71,71	0
57	MG	1B	201	1/1	0.90	0.17	77,77,77,77	0
57	MG	1A	3678	1/1	0.90	0.08	89,89,89,89	0
57	MG	2A	3203	1/1	0.90	0.12	80,80,80,80	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3548	1/1	0.90	0.15	78,78,78,78	0
57	MG	2a	3123	1/1	0.90	0.10	66,66,66,66	0
57	MG	2A	3702	1/1	0.90	0.17	69,69,69,69	0
57	MG	1A	3004	1/1	0.90	0.14	66,66,66,66	0
57	MG	2a	3138	1/1	0.90	0.10	86,86,86,86	0
57	MG	2A	3422	1/1	0.90	0.12	65,65,65,65	0
57	MG	2A	3425	1/1	0.90	0.19	58,58,58,58	0
57	MG	1B	208	1/1	0.90	0.31	75,75,75,75	0
57	MG	1A	3035	1/1	0.90	0.29	69,69,69,69	0
57	MG	2A	3208	1/1	0.90	0.13	76,76,76,76	0
57	MG	2a	3149	1/1	0.90	0.21	75,75,75,75	0
57	MG	1A	3557	1/1	0.90	0.35	63,63,63,63	0
57	MG	1A	3565	1/1	0.90	0.22	56,56,56,56	0
57	MG	2A	3215	1/1	0.90	0.19	73,73,73,73	0
57	MG	1A	3567	1/1	0.90	0.16	54,54,54,54	0
57	MG	1A	3247	1/1	0.90	0.26	54,54,54,54	0
57	MG	1A	3575	1/1	0.90	0.20	73,73,73,73	0
57	MG	2B	209	1/1	0.90	0.48	82,82,82,82	0
57	MG	1A	3065	1/1	0.90	0.14	55,55,55,55	0
57	MG	2a	3161	1/1	0.90	0.25	67,67,67,67	0
57	MG	1A	3140	1/1	0.90	0.15	64,64,64,64	0
57	MG	1A	3008	1/1	0.90	0.12	54,54,54,54	0
57	MG	1A	3002	1/1	0.90	0.19	58,58,58,58	0
57	MG	1a	1689	1/1	0.90	0.11	72,72,72,72	0
57	MG	2a	3168	1/1	0.90	0.22	63,63,63,63	0
57	MG	1a	1691	1/1	0.90	0.23	76,76,76,76	0
57	MG	2A	3068	1/1	0.90	0.15	63,63,63,63	0
57	MG	1A	3154	1/1	0.90	0.21	71,71,71,71	0
57	MG	1a	1821	1/1	0.90	0.16	54,54,54,54	0
57	MG	2A	3242	1/1	0.90	0.44	68,68,68,68	0
57	MG	1E	303	1/1	0.90	0.16	53,53,53,53	0
57	MG	1F	305	1/1	0.90	0.22	47,47,47,47	0
57	MG	2A	3487	1/1	0.90	0.18	72,72,72,72	0
57	MG	1a	1825	1/1	0.90	0.15	76,76,76,76	0
57	MG	1A	3911	1/1	0.90	0.12	78,78,78,78	0
57	MG	1a	1697	1/1	0.90	0.22	63,63,63,63	0
57	MG	2A	3083	1/1	0.90	0.22	73,73,73,73	0
57	MG	2A	3084	1/1	0.90	0.12	66,66,66,66	0
57	MG	1F	315	1/1	0.90	0.12	65,65,65,65	0
57	MG	1A	3270	1/1	0.90	0.12	95,95,95,95	0
57	MG	2A	3091	1/1	0.90	0.23	71,71,71,71	0
57	MG	1a	1700	1/1	0.90	0.09	62,62,62,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3270	1/1	0.90	0.13	82,82,82,82	0
57	MG	2A	3271	1/1	0.90	0.10	58,58,58,58	0
57	MG	1H	202	1/1	0.90	0.08	70,70,70,70	0
57	MG	2A	3274	1/1	0.90	0.32	63,63,63,63	0
57	MG	1A	3596	1/1	0.91	0.23	60,60,60,60	0
57	MG	2A	3466	1/1	0.91	0.17	71,71,71,71	0
57	MG	2T	203	1/1	0.91	0.12	77,77,77,77	0
57	MG	1a	1795	1/1	0.91	0.11	76,76,76,76	0
57	MG	1A	3719	1/1	0.91	0.11	74,74,74,74	0
57	MG	2A	3474	1/1	0.91	0.14	79,79,79,79	0
57	MG	2X	101	1/1	0.91	0.16	81,81,81,81	0
57	MG	1A	3318	1/1	0.91	0.16	65,65,65,65	0
57	MG	1A	3120	1/1	0.91	0.25	58,58,58,58	0
57	MG	1A	3733	1/1	0.91	0.11	72,72,72,72	0
57	MG	1A	3900	1/1	0.91	0.08	56,56,56,56	0
57	MG	1A	3737	1/1	0.91	0.08	49,49,49,49	0
57	MG	1A	3287	1/1	0.91	0.28	71,71,71,71	0
57	MG	1A	3615	1/1	0.91	0.21	48,48,48,48	0
57	MG	28	102	1/1	0.91	0.16	68,68,68,68	0
57	MG	2A	3057	1/1	0.91	0.16	55,55,55,55	0
57	MG	1A	3909	1/1	0.91	0.11	63,63,63,63	0
57	MG	2A	3246	1/1	0.91	0.29	63,63,63,63	0
57	MG	1D	311	1/1	0.91	0.14	55,55,55,55	0
57	MG	2a	3006	1/1	0.91	0.27	86,86,86,86	0
57	MG	1A	3179	1/1	0.91	0.14	59,59,59,59	0
57	MG	2A	3066	1/1	0.91	0.13	64,64,64,64	0
57	MG	2A	3067	1/1	0.91	0.12	61,61,61,61	0
57	MG	2A	3508	1/1	0.91	0.17	79,79,79,79	0
57	MG	2A	3509	1/1	0.91	0.08	85,85,85,85	0
57	MG	1A	3520	1/1	0.91	0.06	68,68,68,68	0
57	MG	2A	3513	1/1	0.91	0.10	68,68,68,68	0
57	MG	2A	3260	1/1	0.91	0.27	74,74,74,74	0
57	MG	2A	3515	1/1	0.91	0.20	63,63,63,63	0
57	MG	1E	301	1/1	0.91	0.25	49,49,49,49	0
57	MG	1a	1819	1/1	0.91	0.08	77,77,77,77	0
57	MG	1A	3915	1/1	0.91	0.16	59,59,59,59	0
57	MG	2a	3027	1/1	0.91	0.12	77,77,77,77	0
57	MG	1A	3424	1/1	0.91	0.13	38,38,38,38	0
57	MG	1F	311	1/1	0.91	0.09	60,60,60,60	0
57	MG	1A	3624	1/1	0.91	0.22	47,47,47,47	0
57	MG	1A	3433	1/1	0.91	0.10	60,60,60,60	0
57	MG	1A	3525	1/1	0.91	0.18	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3151	1/1	0.91	0.31	49,49,49,49	0
57	MG	1N	203	1/1	0.91	0.09	66,66,66,66	0
57	MG	1a	1831	1/1	0.91	0.10	77,77,77,77	0
57	MG	1A	3093	1/1	0.91	0.09	67,67,67,67	0
57	MG	1A	3783	1/1	0.91	0.11	59,59,59,59	0
57	MG	1A	3936	1/1	0.91	0.17	63,63,63,63	0
57	MG	1A	3187	1/1	0.91	0.15	67,67,67,67	0
57	MG	2a	3041	1/1	0.91	0.27	64,64,64,64	0
57	MG	2A	3286	1/1	0.91	0.19	66,66,66,66	0
57	MG	2a	3045	1/1	0.91	0.14	72,72,72,72	0
57	MG	2A	3099	1/1	0.91	0.10	87,87,87,87	0
57	MG	2A	3554	1/1	0.91	0.07	71,71,71,71	0
57	MG	1a	1837	1/1	0.91	0.16	75,75,75,75	0
57	MG	2A	3103	1/1	0.91	0.27	74,74,74,74	0
57	MG	1A	3534	1/1	0.91	0.16	40,40,40,40	0
57	MG	1a	1707	1/1	0.91	0.28	70,70,70,70	0
57	MG	1A	3535	1/1	0.91	0.14	38,38,38,38	0
57	MG	1V	204	1/1	0.91	0.16	81,81,81,81	0
57	MG	2A	3572	1/1	0.91	0.12	59,59,59,59	0
57	MG	2A	3574	1/1	0.91	0.10	67,67,67,67	0
57	MG	1A	3641	1/1	0.91	0.19	63,63,63,63	0
57	MG	2A	3120	1/1	0.91	0.25	75,75,75,75	0
57	MG	1A	3537	1/1	0.91	0.15	67,67,67,67	0
57	MG	2A	3302	1/1	0.91	0.19	69,69,69,69	0
57	MG	10	102	1/1	0.91	0.20	58,58,58,58	0
57	MG	2A	3592	1/1	0.91	0.15	56,56,56,56	0
57	MG	10	103	1/1	0.91	0.13	57,57,57,57	0
57	MG	2a	3068	1/1	0.91	0.11	77,77,77,77	0
57	MG	1A	3348	1/1	0.91	0.12	51,51,51,51	0
57	MG	1a	1855	1/1	0.91	0.18	62,62,62,62	0
57	MG	2a	3071	1/1	0.91	0.27	78,78,78,78	0
57	MG	2A	3135	1/1	0.91	0.14	66,66,66,66	0
57	MG	2A	3601	1/1	0.91	0.18	63,63,63,63	0
57	MG	2A	3602	1/1	0.91	0.12	75,75,75,75	0
57	MG	2A	3315	1/1	0.91	0.15	67,67,67,67	0
57	MG	2A	3604	1/1	0.91	0.11	70,70,70,70	0
57	MG	2a	3077	1/1	0.91	0.32	71,71,71,71	0
57	MG	2A	3316	1/1	0.91	0.16	71,71,71,71	0
57	MG	2a	3079	1/1	0.91	0.17	75,75,75,75	0
57	MG	1A	3799	1/1	0.91	0.12	56,56,56,56	0
57	MG	2a	3083	1/1	0.91	0.31	72,72,72,72	0
57	MG	2A	3138	1/1	0.91	0.16	72,72,72,72	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3627	1/1	0.91	0.21	71,71,71,71	0
57	MG	1A	3956	1/1	0.91	0.12	60,60,60,60	0
57	MG	1b	301	1/1	0.91	0.12	83,83,83,83	0
57	MG	15	103	1/1	0.91	0.15	54,54,54,54	0
57	MG	1A	3123	1/1	0.91	0.17	77,77,77,77	0
57	MG	1A	3454	1/1	0.91	0.14	45,45,45,45	0
57	MG	2A	3638	1/1	0.91	0.14	66,66,66,66	0
57	MG	1A	3056	1/1	0.91	0.16	62,62,62,62	0
57	MG	1A	3367	1/1	0.91	0.08	56,56,56,56	0
57	MG	2A	3647	1/1	0.91	0.10	58,58,58,58	0
57	MG	1A	3190	1/1	0.91	0.24	60,60,60,60	0
57	MG	1a	1614	1/1	0.91	0.18	80,80,80,80	0
57	MG	1A	3105	1/1	0.91	0.09	68,68,68,68	0
57	MG	1e	204	1/1	0.91	0.10	68,68,68,68	0
57	MG	1A	3975	1/1	0.91	0.22	65,65,65,65	0
57	MG	1g	201	1/1	0.91	0.21	72,72,72,72	0
57	MG	2A	3661	1/1	0.91	0.14	66,66,66,66	0
57	MG	2a	3110	1/1	0.91	0.22	81,81,81,81	0
57	MG	1A	3560	1/1	0.91	0.18	63,63,63,63	0
57	MG	2A	3161	1/1	0.91	0.14	73,73,73,73	0
57	MG	1A	3819	1/1	0.91	0.19	67,67,67,67	0
57	MG	2A	3358	1/1	0.91	0.23	66,66,66,66	0
57	MG	2A	3166	1/1	0.91	0.12	68,68,68,68	0
57	MG	1l	201	1/1	0.91	0.30	79,79,79,79	0
57	MG	2A	3170	1/1	0.91	0.25	75,75,75,75	0
57	MG	2A	3171	1/1	0.91	0.18	73,73,73,73	0
57	MG	1a	1627	1/1	0.91	0.29	83,83,83,83	0
57	MG	1A	3983	1/1	0.91	0.14	57,57,57,57	0
57	MG	1A	3664	1/1	0.91	0.07	34,34,34,34	0
57	MG	2a	3136	1/1	0.91	0.16	58,58,58,58	0
57	MG	2A	3679	1/1	0.91	0.11	79,79,79,79	0
57	MG	1a	1748	1/1	0.91	0.12	65,65,65,65	0
57	MG	1A	3139	1/1	0.91	0.07	45,45,45,45	0
57	MG	1a	1634	1/1	0.91	0.35	73,73,73,73	0
57	MG	2A	3393	1/1	0.91	0.22	59,59,59,59	0
57	MG	2A	3686	1/1	0.91	0.26	74,74,74,74	0
57	MG	2A	3394	1/1	0.91	0.07	56,56,56,56	0
57	MG	1a	1754	1/1	0.91	0.15	59,59,59,59	0
57	MG	1A	3011	1/1	0.91	0.13	71,71,71,71	0
57	MG	1x	101	1/1	0.91	0.09	46,46,46,46	0
57	MG	2A	3697	1/1	0.91	0.21	77,77,77,77	0
57	MG	2A	3005	1/1	0.91	0.20	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3410	1/1	0.91	0.19	74,74,74,74	0
57	MG	2A	3703	1/1	0.91	0.13	87,87,87,87	0
57	MG	1a	1758	1/1	0.91	0.09	64,64,64,64	0
57	MG	1A	3837	1/1	0.91	0.07	75,75,75,75	0
57	MG	1A	3676	1/1	0.91	0.23	81,81,81,81	0
57	MG	1a	1767	1/1	0.91	0.24	76,76,76,76	0
57	MG	1A	3266	1/1	0.91	0.27	57,57,57,57	0
57	MG	1A	3847	1/1	0.91	0.12	65,65,65,65	0
57	MG	1a	1775	1/1	0.91	0.13	75,75,75,75	0
57	MG	2A	3423	1/1	0.91	0.22	61,61,61,61	0
57	MG	1a	1777	1/1	0.91	0.26	85,85,85,85	0
57	MG	1A	3570	1/1	0.91	0.15	49,49,49,49	0
57	MG	2A	3026	1/1	0.91	0.21	69,69,69,69	0
57	MG	2B	207	1/1	0.91	0.11	86,86,86,86	0
57	MG	2A	3202	1/1	0.91	0.17	63,63,63,63	0
57	MG	1A	3484	1/1	0.91	0.16	74,74,74,74	0
57	MG	1A	3485	1/1	0.91	0.14	68,68,68,68	0
57	MG	1A	3165	1/1	0.91	0.13	45,45,45,45	0
57	MG	2f	201	1/1	0.91	0.21	68,68,68,68	0
57	MG	1a	1652	1/1	0.91	0.28	61,61,61,61	0
57	MG	1A	3083	1/1	0.91	0.17	63,63,63,63	0
57	MG	2A	3452	1/1	0.91	0.44	64,64,64,64	0
57	MG	1B	203	1/1	0.91	0.16	64,64,64,64	0
57	MG	2p	101	1/1	0.91	0.25	73,73,73,73	0
57	MG	2A	3212	1/1	0.91	0.34	76,76,76,76	0
57	MG	1A	3395	1/1	0.91	0.11	69,69,69,69	0
57	MG	2A	3457	1/1	0.91	0.19	80,80,80,80	0
57	MG	2E	308	1/1	0.91	0.21	70,70,70,70	0
57	MG	1A	3146	1/1	0.91	0.10	62,62,62,62	0
57	MG	2A	3041	1/1	0.91	0.19	73,73,73,73	0
57	MG	2A	3461	1/1	0.91	0.24	68,68,68,68	0
57	MG	1A	3595	1/1	0.91	0.14	61,61,61,61	0
57	MG	2A	3210	1/1	0.92	0.12	65,65,65,65	0
57	MG	2F	305	1/1	0.92	0.24	72,72,72,72	0
57	MG	1A	3839	1/1	0.92	0.13	56,56,56,56	0
57	MG	1a	1781	1/1	0.92	0.07	73,73,73,73	0
57	MG	1A	3124	1/1	0.92	0.05	51,51,51,51	0
57	MG	2Q	203	1/1	0.92	0.14	65,65,65,65	0
57	MG	1A	3569	1/1	0.92	0.33	67,67,67,67	0
57	MG	2A	3216	1/1	0.92	0.19	67,67,67,67	0
57	MG	1a	1641	1/1	0.92	0.19	69,69,69,69	0
57	MG	1A	3355	1/1	0.92	0.20	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3359	1/1	0.92	0.11	30,30,30,30	0
57	MG	1a	1787	1/1	0.92	0.17	77,77,77,77	0
57	MG	1A	3197	1/1	0.92	0.16	55,55,55,55	0
57	MG	1A	3697	1/1	0.92	0.13	69,69,69,69	0
57	MG	1A	3579	1/1	0.92	0.17	82,82,82,82	0
57	MG	20	103	1/1	0.92	0.14	72,72,72,72	0
57	MG	1a	1791	1/1	0.92	0.18	67,67,67,67	0
57	MG	23	102	1/1	0.92	0.15	72,72,72,72	0
57	MG	1A	3304	1/1	0.92	0.23	58,58,58,58	0
57	MG	2A	3052	1/1	0.92	0.09	67,67,67,67	0
57	MG	1a	1653	1/1	0.92	0.15	81,81,81,81	0
57	MG	27	102	1/1	0.92	0.15	64,64,64,64	0
57	MG	2A	3237	1/1	0.92	0.10	77,77,77,77	0
57	MG	1A	3021	1/1	0.92	0.18	54,54,54,54	0
57	MG	1a	1655	1/1	0.92	0.14	63,63,63,63	0
57	MG	1A	3375	1/1	0.92	0.19	77,77,77,77	0
57	MG	2A	3501	1/1	0.92	0.12	43,43,43,43	0
57	MG	1A	3707	1/1	0.92	0.18	70,70,70,70	0
57	MG	2A	3506	1/1	0.92	0.10	60,60,60,60	0
57	MG	1A	3867	1/1	0.92	0.21	64,64,64,64	0
57	MG	1a	1659	1/1	0.92	0.20	69,69,69,69	0
57	MG	1a	1805	1/1	0.92	0.12	78,78,78,78	0
57	MG	2A	3255	1/1	0.92	0.14	66,66,66,66	0
57	MG	1A	3084	1/1	0.92	0.07	52,52,52,52	0
57	MG	1A	3592	1/1	0.92	0.10	58,58,58,58	0
57	MG	1B	219	1/1	0.92	0.15	58,58,58,58	0
57	MG	2a	3021	1/1	0.92	0.15	59,59,59,59	0
57	MG	2A	3517	1/1	0.92	0.11	58,58,58,58	0
57	MG	1A	3886	1/1	0.92	0.11	46,46,46,46	0
57	MG	1B	225	1/1	0.92	0.11	70,70,70,70	0
57	MG	2A	3071	1/1	0.92	0.11	71,71,71,71	0
57	MG	1a	1668	1/1	0.92	0.23	65,65,65,65	0
57	MG	2A	3267	1/1	0.92	0.24	63,63,63,63	0
57	MG	2A	3268	1/1	0.92	0.46	65,65,65,65	0
57	MG	1a	1815	1/1	0.92	0.16	80,80,80,80	0
57	MG	2A	3531	1/1	0.92	0.12	60,60,60,60	0
57	MG	1A	3110	1/1	0.92	0.13	65,65,65,65	0
57	MG	1A	3491	1/1	0.92	0.09	64,64,64,64	0
57	MG	1B	230	1/1	0.92	0.16	71,71,71,71	0
57	MG	1A	3731	1/1	0.92	0.13	52,52,52,52	0
57	MG	1a	1676	1/1	0.92	0.12	79,79,79,79	0
57	MG	1A	3494	1/1	0.92	0.10	72,72,72,72	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3279	1/1	0.92	0.19	60,60,60,60	0
57	MG	1a	1679	1/1	0.92	0.13	61,61,61,61	0
57	MG	1A	3211	1/1	0.92	0.20	49,49,49,49	0
57	MG	1A	3740	1/1	0.92	0.18	58,58,58,58	0
57	MG	2A	3284	1/1	0.92	0.22	67,67,67,67	0
57	MG	1A	3267	1/1	0.92	0.17	68,68,68,68	0
57	MG	2A	3287	1/1	0.92	0.12	53,53,53,53	0
57	MG	1A	3613	1/1	0.92	0.08	67,67,67,67	0
57	MG	2A	3098	1/1	0.92	0.27	68,68,68,68	0
57	MG	1A	3311	1/1	0.92	0.34	55,55,55,55	0
57	MG	2A	3100	1/1	0.92	0.46	78,78,78,78	0
57	MG	1A	3756	1/1	0.92	0.16	69,69,69,69	0
57	MG	2A	3102	1/1	0.92	0.19	57,57,57,57	0
57	MG	1F	306	1/1	0.92	0.11	51,51,51,51	0
57	MG	2A	3583	1/1	0.92	0.14	51,51,51,51	0
57	MG	2A	3586	1/1	0.92	0.15	67,67,67,67	0
57	MG	1a	1692	1/1	0.92	0.16	62,62,62,62	0
57	MG	2A	3589	1/1	0.92	0.09	58,58,58,58	0
57	MG	2A	3298	1/1	0.92	0.33	63,63,63,63	0
57	MG	1A	3212	1/1	0.92	0.12	59,59,59,59	0
57	MG	1A	3091	1/1	0.92	0.13	30,30,30,30	0
57	MG	2A	3111	1/1	0.92	0.18	53,53,53,53	0
57	MG	2A	3112	1/1	0.92	0.19	51,51,51,51	0
57	MG	1A	3141	1/1	0.92	0.16	56,56,56,56	0
57	MG	2A	3306	1/1	0.92	0.34	68,68,68,68	0
57	MG	1A	3279	1/1	0.92	0.12	46,46,46,46	0
57	MG	2A	3119	1/1	0.92	0.17	74,74,74,74	0
57	MG	2A	3313	1/1	0.92	0.14	67,67,67,67	0
57	MG	1A	3285	1/1	0.92	0.14	62,62,62,62	0
57	MG	1A	3227	1/1	0.92	0.14	70,70,70,70	0
57	MG	1a	1846	1/1	0.92	0.15	80,80,80,80	0
57	MG	1A	3931	1/1	0.92	0.12	81,81,81,81	0
57	MG	2A	3621	1/1	0.92	0.12	54,54,54,54	0
57	MG	2A	3622	1/1	0.92	0.12	48,48,48,48	0
57	MG	2A	3127	1/1	0.92	0.14	56,56,56,56	0
57	MG	2a	3082	1/1	0.92	0.17	73,73,73,73	0
57	MG	1A	3402	1/1	0.92	0.18	57,57,57,57	0
57	MG	2A	3132	1/1	0.92	0.17	66,66,66,66	0
57	MG	1Q	206	1/1	0.92	0.07	57,57,57,57	0
57	MG	1A	3410	1/1	0.92	0.08	33,33,33,33	0
57	MG	2A	3328	1/1	0.92	0.28	72,72,72,72	0
57	MG	2A	3636	1/1	0.92	0.09	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3637	1/1	0.92	0.14	78,78,78,78	0
57	MG	2a	3092	1/1	0.92	0.12	73,73,73,73	0
57	MG	1A	3079	1/1	0.92	0.12	54,54,54,54	0
57	MG	2A	3137	1/1	0.92	0.10	56,56,56,56	0
57	MG	1A	3786	1/1	0.92	0.20	80,80,80,80	0
57	MG	2A	3645	1/1	0.92	0.15	61,61,61,61	0
57	MG	2A	3646	1/1	0.92	0.09	61,61,61,61	0
57	MG	1A	3939	1/1	0.92	0.16	58,58,58,58	0
57	MG	1U	201	1/1	0.92	0.20	69,69,69,69	0
57	MG	1A	3332	1/1	0.92	0.29	58,58,58,58	0
57	MG	1A	3429	1/1	0.92	0.19	65,65,65,65	0
57	MG	1A	3333	1/1	0.92	0.15	58,58,58,58	0
57	MG	2A	3146	1/1	0.92	0.14	59,59,59,59	0
57	MG	1W	202	1/1	0.92	0.14	64,64,64,64	0
57	MG	1Z	301	1/1	0.92	0.07	71,71,71,71	0
57	MG	1A	3436	1/1	0.92	0.17	72,72,72,72	0
57	MG	1A	3064	1/1	0.92	0.08	49,49,49,49	0
57	MG	1A	3148	1/1	0.92	0.14	59,59,59,59	0
57	MG	1A	3102	1/1	0.92	0.30	44,44,44,44	0
57	MG	2A	3369	1/1	0.92	0.08	53,53,53,53	0
57	MG	1l	101	1/1	0.92	0.12	57,57,57,57	0
57	MG	2A	3671	1/1	0.92	0.28	84,84,84,84	0
57	MG	2A	3154	1/1	0.92	0.20	63,63,63,63	0
57	MG	2a	3122	1/1	0.92	0.20	74,74,74,74	0
57	MG	13	103	1/1	0.92	0.16	49,49,49,49	0
57	MG	2a	3124	1/1	0.92	0.12	72,72,72,72	0
57	MG	2a	3127	1/1	0.92	0.10	85,85,85,85	0
57	MG	2a	3128	1/1	0.92	0.07	71,71,71,71	0
57	MG	1A	3650	1/1	0.92	0.21	73,73,73,73	0
57	MG	1A	3803	1/1	0.92	0.14	78,78,78,78	0
57	MG	1A	3341	1/1	0.92	0.27	61,61,61,61	0
57	MG	2A	3677	1/1	0.92	0.09	72,72,72,72	0
57	MG	15	105	1/1	0.92	0.17	58,58,58,58	0
57	MG	2A	3390	1/1	0.92	0.09	54,54,54,54	0
57	MG	1A	3806	1/1	0.92	0.28	59,59,59,59	0
57	MG	2A	3392	1/1	0.92	0.10	57,57,57,57	0
57	MG	1a	1731	1/1	0.92	0.09	90,90,90,90	0
57	MG	1n	102	1/1	0.92	0.09	75,75,75,75	0
57	MG	2A	3395	1/1	0.92	0.14	59,59,59,59	0
57	MG	18	101	1/1	0.92	0.17	50,50,50,50	0
57	MG	1A	3451	1/1	0.92	0.07	30,30,30,30	0
57	MG	2A	3693	1/1	0.92	0.21	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2a	3154	1/1	0.92	0.20	77,77,77,77	0
57	MG	2A	3406	1/1	0.92	0.12	72,72,72,72	0
57	MG	1A	3452	1/1	0.92	0.13	48,48,48,48	0
57	MG	1a	1608	1/1	0.92	0.39	73,73,73,73	0
57	MG	1A	3972	1/1	0.92	0.10	62,62,62,62	0
57	MG	1A	3554	1/1	0.92	0.08	56,56,56,56	0
57	MG	1A	3662	1/1	0.92	0.07	39,39,39,39	0
57	MG	1A	3555	1/1	0.92	0.11	60,60,60,60	0
57	MG	1A	3343	1/1	0.92	0.24	61,61,61,61	0
57	MG	2A	3419	1/1	0.92	0.17	66,66,66,66	0
57	MG	2A	3008	1/1	0.92	0.17	53,53,53,53	0
57	MG	1a	1622	1/1	0.92	0.37	66,66,66,66	0
57	MG	2A	3189	1/1	0.92	0.18	66,66,66,66	0
57	MG	1a	1623	1/1	0.92	0.22	63,63,63,63	0
57	MG	2A	3716	1/1	0.92	0.14	89,89,89,89	0
57	MG	1a	1761	1/1	0.92	0.31	82,82,82,82	0
57	MG	2B	202	1/1	0.92	0.14	75,75,75,75	0
57	MG	2A	3427	1/1	0.92	0.16	76,76,76,76	0
57	MG	1A	3345	1/1	0.92	0.26	50,50,50,50	0
57	MG	2A	3019	1/1	0.92	0.32	64,64,64,64	0
57	MG	2A	3020	1/1	0.92	0.27	59,59,59,59	0
57	MG	1A	3987	1/1	0.92	0.19	59,59,59,59	0
57	MG	2A	3022	1/1	0.92	0.18	61,61,61,61	0
57	MG	1A	3240	1/1	0.92	0.09	61,61,61,61	0
57	MG	1a	1770	1/1	0.92	0.11	67,67,67,67	0
57	MG	1a	1771	1/1	0.92	0.13	72,72,72,72	0
57	MG	2D	303	1/1	0.92	0.15	61,61,61,61	0
57	MG	2A	3451	1/1	0.92	0.28	82,82,82,82	0
57	MG	1A	3827	1/1	0.92	0.14	57,57,57,57	0
57	MG	2A	3028	1/1	0.92	0.16	60,60,60,60	0
57	MG	2A	3029	1/1	0.92	0.10	55,55,55,55	0
57	MG	1A	3828	1/1	0.92	0.09	66,66,66,66	0
57	MG	1A	3830	1/1	0.92	0.25	55,55,55,55	0
57	MG	1A	3349	1/1	0.92	0.12	70,70,70,70	0
57	MG	1A	3917	1/1	0.93	0.11	60,60,60,60	0
57	MG	1A	3739	1/1	0.93	0.16	56,56,56,56	0
57	MG	1A	3500	1/1	0.93	0.09	44,44,44,44	0
57	MG	2A	3472	1/1	0.93	0.17	62,62,62,62	0
57	MG	1A	3741	1/1	0.93	0.08	72,72,72,72	0
57	MG	2A	3031	1/1	0.93	0.21	63,63,63,63	0
57	MG	1A	3400	1/1	0.93	0.13	73,73,73,73	0
57	MG	1A	3503	1/1	0.93	0.10	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3226	1/1	0.93	0.23	67,67,67,67	0
57	MG	2A	3483	1/1	0.93	0.08	79,79,79,79	0
57	MG	1A	3753	1/1	0.93	0.14	66,66,66,66	0
57	MG	13	102	1/1	0.93	0.13	72,72,72,72	0
57	MG	2A	3229	1/1	0.93	0.11	70,70,70,70	0
57	MG	1A	3327	1/1	0.93	0.18	61,61,61,61	0
57	MG	15	101	1/1	0.93	0.15	57,57,57,57	0
57	MG	1a	1760	1/1	0.93	0.21	69,69,69,69	0
57	MG	1A	3508	1/1	0.93	0.10	39,39,39,39	0
57	MG	1a	1762	1/1	0.93	0.21	69,69,69,69	0
57	MG	1A	3757	1/1	0.93	0.14	58,58,58,58	0
57	MG	1A	3182	1/1	0.93	0.17	58,58,58,58	0
57	MG	2A	3241	1/1	0.93	0.31	67,67,67,67	0
57	MG	2A	3502	1/1	0.93	0.16	73,73,73,73	0
57	MG	1A	3514	1/1	0.93	0.09	47,47,47,47	0
57	MG	1a	1768	1/1	0.93	0.10	84,84,84,84	0
57	MG	1a	1769	1/1	0.93	0.14	68,68,68,68	0
57	MG	1A	3516	1/1	0.93	0.10	49,49,49,49	0
57	MG	1A	3763	1/1	0.93	0.12	65,65,65,65	0
57	MG	1a	1772	1/1	0.93	0.19	80,80,80,80	0
57	MG	18	103	1/1	0.93	0.34	59,59,59,59	0
57	MG	19	101	1/1	0.93	0.10	63,63,63,63	0
57	MG	1A	3406	1/1	0.93	0.09	69,69,69,69	0
57	MG	2a	3013	1/1	0.93	0.14	80,80,80,80	0
57	MG	2A	3261	1/1	0.93	0.30	63,63,63,63	0
57	MG	1a	1603	1/1	0.93	0.37	78,78,78,78	0
57	MG	2A	3058	1/1	0.93	0.09	59,59,59,59	0
57	MG	2A	3059	1/1	0.93	0.12	64,64,64,64	0
57	MG	1A	3626	1/1	0.93	0.17	42,42,42,42	0
57	MG	2A	3061	1/1	0.93	0.16	63,63,63,63	0
57	MG	1a	1607	1/1	0.93	0.15	73,73,73,73	0
57	MG	1A	3950	1/1	0.93	0.14	70,70,70,70	0
57	MG	2a	3025	1/1	0.93	0.11	70,70,70,70	0
57	MG	2A	3530	1/1	0.93	0.11	71,71,71,71	0
57	MG	1a	1610	1/1	0.93	0.13	79,79,79,79	0
57	MG	2A	3532	1/1	0.93	0.12	80,80,80,80	0
57	MG	1A	3776	1/1	0.93	0.14	42,42,42,42	0
57	MG	1A	3409	1/1	0.93	0.09	44,44,44,44	0
57	MG	1A	3217	1/1	0.93	0.23	64,64,64,64	0
57	MG	1A	3958	1/1	0.93	0.10	61,61,61,61	0
57	MG	1A	3282	1/1	0.93	0.08	60,60,60,60	0
57	MG	2A	3075	1/1	0.93	0.19	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3633	1/1	0.93	0.09	79,79,79,79	0
57	MG	1A	3527	1/1	0.93	0.08	56,56,56,56	0
57	MG	2A	3548	1/1	0.93	0.09	74,74,74,74	0
57	MG	2A	3281	1/1	0.93	0.09	63,63,63,63	0
57	MG	1A	3284	1/1	0.93	0.19	73,73,73,73	0
57	MG	1A	3792	1/1	0.93	0.24	57,57,57,57	0
57	MG	1A	3220	1/1	0.93	0.17	54,54,54,54	0
57	MG	1A	3048	1/1	0.93	0.29	54,54,54,54	0
57	MG	1a	1631	1/1	0.93	0.08	53,53,53,53	0
57	MG	1A	3156	1/1	0.93	0.21	57,57,57,57	0
57	MG	1A	3978	1/1	0.93	0.27	66,66,66,66	0
57	MG	2A	3571	1/1	0.93	0.12	62,62,62,62	0
57	MG	2A	3090	1/1	0.93	0.36	68,68,68,68	0
57	MG	1A	3130	1/1	0.93	0.25	42,42,42,42	0
57	MG	1a	1637	1/1	0.93	0.12	82,82,82,82	0
57	MG	1A	3798	1/1	0.93	0.19	75,75,75,75	0
57	MG	1A	3647	1/1	0.93	0.21	39,39,39,39	0
57	MG	1A	3109	1/1	0.93	0.20	52,52,52,52	0
57	MG	1A	3985	1/1	0.93	0.24	50,50,50,50	0
57	MG	1A	3232	1/1	0.93	0.13	60,60,60,60	0
57	MG	1A	3446	1/1	0.93	0.09	44,44,44,44	0
57	MG	1A	3651	1/1	0.93	0.27	50,50,50,50	0
57	MG	1A	3542	1/1	0.93	0.05	30,30,30,30	0
57	MG	1a	1650	1/1	0.93	0.07	62,62,62,62	0
57	MG	1A	3654	1/1	0.93	0.20	75,75,75,75	0
57	MG	2A	3309	1/1	0.93	0.16	53,53,53,53	0
57	MG	1A	3447	1/1	0.93	0.15	50,50,50,50	0
57	MG	2A	3311	1/1	0.93	0.24	63,63,63,63	0
57	MG	1A	3235	1/1	0.93	0.19	50,50,50,50	0
57	MG	1A	3815	1/1	0.93	0.08	64,64,64,64	0
57	MG	1A	3060	1/1	0.93	0.21	56,56,56,56	0
57	MG	1a	1823	1/1	0.93	0.16	82,82,82,82	0
57	MG	1A	3118	1/1	0.93	0.13	51,51,51,51	0
57	MG	1A	3354	1/1	0.93	0.15	36,36,36,36	0
57	MG	1A	3006	1/1	0.93	0.09	40,40,40,40	0
57	MG	1A	3457	1/1	0.93	0.12	75,75,75,75	0
57	MG	2A	3321	1/1	0.93	0.26	66,66,66,66	0
57	MG	1A	3080	1/1	0.93	0.11	53,53,53,53	0
57	MG	1A	3670	1/1	0.93	0.08	59,59,59,59	0
57	MG	1A	3306	1/1	0.93	0.11	50,50,50,50	0
57	MG	1A	3364	1/1	0.93	0.13	55,55,55,55	0
57	MG	1A	3172	1/1	0.93	0.10	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3257	1/1	0.93	0.16	56,56,56,56	0
57	MG	1A	3844	1/1	0.93	0.15	58,58,58,58	0
57	MG	1A	3681	1/1	0.93	0.09	85,85,85,85	0
57	MG	2A	3640	1/1	0.93	0.06	72,72,72,72	0
57	MG	1B	214	1/1	0.93	0.19	62,62,62,62	0
57	MG	2A	3642	1/1	0.93	0.11	51,51,51,51	0
57	MG	2A	3342	1/1	0.93	0.14	61,61,61,61	0
57	MG	2A	3139	1/1	0.93	0.28	62,62,62,62	0
57	MG	1A	3472	1/1	0.93	0.14	54,54,54,54	0
57	MG	1A	3573	1/1	0.93	0.17	73,73,73,73	0
57	MG	1A	3691	1/1	0.93	0.08	80,80,80,80	0
57	MG	1a	1847	1/1	0.93	0.13	75,75,75,75	0
57	MG	2A	3352	1/1	0.93	0.11	58,58,58,58	0
57	MG	2A	3354	1/1	0.93	0.15	74,74,74,74	0
57	MG	1B	226	1/1	0.93	0.07	55,55,55,55	0
57	MG	1a	1680	1/1	0.93	0.12	75,75,75,75	0
57	MG	1A	3694	1/1	0.93	0.07	66,66,66,66	0
57	MG	1A	3101	1/1	0.93	0.18	54,54,54,54	0
57	MG	2A	3364	1/1	0.93	0.09	49,49,49,49	0
57	MG	1A	3856	1/1	0.93	0.14	61,61,61,61	0
57	MG	1A	3202	1/1	0.93	0.17	51,51,51,51	0
57	MG	2A	3668	1/1	0.93	0.16	64,64,64,64	0
57	MG	2a	3116	1/1	0.93	0.10	71,71,71,71	0
57	MG	2A	3374	1/1	0.93	0.19	53,53,53,53	0
57	MG	1D	305	1/1	0.93	0.12	68,68,68,68	0
57	MG	2A	3377	1/1	0.93	0.10	44,44,44,44	0
57	MG	1A	3032	1/1	0.93	0.18	63,63,63,63	0
57	MG	2A	3383	1/1	0.93	0.20	74,74,74,74	0
57	MG	1A	3700	1/1	0.93	0.14	64,64,64,64	0
57	MG	1A	3023	1/1	0.93	0.09	47,47,47,47	0
57	MG	2A	3156	1/1	0.93	0.14	70,70,70,70	0
57	MG	1A	3583	1/1	0.93	0.21	64,64,64,64	0
57	MG	1A	3868	1/1	0.93	0.17	52,52,52,52	0
57	MG	1A	3873	1/1	0.93	0.08	65,65,65,65	0
57	MG	2A	3163	1/1	0.93	0.10	78,78,78,78	0
57	MG	1E	308	1/1	0.93	0.11	46,46,46,46	0
57	MG	1A	3878	1/1	0.93	0.10	74,74,74,74	0
57	MG	2a	3141	1/1	0.93	0.09	69,69,69,69	0
57	MG	2a	3144	1/1	0.93	0.18	77,77,77,77	0
57	MG	1A	3178	1/1	0.93	0.17	45,45,45,45	0
57	MG	1A	3708	1/1	0.93	0.12	53,53,53,53	0
57	MG	1A	3589	1/1	0.93	0.12	69,69,69,69	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3691	1/1	0.93	0.13	72,72,72,72	0
57	MG	1a	1701	1/1	0.93	0.26	60,60,60,60	0
57	MG	1A	3717	1/1	0.93	0.10	49,49,49,49	0
57	MG	1g	202	1/1	0.93	0.14	72,72,72,72	0
57	MG	1G	201	1/1	0.93	0.14	59,59,59,59	0
57	MG	1a	1705	1/1	0.93	0.28	75,75,75,75	0
57	MG	2A	3701	1/1	0.93	0.19	77,77,77,77	0
57	MG	1A	3892	1/1	0.93	0.19	44,44,44,44	0
57	MG	1H	201	1/1	0.93	0.25	74,74,74,74	0
57	MG	1A	3893	1/1	0.93	0.10	58,58,58,58	0
57	MG	1a	1709	1/1	0.93	0.46	77,77,77,77	0
57	MG	1A	3718	1/1	0.93	0.08	40,40,40,40	0
57	MG	1O	201	1/1	0.93	0.11	72,72,72,72	0
57	MG	2a	3163	1/1	0.93	0.08	62,62,62,62	0
57	MG	1P	202	1/1	0.93	0.23	47,47,47,47	0
57	MG	2A	3190	1/1	0.93	0.22	70,70,70,70	0
57	MG	2A	3711	1/1	0.93	0.24	79,79,79,79	0
57	MG	1P	203	1/1	0.93	0.21	83,83,83,83	0
57	MG	2A	3424	1/1	0.93	0.12	59,59,59,59	0
57	MG	1A	3268	1/1	0.93	0.14	61,61,61,61	0
57	MG	2A	3193	1/1	0.93	0.16	52,52,52,52	0
57	MG	2A	3428	1/1	0.93	0.14	62,62,62,62	0
57	MG	1A	3720	1/1	0.93	0.09	63,63,63,63	0
57	MG	1A	3126	1/1	0.93	0.21	52,52,52,52	0
57	MG	1R	203	1/1	0.93	0.12	64,64,64,64	0
57	MG	1R	205	1/1	0.93	0.18	59,59,59,59	0
57	MG	2a	3178	1/1	0.93	0.14	71,71,71,71	0
57	MG	1A	3319	1/1	0.93	0.36	69,69,69,69	0
57	MG	1A	3725	1/1	0.93	0.11	55,55,55,55	0
57	MG	1A	3907	1/1	0.93	0.11	63,63,63,63	0
57	MG	1A	3320	1/1	0.93	0.24	72,72,72,72	0
57	MG	1A	3180	1/1	0.93	0.12	64,64,64,64	0
57	MG	2A	3018	1/1	0.93	0.25	64,64,64,64	0
57	MG	1U	204	1/1	0.93	0.15	50,50,50,50	0
57	MG	2D	308	1/1	0.93	0.08	40,40,40,40	0
57	MG	1A	3735	1/1	0.93	0.10	76,76,76,76	0
57	MG	1A	3326	1/1	0.93	0.09	54,54,54,54	0
57	MG	1a	1730	1/1	0.93	0.09	55,55,55,55	0
57	MG	2A	3209	1/1	0.93	0.15	60,60,60,60	0
57	MG	1V	206	1/1	0.93	0.07	54,54,54,54	0
57	MG	1A	3916	1/1	0.93	0.08	45,45,45,45	0
57	MG	1a	1738	1/1	0.93	0.11	82,82,82,82	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3347	1/1	0.94	0.10	47,47,47,47	0
57	MG	1A	3434	1/1	0.94	0.17	69,69,69,69	0
57	MG	2B	204	1/1	0.94	0.18	57,57,57,57	0
57	MG	1A	3051	1/1	0.94	0.10	42,42,42,42	0
57	MG	2B	206	1/1	0.94	0.11	80,80,80,80	0
57	MG	1B	209	1/1	0.94	0.05	59,59,59,59	0
57	MG	2A	3040	1/1	0.94	0.14	43,43,43,43	0
57	MG	1A	3722	1/1	0.94	0.09	50,50,50,50	0
57	MG	1A	3438	1/1	0.94	0.07	50,50,50,50	0
57	MG	2A	3444	1/1	0.94	0.09	48,48,48,48	0
57	MG	2A	3446	1/1	0.94	0.16	63,63,63,63	0
57	MG	2B	215	1/1	0.94	0.09	78,78,78,78	0
57	MG	1a	1779	1/1	0.94	0.17	73,73,73,73	0
57	MG	1a	1780	1/1	0.94	0.08	72,72,72,72	0
57	MG	2A	3219	1/1	0.94	0.06	78,78,78,78	0
57	MG	1A	3621	1/1	0.94	0.27	59,59,59,59	0
57	MG	1A	3729	1/1	0.94	0.09	65,65,65,65	0
57	MG	2E	301	1/1	0.94	0.14	53,53,53,53	0
57	MG	2A	3454	1/1	0.94	0.27	63,63,63,63	0
57	MG	2E	304	1/1	0.94	0.33	62,62,62,62	0
57	MG	2A	3225	1/1	0.94	0.10	76,76,76,76	0
57	MG	1A	3070	1/1	0.94	0.18	46,46,46,46	0
57	MG	1B	218	1/1	0.94	0.07	64,64,64,64	0
57	MG	1A	3441	1/1	0.94	0.08	39,39,39,39	0
57	MG	1A	3181	1/1	0.94	0.10	58,58,58,58	0
57	MG	1A	3071	1/1	0.94	0.15	54,54,54,54	0
57	MG	1A	3445	1/1	0.94	0.13	39,39,39,39	0
57	MG	1A	3262	1/1	0.94	0.19	59,59,59,59	0
57	MG	1A	3888	1/1	0.94	0.10	38,38,38,38	0
57	MG	2A	3469	1/1	0.94	0.12	68,68,68,68	0
57	MG	2R	201	1/1	0.94	0.15	58,58,58,58	0
57	MG	1A	3630	1/1	0.94	0.08	37,37,37,37	0
57	MG	2A	3236	1/1	0.94	0.25	63,63,63,63	0
57	MG	1A	3097	1/1	0.94	0.39	56,56,56,56	0
57	MG	1a	1793	1/1	0.94	0.09	76,76,76,76	0
57	MG	2V	201	1/1	0.94	0.07	80,80,80,80	0
57	MG	1D	303	1/1	0.94	0.24	57,57,57,57	0
57	MG	2W	202	1/1	0.94	0.13	67,67,67,67	0
57	MG	2A	3476	1/1	0.94	0.27	68,68,68,68	0
57	MG	1A	3099	1/1	0.94	0.17	52,52,52,52	0
57	MG	2A	3478	1/1	0.94	0.10	48,48,48,48	0
57	MG	2A	3244	1/1	0.94	0.35	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3481	1/1	0.94	0.11	58,58,58,58	0
57	MG	2A	3245	1/1	0.94	0.15	64,64,64,64	0
57	MG	23	101	1/1	0.94	0.19	74,74,74,74	0
57	MG	2A	3485	1/1	0.94	0.21	61,61,61,61	0
57	MG	2A	3063	1/1	0.94	0.20	55,55,55,55	0
57	MG	25	101	1/1	0.94	0.44	63,63,63,63	0
57	MG	1D	306	1/1	0.94	0.11	53,53,53,53	0
57	MG	2A	3248	1/1	0.94	0.17	76,76,76,76	0
57	MG	1a	1797	1/1	0.94	0.21	65,65,65,65	0
57	MG	2A	3250	1/1	0.94	0.22	60,60,60,60	0
57	MG	2A	3491	1/1	0.94	0.14	77,77,77,77	0
57	MG	1A	3536	1/1	0.94	0.08	49,49,49,49	0
57	MG	1D	309	1/1	0.94	0.13	55,55,55,55	0
57	MG	2A	3254	1/1	0.94	0.09	49,49,49,49	0
57	MG	1D	310	1/1	0.94	0.10	46,46,46,46	0
57	MG	2a	3007	1/1	0.94	0.08	77,77,77,77	0
57	MG	2A	3256	1/1	0.94	0.24	59,59,59,59	0
57	MG	2A	3258	1/1	0.94	0.13	78,78,78,78	0
57	MG	1A	3636	1/1	0.94	0.09	53,53,53,53	0
57	MG	1a	1804	1/1	0.94	0.08	70,70,70,70	0
57	MG	2A	3072	1/1	0.94	0.19	63,63,63,63	0
57	MG	2A	3074	1/1	0.94	0.34	61,61,61,61	0
57	MG	2a	3016	1/1	0.94	0.10	65,65,65,65	0
57	MG	1A	3050	1/1	0.94	0.12	45,45,45,45	0
57	MG	2A	3510	1/1	0.94	0.10	70,70,70,70	0
57	MG	1a	1663	1/1	0.94	0.12	70,70,70,70	0
57	MG	1a	1807	1/1	0.94	0.21	87,87,87,87	0
57	MG	1A	3538	1/1	0.94	0.10	33,33,33,33	0
57	MG	1A	3143	1/1	0.94	0.23	63,63,63,63	0
57	MG	1E	302	1/1	0.94	0.41	55,55,55,55	0
57	MG	1A	3225	1/1	0.94	0.26	46,46,46,46	0
57	MG	2A	3518	1/1	0.94	0.09	72,72,72,72	0
57	MG	1a	1669	1/1	0.94	0.26	61,61,61,61	0
57	MG	1A	3144	1/1	0.94	0.23	53,53,53,53	0
57	MG	1F	303	1/1	0.94	0.16	49,49,49,49	0
57	MG	1A	3456	1/1	0.94	0.11	57,57,57,57	0
57	MG	2a	3031	1/1	0.94	0.18	70,70,70,70	0
57	MG	1a	1818	1/1	0.94	0.10	86,86,86,86	0
57	MG	1A	3169	1/1	0.94	0.13	68,68,68,68	0
57	MG	2A	3278	1/1	0.94	0.17	65,65,65,65	0
57	MG	1A	3912	1/1	0.94	0.09	71,71,71,71	0
57	MG	1F	312	1/1	0.94	0.13	74,74,74,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3097	1/1	0.94	0.18	74,74,74,74	0
57	MG	1a	1678	1/1	0.94	0.10	64,64,64,64	0
57	MG	1A	3769	1/1	0.94	0.10	50,50,50,50	0
57	MG	1F	314	1/1	0.94	0.08	69,69,69,69	0
57	MG	2A	3536	1/1	0.94	0.14	72,72,72,72	0
57	MG	2a	3042	1/1	0.94	0.15	68,68,68,68	0
57	MG	1A	3549	1/1	0.94	0.16	62,62,62,62	0
57	MG	2a	3044	1/1	0.94	0.12	79,79,79,79	0
57	MG	1a	1682	1/1	0.94	0.14	68,68,68,68	0
57	MG	1A	3077	1/1	0.94	0.42	50,50,50,50	0
57	MG	1A	3552	1/1	0.94	0.19	66,66,66,66	0
57	MG	1A	3321	1/1	0.94	0.11	56,56,56,56	0
57	MG	1a	1687	1/1	0.94	0.41	79,79,79,79	0
57	MG	1A	3461	1/1	0.94	0.06	30,30,30,30	0
57	MG	2A	3550	1/1	0.94	0.08	66,66,66,66	0
57	MG	2A	3551	1/1	0.94	0.06	78,78,78,78	0
57	MG	1A	3784	1/1	0.94	0.14	45,45,45,45	0
57	MG	1a	1690	1/1	0.94	0.25	75,75,75,75	0
57	MG	1A	3655	1/1	0.94	0.08	75,75,75,75	0
57	MG	2A	3558	1/1	0.94	0.15	56,56,56,56	0
57	MG	1P	201	1/1	0.94	0.24	46,46,46,46	0
57	MG	1A	3462	1/1	0.94	0.19	69,69,69,69	0
57	MG	2A	3562	1/1	0.94	0.12	66,66,66,66	0
57	MG	2A	3300	1/1	0.94	0.13	72,72,72,72	0
57	MG	1A	3928	1/1	0.94	0.10	54,54,54,54	0
57	MG	2A	3568	1/1	0.94	0.12	70,70,70,70	0
57	MG	2A	3569	1/1	0.94	0.13	73,73,73,73	0
57	MG	1A	3930	1/1	0.94	0.07	70,70,70,70	0
57	MG	1A	3467	1/1	0.94	0.11	57,57,57,57	0
57	MG	1Q	203	1/1	0.94	0.21	54,54,54,54	0
57	MG	2A	3128	1/1	0.94	0.20	66,66,66,66	0
57	MG	2A	3307	1/1	0.94	0.21	56,56,56,56	0
57	MG	1A	3791	1/1	0.94	0.08	57,57,57,57	0
57	MG	2A	3584	1/1	0.94	0.10	60,60,60,60	0
57	MG	2A	3130	1/1	0.94	0.17	59,59,59,59	0
57	MG	1A	3558	1/1	0.94	0.26	78,78,78,78	0
57	MG	1A	3388	1/1	0.94	0.07	36,36,36,36	0
57	MG	2A	3134	1/1	0.94	0.15	85,85,85,85	0
57	MG	1A	3104	1/1	0.94	0.15	59,59,59,59	0
57	MG	2a	3081	1/1	0.94	0.22	73,73,73,73	0
57	MG	1A	3325	1/1	0.94	0.10	46,46,46,46	0
57	MG	2A	3595	1/1	0.94	0.11	65,65,65,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3391	1/1	0.94	0.12	49,49,49,49	0
57	MG	1A	3086	1/1	0.94	0.09	62,62,62,62	0
57	MG	1A	3196	1/1	0.94	0.15	55,55,55,55	0
57	MG	2A	3599	1/1	0.94	0.11	68,68,68,68	0
57	MG	1A	3672	1/1	0.94	0.08	78,78,78,78	0
57	MG	1A	3674	1/1	0.94	0.12	63,63,63,63	0
57	MG	2A	3142	1/1	0.94	0.15	68,68,68,68	0
57	MG	2a	3093	1/1	0.94	0.12	77,77,77,77	0
57	MG	1A	3952	1/1	0.94	0.12	64,64,64,64	0
57	MG	1A	3236	1/1	0.94	0.32	55,55,55,55	0
57	MG	2A	3327	1/1	0.94	0.15	50,50,50,50	0
57	MG	1V	207	1/1	0.94	0.17	68,68,68,68	0
57	MG	2A	3608	1/1	0.94	0.09	62,62,62,62	0
57	MG	1A	3088	1/1	0.94	0.33	52,52,52,52	0
57	MG	2A	3619	1/1	0.94	0.08	58,58,58,58	0
57	MG	1A	3198	1/1	0.94	0.17	65,65,65,65	0
57	MG	1A	3807	1/1	0.94	0.17	53,53,53,53	0
57	MG	1a	1715	1/1	0.94	0.37	65,65,65,65	0
57	MG	1A	3960	1/1	0.94	0.30	48,48,48,48	0
57	MG	1A	3578	1/1	0.94	0.09	54,54,54,54	0
57	MG	2A	3344	1/1	0.94	0.09	49,49,49,49	0
57	MG	1A	3296	1/1	0.94	0.27	70,70,70,70	0
57	MG	1A	3682	1/1	0.94	0.22	78,78,78,78	0
57	MG	1h	201	1/1	0.94	0.14	62,62,62,62	0
57	MG	2A	3155	1/1	0.94	0.15	53,53,53,53	0
57	MG	1A	3581	1/1	0.94	0.13	60,60,60,60	0
57	MG	2A	3639	1/1	0.94	0.15	54,54,54,54	0
57	MG	2a	3118	1/1	0.94	0.09	74,74,74,74	0
57	MG	1l	105	1/1	0.94	0.09	58,58,58,58	0
57	MG	2A	3353	1/1	0.94	0.06	45,45,45,45	0
57	MG	1A	3816	1/1	0.94	0.12	57,57,57,57	0
57	MG	2A	3159	1/1	0.94	0.07	62,62,62,62	0
57	MG	1A	3685	1/1	0.94	0.05	90,90,90,90	0
57	MG	2A	3357	1/1	0.94	0.14	57,57,57,57	0
57	MG	2A	3162	1/1	0.94	0.13	70,70,70,70	0
57	MG	2A	3648	1/1	0.94	0.11	67,67,67,67	0
57	MG	1m	202	1/1	0.94	0.11	77,77,77,77	0
57	MG	2A	3362	1/1	0.94	0.13	58,58,58,58	0
57	MG	1a	1725	1/1	0.94	0.15	84,84,84,84	0
57	MG	2A	3165	1/1	0.94	0.07	70,70,70,70	0
57	MG	1A	3489	1/1	0.94	0.07	61,61,61,61	0
57	MG	2a	3140	1/1	0.94	0.11	79,79,79,79	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3659	1/1	0.94	0.13	82,82,82,82	0
57	MG	1A	3973	1/1	0.94	0.13	54,54,54,54	0
57	MG	2A	3169	1/1	0.94	0.26	75,75,75,75	0
57	MG	2A	3376	1/1	0.94	0.09	52,52,52,52	0
57	MG	1A	3297	1/1	0.94	0.10	55,55,55,55	0
57	MG	2A	3378	1/1	0.94	0.18	74,74,74,74	0
57	MG	1A	3587	1/1	0.94	0.09	52,52,52,52	0
57	MG	2A	3382	1/1	0.94	0.11	63,63,63,63	0
57	MG	1A	3696	1/1	0.94	0.10	70,70,70,70	0
57	MG	1A	3336	1/1	0.94	0.22	65,65,65,65	0
57	MG	1A	3199	1/1	0.94	0.13	54,54,54,54	0
57	MG	1A	3153	1/1	0.94	0.08	57,57,57,57	0
57	MG	2a	3155	1/1	0.94	0.05	58,58,58,58	0
57	MG	1a	1739	1/1	0.94	0.18	81,81,81,81	0
57	MG	2a	3157	1/1	0.94	0.17	70,70,70,70	0
57	MG	1A	3832	1/1	0.94	0.12	56,56,56,56	0
57	MG	19	102	1/1	0.94	0.10	65,65,65,65	0
57	MG	1A	3833	1/1	0.94	0.10	65,65,65,65	0
57	MG	2A	3010	1/1	0.94	0.12	77,77,77,77	0
57	MG	1A	3248	1/1	0.94	0.15	53,53,53,53	0
57	MG	1A	3342	1/1	0.94	0.11	64,64,64,64	0
57	MG	2a	3164	1/1	0.94	0.21	79,79,79,79	0
57	MG	1A	3840	1/1	0.94	0.08	63,63,63,63	0
57	MG	2A	3396	1/1	0.94	0.29	65,65,65,65	0
57	MG	2A	3683	1/1	0.94	0.12	72,72,72,72	0
57	MG	2A	3017	1/1	0.94	0.26	71,71,71,71	0
57	MG	2A	3402	1/1	0.94	0.07	65,65,65,65	0
57	MG	1A	3993	1/1	0.94	0.05	57,57,57,57	0
57	MG	2A	3405	1/1	0.94	0.08	73,73,73,73	0
57	MG	1A	3842	1/1	0.94	0.10	54,54,54,54	0
57	MG	2a	3173	1/1	0.94	0.15	74,74,74,74	0
57	MG	2A	3407	1/1	0.94	0.09	71,71,71,71	0
57	MG	1a	1755	1/1	0.94	0.22	56,56,56,56	0
57	MG	2A	3694	1/1	0.94	0.21	57,57,57,57	0
57	MG	1A	3416	1/1	0.94	0.09	34,34,34,34	0
57	MG	1a	1757	1/1	0.94	0.16	79,79,79,79	0
57	MG	1A	3419	1/1	0.94	0.09	53,53,53,53	0
57	MG	1a	1615	1/1	0.94	0.08	81,81,81,81	0
57	MG	1A	3845	1/1	0.94	0.08	46,46,46,46	0
57	MG	1A	3423	1/1	0.94	0.13	41,41,41,41	0
57	MG	2A	3415	1/1	0.94	0.13	73,73,73,73	0
57	MG	2A	3417	1/1	0.94	0.12	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3418	1/1	0.94	0.10	55,55,55,55	0
57	MG	2A	3027	1/1	0.94	0.10	52,52,52,52	0
57	MG	1A	3711	1/1	0.94	0.07	56,56,56,56	0
57	MG	2y	201	1/1	0.94	0.23	79,79,79,79	0
57	MG	1a	1620	1/1	0.94	0.07	65,65,65,65	0
57	MG	1A	3253	1/1	0.94	0.25	47,47,47,47	0
57	MG	1A	3849	1/1	0.94	0.08	51,51,51,51	0
57	MG	1B	202	1/1	0.94	0.12	64,64,64,64	0
57	MG	1A	3203	1/1	0.94	0.35	47,47,47,47	0
57	MG	1A	3612	1/1	0.94	0.08	52,52,52,52	0
60	ZN	24	501	1/1	0.94	0.13	155,155,155,155	0
57	MG	1N	202	1/1	0.95	0.08	47,47,47,47	0
57	MG	2A	3445	1/1	0.95	0.12	60,60,60,60	0
57	MG	1A	3377	1/1	0.95	0.12	41,41,41,41	0
57	MG	2A	3447	1/1	0.95	0.19	76,76,76,76	0
57	MG	1A	3234	1/1	0.95	0.33	55,55,55,55	0
57	MG	1A	3066	1/1	0.95	0.30	54,54,54,54	0
57	MG	1A	3490	1/1	0.95	0.08	64,64,64,64	0
57	MG	1A	3384	1/1	0.95	0.09	60,60,60,60	0
57	MG	1A	3385	1/1	0.95	0.07	35,35,35,35	0
57	MG	2A	3222	1/1	0.95	0.13	71,71,71,71	0
57	MG	1A	3616	1/1	0.95	0.09	65,65,65,65	0
57	MG	1A	3744	1/1	0.95	0.07	47,47,47,47	0
57	MG	2D	304	1/1	0.95	0.12	62,62,62,62	0
57	MG	1Q	204	1/1	0.95	0.31	53,53,53,53	0
57	MG	2D	306	1/1	0.95	0.16	70,70,70,70	0
57	MG	2D	307	1/1	0.95	0.29	69,69,69,69	0
57	MG	1a	1723	1/1	0.95	0.13	69,69,69,69	0
57	MG	2A	3459	1/1	0.95	0.17	56,56,56,56	0
57	MG	1A	3303	1/1	0.95	0.06	75,75,75,75	0
57	MG	1Q	208	1/1	0.95	0.08	58,58,58,58	0
57	MG	1A	3914	1/1	0.95	0.09	77,77,77,77	0
57	MG	1A	3111	1/1	0.95	0.18	50,50,50,50	0
57	MG	1A	3147	1/1	0.95	0.27	54,54,54,54	0
57	MG	2A	3468	1/1	0.95	0.10	63,63,63,63	0
57	MG	1A	3112	1/1	0.95	0.08	58,58,58,58	0
57	MG	2F	302	1/1	0.95	0.16	61,61,61,61	0
57	MG	1A	3113	1/1	0.95	0.13	50,50,50,50	0
57	MG	1A	3392	1/1	0.95	0.16	49,49,49,49	0
57	MG	2A	3235	1/1	0.95	0.28	54,54,54,54	0
57	MG	1a	1732	1/1	0.95	0.08	59,59,59,59	0
57	MG	2O	201	1/1	0.95	0.09	86,86,86,86	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3242	1/1	0.95	0.12	66,66,66,66	0
57	MG	2Q	202	1/1	0.95	0.33	71,71,71,71	0
57	MG	1A	3761	1/1	0.95	0.08	41,41,41,41	0
57	MG	2A	3240	1/1	0.95	0.17	49,49,49,49	0
57	MG	1U	205	1/1	0.95	0.19	52,52,52,52	0
57	MG	1V	203	1/1	0.95	0.14	60,60,60,60	0
57	MG	1A	3924	1/1	0.95	0.08	46,46,46,46	0
57	MG	2A	3482	1/1	0.95	0.07	43,43,43,43	0
57	MG	1a	1742	1/1	0.95	0.07	65,65,65,65	0
57	MG	2V	202	1/1	0.95	0.14	65,65,65,65	0
57	MG	2A	3484	1/1	0.95	0.11	69,69,69,69	0
57	MG	2W	201	1/1	0.95	0.09	63,63,63,63	0
57	MG	1A	3506	1/1	0.95	0.10	55,55,55,55	0
57	MG	1A	3926	1/1	0.95	0.07	68,68,68,68	0
57	MG	1A	3245	1/1	0.95	0.10	56,56,56,56	0
57	MG	1A	3929	1/1	0.95	0.08	71,71,71,71	0
57	MG	1A	3117	1/1	0.95	0.14	50,50,50,50	0
57	MG	1A	3768	1/1	0.95	0.10	61,61,61,61	0
57	MG	2I	101	1/1	0.95	0.12	66,66,66,66	0
57	MG	10	101	1/1	0.95	0.09	51,51,51,51	0
57	MG	1A	3192	1/1	0.95	0.26	54,54,54,54	0
57	MG	1A	3933	1/1	0.95	0.16	57,57,57,57	0
57	MG	2A	3495	1/1	0.95	0.13	73,73,73,73	0
57	MG	1A	3515	1/1	0.95	0.09	42,42,42,42	0
57	MG	1a	1759	1/1	0.95	0.09	75,75,75,75	0
57	MG	2A	3499	1/1	0.95	0.12	63,63,63,63	0
57	MG	10	105	1/1	0.95	0.13	64,64,64,64	0
57	MG	10	106	1/1	0.95	0.06	62,62,62,62	0
57	MG	1A	3773	1/1	0.95	0.11	55,55,55,55	0
57	MG	1A	3774	1/1	0.95	0.11	55,55,55,55	0
57	MG	1A	3775	1/1	0.95	0.17	57,57,57,57	0
57	MG	1A	3941	1/1	0.95	0.07	52,52,52,52	0
57	MG	1A	3312	1/1	0.95	0.18	44,44,44,44	0
57	MG	13	104	1/1	0.95	0.10	53,53,53,53	0
57	MG	1A	3943	1/1	0.95	0.07	58,58,58,58	0
57	MG	1A	3778	1/1	0.95	0.17	70,70,70,70	0
57	MG	1A	3249	1/1	0.95	0.20	42,42,42,42	0
57	MG	1A	3780	1/1	0.95	0.07	46,46,46,46	0
57	MG	1A	3637	1/1	0.95	0.08	37,37,37,37	0
57	MG	2a	3014	1/1	0.95	0.14	70,70,70,70	0
57	MG	2A	3272	1/1	0.95	0.11	60,60,60,60	0
57	MG	1A	3782	1/1	0.95	0.06	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3519	1/1	0.95	0.12	72,72,72,72	0
57	MG	1A	3053	1/1	0.95	0.19	44,44,44,44	0
57	MG	2a	3019	1/1	0.95	0.11	71,71,71,71	0
57	MG	18	102	1/1	0.95	0.08	48,48,48,48	0
57	MG	2A	3276	1/1	0.95	0.38	71,71,71,71	0
57	MG	1A	3254	1/1	0.95	0.07	67,67,67,67	0
57	MG	2A	3525	1/1	0.95	0.09	47,47,47,47	0
57	MG	1A	3955	1/1	0.95	0.17	45,45,45,45	0
57	MG	1A	3403	1/1	0.95	0.17	65,65,65,65	0
57	MG	2A	3080	1/1	0.95	0.10	63,63,63,63	0
57	MG	1a	1601	1/1	0.95	0.14	84,84,84,84	0
57	MG	1A	3957	1/1	0.95	0.11	67,67,67,67	0
57	MG	1A	3404	1/1	0.95	0.23	61,61,61,61	0
57	MG	1A	3787	1/1	0.95	0.16	74,74,74,74	0
57	MG	2A	3285	1/1	0.95	0.14	78,78,78,78	0
57	MG	2A	3085	1/1	0.95	0.11	78,78,78,78	0
57	MG	1a	1606	1/1	0.95	0.06	80,80,80,80	0
57	MG	2A	3537	1/1	0.95	0.23	72,72,72,72	0
57	MG	1A	3643	1/1	0.95	0.24	58,58,58,58	0
57	MG	1A	3964	1/1	0.95	0.14	48,48,48,48	0
57	MG	2A	3541	1/1	0.95	0.13	76,76,76,76	0
57	MG	2A	3542	1/1	0.95	0.20	44,44,44,44	0
57	MG	1a	1609	1/1	0.95	0.18	70,70,70,70	0
57	MG	2A	3544	1/1	0.95	0.08	62,62,62,62	0
57	MG	1A	3316	1/1	0.95	0.15	66,66,66,66	0
57	MG	1A	3646	1/1	0.95	0.12	49,49,49,49	0
57	MG	1A	3317	1/1	0.95	0.09	49,49,49,49	0
57	MG	1A	3037	1/1	0.95	0.07	62,62,62,62	0
57	MG	1A	3532	1/1	0.95	0.08	43,43,43,43	0
57	MG	2a	3046	1/1	0.95	0.12	76,76,76,76	0
57	MG	1A	3057	1/1	0.95	0.17	37,37,37,37	0
57	MG	2a	3048	1/1	0.95	0.13	89,89,89,89	0
57	MG	1A	3026	1/1	0.95	0.12	44,44,44,44	0
57	MG	1A	3074	1/1	0.95	0.26	45,45,45,45	0
57	MG	1A	3096	1/1	0.95	0.41	57,57,57,57	0
57	MG	1A	3200	1/1	0.95	0.21	54,54,54,54	0
57	MG	1a	1624	1/1	0.95	0.16	67,67,67,67	0
57	MG	1A	3265	1/1	0.95	0.12	47,47,47,47	0
57	MG	1A	3125	1/1	0.95	0.08	52,52,52,52	0
57	MG	2A	3564	1/1	0.95	0.13	68,68,68,68	0
57	MG	1A	3075	1/1	0.95	0.15	49,49,49,49	0
57	MG	1A	3660	1/1	0.95	0.11	65,65,65,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2a	3060	1/1	0.95	0.14	79,79,79,79	0
57	MG	2A	3113	1/1	0.95	0.12	85,85,85,85	0
57	MG	2A	3114	1/1	0.95	0.08	71,71,71,71	0
57	MG	1A	3986	1/1	0.95	0.10	67,67,67,67	0
57	MG	1A	3808	1/1	0.95	0.18	50,50,50,50	0
57	MG	1A	3809	1/1	0.95	0.13	67,67,67,67	0
57	MG	1a	1635	1/1	0.95	0.12	51,51,51,51	0
57	MG	2A	3580	1/1	0.95	0.15	53,53,53,53	0
57	MG	2A	3581	1/1	0.95	0.12	47,47,47,47	0
57	MG	1A	3661	1/1	0.95	0.06	53,53,53,53	0
57	MG	2A	3123	1/1	0.95	0.16	71,71,71,71	0
57	MG	1A	3435	1/1	0.95	0.07	47,47,47,47	0
57	MG	2A	3125	1/1	0.95	0.23	67,67,67,67	0
57	MG	1A	3813	1/1	0.95	0.06	44,44,44,44	0
57	MG	1A	3994	1/1	0.95	0.21	48,48,48,48	0
57	MG	1A	3546	1/1	0.95	0.07	58,58,58,58	0
57	MG	2A	3325	1/1	0.95	0.08	64,64,64,64	0
57	MG	1A	3127	1/1	0.95	0.20	52,52,52,52	0
57	MG	2A	3594	1/1	0.95	0.07	43,43,43,43	0
57	MG	1A	3167	1/1	0.95	0.14	63,63,63,63	0
57	MG	2A	3131	1/1	0.95	0.12	67,67,67,67	0
57	MG	2A	3331	1/1	0.95	0.10	37,37,37,37	0
57	MG	2A	3332	1/1	0.95	0.10	87,87,87,87	0
57	MG	1a	1644	1/1	0.95	0.23	70,70,70,70	0
57	MG	1A	3550	1/1	0.95	0.09	43,43,43,43	0
57	MG	1A	3439	1/1	0.95	0.06	39,39,39,39	0
57	MG	1A	3128	1/1	0.95	0.29	48,48,48,48	0
57	MG	1A	4002	1/1	0.95	0.16	61,61,61,61	0
57	MG	2a	3090	1/1	0.95	0.24	81,81,81,81	0
57	MG	1A	3823	1/1	0.95	0.09	69,69,69,69	0
57	MG	1A	3209	1/1	0.95	0.12	44,44,44,44	0
57	MG	2A	3346	1/1	0.95	0.07	51,51,51,51	0
57	MG	1A	3275	1/1	0.95	0.16	58,58,58,58	0
57	MG	2A	3609	1/1	0.95	0.07	54,54,54,54	0
57	MG	1A	3276	1/1	0.95	0.13	51,51,51,51	0
57	MG	2A	3615	1/1	0.95	0.13	62,62,62,62	0
57	MG	2A	3618	1/1	0.95	0.15	56,56,56,56	0
57	MG	1a	1830	1/1	0.95	0.12	68,68,68,68	0
57	MG	1A	3277	1/1	0.95	0.34	51,51,51,51	0
57	MG	2a	3102	1/1	0.95	0.15	69,69,69,69	0
57	MG	1B	205	1/1	0.95	0.05	56,56,56,56	0
57	MG	2A	3625	1/1	0.95	0.07	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3829	1/1	0.95	0.10	50,50,50,50	0
57	MG	2a	3107	1/1	0.95	0.13	74,74,74,74	0
57	MG	1A	3679	1/1	0.95	0.06	79,79,79,79	0
57	MG	1A	3339	1/1	0.95	0.15	41,41,41,41	0
57	MG	1A	3559	1/1	0.95	0.17	52,52,52,52	0
57	MG	1a	1661	1/1	0.95	0.18	73,73,73,73	0
57	MG	1a	1839	1/1	0.95	0.18	80,80,80,80	0
57	MG	1a	1841	1/1	0.95	0.14	67,67,67,67	0
57	MG	1A	3834	1/1	0.95	0.10	63,63,63,63	0
57	MG	2A	3361	1/1	0.95	0.16	60,60,60,60	0
57	MG	1A	3340	1/1	0.95	0.18	72,72,72,72	0
57	MG	1A	3076	1/1	0.95	0.10	49,49,49,49	0
57	MG	1a	1845	1/1	0.95	0.12	66,66,66,66	0
57	MG	2A	3368	1/1	0.95	0.08	74,74,74,74	0
57	MG	1A	3016	1/1	0.95	0.23	46,46,46,46	0
57	MG	1A	3283	1/1	0.95	0.08	46,46,46,46	0
57	MG	1A	3174	1/1	0.95	0.12	59,59,59,59	0
57	MG	1A	3693	1/1	0.95	0.08	56,56,56,56	0
57	MG	1A	3020	1/1	0.95	0.35	50,50,50,50	0
57	MG	1B	223	1/1	0.95	0.08	58,58,58,58	0
57	MG	1A	3133	1/1	0.95	0.10	60,60,60,60	0
57	MG	2A	3380	1/1	0.95	0.12	51,51,51,51	0
57	MG	2a	3135	1/1	0.95	0.10	83,83,83,83	0
57	MG	2A	3655	1/1	0.95	0.10	70,70,70,70	0
57	MG	1a	1854	1/1	0.95	0.28	68,68,68,68	0
57	MG	1a	1674	1/1	0.95	0.35	76,76,76,76	0
57	MG	1A	3134	1/1	0.95	0.17	50,50,50,50	0
57	MG	1A	3351	1/1	0.95	0.11	36,36,36,36	0
57	MG	2a	3142	1/1	0.95	0.13	75,75,75,75	0
57	MG	1A	3289	1/1	0.95	0.21	61,61,61,61	0
57	MG	1A	3353	1/1	0.95	0.12	35,35,35,35	0
57	MG	1A	3033	1/1	0.95	0.07	59,59,59,59	0
57	MG	1A	3852	1/1	0.95	0.06	46,46,46,46	0
57	MG	1A	3703	1/1	0.95	0.18	54,54,54,54	0
57	MG	1A	3294	1/1	0.95	0.06	47,47,47,47	0
57	MG	1A	3857	1/1	0.95	0.10	46,46,46,46	0
57	MG	1D	308	1/1	0.95	0.08	33,33,33,33	0
57	MG	2A	3176	1/1	0.95	0.11	73,73,73,73	0
57	MG	1A	3081	1/1	0.95	0.25	57,57,57,57	0
57	MG	1a	1686	1/1	0.95	0.21	62,62,62,62	0
57	MG	2A	3181	1/1	0.95	0.10	66,66,66,66	0
57	MG	2A	3403	1/1	0.95	0.18	69,69,69,69	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3106	1/1	0.95	0.19	48,48,48,48	0
57	MG	2A	3183	1/1	0.95	0.11	71,71,71,71	0
57	MG	2A	3678	1/1	0.95	0.10	63,63,63,63	0
57	MG	1A	3863	1/1	0.95	0.07	50,50,50,50	0
57	MG	1A	3710	1/1	0.95	0.08	73,73,73,73	0
57	MG	1A	3010	1/1	0.95	0.27	63,63,63,63	0
57	MG	1A	3366	1/1	0.95	0.10	56,56,56,56	0
57	MG	1A	3716	1/1	0.95	0.19	52,52,52,52	0
57	MG	1A	3869	1/1	0.95	0.09	73,73,73,73	0
57	MG	1E	307	1/1	0.95	0.12	36,36,36,36	0
57	MG	2A	3687	1/1	0.95	0.09	84,84,84,84	0
57	MG	1A	3230	1/1	0.95	0.16	46,46,46,46	0
57	MG	1E	309	1/1	0.95	0.14	43,43,43,43	0
57	MG	1A	3477	1/1	0.95	0.11	64,64,64,64	0
57	MG	2A	3416	1/1	0.95	0.06	76,76,76,76	0
57	MG	1A	3880	1/1	0.95	0.12	59,59,59,59	0
57	MG	1A	3012	1/1	0.95	0.17	50,50,50,50	0
57	MG	2A	3695	1/1	0.95	0.19	68,68,68,68	0
57	MG	1F	307	1/1	0.95	0.07	50,50,50,50	0
57	MG	1F	308	1/1	0.95	0.17	45,45,45,45	0
57	MG	1a	1702	1/1	0.95	0.33	73,73,73,73	0
57	MG	1A	3593	1/1	0.95	0.11	42,42,42,42	0
57	MG	1A	3372	1/1	0.95	0.08	64,64,64,64	0
57	MG	2A	3001	1/1	0.95	0.30	71,71,71,71	0
57	MG	1A	3300	1/1	0.95	0.12	65,65,65,65	0
57	MG	1A	3599	1/1	0.95	0.10	56,56,56,56	0
57	MG	1A	3600	1/1	0.95	0.08	56,56,56,56	0
57	MG	1A	3601	1/1	0.95	0.11	51,51,51,51	0
57	MG	1A	3730	1/1	0.95	0.07	70,70,70,70	0
57	MG	2A	3431	1/1	0.95	0.07	56,56,56,56	0
57	MG	2A	3434	1/1	0.95	0.09	45,45,45,45	0
57	MG	2A	3712	1/1	0.95	0.07	54,54,54,54	0
58	MPD	1A	4005	8/8	0.95	0.15	61,67,71,72	0
57	MG	1G	203	1/1	0.95	0.15	55,55,55,55	0
57	MG	2A	3714	1/1	0.95	0.33	71,71,71,71	0
57	MG	2A	3437	1/1	0.95	0.12	42,42,42,42	0
57	MG	1A	3603	1/1	0.95	0.12	46,46,46,46	0
57	MG	2A	3211	1/1	0.95	0.32	63,63,63,63	0
57	MG	1A	3899	1/1	0.95	0.11	72,72,72,72	0
60	ZN	14	501	1/1	0.95	0.11	133,133,133,133	0
57	MG	2A	3443	1/1	0.95	0.12	65,65,65,65	0
57	MG	2R	202	1/1	0.96	0.23	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3804	1/1	0.96	0.09	38,38,38,38	0
57	MG	2T	202	1/1	0.96	0.07	74,74,74,74	0
57	MG	1P	205	1/1	0.96	0.10	61,61,61,61	0
57	MG	1a	1851	1/1	0.96	0.12	62,62,62,62	0
57	MG	1A	3574	1/1	0.96	0.12	52,52,52,52	0
57	MG	1A	3069	1/1	0.96	0.06	53,53,53,53	0
57	MG	1A	3471	1/1	0.96	0.09	59,59,59,59	0
57	MG	2A	3318	1/1	0.96	0.11	50,50,50,50	0
57	MG	1A	3039	1/1	0.96	0.10	52,52,52,52	0
57	MG	1A	3951	1/1	0.96	0.08	56,56,56,56	0
57	MG	1R	201	1/1	0.96	0.33	49,49,49,49	0
57	MG	1R	202	1/1	0.96	0.06	51,51,51,51	0
57	MG	1A	3195	1/1	0.96	0.20	52,52,52,52	0
57	MG	1A	3231	1/1	0.96	0.11	47,47,47,47	0
57	MG	1A	3478	1/1	0.96	0.06	56,56,56,56	0
57	MG	2A	3539	1/1	0.96	0.07	72,72,72,72	0
57	MG	1A	3479	1/1	0.96	0.06	65,65,65,65	0
57	MG	1A	3695	1/1	0.96	0.17	50,50,50,50	0
57	MG	2A	3329	1/1	0.96	0.08	42,42,42,42	0
57	MG	2A	3330	1/1	0.96	0.09	59,59,59,59	0
57	MG	1A	3585	1/1	0.96	0.12	59,59,59,59	0
57	MG	1A	3324	1/1	0.96	0.07	48,48,48,48	0
57	MG	1U	203	1/1	0.96	0.14	45,45,45,45	0
57	MG	1A	3817	1/1	0.96	0.06	55,55,55,55	0
57	MG	28	101	1/1	0.96	0.07	75,75,75,75	0
57	MG	1A	3961	1/1	0.96	0.11	55,55,55,55	0
57	MG	2a	3001	1/1	0.96	0.07	54,54,54,54	0
57	MG	1A	3482	1/1	0.96	0.10	34,34,34,34	0
57	MG	1A	3963	1/1	0.96	0.11	64,64,64,64	0
57	MG	2A	3552	1/1	0.96	0.09	39,39,39,39	0
57	MG	1A	3278	1/1	0.96	0.07	55,55,55,55	0
57	MG	1A	3040	1/1	0.96	0.13	66,66,66,66	0
57	MG	2A	3345	1/1	0.96	0.05	57,57,57,57	0
57	MG	1A	3966	1/1	0.96	0.10	69,69,69,69	0
57	MG	1A	3281	1/1	0.96	0.18	51,51,51,51	0
57	MG	1A	3397	1/1	0.96	0.11	54,54,54,54	0
57	MG	1A	3233	1/1	0.96	0.14	47,47,47,47	0
57	MG	2a	3012	1/1	0.96	0.07	65,65,65,65	0
57	MG	1A	3330	1/1	0.96	0.12	57,57,57,57	0
57	MG	2A	3167	1/1	0.96	0.13	60,60,60,60	0
57	MG	1A	3018	1/1	0.96	0.11	43,43,43,43	0
57	MG	1A	3709	1/1	0.96	0.08	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1o	102	1/1	0.96	0.19	76,76,76,76	0
57	MG	1A	3974	1/1	0.96	0.19	61,61,61,61	0
57	MG	1A	3152	1/1	0.96	0.18	51,51,51,51	0
57	MG	1A	3085	1/1	0.96	0.07	53,53,53,53	0
57	MG	2A	3575	1/1	0.96	0.06	65,65,65,65	0
57	MG	2A	3577	1/1	0.96	0.08	77,77,77,77	0
57	MG	1A	3713	1/1	0.96	0.08	49,49,49,49	0
57	MG	1A	3981	1/1	0.96	0.13	78,78,78,78	0
57	MG	11	103	1/1	0.96	0.15	67,67,67,67	0
57	MG	1A	3334	1/1	0.96	0.31	69,69,69,69	0
57	MG	2A	3178	1/1	0.96	0.08	68,68,68,68	0
57	MG	13	101	1/1	0.96	0.13	54,54,54,54	0
57	MG	2A	3585	1/1	0.96	0.08	53,53,53,53	0
57	MG	2A	3366	1/1	0.96	0.16	60,60,60,60	0
57	MG	1A	3835	1/1	0.96	0.13	59,59,59,59	0
57	MG	2A	3007	1/1	0.96	0.07	61,61,61,61	0
57	MG	1A	3836	1/1	0.96	0.09	35,35,35,35	0
57	MG	1A	3602	1/1	0.96	0.09	58,58,58,58	0
57	MG	1A	3838	1/1	0.96	0.10	55,55,55,55	0
57	MG	1A	3177	1/1	0.96	0.15	44,44,44,44	0
57	MG	1a	1733	1/1	0.96	0.08	55,55,55,55	0
57	MG	2A	3015	1/1	0.96	0.12	55,55,55,55	0
57	MG	1a	1735	1/1	0.96	0.07	88,88,88,88	0
57	MG	1A	3988	1/1	0.96	0.05	50,50,50,50	0
57	MG	1A	3405	1/1	0.96	0.15	59,59,59,59	0
57	MG	1A	3841	1/1	0.96	0.09	57,57,57,57	0
57	MG	1A	3605	1/1	0.96	0.06	37,37,37,37	0
57	MG	15	107	1/1	0.96	0.09	58,58,58,58	0
57	MG	17	101	1/1	0.96	0.06	46,46,46,46	0
57	MG	17	102	1/1	0.96	0.13	53,53,53,53	0
57	MG	2A	3605	1/1	0.96	0.09	60,60,60,60	0
57	MG	1a	1744	1/1	0.96	0.05	84,84,84,84	0
57	MG	1a	1745	1/1	0.96	0.06	52,52,52,52	0
57	MG	1A	3201	1/1	0.96	0.12	46,46,46,46	0
57	MG	1A	3408	1/1	0.96	0.08	50,50,50,50	0
57	MG	1A	3288	1/1	0.96	0.07	44,44,44,44	0
57	MG	1a	1751	1/1	0.96	0.12	62,62,62,62	0
57	MG	1A	3135	1/1	0.96	0.18	50,50,50,50	0
57	MG	2A	3397	1/1	0.96	0.11	50,50,50,50	0
57	MG	2A	3620	1/1	0.96	0.12	61,61,61,61	0
57	MG	1A	3290	1/1	0.96	0.09	62,62,62,62	0
57	MG	1A	3727	1/1	0.96	0.10	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2a	3059	1/1	0.96	0.18	60,60,60,60	0
57	MG	1A	3510	1/1	0.96	0.12	37,37,37,37	0
57	MG	1A	3618	1/1	0.96	0.09	45,45,45,45	0
57	MG	2A	3628	1/1	0.96	0.10	54,54,54,54	0
57	MG	1a	1604	1/1	0.96	0.06	75,75,75,75	0
57	MG	1A	3414	1/1	0.96	0.09	43,43,43,43	0
57	MG	1A	3415	1/1	0.96	0.13	40,40,40,40	0
57	MG	2A	3632	1/1	0.96	0.09	57,57,57,57	0
57	MG	2A	3038	1/1	0.96	0.11	71,71,71,71	0
57	MG	1A	3734	1/1	0.96	0.07	48,48,48,48	0
57	MG	1A	3291	1/1	0.96	0.12	45,45,45,45	0
57	MG	1A	3241	1/1	0.96	0.20	46,46,46,46	0
57	MG	1A	3738	1/1	0.96	0.21	64,64,64,64	0
57	MG	1a	1612	1/1	0.96	0.08	88,88,88,88	0
57	MG	1A	3517	1/1	0.96	0.07	61,61,61,61	0
57	MG	2A	3221	1/1	0.96	0.21	69,69,69,69	0
57	MG	1A	3519	1/1	0.96	0.11	35,35,35,35	0
57	MG	1A	3421	1/1	0.96	0.13	38,38,38,38	0
57	MG	1A	3155	1/1	0.96	0.10	47,47,47,47	0
57	MG	1a	1617	1/1	0.96	0.12	59,59,59,59	0
57	MG	1A	3243	1/1	0.96	0.23	50,50,50,50	0
57	MG	1A	3746	1/1	0.96	0.08	40,40,40,40	0
57	MG	1A	3747	1/1	0.96	0.24	62,62,62,62	0
57	MG	1A	3751	1/1	0.96	0.09	60,60,60,60	0
57	MG	1A	3426	1/1	0.96	0.08	31,31,31,31	0
57	MG	1A	3879	1/1	0.96	0.06	71,71,71,71	0
57	MG	2A	3426	1/1	0.96	0.10	78,78,78,78	0
57	MG	2A	3657	1/1	0.96	0.20	75,75,75,75	0
57	MG	1B	215	1/1	0.96	0.07	68,68,68,68	0
57	MG	1A	3428	1/1	0.96	0.16	66,66,66,66	0
57	MG	1A	3881	1/1	0.96	0.14	49,49,49,49	0
57	MG	1a	1629	1/1	0.96	0.16	60,60,60,60	0
57	MG	1A	3754	1/1	0.96	0.09	52,52,52,52	0
57	MG	2A	3433	1/1	0.96	0.13	52,52,52,52	0
57	MG	1B	221	1/1	0.96	0.14	59,59,59,59	0
57	MG	2A	3435	1/1	0.96	0.17	65,65,65,65	0
57	MG	2A	3238	1/1	0.96	0.12	41,41,41,41	0
57	MG	1a	1632	1/1	0.96	0.06	61,61,61,61	0
57	MG	2A	3065	1/1	0.96	0.10	52,52,52,52	0
57	MG	2A	3440	1/1	0.96	0.06	53,53,53,53	0
57	MG	1A	3344	1/1	0.96	0.26	62,62,62,62	0
57	MG	1A	3244	1/1	0.96	0.04	74,74,74,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3243	1/1	0.96	0.06	41,41,41,41	0
57	MG	1A	3005	1/1	0.96	0.12	39,39,39,39	0
57	MG	1A	3889	1/1	0.96	0.11	36,36,36,36	0
57	MG	1B	228	1/1	0.96	0.07	72,72,72,72	0
57	MG	1A	3206	1/1	0.96	0.14	51,51,51,51	0
57	MG	1A	3157	1/1	0.96	0.09	45,45,45,45	0
57	MG	2A	3449	1/1	0.96	0.07	54,54,54,54	0
57	MG	2A	3073	1/1	0.96	0.09	54,54,54,54	0
57	MG	1A	3437	1/1	0.96	0.06	45,45,45,45	0
57	MG	2A	3251	1/1	0.96	0.11	65,65,65,65	0
57	MG	2a	3115	1/1	0.96	0.07	69,69,69,69	0
57	MG	1D	302	1/1	0.96	0.39	52,52,52,52	0
57	MG	2A	3685	1/1	0.96	0.14	62,62,62,62	0
57	MG	2A	3076	1/1	0.96	0.05	56,56,56,56	0
57	MG	1a	1642	1/1	0.96	0.28	59,59,59,59	0
57	MG	1A	3350	1/1	0.96	0.10	65,65,65,65	0
57	MG	1A	3009	1/1	0.96	0.14	36,36,36,36	0
57	MG	2A	3690	1/1	0.96	0.06	62,62,62,62	0
57	MG	2A	3257	1/1	0.96	0.10	61,61,61,61	0
57	MG	1A	3764	1/1	0.96	0.07	40,40,40,40	0
57	MG	2a	3125	1/1	0.96	0.12	75,75,75,75	0
57	MG	1A	3251	1/1	0.96	0.18	55,55,55,55	0
57	MG	1a	1802	1/1	0.96	0.14	75,75,75,75	0
57	MG	2a	3130	1/1	0.96	0.05	73,73,73,73	0
57	MG	2A	3462	1/1	0.96	0.08	52,52,52,52	0
57	MG	1A	3022	1/1	0.96	0.10	53,53,53,53	0
57	MG	1A	3014	1/1	0.96	0.28	63,63,63,63	0
57	MG	2A	3465	1/1	0.96	0.09	57,57,57,57	0
57	MG	2a	3137	1/1	0.96	0.09	75,75,75,75	0
57	MG	2A	3699	1/1	0.96	0.09	58,58,58,58	0
57	MG	2A	3700	1/1	0.96	0.08	65,65,65,65	0
57	MG	1A	3186	1/1	0.96	0.14	52,52,52,52	0
57	MG	1A	3772	1/1	0.96	0.17	57,57,57,57	0
57	MG	1A	3543	1/1	0.96	0.09	41,41,41,41	0
57	MG	2a	3143	1/1	0.96	0.08	74,74,74,74	0
57	MG	2A	3704	1/1	0.96	0.16	76,76,76,76	0
57	MG	2A	3470	1/1	0.96	0.06	75,75,75,75	0
57	MG	1a	1808	1/1	0.96	0.09	67,67,67,67	0
57	MG	1D	313	1/1	0.96	0.10	43,43,43,43	0
57	MG	1A	3256	1/1	0.96	0.11	59,59,59,59	0
57	MG	1D	316	1/1	0.96	0.16	66,66,66,66	0
57	MG	1D	317	1/1	0.96	0.10	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3096	1/1	0.96	0.12	59,59,59,59	0
57	MG	1A	3360	1/1	0.96	0.11	49,49,49,49	0
57	MG	1A	3213	1/1	0.96	0.19	57,57,57,57	0
57	MG	1A	3363	1/1	0.96	0.07	54,54,54,54	0
57	MG	2A	3480	1/1	0.96	0.10	76,76,76,76	0
57	MG	1E	306	1/1	0.96	0.20	49,49,49,49	0
57	MG	1A	3449	1/1	0.96	0.08	44,44,44,44	0
57	MG	1A	3161	1/1	0.96	0.18	66,66,66,66	0
57	MG	1A	3216	1/1	0.96	0.28	48,48,48,48	0
57	MG	1A	3094	1/1	0.96	0.09	49,49,49,49	0
57	MG	2A	3106	1/1	0.96	0.09	56,56,56,56	0
57	MG	2A	3107	1/1	0.96	0.08	54,54,54,54	0
57	MG	1A	3261	1/1	0.96	0.08	54,54,54,54	0
57	MG	1a	1667	1/1	0.96	0.17	59,59,59,59	0
57	MG	1A	3218	1/1	0.96	0.09	50,50,50,50	0
57	MG	1A	3263	1/1	0.96	0.15	46,46,46,46	0
57	MG	1A	3219	1/1	0.96	0.12	49,49,49,49	0
57	MG	2B	213	1/1	0.96	0.16	71,71,71,71	0
57	MG	1A	3379	1/1	0.96	0.07	28,28,28,28	0
57	MG	1A	3163	1/1	0.96	0.07	49,49,49,49	0
57	MG	1a	1829	1/1	0.96	0.11	54,54,54,54	0
57	MG	2D	301	1/1	0.96	0.14	58,58,58,58	0
57	MG	2D	302	1/1	0.96	0.15	67,67,67,67	0
57	MG	2A	3118	1/1	0.96	0.14	45,45,45,45	0
57	MG	1a	1673	1/1	0.96	0.06	68,68,68,68	0
57	MG	1A	3927	1/1	0.96	0.08	60,60,60,60	0
57	MG	1A	3561	1/1	0.96	0.10	38,38,38,38	0
57	MG	1A	3666	1/1	0.96	0.12	37,37,37,37	0
57	MG	2A	3504	1/1	0.96	0.08	72,72,72,72	0
57	MG	2A	3296	1/1	0.96	0.07	52,52,52,52	0
57	MG	1A	3563	1/1	0.96	0.08	52,52,52,52	0
57	MG	2A	3507	1/1	0.96	0.10	58,58,58,58	0
57	MG	1A	3564	1/1	0.96	0.08	43,43,43,43	0
57	MG	1A	3224	1/1	0.96	0.11	59,59,59,59	0
57	MG	1G	204	1/1	0.96	0.17	67,67,67,67	0
57	MG	1A	3463	1/1	0.96	0.09	61,61,61,61	0
57	MG	2A	3512	1/1	0.96	0.08	59,59,59,59	0
57	MG	2t	201	1/1	0.96	0.15	54,54,54,54	0
57	MG	1A	3797	1/1	0.96	0.09	58,58,58,58	0
57	MG	1A	3465	1/1	0.96	0.06	50,50,50,50	0
57	MG	1A	3001	1/1	0.96	0.08	51,51,51,51	0
58	MPD	18	104	8/8	0.96	0.14	38,49,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3305	1/1	0.96	0.10	44,44,44,44	0
57	MG	1N	204	1/1	0.96	0.05	82,82,82,82	0
57	MG	1A	3145	1/1	0.96	0.07	48,48,48,48	0
57	MG	2A	3308	1/1	0.96	0.16	65,65,65,65	0
57	MG	1A	3940	1/1	0.96	0.07	55,55,55,55	0
57	MG	1A	3572	1/1	0.96	0.10	69,69,69,69	0
57	MG	1A	3027	1/1	0.96	0.07	68,68,68,68	0
57	MG	1A	3495	1/1	0.97	0.14	59,59,59,59	0
57	MG	1A	3137	1/1	0.97	0.12	46,46,46,46	0
57	MG	1A	3210	1/1	0.97	0.12	63,63,63,63	0
57	MG	2A	3360	1/1	0.97	0.11	66,66,66,66	0
57	MG	2A	3002	1/1	0.97	0.08	69,69,69,69	0
57	MG	2A	3003	1/1	0.97	0.07	69,69,69,69	0
57	MG	2A	3180	1/1	0.97	0.04	73,73,73,73	0
57	MG	1A	3138	1/1	0.97	0.06	48,48,48,48	0
57	MG	1A	3822	1/1	0.97	0.06	55,55,55,55	0
57	MG	2A	3570	1/1	0.97	0.06	61,61,61,61	0
57	MG	2A	3367	1/1	0.97	0.07	49,49,49,49	0
57	MG	1A	3024	1/1	0.97	0.07	37,37,37,37	0
57	MG	1A	3107	1/1	0.97	0.28	47,47,47,47	0
57	MG	2A	3370	1/1	0.97	0.06	61,61,61,61	0
57	MG	2A	3372	1/1	0.97	0.13	43,43,43,43	0
57	MG	2A	3373	1/1	0.97	0.10	44,44,44,44	0
57	MG	2A	3579	1/1	0.97	0.11	74,74,74,74	0
57	MG	2A	3185	1/1	0.97	0.07	58,58,58,58	0
57	MG	1A	3357	1/1	0.97	0.08	36,36,36,36	0
57	MG	1A	3504	1/1	0.97	0.05	57,57,57,57	0
57	MG	1I	102	1/1	0.97	0.12	57,57,57,57	0
57	MG	1A	3701	1/1	0.97	0.18	54,54,54,54	0
57	MG	2A	3013	1/1	0.97	0.10	39,39,39,39	0
57	MG	1A	3594	1/1	0.97	0.08	50,50,50,50	0
57	MG	2A	3381	1/1	0.97	0.07	50,50,50,50	0
57	MG	1A	3427	1/1	0.97	0.09	37,37,37,37	0
57	MG	1A	3831	1/1	0.97	0.07	51,51,51,51	0
57	MG	2A	3384	1/1	0.97	0.06	63,63,63,63	0
57	MG	1A	3704	1/1	0.97	0.07	50,50,50,50	0
57	MG	1A	3214	1/1	0.97	0.27	52,52,52,52	0
57	MG	1A	3597	1/1	0.97	0.07	61,61,61,61	0
57	MG	2A	3197	1/1	0.97	0.06	62,62,62,62	0
57	MG	1A	3507	1/1	0.97	0.09	44,44,44,44	0
57	MG	1A	3025	1/1	0.97	0.16	43,43,43,43	0
57	MG	1A	3431	1/1	0.97	0.09	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3511	1/1	0.97	0.10	31,31,31,31	0
57	MG	1A	3991	1/1	0.97	0.10	57,57,57,57	0
57	MG	1A	3432	1/1	0.97	0.09	40,40,40,40	0
57	MG	1A	3714	1/1	0.97	0.15	47,47,47,47	0
57	MG	1A	3019	1/1	0.97	0.12	42,42,42,42	0
57	MG	17	103	1/1	0.97	0.08	56,56,56,56	0
57	MG	1a	1752	1/1	0.97	0.06	68,68,68,68	0
57	MG	2A	3400	1/1	0.97	0.07	46,46,46,46	0
57	MG	17	104	1/1	0.97	0.09	66,66,66,66	0
57	MG	1A	3362	1/1	0.97	0.08	43,43,43,43	0
57	MG	2A	3613	1/1	0.97	0.09	73,73,73,73	0
57	MG	1A	3606	1/1	0.97	0.10	58,58,58,58	0
57	MG	1A	3607	1/1	0.97	0.07	63,63,63,63	0
57	MG	2A	3616	1/1	0.97	0.11	58,58,58,58	0
57	MG	2A	3617	1/1	0.97	0.06	64,64,64,64	0
57	MG	1A	3609	1/1	0.97	0.07	49,49,49,49	0
57	MG	1A	3068	1/1	0.97	0.21	55,55,55,55	0
57	MG	1A	3052	1/1	0.97	0.06	31,31,31,31	0
57	MG	1A	3365	1/1	0.97	0.09	39,39,39,39	0
57	MG	1A	3723	1/1	0.97	0.14	67,67,67,67	0
57	MG	2A	3624	1/1	0.97	0.05	54,54,54,54	0
57	MG	1A	3087	1/1	0.97	0.24	48,48,48,48	0
57	MG	1a	1763	1/1	0.97	0.11	72,72,72,72	0
57	MG	1A	3614	1/1	0.97	0.10	49,49,49,49	0
57	MG	1a	1765	1/1	0.97	0.07	61,61,61,61	0
57	MG	1A	3521	1/1	0.97	0.08	60,60,60,60	0
57	MG	1A	3853	1/1	0.97	0.05	58,58,58,58	0
57	MG	1A	3007	1/1	0.97	0.08	53,53,53,53	0
57	MG	2A	3633	1/1	0.97	0.05	59,59,59,59	0
57	MG	2A	3048	1/1	0.97	0.14	63,63,63,63	0
57	MG	2A	3049	1/1	0.97	0.05	67,67,67,67	0
57	MG	1A	3617	1/1	0.97	0.06	79,79,79,79	0
57	MG	1A	3523	1/1	0.97	0.06	57,57,57,57	0
57	MG	1A	3732	1/1	0.97	0.06	57,57,57,57	0
57	MG	1A	3369	1/1	0.97	0.16	67,67,67,67	0
57	MG	1A	3862	1/1	0.97	0.09	57,57,57,57	0
57	MG	1A	3370	1/1	0.97	0.07	44,44,44,44	0
57	MG	1A	3864	1/1	0.97	0.05	60,60,60,60	0
57	MG	2A	3643	1/1	0.97	0.06	61,61,61,61	0
57	MG	1a	1776	1/1	0.97	0.15	84,84,84,84	0
57	MG	1A	3221	1/1	0.97	0.35	48,48,48,48	0
57	MG	1A	3443	1/1	0.97	0.06	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3223	1/1	0.97	0.12	50,50,50,50	0
57	MG	1B	216	1/1	0.97	0.11	60,60,60,60	0
57	MG	1a	1621	1/1	0.97	0.08	66,66,66,66	0
57	MG	1A	3114	1/1	0.97	0.15	47,47,47,47	0
57	MG	1A	3115	1/1	0.97	0.13	36,36,36,36	0
57	MG	2A	3654	1/1	0.97	0.08	66,66,66,66	0
57	MG	1A	3871	1/1	0.97	0.06	54,54,54,54	0
57	MG	1a	1625	1/1	0.97	0.09	70,70,70,70	0
57	MG	2A	3438	1/1	0.97	0.07	56,56,56,56	0
57	MG	1A	3185	1/1	0.97	0.18	52,52,52,52	0
57	MG	1B	222	1/1	0.97	0.04	41,41,41,41	0
57	MG	1A	3742	1/1	0.97	0.11	59,59,59,59	0
57	MG	1B	224	1/1	0.97	0.09	74,74,74,74	0
57	MG	1A	3628	1/1	0.97	0.08	60,60,60,60	0
57	MG	1A	3381	1/1	0.97	0.13	44,44,44,44	0
57	MG	2A	3664	1/1	0.97	0.09	51,51,51,51	0
57	MG	1A	3745	1/1	0.97	0.08	47,47,47,47	0
57	MG	1A	3089	1/1	0.97	0.05	58,58,58,58	0
57	MG	1A	3150	1/1	0.97	0.24	48,48,48,48	0
57	MG	1A	3884	1/1	0.97	0.07	52,52,52,52	0
57	MG	1A	3748	1/1	0.97	0.07	73,73,73,73	0
57	MG	2a	3088	1/1	0.97	0.10	61,61,61,61	0
57	MG	1A	3749	1/1	0.97	0.12	58,58,58,58	0
57	MG	1a	1798	1/1	0.97	0.07	76,76,76,76	0
57	MG	1A	3090	1/1	0.97	0.06	41,41,41,41	0
57	MG	1D	304	1/1	0.97	0.06	57,57,57,57	0
57	MG	1A	3634	1/1	0.97	0.13	61,61,61,61	0
57	MG	1A	3055	1/1	0.97	0.18	54,54,54,54	0
57	MG	1A	3386	1/1	0.97	0.06	54,54,54,54	0
57	MG	1A	3894	1/1	0.97	0.05	69,69,69,69	0
57	MG	1A	3092	1/1	0.97	0.07	47,47,47,47	0
57	MG	1a	1645	1/1	0.97	0.11	58,58,58,58	0
57	MG	2A	3088	1/1	0.97	0.06	51,51,51,51	0
57	MG	2A	3089	1/1	0.97	0.09	67,67,67,67	0
57	MG	1A	3638	1/1	0.97	0.11	50,50,50,50	0
57	MG	1A	3121	1/1	0.97	0.05	49,49,49,49	0
57	MG	1A	3328	1/1	0.97	0.11	51,51,51,51	0
57	MG	1A	3459	1/1	0.97	0.05	67,67,67,67	0
57	MG	2A	3094	1/1	0.97	0.09	55,55,55,55	0
57	MG	1a	1811	1/1	0.97	0.13	71,71,71,71	0
57	MG	1D	314	1/1	0.97	0.11	74,74,74,74	0
57	MG	1A	3760	1/1	0.97	0.10	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3904	1/1	0.97	0.05	42,42,42,42	0
57	MG	1A	3028	1/1	0.97	0.24	37,37,37,37	0
57	MG	1A	3906	1/1	0.97	0.07	67,67,67,67	0
57	MG	1A	3073	1/1	0.97	0.26	53,53,53,53	0
57	MG	1A	3003	1/1	0.97	0.08	38,38,38,38	0
57	MG	1A	3910	1/1	0.97	0.11	65,65,65,65	0
57	MG	1A	3645	1/1	0.97	0.12	38,38,38,38	0
57	MG	1A	3393	1/1	0.97	0.13	49,49,49,49	0
57	MG	1A	3464	1/1	0.97	0.08	65,65,65,65	0
57	MG	2A	3108	1/1	0.97	0.10	45,45,45,45	0
57	MG	1F	301	1/1	0.97	0.11	39,39,39,39	0
57	MG	1F	302	1/1	0.97	0.14	41,41,41,41	0
57	MG	1A	3042	1/1	0.97	0.13	34,34,34,34	0
57	MG	2A	3288	1/1	0.97	0.17	48,48,48,48	0
57	MG	1F	304	1/1	0.97	0.06	47,47,47,47	0
57	MG	1A	3237	1/1	0.97	0.16	58,58,58,58	0
57	MG	1A	3771	1/1	0.97	0.14	61,61,61,61	0
57	MG	1A	3017	1/1	0.97	0.13	34,34,34,34	0
57	MG	1A	3556	1/1	0.97	0.06	63,63,63,63	0
57	MG	2A	3117	1/1	0.97	0.46	69,69,69,69	0
57	MG	1A	3652	1/1	0.97	0.19	60,60,60,60	0
57	MG	1A	3098	1/1	0.97	0.05	68,68,68,68	0
57	MG	1A	3046	1/1	0.97	0.06	42,42,42,42	0
57	MG	2A	3121	1/1	0.97	0.07	62,62,62,62	0
57	MG	1A	3100	1/1	0.97	0.07	40,40,40,40	0
57	MG	1A	3078	1/1	0.97	0.07	56,56,56,56	0
57	MG	1A	3131	1/1	0.97	0.23	40,40,40,40	0
57	MG	1A	3562	1/1	0.97	0.07	50,50,50,50	0
57	MG	1A	3659	1/1	0.97	0.08	65,65,65,65	0
57	MG	1a	1840	1/1	0.97	0.09	46,46,46,46	0
57	MG	1A	3476	1/1	0.97	0.08	69,69,69,69	0
57	MG	1A	3062	1/1	0.97	0.11	43,43,43,43	0
57	MG	1A	3166	1/1	0.97	0.21	43,43,43,43	0
57	MG	1N	201	1/1	0.97	0.07	58,58,58,58	0
57	MG	1A	3566	1/1	0.97	0.07	58,58,58,58	0
57	MG	1A	3246	1/1	0.97	0.09	60,60,60,60	0
57	MG	1A	3789	1/1	0.97	0.07	57,57,57,57	0
57	MG	2B	212	1/1	0.97	0.07	76,76,76,76	0
57	MG	1A	3935	1/1	0.97	0.07	59,59,59,59	0
57	MG	1A	3103	1/1	0.97	0.07	47,47,47,47	0
57	MG	1A	3205	1/1	0.97	0.04	33,33,33,33	0
57	MG	1A	3483	1/1	0.97	0.08	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3669	1/1	0.97	0.10	44,44,44,44	0
57	MG	1A	3571	1/1	0.97	0.07	48,48,48,48	0
57	MG	1A	3671	1/1	0.97	0.06	69,69,69,69	0
57	MG	1A	3407	1/1	0.97	0.06	51,51,51,51	0
57	MG	1A	3673	1/1	0.97	0.07	54,54,54,54	0
57	MG	1Q	205	1/1	0.97	0.23	55,55,55,55	0
57	MG	2A	3521	1/1	0.97	0.05	67,67,67,67	0
57	MG	2A	3322	1/1	0.97	0.05	82,82,82,82	0
57	MG	1A	3047	1/1	0.97	0.26	60,60,60,60	0
57	MG	1Q	207	1/1	0.97	0.09	47,47,47,47	0
57	MG	2E	302	1/1	0.97	0.14	59,59,59,59	0
57	MG	1A	3675	1/1	0.97	0.04	47,47,47,47	0
57	MG	1Q	209	1/1	0.97	0.10	60,60,60,60	0
57	MG	1A	3948	1/1	0.97	0.07	35,35,35,35	0
57	MG	1A	3949	1/1	0.97	0.11	45,45,45,45	0
57	MG	1A	3346	1/1	0.97	0.07	41,41,41,41	0
57	MG	1R	204	1/1	0.97	0.05	43,43,43,43	0
57	MG	1A	3487	1/1	0.97	0.12	64,64,64,64	0
57	MG	1S	201	1/1	0.97	0.14	76,76,76,76	0
57	MG	2F	304	1/1	0.97	0.08	56,56,56,56	0
57	MG	2A	3333	1/1	0.97	0.10	56,56,56,56	0
57	MG	1A	3576	1/1	0.97	0.12	60,60,60,60	0
57	MG	1A	3250	1/1	0.97	0.07	61,61,61,61	0
57	MG	1A	3411	1/1	0.97	0.05	47,47,47,47	0
57	MG	2A	3338	1/1	0.97	0.11	51,51,51,51	0
57	MG	1A	3171	1/1	0.97	0.05	40,40,40,40	0
57	MG	1A	3580	1/1	0.97	0.08	68,68,68,68	0
57	MG	1A	3683	1/1	0.97	0.07	67,67,67,67	0
57	MG	1A	3252	1/1	0.97	0.36	48,48,48,48	0
57	MG	1A	3493	1/1	0.97	0.07	45,45,45,45	0
57	MG	1m	201	1/1	0.97	0.06	83,83,83,83	0
57	MG	1V	201	1/1	0.97	0.18	39,39,39,39	0
57	MG	1A	3686	1/1	0.97	0.19	37,37,37,37	0
57	MG	1A	3812	1/1	0.97	0.08	44,44,44,44	0
57	MG	1A	3688	1/1	0.97	0.09	42,42,42,42	0
57	MG	1A	3013	1/1	0.97	0.07	46,46,46,46	0
57	MG	1o	103	1/1	0.97	0.06	75,75,75,75	0
57	MG	1A	3584	1/1	0.97	0.08	66,66,66,66	0
57	MG	2A	3553	1/1	0.97	0.09	61,61,61,61	0
57	MG	1A	3692	1/1	0.97	0.07	53,53,53,53	0
57	MG	2A	3555	1/1	0.97	0.05	71,71,71,71	0
57	MG	1A	3967	1/1	0.97	0.06	64,64,64,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1W	203	1/1	0.97	0.08	48,48,48,48	0
60	ZN	2n	102	1/1	0.97	0.06	110,110,110,110	0
57	MG	1A	3902	1/1	0.98	0.04	53,53,53,53	0
57	MG	2A	3371	1/1	0.98	0.10	48,48,48,48	0
57	MG	1A	3061	1/1	0.98	0.06	54,54,54,54	0
57	MG	1A	3280	1/1	0.98	0.06	54,54,54,54	0
57	MG	1A	3712	1/1	0.98	0.05	51,51,51,51	0
57	MG	2A	3565	1/1	0.98	0.05	67,67,67,67	0
57	MG	2A	3467	1/1	0.98	0.05	70,70,70,70	0
57	MG	1A	3413	1/1	0.98	0.09	47,47,47,47	0
57	MG	1A	3501	1/1	0.98	0.04	37,37,37,37	0
57	MG	1A	3292	1/1	0.98	0.05	29,29,29,29	0
57	MG	1A	3356	1/1	0.98	0.09	45,45,45,45	0
57	MG	1A	3373	1/1	0.98	0.09	45,45,45,45	0
57	MG	1A	3417	1/1	0.98	0.09	37,37,37,37	0
57	MG	2A	3573	1/1	0.98	0.09	57,57,57,57	0
57	MG	2a	3104	1/1	0.98	0.10	71,71,71,71	0
57	MG	1A	3608	1/1	0.98	0.12	60,60,60,60	0
57	MG	2A	3044	1/1	0.98	0.18	64,64,64,64	0
57	MG	1A	3540	1/1	0.98	0.05	53,53,53,53	0
57	MG	1A	3855	1/1	0.98	0.06	36,36,36,36	0
57	MG	1T	204	1/1	0.98	0.04	55,55,55,55	0
57	MG	1A	3976	1/1	0.98	0.04	44,44,44,44	0
57	MG	1A	3374	1/1	0.98	0.09	48,48,48,48	0
57	MG	1A	3420	1/1	0.98	0.09	53,53,53,53	0
57	MG	1U	202	1/1	0.98	0.17	49,49,49,49	0
57	MG	1A	3980	1/1	0.98	0.09	47,47,47,47	0
57	MG	1A	3858	1/1	0.98	0.06	37,37,37,37	0
57	MG	1A	3765	1/1	0.98	0.07	51,51,51,51	0
57	MG	2A	3220	1/1	0.98	0.12	66,66,66,66	0
57	MG	2A	3588	1/1	0.98	0.10	64,64,64,64	0
57	MG	1A	3860	1/1	0.98	0.06	54,54,54,54	0
57	MG	1V	202	1/1	0.98	0.17	48,48,48,48	0
57	MG	1A	3766	1/1	0.98	0.04	53,53,53,53	0
57	MG	1A	3922	1/1	0.98	0.04	76,76,76,76	0
57	MG	2A	3593	1/1	0.98	0.10	72,72,72,72	0
57	MG	1A	3170	1/1	0.98	0.09	53,53,53,53	0
57	MG	2A	3492	1/1	0.98	0.07	67,67,67,67	0
57	MG	2a	3126	1/1	0.98	0.10	70,70,70,70	0
57	MG	2A	3399	1/1	0.98	0.12	60,60,60,60	0
57	MG	1A	3376	1/1	0.98	0.05	42,42,42,42	0
57	MG	2a	3129	1/1	0.98	0.15	72,72,72,72	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3480	1/1	0.98	0.09	61,61,61,61	0
57	MG	1A	3726	1/1	0.98	0.06	62,62,62,62	0
57	MG	1A	3687	1/1	0.98	0.09	58,58,58,58	0
57	MG	1E	304	1/1	0.98	0.06	47,47,47,47	0
57	MG	1W	204	1/1	0.98	0.06	66,66,66,66	0
57	MG	1E	305	1/1	0.98	0.26	64,64,64,64	0
57	MG	1A	3728	1/1	0.98	0.06	50,50,50,50	0
57	MG	1A	3512	1/1	0.98	0.05	44,44,44,44	0
57	MG	1A	3689	1/1	0.98	0.05	53,53,53,53	0
57	MG	1a	1646	1/1	0.98	0.07	67,67,67,67	0
57	MG	1A	3358	1/1	0.98	0.06	48,48,48,48	0
57	MG	1A	3378	1/1	0.98	0.06	43,43,43,43	0
57	MG	2A	3611	1/1	0.98	0.13	48,48,48,48	0
57	MG	2A	3612	1/1	0.98	0.08	72,72,72,72	0
57	MG	1A	3996	1/1	0.98	0.08	70,70,70,70	0
57	MG	1A	3875	1/1	0.98	0.05	38,38,38,38	0
57	MG	1A	3876	1/1	0.98	0.04	53,53,53,53	0
57	MG	1A	3777	1/1	0.98	0.05	51,51,51,51	0
57	MG	1A	3937	1/1	0.98	0.12	60,60,60,60	0
57	MG	2A	3160	1/1	0.98	0.10	56,56,56,56	0
57	MG	1I	104	1/1	0.98	0.07	57,57,57,57	0
57	MG	1A	3043	1/1	0.98	0.19	44,44,44,44	0
57	MG	1A	3380	1/1	0.98	0.09	47,47,47,47	0
57	MG	1F	309	1/1	0.98	0.06	47,47,47,47	0
57	MG	2A	3623	1/1	0.98	0.08	42,42,42,42	0
57	MG	1F	310	1/1	0.98	0.04	53,53,53,53	0
57	MG	2A	3334	1/1	0.98	0.10	58,58,58,58	0
57	MG	1A	3455	1/1	0.98	0.06	50,50,50,50	0
57	MG	1a	1734	1/1	0.98	0.06	54,54,54,54	0
57	MG	2B	217	1/1	0.98	0.12	74,74,74,74	0
57	MG	2A	3004	1/1	0.98	0.03	50,50,50,50	0
57	MG	1A	4004	1/1	0.98	0.06	52,52,52,52	0
57	MG	2A	3339	1/1	0.98	0.07	58,58,58,58	0
57	MG	2A	3526	1/1	0.98	0.07	58,58,58,58	0
57	MG	1A	3586	1/1	0.98	0.05	32,32,32,32	0
57	MG	1a	1737	1/1	0.98	0.05	53,53,53,53	0
57	MG	1A	3622	1/1	0.98	0.23	51,51,51,51	0
57	MG	2A	3343	1/1	0.98	0.04	48,48,48,48	0
57	MG	1A	3518	1/1	0.98	0.13	72,72,72,72	0
57	MG	1A	3944	1/1	0.98	0.06	61,61,61,61	0
57	MG	1A	3885	1/1	0.98	0.05	63,63,63,63	0
57	MG	2a	3061	1/1	0.98	0.08	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3036	1/1	0.98	0.07	56,56,56,56	0
57	MG	1A	3887	1/1	0.98	0.06	44,44,44,44	0
57	MG	2A	3014	1/1	0.98	0.06	64,64,64,64	0
57	MG	1A	3430	1/1	0.98	0.05	46,46,46,46	0
57	MG	2E	307	1/1	0.98	0.09	45,45,45,45	0
57	MG	1A	3029	1/1	0.98	0.09	45,45,45,45	0
57	MG	1A	3890	1/1	0.98	0.04	35,35,35,35	0
57	MG	1a	1747	1/1	0.98	0.08	50,50,50,50	0
57	MG	1A	3273	1/1	0.98	0.06	38,38,38,38	0
57	MG	1A	3322	1/1	0.98	0.05	45,45,45,45	0
57	MG	1a	1750	1/1	0.98	0.15	66,66,66,66	0
57	MG	2A	3650	1/1	0.98	0.09	60,60,60,60	0
57	MG	1A	3041	1/1	0.98	0.11	45,45,45,45	0
57	MG	2A	3104	1/1	0.98	0.08	58,58,58,58	0
57	MG	2A	3653	1/1	0.98	0.07	67,67,67,67	0
57	MG	2A	3546	1/1	0.98	0.09	69,69,69,69	0
57	MG	2x	101	1/1	0.98	0.10	48,48,48,48	0
57	MG	1A	3264	1/1	0.98	0.17	48,48,48,48	0
57	MG	1A	3526	1/1	0.98	0.07	54,54,54,54	0
57	MG	1A	3896	1/1	0.98	0.04	55,55,55,55	0
57	MG	1A	3031	1/1	0.98	0.04	43,43,43,43	0
57	MG	2A	3363	1/1	0.98	0.07	60,60,60,60	0
57	MG	1A	3898	1/1	0.98	0.04	65,65,65,65	0
57	MG	1A	3959	1/1	0.98	0.05	35,35,35,35	0
57	MG	1A	3054	1/1	0.98	0.08	49,49,49,49	0
57	MG	1Q	202	1/1	0.98	0.08	40,40,40,40	0
60	ZN	2Y	202	1/1	0.98	0.05	111,111,111,111	0
57	MG	1A	3750	1/1	0.98	0.05	46,46,46,46	0
57	MG	1A	3368	1/1	0.98	0.05	48,48,48,48	0
61	SF4	1d	306	8/8	0.98	0.05	73,76,85,90	0
61	SF4	2d	501	8/8	0.98	0.05	79,92,94,98	0
57	MG	1A	3824	1/1	0.99	0.03	35,35,35,35	0
57	MG	1A	3466	1/1	0.99	0.03	38,38,38,38	0
57	MG	1A	3977	1/1	0.99	0.04	55,55,55,55	0
57	MG	1A	3800	1/1	0.99	0.04	51,51,51,51	0
57	MG	1A	3136	1/1	0.99	0.07	36,36,36,36	0
57	MG	1A	3530	1/1	0.99	0.04	61,61,61,61	0
57	MG	1A	3498	1/1	0.99	0.06	63,63,63,63	0
57	MG	1A	3736	1/1	0.99	0.03	36,36,36,36	0
57	MG	1A	3015	1/1	0.99	0.05	50,50,50,50	0
57	MG	1A	3533	1/1	0.99	0.06	37,37,37,37	0
57	MG	2A	3560	1/1	0.99	0.05	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3422	1/1	0.99	0.11	43,43,43,43	0
57	MG	1A	3116	1/1	0.99	0.04	38,38,38,38	0
57	MG	2A	3563	1/1	0.99	0.03	59,59,59,59	0
57	MG	1A	3222	1/1	0.99	0.02	43,43,43,43	0
57	MG	1B	217	1/1	0.99	0.03	54,54,54,54	0
57	MG	1A	3923	1/1	0.99	0.04	34,34,34,34	0
57	MG	1A	3425	1/1	0.99	0.06	39,39,39,39	0
57	MG	2A	3610	1/1	0.99	0.08	50,50,50,50	0
57	MG	1A	3474	1/1	0.99	0.05	34,34,34,34	0
57	MG	1A	3788	1/1	0.99	0.09	38,38,38,38	0
57	MG	2a	3132	1/1	0.99	0.10	82,82,82,82	0
57	MG	1A	3044	1/1	0.99	0.06	37,37,37,37	0
57	MG	2a	3134	1/1	0.99	0.05	60,60,60,60	0
57	MG	1A	3598	1/1	0.99	0.08	49,49,49,49	0
57	MG	1A	3272	1/1	0.99	0.05	65,65,65,65	0
57	MG	1A	3450	1/1	0.99	0.07	33,33,33,33	0
57	MG	1A	3168	1/1	0.99	0.10	46,46,46,46	0
57	MG	1A	3870	1/1	0.99	0.06	36,36,36,36	0
57	MG	1A	3509	1/1	0.99	0.04	61,61,61,61	0
57	MG	1A	3872	1/1	0.99	0.05	56,56,56,56	0
57	MG	1a	1611	1/1	0.99	0.03	38,38,38,38	0
57	MG	1A	3544	1/1	0.99	0.08	32,32,32,32	0
57	MG	2A	3666	1/1	0.99	0.06	65,65,65,65	0
57	MG	1A	3874	1/1	0.99	0.09	53,53,53,53	0
57	MG	1A	3820	1/1	0.99	0.03	48,48,48,48	0
57	MG	1A	3418	1/1	0.99	0.08	35,35,35,35	0
57	MG	2a	3101	1/1	0.99	0.03	76,76,76,76	0
57	MG	2A	3626	1/1	0.99	0.05	67,67,67,67	0
57	MG	2A	3503	1/1	0.99	0.04	58,58,58,58	0
57	MG	1A	3877	1/1	0.99	0.04	63,63,63,63	0
60	ZN	1Y	501	1/1	0.99	0.02	76,76,76,76	0
57	MG	1A	3908	1/1	0.99	0.08	58,58,58,58	0
60	ZN	1n	103	1/1	0.99	0.03	80,80,80,80	0
57	MG	1A	3274	1/1	0.99	0.09	30,30,30,30	0
57	MG	1T	203	1/1	0.99	0.09	61,61,61,61	0
60	ZN	25	102	1/1	0.99	0.05	72,72,72,72	0
60	ZN	26	102	1/1	0.99	0.04	78,78,78,78	0
60	ZN	29	501	1/1	0.99	0.03	77,77,77,77	0
57	MG	1a	1836	1/1	0.99	0.04	62,62,62,62	0
57	MG	1A	3667	1/1	0.99	0.02	65,65,65,65	0
57	MG	2A	3432	1/1	0.99	0.08	50,50,50,50	0
60	ZN	16	501	1/1	1.00	0.06	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
60	ZN	19	103	1/1	1.00	0.05	59,59,59,59	0
57	MG	2A	3401	1/1	1.00	0.03	50,50,50,50	0
57	MG	2A	3498	1/1	1.00	0.05	44,44,44,44	0
57	MG	2A	3576	1/1	1.00	0.03	47,47,47,47	0
57	MG	1A	3473	1/1	1.00	0.09	37,37,37,37	0
57	MG	1A	3706	1/1	1.00	0.02	56,56,56,56	0
57	MG	1A	3492	1/1	1.00	0.04	39,39,39,39	0
57	MG	1A	3631	1/1	1.00	0.08	44,44,44,44	0
57	MG	1A	3547	1/1	1.00	0.05	37,37,37,37	0
60	ZN	15	108	1/1	1.00	0.03	60,60,60,60	0

6.5 Other polymers [i](#)

There are no such residues in this entry.