



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 09:39 PM EDT

PDB ID : 3UCP / pdb_00003ucp
Title : Outer membrane Endecaheme cytochrome UndA from Shewanella sp. HRCR-6
Authors : Edwards, M.J.; Clarke, T.A.
Deposited on : 2011-10-27
Resolution : 1.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	874	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HEC	A	901	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HEC	A	902	X	-	-	-
2	HEC	A	903	X	-	-	-
2	HEC	A	904	X	-	-	-
2	HEC	A	905	X	-	-	-
2	HEC	A	906	X	-	-	-
2	HEC	A	907	X	-	-	-
2	HEC	A	908	X	-	-	-
2	HEC	A	909	X	-	-	-
2	HEC	A	910	X	-	-	-
2	HEC	A	911	X	-	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7814 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UndA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	800	5990	3720	1030	1205	35	0	11	0

There are 58 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	expression tag	UNP F8UWD6
A	1	SER	-	expression tag	UNP F8UWD6
A	2	LYS	-	expression tag	UNP F8UWD6
A	3	LYS	-	expression tag	UNP F8UWD6
A	4	LEU	-	expression tag	UNP F8UWD6
A	5	LEU	-	expression tag	UNP F8UWD6
A	6	SER	-	expression tag	UNP F8UWD6
A	7	VAL	-	expression tag	UNP F8UWD6
A	8	LEU	-	expression tag	UNP F8UWD6
A	9	PHE	-	expression tag	UNP F8UWD6
A	10	GLY	-	expression tag	UNP F8UWD6
A	11	ALA	-	expression tag	UNP F8UWD6
A	12	SER	-	expression tag	UNP F8UWD6
A	13	LEU	-	expression tag	UNP F8UWD6
A	14	ALA	-	expression tag	UNP F8UWD6
A	15	ALA	-	expression tag	UNP F8UWD6
A	16	LEU	-	expression tag	UNP F8UWD6
A	17	ALA	-	expression tag	UNP F8UWD6
A	18	LEU	-	expression tag	UNP F8UWD6
A	19	SER	-	expression tag	UNP F8UWD6
A	20	PRO	-	expression tag	UNP F8UWD6
A	21	THR	-	expression tag	UNP F8UWD6
A	22	ALA	-	expression tag	UNP F8UWD6
A	23	PHE	-	expression tag	UNP F8UWD6
A	24	ALA	-	expression tag	UNP F8UWD6
A	25	ALA	-	expression tag	UNP F8UWD6
A	26	ASP	-	expression tag	UNP F8UWD6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	GLN	-	expression tag	UNP F8UWD6
A	844	LYS	-	expression tag	UNP F8UWD6
A	845	GLY	-	expression tag	UNP F8UWD6
A	846	GLU	-	expression tag	UNP F8UWD6
A	847	LEU	-	expression tag	UNP F8UWD6
A	848	LYS	-	expression tag	UNP F8UWD6
A	849	LEU	-	expression tag	UNP F8UWD6
A	850	GLU	-	expression tag	UNP F8UWD6
A	851	GLY	-	expression tag	UNP F8UWD6
A	852	LYS	-	expression tag	UNP F8UWD6
A	853	PRO	-	expression tag	UNP F8UWD6
A	854	ILE	-	expression tag	UNP F8UWD6
A	855	PRO	-	expression tag	UNP F8UWD6
A	856	ASN	-	expression tag	UNP F8UWD6
A	857	PRO	-	expression tag	UNP F8UWD6
A	858	LEU	-	expression tag	UNP F8UWD6
A	859	LEU	-	expression tag	UNP F8UWD6
A	860	GLY	-	expression tag	UNP F8UWD6
A	861	LEU	-	expression tag	UNP F8UWD6
A	862	ASP	-	expression tag	UNP F8UWD6
A	863	SER	-	expression tag	UNP F8UWD6
A	864	THR	-	expression tag	UNP F8UWD6
A	865	ARG	-	expression tag	UNP F8UWD6
A	866	THR	-	expression tag	UNP F8UWD6
A	867	GLY	-	expression tag	UNP F8UWD6
A	868	HIS	-	expression tag	UNP F8UWD6
A	869	HIS	-	expression tag	UNP F8UWD6
A	870	HIS	-	expression tag	UNP F8UWD6
A	871	HIS	-	expression tag	UNP F8UWD6
A	872	HIS	-	expression tag	UNP F8UWD6
A	873	HIS	-	expression tag	UNP F8UWD6

- Molecule 2 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{36}FeN_4O_4$).

[illegible]


- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Ca 1 1	0	0

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Mg	0	0
			2	2		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1318	Total	O	0	0
			1318	1318		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: UndA



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	69.64Å 106.09Å 151.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.91 – 1.76 40.91 – 1.76	Depositor EDS
% Data completeness (in resolution range)	99.6 (40.91-1.76) 99.6 (40.91-1.76)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.68 (at 1.76Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.144 , 0.177 0.165 , 0.192	Depositor DCC
R_{free} test set	5538 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	16.9	Xtriage
Anisotropy	0.020	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 36.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7814	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GOL, CA, HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.83	0/6151	0.84	1/8368 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	548	VAL	CB-CA-C	-7.89	101.49	112.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5990	0	5782	45	0
2	A	473	0	331	11	0
3	A	1	0	0	0	0
4	A	2	0	0	0	0
5	A	30	0	40	5	0
6	A	1318	0	0	17	1
All	All	7814	0	6153	48	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (48) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:286:CYS:SG	2:A:902:HEC:CAC	2.03	1.45
1:A:826:CYS:SG	2:A:911:HEC:CAC	2.14	1.34
1:A:346:LYS:HD2	6:A:1403:HOH:O	1.57	1.02
1:A:826:CYS:SG	2:A:911:HEC:HAC	1.94	1.01
1:A:794:THR:HG23	6:A:1242:HOH:O	1.60	1.00
1:A:730[A]:ASP:OD1	6:A:1301:HOH:O	1.83	0.97
1:A:86:GLN:HG2	6:A:1272:HOH:O	1.67	0.93
5:A:917:GOL:H11	6:A:1405:HOH:O	1.77	0.82
1:A:286:CYS:SG	2:A:902:HEC:CBC	2.78	0.71
1:A:286:CYS:SG	2:A:902:HEC:C3C	2.78	0.70
1:A:826:CYS:SG	2:A:911:HEC:C3C	2.80	0.69
1:A:794:THR:CG2	6:A:1242:HOH:O	2.28	0.66
1:A:826:CYS:HG	2:A:911:HEC:HAC	1.61	0.62
1:A:160:ASN:OD1	5:A:918:GOL:H32	2.00	0.61
1:A:163[A]:SER:OG	5:A:918:GOL:H31	2.02	0.59
1:A:346:LYS:CD	6:A:1403:HOH:O	2.31	0.58
1:A:163[A]:SER:HB2	5:A:918:GOL:HO3	1.69	0.56
1:A:768:LYS:HG3	6:A:1280:HOH:O	2.07	0.55
1:A:757:LYS:HE2	6:A:1278:HOH:O	2.08	0.53
1:A:346:LYS:CE	6:A:1403:HOH:O	2.58	0.52
1:A:659:GLU:OE2	1:A:660[B]:LYS:HE3	2.10	0.52
1:A:524[B]:THR:HG23	1:A:706:ALA:CB	2.40	0.51
1:A:524[B]:THR:HG21	6:A:2033:HOH:O	2.11	0.50
1:A:75:ASN:C	1:A:75:ASN:HD22	2.19	0.50
1:A:160:ASN:CG	6:A:2002:HOH:O	2.54	0.49
1:A:62:ILE:HG12	1:A:67:VAL:HG22	1.94	0.49
2:A:910:HEC:HBA1	2:A:910:HEC:CMA	2.45	0.47
1:A:401:GLU:OE1	6:A:2260:HOH:O	2.20	0.47
1:A:617:ASN:OD1	1:A:619:GLU:HG2	2.15	0.47
1:A:473:GLU:OE2	6:A:2297:HOH:O	2.21	0.45
1:A:548:VAL:HG13	1:A:554:LEU:HG	1.98	0.45
1:A:524[B]:THR:CG2	6:A:2033:HOH:O	2.64	0.45
1:A:286:CYS:CB	2:A:902:HEC:CAC	2.93	0.45
1:A:524[B]:THR:HG23	1:A:706:ALA:HB3	2.01	0.43
1:A:524[B]:THR:CG2	1:A:706:ALA:CB	2.96	0.43
1:A:75:ASN:C	1:A:75:ASN:ND2	2.76	0.42
1:A:401:GLU:H	1:A:401:GLU:CD	2.27	0.42
1:A:524[B]:THR:HG23	1:A:706:ALA:HB2	2.01	0.42
1:A:296:THR:HG21	1:A:316:MET:HA	2.02	0.42
1:A:346:LYS:NZ	6:A:1403:HOH:O	2.38	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:524[B]:THR:CG2	1:A:706:ALA:HB3	2.49	0.42
5:A:916:GOL:H11	6:A:2157:HOH:O	2.18	0.41
1:A:744:PHE:CE1	2:A:906:HEC:HBC2	2.56	0.41
1:A:150:LYS:HD3	1:A:398:ASP:CG	2.46	0.41
1:A:516:THR:HA	1:A:539:ASN:O	2.21	0.41
1:A:143:ASN:HA	1:A:144:PRO:HD3	1.93	0.40
1:A:667:HIS:CD2	2:A:908:HEC:ND	2.89	0.40
1:A:418:TYR:CE1	1:A:423:ALA:HA	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:1417:HOH:O	6:A:2274:HOH:O[4_555]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	809/874 (93%)	783 (97%)	26 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	655/700 (94%)	638 (97%)	17 (3%)	40	20

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	ASN
1	A	75	ASN
1	A	95	LEU
1	A	148	GLU
1	A	173	VAL
1	A	183	GLN
1	A	222	VAL
1	A	268	LYS
1	A	346	LYS
1	A	370	LYS
1	A	401	GLU
1	A	407	GLU
1	A	433	VAL
1	A	548	VAL
1	A	581	TYR
1	A	794	THR
1	A	818	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	ASN
1	A	89	GLN
1	A	362	GLN
1	A	380	HIS
1	A	437	HIS
1	A	441	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 3 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEC	A	905	1	50,50,50	1.74	10 (20%)	68,82,82	1.35	7 (10%)
5	GOL	A	919	-	5,5,5	0.52	0	5,5,5	0.76	0
2	HEC	A	906	1	50,50,50	1.46	6 (12%)	68,82,82	1.61	15 (22%)
2	HEC	A	909	1	50,50,50	1.64	8 (16%)	68,82,82	1.65	16 (23%)
2	HEC	A	902	3,1	50,50,50	1.55	8 (16%)	68,82,82	1.44	7 (10%)
2	HEC	A	907	1	50,50,50	1.55	7 (14%)	68,82,82	1.41	12 (17%)
5	GOL	A	917	-	5,5,5	0.54	0	5,5,5	0.56	0
5	GOL	A	916	-	5,5,5	0.48	0	5,5,5	0.46	0
2	HEC	A	904	1	50,50,50	1.54	7 (14%)	68,82,82	1.50	12 (17%)
2	HEC	A	903	1	50,50,50	1.71	9 (18%)	68,82,82	1.56	14 (20%)
2	HEC	A	911	1	50,50,50	1.67	7 (14%)	68,82,82	1.44	10 (14%)
5	GOL	A	918	-	5,5,5	0.50	0	5,5,5	0.46	0
2	HEC	A	910	1	50,50,50	1.73	8 (16%)	68,82,82	1.60	16 (23%)
2	HEC	A	901	1	50,50,50	1.61	8 (16%)	68,82,82	1.36	12 (17%)
2	HEC	A	908	4,1	50,50,50	1.53	8 (16%)	68,82,82	1.41	12 (17%)
5	GOL	A	915	-	5,5,5	0.31	0	5,5,5	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	A	905	1	1/1/3/7	6/14/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	919	-	-	2/4/4/4	-
2	HEC	A	906	1	1/1/3/7	5/14/54/54	-
2	HEC	A	909	1	1/1/3/7	6/14/54/54	-
2	HEC	A	902	3,1	1/1/3/7	6/14/54/54	-
2	HEC	A	907	1	1/1/3/7	7/14/54/54	-
5	GOL	A	917	-	-	0/4/4/4	-
5	GOL	A	916	-	-	2/4/4/4	-
2	HEC	A	904	1	1/1/3/7	5/14/54/54	-
2	HEC	A	903	1	1/1/3/7	6/14/54/54	-
2	HEC	A	911	1	1/1/3/7	6/14/54/54	-
5	GOL	A	918	-	-	2/4/4/4	-
2	HEC	A	910	1	1/1/3/7	10/14/54/54	-
2	HEC	A	901	1	1/1/3/7	7/14/54/54	-
2	HEC	A	908	4,1	1/1/3/7	7/14/54/54	-
5	GOL	A	915	-	-	4/4/4/4	-

All (86) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	911	HEC	C3D-C2D	7.35	1.52	1.36
2	A	905	HEC	C3D-C2D	7.35	1.52	1.36
2	A	910	HEC	C3D-C2D	7.08	1.52	1.36
2	A	903	HEC	C3D-C2D	6.62	1.51	1.36
2	A	901	HEC	C3D-C2D	6.52	1.50	1.36
2	A	909	HEC	C3D-C2D	6.47	1.50	1.36
2	A	902	HEC	C3D-C2D	6.34	1.50	1.36
2	A	907	HEC	C3D-C2D	5.77	1.49	1.36
2	A	904	HEC	C3D-C2D	5.74	1.49	1.36
2	A	906	HEC	C3D-C2D	5.35	1.48	1.36
2	A	908	HEC	C3D-C2D	4.93	1.47	1.36
2	A	910	HEC	FE-NC	4.02	2.08	1.95
2	A	911	HEC	FE-ND	3.83	2.06	1.94
2	A	905	HEC	FE-NA	3.77	2.07	1.95
2	A	902	HEC	FE-ND	3.69	2.06	1.94
2	A	910	HEC	FE-NA	3.68	2.07	1.95
2	A	909	HEC	FE-ND	3.47	2.05	1.94
2	A	903	HEC	FE-NA	3.46	2.06	1.95
2	A	909	HEC	FE-NB	3.45	2.05	1.94
2	A	904	HEC	FE-NC	3.43	2.06	1.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	903	HEC	FE-NB	3.41	2.05	1.94
2	A	905	HEC	FE-ND	3.34	2.05	1.94
2	A	901	HEC	FE-NC	3.26	2.05	1.95
2	A	904	HEC	FE-ND	3.24	2.04	1.94
2	A	903	HEC	FE-ND	3.20	2.04	1.94
2	A	901	HEC	CMB-C2B	3.13	1.57	1.50
2	A	908	HEC	CMC-C2C	3.05	1.57	1.50
2	A	904	HEC	FE-NB	3.01	2.04	1.94
2	A	908	HEC	FE-NA	2.99	2.05	1.95
2	A	902	HEC	FE-NB	2.99	2.04	1.94
2	A	906	HEC	CMA-C3A	2.93	1.56	1.50
2	A	909	HEC	CMB-C2B	2.91	1.56	1.50
2	A	903	HEC	FE-NC	2.87	2.04	1.95
2	A	907	HEC	FE-NA	2.83	2.04	1.95
2	A	906	HEC	FE-NB	2.82	2.03	1.94
2	A	909	HEC	CMD-C2D	2.81	1.56	1.50
2	A	911	HEC	FE-NC	2.77	2.04	1.95
2	A	902	HEC	CMD-C2D	2.77	1.56	1.50
2	A	910	HEC	CMC-C2C	2.76	1.56	1.50
2	A	908	HEC	FE-ND	2.71	2.03	1.94
2	A	911	HEC	CMB-C2B	2.71	1.56	1.50
2	A	907	HEC	CMA-C3A	2.70	1.56	1.50
2	A	911	HEC	FE-NB	2.69	2.03	1.94
2	A	907	HEC	CMC-C2C	2.66	1.56	1.50
2	A	911	HEC	CMA-C3A	2.65	1.56	1.50
2	A	908	HEC	FE-NC	2.63	2.03	1.95
2	A	906	HEC	CMC-C2C	2.63	1.56	1.50
2	A	906	HEC	FE-ND	2.62	2.03	1.94
2	A	907	HEC	FE-NC	2.60	2.03	1.95
2	A	905	HEC	CMD-C2D	2.59	1.56	1.50
2	A	911	HEC	CMD-C2D	2.58	1.56	1.50
2	A	905	HEC	CMB-C2B	2.57	1.56	1.50
2	A	909	HEC	CMC-C2C	2.55	1.56	1.50
2	A	905	HEC	FE-NC	2.51	2.03	1.95
2	A	901	HEC	FE-NA	2.50	2.03	1.95
2	A	908	HEC	FE-NB	2.41	2.02	1.94
2	A	901	HEC	CAC-C3C	2.40	1.57	1.51
2	A	909	HEC	FE-NA	2.39	2.03	1.95
2	A	904	HEC	CMB-C2B	2.38	1.55	1.50
2	A	905	HEC	FE-NB	2.37	2.02	1.94
2	A	902	HEC	FE-NA	2.36	2.02	1.95
2	A	907	HEC	CMD-C2D	2.33	1.55	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	908	HEC	CMB-C2B	2.31	1.55	1.50
2	A	905	HEC	CMA-C3A	2.30	1.55	1.50
2	A	909	HEC	FE-NC	2.24	2.02	1.95
2	A	906	HEC	CMD-C2D	2.23	1.55	1.50
2	A	905	HEC	CAC-C3C	2.21	1.56	1.51
2	A	902	HEC	CAC-C3C	2.19	1.56	1.51
2	A	902	HEC	CMA-C3A	2.18	1.55	1.50
2	A	903	HEC	CAB-C3B	2.18	1.56	1.51
2	A	901	HEC	CMA-C3A	2.16	1.55	1.50
2	A	907	HEC	CMB-C2B	2.15	1.55	1.50
2	A	910	HEC	CAB-C3B	2.12	1.56	1.51
2	A	901	HEC	CMD-C2D	2.11	1.55	1.50
2	A	910	HEC	CMA-C3A	2.08	1.55	1.50
2	A	903	HEC	CBA-CGA	2.08	1.55	1.50
2	A	910	HEC	FE-ND	2.08	2.01	1.94
2	A	908	HEC	CMA-C3A	2.05	1.55	1.50
2	A	903	HEC	CMB-C2B	2.05	1.55	1.50
2	A	904	HEC	CMD-C2D	2.04	1.54	1.50
2	A	903	HEC	CMC-C2C	2.02	1.54	1.50
2	A	902	HEC	CMB-C2B	2.02	1.54	1.50
2	A	901	HEC	C1C-NC	-2.02	1.35	1.39
2	A	910	HEC	CMB-C2B	2.02	1.54	1.50
2	A	905	HEC	CAD-C3D	2.02	1.56	1.51
2	A	904	HEC	CMA-C3A	2.01	1.54	1.50

All (133) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	911	HEC	C1D-ND-C4D	4.81	110.91	105.21
2	A	909	HEC	C1D-ND-C4D	4.61	110.66	105.21
2	A	904	HEC	C1D-ND-C4D	4.50	110.54	105.21
2	A	905	HEC	C1D-ND-C4D	4.49	110.52	105.21
2	A	902	HEC	C1D-ND-C4D	4.19	110.16	105.21
2	A	906	HEC	C1D-ND-C4D	4.11	110.08	105.21
2	A	909	HEC	CMC-C2C-C1C	-3.96	119.39	125.42
2	A	910	HEC	C2A-C1A-NA	-3.84	106.62	110.32
2	A	910	HEC	CHB-C4A-NA	3.77	128.55	124.45
2	A	903	HEC	CAD-CBD-CGD	-3.65	104.00	113.67
2	A	903	HEC	C1D-ND-C4D	3.59	109.45	105.21
2	A	906	HEC	CHA-C1A-NA	3.55	128.32	124.45
2	A	902	HEC	CAB-C3B-C4B	-3.51	120.22	124.79
2	A	903	HEC	CHA-C1A-NA	3.43	128.19	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	907	HEC	CMD-C2D-C1D	3.42	130.38	125.03
2	A	907	HEC	CMC-C2C-C1C	-3.41	120.23	125.42
2	A	906	HEC	CHD-C1D-ND	3.40	128.57	124.37
2	A	902	HEC	CMD-C2D-C1D	3.34	130.26	125.03
2	A	903	HEC	C2A-C1A-NA	-3.30	107.14	110.32
2	A	909	HEC	CBA-CAA-C2A	-3.23	103.61	112.53
2	A	904	HEC	CMD-C2D-C1D	3.21	130.04	125.03
2	A	907	HEC	CMC-C2C-C3C	3.20	132.42	125.62
2	A	908	HEC	C1D-ND-C4D	3.18	108.98	105.21
2	A	906	HEC	O2D-CGD-CBD	3.16	123.97	114.00
2	A	904	HEC	C4B-NB-C1B	3.15	108.94	105.21
2	A	910	HEC	C3C-C4C-NC	-3.14	106.66	110.15
2	A	904	HEC	CHD-C1D-ND	3.11	128.22	124.37
2	A	910	HEC	CAD-C3D-C4D	3.06	130.02	124.70
2	A	910	HEC	C4A-NA-C1A	3.04	110.78	105.82
2	A	911	HEC	CMC-C2C-C1C	-3.02	120.83	125.42
2	A	906	HEC	CHA-C4D-ND	2.98	127.63	124.42
2	A	901	HEC	CMC-C2C-C1C	-2.85	121.08	125.42
2	A	910	HEC	C4C-NC-C1C	2.84	110.45	105.82
2	A	909	HEC	C3B-C4B-NB	-2.82	107.08	110.17
2	A	910	HEC	CBA-CAA-C2A	-2.81	104.76	112.53
2	A	911	HEC	C4B-NB-C1B	2.81	108.53	105.21
2	A	910	HEC	CAA-CBA-CGA	-2.79	106.25	113.67
2	A	909	HEC	CHB-C4A-NA	2.77	127.46	124.45
2	A	906	HEC	CHB-C4A-NA	2.74	127.44	124.45
2	A	901	HEC	CBA-CAA-C2A	-2.73	104.98	112.53
2	A	906	HEC	CHB-C1B-NB	2.72	127.35	124.42
2	A	901	HEC	CMC-C2C-C3C	2.71	131.37	125.62
2	A	910	HEC	C1D-ND-C4D	2.70	108.41	105.21
2	A	903	HEC	CMC-C2C-C1C	-2.70	121.31	125.42
2	A	904	HEC	C3B-C4B-NB	-2.69	107.22	110.17
2	A	909	HEC	CHB-C1B-NB	2.69	127.31	124.42
2	A	909	HEC	CMC-C2C-C3C	2.69	131.32	125.62
2	A	902	HEC	CAB-C3B-C2B	2.66	132.44	127.56
2	A	911	HEC	CBA-CAA-C2A	-2.66	105.18	112.53
2	A	903	HEC	CAC-C3C-C4C	-2.62	121.30	124.91
2	A	907	HEC	CHA-C1A-NA	2.61	127.30	124.45
2	A	909	HEC	C4B-NB-C1B	2.61	108.30	105.21
2	A	903	HEC	C3C-C4C-NC	-2.60	107.26	110.15
2	A	908	HEC	CHD-C4C-NC	2.59	128.55	123.86
2	A	904	HEC	CAC-C3C-C2C	2.58	130.97	126.89
2	A	904	HEC	CHB-C1B-NB	2.57	127.19	124.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	901	HEC	C1D-ND-C4D	2.57	108.25	105.21
2	A	903	HEC	C1D-C2D-C3D	-2.57	104.28	106.98
2	A	901	HEC	CHC-C4B-NB	2.55	127.52	124.37
2	A	908	HEC	CHC-C4B-NB	2.55	127.52	124.37
2	A	908	HEC	O2D-CGD-CBD	2.54	122.02	114.00
2	A	909	HEC	CHD-C1D-ND	2.54	127.51	124.37
2	A	902	HEC	CAD-C3D-C4D	2.54	129.12	124.70
2	A	903	HEC	C4C-NC-C1C	2.53	109.95	105.82
2	A	906	HEC	C4B-NB-C1B	2.51	108.19	105.21
2	A	905	HEC	C4B-NB-C1B	2.49	108.16	105.21
2	A	908	HEC	C3C-C4C-NC	-2.49	107.39	110.15
2	A	907	HEC	CAD-C3D-C4D	2.47	129.01	124.70
2	A	911	HEC	CHB-C1B-NB	2.47	127.08	124.42
2	A	907	HEC	O2D-CGD-CBD	2.46	121.76	114.00
2	A	907	HEC	C2A-C1A-NA	-2.44	107.97	110.32
2	A	905	HEC	CHB-C1B-NB	2.44	127.05	124.42
2	A	909	HEC	C3C-C4C-NC	-2.44	107.45	110.15
2	A	906	HEC	CMB-C2B-C1B	-2.43	121.24	125.03
2	A	903	HEC	CAC-C3C-C2C	2.42	130.72	126.89
2	A	901	HEC	CAC-C3C-C2C	2.42	130.71	126.89
2	A	906	HEC	CBD-CAD-C3D	-2.40	105.89	112.53
2	A	901	HEC	CAC-C3C-C4C	-2.40	121.61	124.91
2	A	905	HEC	CHD-C1D-ND	2.38	127.31	124.37
2	A	904	HEC	CBD-CAD-C3D	-2.34	106.05	112.53
2	A	905	HEC	CAB-C3B-C4B	-2.34	121.74	124.79
2	A	908	HEC	O1D-CGD-CBD	-2.33	115.71	123.09
2	A	904	HEC	CHC-C4B-NB	2.31	127.23	124.37
2	A	908	HEC	C2A-C1A-NA	-2.31	108.09	110.32
2	A	909	HEC	CMB-C2B-C1B	-2.31	121.43	125.03
2	A	910	HEC	CAD-CBD-CGD	-2.30	107.56	113.67
2	A	903	HEC	CHB-C4A-NA	2.30	126.95	124.45
2	A	901	HEC	CBD-CAD-C3D	-2.29	106.21	112.53
2	A	911	HEC	C3B-C4B-NB	-2.26	107.70	110.17
2	A	902	HEC	CMC-C2C-C3C	2.26	130.41	125.62
2	A	909	HEC	CHA-C1A-NA	2.25	126.90	124.45
2	A	908	HEC	CHD-C1D-ND	2.22	127.12	124.37
2	A	910	HEC	CHA-C1A-NA	2.22	126.87	124.45
2	A	901	HEC	CHB-C4A-NA	2.20	126.85	124.45
2	A	910	HEC	CBD-CAD-C3D	-2.20	106.45	112.53
2	A	907	HEC	CHB-C1B-NB	2.20	126.79	124.42
2	A	910	HEC	CHC-C1C-NC	2.18	127.81	123.86
2	A	906	HEC	CAC-C3C-C4C	-2.18	121.92	124.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	906	HEC	C2A-C1A-NA	-2.18	108.22	110.32
2	A	910	HEC	C2C-C1C-NC	-2.17	106.66	110.14
2	A	904	HEC	CHB-C4A-NA	2.16	126.81	124.45
2	A	906	HEC	CAB-C3B-C4B	-2.16	121.98	124.79
2	A	911	HEC	CAC-C3C-C4C	-2.16	121.95	124.91
2	A	908	HEC	CAC-C3C-C4C	-2.15	121.95	124.91
2	A	909	HEC	CAD-C3D-C4D	2.15	128.44	124.70
2	A	911	HEC	CAC-C3C-C2C	2.15	130.29	126.89
2	A	901	HEC	CMD-C2D-C1D	2.14	128.37	125.03
2	A	903	HEC	C4B-NB-C1B	2.13	107.72	105.21
2	A	909	HEC	CHC-C1C-NC	2.12	127.70	123.86
2	A	910	HEC	O1D-CGD-CBD	-2.12	116.37	123.09
2	A	907	HEC	C4A-NA-C1A	2.12	109.28	105.82
2	A	911	HEC	CMC-C2C-C3C	2.12	130.11	125.62
2	A	903	HEC	C2C-C1C-NC	-2.09	106.79	110.14
2	A	909	HEC	C2A-C1A-NA	-2.09	108.31	110.32
2	A	905	HEC	C3B-C4B-NB	-2.08	107.89	110.17
2	A	909	HEC	CBB-CAB-C3B	-2.08	106.78	112.42
2	A	908	HEC	CHA-C4D-ND	2.07	126.65	124.42
2	A	907	HEC	CHC-C1C-NC	2.06	127.60	123.86
2	A	907	HEC	O1D-CGD-CBD	-2.05	116.59	123.09
2	A	907	HEC	C1D-C2D-C3D	-2.05	104.83	106.98
2	A	901	HEC	C3C-C4C-NC	-2.04	107.89	110.15
2	A	903	HEC	CHC-C1C-NC	2.03	127.54	123.86
2	A	906	HEC	CAA-CBA-CGA	-2.03	108.28	113.67
2	A	911	HEC	C3C-C4C-NC	-2.03	107.90	110.15
2	A	904	HEC	CHA-C1A-NA	2.02	126.66	124.45
2	A	905	HEC	O2A-CGA-CBA	2.02	120.37	114.00
2	A	908	HEC	C1D-C2D-C3D	-2.01	104.86	106.98
2	A	901	HEC	CHA-C4D-ND	2.01	126.59	124.42
2	A	908	HEC	CAD-C3D-C4D	2.01	128.20	124.70
2	A	910	HEC	CAC-C3C-C4C	-2.01	122.15	124.91
2	A	906	HEC	CMC-C2C-C3C	2.01	129.88	125.62
2	A	902	HEC	CBD-CAD-C3D	-2.01	106.98	112.53
2	A	904	HEC	CAD-C3D-C4D	2.00	128.18	124.70

All (11) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	901	HEC	NA
2	A	902	HEC	NA
2	A	903	HEC	NA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
2	A	904	HEC	NA
2	A	905	HEC	NA
2	A	906	HEC	NA
2	A	907	HEC	NA
2	A	908	HEC	NA
2	A	909	HEC	NA
2	A	910	HEC	NA
2	A	911	HEC	NA

All (81) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	908	HEC	C3A-C2A-CAA-CBA
5	A	915	GOL	O1-C1-C2-C3
5	A	915	GOL	O2-C2-C3-O3
2	A	902	HEC	C2C-C3C-CAC-CBC
2	A	911	HEC	C2C-C3C-CAC-CBC
2	A	902	HEC	C4C-C3C-CAC-CBC
2	A	910	HEC	C2B-C3B-CAB-CBB
2	A	904	HEC	C2C-C3C-CAC-CBC
2	A	903	HEC	C2B-C3B-CAB-CBB
2	A	908	HEC	C1A-C2A-CAA-CBA
2	A	902	HEC	C2B-C3B-CAB-CBB
2	A	905	HEC	C2B-C3B-CAB-CBB
2	A	903	HEC	C4C-C3C-CAC-CBC
2	A	906	HEC	C2B-C3B-CAB-CBB
2	A	908	HEC	C2B-C3B-CAB-CBB
2	A	901	HEC	C2C-C3C-CAC-CBC
2	A	903	HEC	C2C-C3C-CAC-CBC
2	A	911	HEC	C4C-C3C-CAC-CBC
2	A	901	HEC	C2B-C3B-CAB-CBB
2	A	907	HEC	C2B-C3B-CAB-CBB
2	A	904	HEC	C4C-C3C-CAC-CBC
2	A	910	HEC	C2C-C3C-CAC-CBC
2	A	911	HEC	C2B-C3B-CAB-CBB
2	A	910	HEC	C3A-C2A-CAA-CBA
2	A	902	HEC	C4B-C3B-CAB-CBB
2	A	906	HEC	C4C-C3C-CAC-CBC
2	A	908	HEC	C4C-C3C-CAC-CBC
2	A	903	HEC	C4B-C3B-CAB-CBB
2	A	910	HEC	C2A-CAA-CBA-CGA
5	A	915	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	916	GOL	C1-C2-C3-O3
5	A	918	GOL	C1-C2-C3-O3
5	A	919	GOL	C1-C2-C3-O3
2	A	910	HEC	C4C-C3C-CAC-CBC
2	A	909	HEC	C4C-C3C-CAC-CBC
2	A	901	HEC	C4C-C3C-CAC-CBC
2	A	905	HEC	C4C-C3C-CAC-CBC
5	A	915	GOL	O1-C1-C2-O2
5	A	918	GOL	O2-C2-C3-O3
2	A	907	HEC	C4B-C3B-CAB-CBB
2	A	909	HEC	C2C-C3C-CAC-CBC
2	A	910	HEC	C1A-C2A-CAA-CBA
2	A	910	HEC	C4B-C3B-CAB-CBB
5	A	916	GOL	O2-C2-C3-O3
2	A	907	HEC	C4C-C3C-CAC-CBC
2	A	909	HEC	C4B-C3B-CAB-CBB
2	A	905	HEC	C4B-C3B-CAB-CBB
2	A	905	HEC	C2C-C3C-CAC-CBC
2	A	908	HEC	C2C-C3C-CAC-CBC
2	A	901	HEC	C4B-C3B-CAB-CBB
5	A	919	GOL	O2-C2-C3-O3
2	A	906	HEC	C4B-C3B-CAB-CBB
2	A	909	HEC	C2B-C3B-CAB-CBB
2	A	907	HEC	C2C-C3C-CAC-CBC
2	A	904	HEC	C2B-C3B-CAB-CBB
2	A	908	HEC	C2D-C3D-CAD-CBD
2	A	908	HEC	C4B-C3B-CAB-CBB
2	A	911	HEC	C4B-C3B-CAB-CBB
2	A	910	HEC	CAA-CBA-CGA-O1A
2	A	911	HEC	CAA-CBA-CGA-O1A
2	A	911	HEC	CAA-CBA-CGA-O2A
2	A	905	HEC	CAA-CBA-CGA-O2A
2	A	902	HEC	CAA-CBA-CGA-O1A
2	A	905	HEC	CAA-CBA-CGA-O1A
2	A	910	HEC	CAA-CBA-CGA-O2A
2	A	901	HEC	CAD-CBD-CGD-O2D
2	A	902	HEC	CAA-CBA-CGA-O2A
2	A	904	HEC	CAD-CBD-CGD-O2D
2	A	903	HEC	CAD-CBD-CGD-O2D
2	A	906	HEC	C2C-C3C-CAC-CBC
2	A	907	HEC	C2A-CAA-CBA-CGA
2	A	901	HEC	CAD-CBD-CGD-O1D

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	909	HEC	CAA-CBA-CGA-O2A
2	A	904	HEC	CAD-CBD-CGD-O1D
2	A	906	HEC	CAA-CBA-CGA-O1A
2	A	907	HEC	CAA-CBA-CGA-O1A
2	A	901	HEC	CAA-CBA-CGA-O2A
2	A	909	HEC	CAA-CBA-CGA-O1A
2	A	907	HEC	CAA-CBA-CGA-O2A
2	A	910	HEC	CAD-CBD-CGD-O2D
2	A	903	HEC	CAA-CBA-CGA-O2A


There are no ring outliers.


8 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	906	HEC	1	0
2	A	902	HEC	4	0
5	A	917	GOL	1	0
5	A	916	GOL	1	0
2	A	911	HEC	4	0
5	A	918	GOL	3	0
2	A	910	HEC	1	0
2	A	908	HEC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























Ligand HEC A 910




Bond lengths




Bond angles




Torsions



Rings





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	800/874 (91%)	-0.25	9 (1%) 78 83	6, 19, 39, 58	11 (1%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	620	ALA	2.7
1	A	173	VAL	2.6
1	A	319	TYR	2.5
1	A	63	ASP	2.2
1	A	44	GLY	2.1
1	A	172	VAL	2.1
1	A	64	ASN	2.0
1	A	843	TYR	2.0
1	A	236	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	GOL	A	918	6/6	0.77	0.19	49,53,56,60	0
5	GOL	A	916	6/6	0.82	0.14	37,41,43,49	0
5	GOL	A	917	6/6	0.87	0.15	39,45,46,47	0
5	GOL	A	915	6/6	0.87	0.12	33,36,42,43	0
5	GOL	A	919	6/6	0.91	0.12	30,41,42,45	0
2	HEC	A	911	43/43	0.97	0.08	19,25,40,50	0
2	HEC	A	910	43/43	0.97	0.08	12,20,47,56	0
3	CA	A	912	1/1	0.98	0.04	20,20,20,20	0
2	HEC	A	902	43/43	0.98	0.07	13,16,24,34	0
2	HEC	A	905	43/43	0.98	0.07	14,18,24,26	0
2	HEC	A	904	43/43	0.99	0.05	9,13,18,24	0
2	HEC	A	901	43/43	0.99	0.06	8,12,27,32	0
4	MG	A	914	1/1	0.99	0.03	13,13,13,13	0
2	HEC	A	906	43/43	0.99	0.04	7,9,12,14	0
2	HEC	A	907	43/43	0.99	0.04	5,9,12,13	0
2	HEC	A	908	43/43	0.99	0.04	5,8,10,15	0
2	HEC	A	909	43/43	0.99	0.05	9,12,15,19	0
2	HEC	A	903	43/43	0.99	0.05	10,13,16,23	0
4	MG	A	913	1/1	1.00	0.03	10,10,10,10	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEC A 911:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 910:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEC A 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 905:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 904:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 906:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 907:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 908:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 909:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC A 903:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.