



wwPDB EM Validation Summary Report ⓘ

Jun 22, 2026 – 11:22 PM EDT

PDB ID : 4V73 / pdb_00004v73
EMDB ID : EMD-2473
Title : E. coli 70S-fMetVal-tRNAVal-tRNA^fMet complex in hybrid pre-translocation state (pre5a)
Authors : Blau, C.; Bock, L.V.; Schroder, G.F.; Davydov, I.; Fischer, N.; Stark, H.; Rodnina, M.V.; Vaiana, A.C.; Grubmuller, H.
Deposited on : 2013-10-14
Resolution : 15.00 Å (reported)
Based on initial models : 2HGP, 2K4C, 2WRI, 3I1O

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 15.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	37 (14.50 - 15.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AB	220	42% 97%
2	AC	208	41% 97%
3	AD	206	43% 95%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	AE	152	
5	AF	101	
6	AG	152	
7	AH	130	
8	AI	128	
9	AJ	100	
10	AK	118	
11	AL	124	
12	AM	115	
13	AN	101	
14	AO	89	
15	AP	81	
16	AQ	82	
17	AR	57	
18	AS	81	
19	AT	86	
20	AU	53	
21	AA	1533	
22	A1	76	
23	A2	15	
24	A3	77	
25	BC	273	
26	BD	209	
27	BE	201	
28	BF	179	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	BG	177	
30	BH	149	
31	BI	142	
32	BJ	142	
33	BK	123	
34	BL	144	
35	BM	136	
36	BN	121	
37	BO	117	
38	BP	115	
39	BQ	118	
40	BR	103	
41	BS	110	
42	BT	94	
43	BU	104	
44	BV	94	
45	BW	80	
46	BX	79	
47	BY	63	
48	BZ	59	
49	B0	57	
50	B1	52	
51	B2	46	
52	B3	65	
53	B4	38	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	BA	2903	11% 60% 33% 6%
55	BB	118	19% 67% 30%
56	B5	234	38% 94% 5%

2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 147653 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AB	220	Total	C	N	O	S	0	1
			1708	1083	306	312	7		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AB	7	ACE	-	acetylation	UNP P0A7V0
AB	226	NH2	-	amidation	UNP P0A7V0

- Molecule 2 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	AC	207	Total	C	N	O	S	0	1
			1625	1028	306	288	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AC	207	NH2	-	amidation	UNP P0A7V3

- Molecule 3 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AD	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 4 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	AE	152	Total	C	N	O	S	0	1
			1109	689	212	202	6		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AE	8	ACE	-	acetylation	UNP P0A7W1
AE	159	NH2	-	amidation	UNP P0A7W1

- Molecule 5 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AF	101	Total	C	N	O	S	0	1
			818	515	149	148	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AF	101	NH2	-	amidation	UNP P02358

- Molecule 6 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AG	152	Total	C	N	O	S	0	1
			1178	732	227	215	4		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AG	1	ACE	-	acetylation	UNP P02359
AG	152	NH2	-	amidation	UNP P02359

- Molecule 7 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AH	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 8 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AI	128	Total	C	N	O	S	0	0
			1025	636	206	180	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AI	2	ACE	-	acetylation	UNP P0A7X3

- Molecule 9 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AJ	100	Total	C	N	O	S	0	1
			790	495	151	143	1		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AJ	4	ACE	-	acetylation	UNP P0A7R5
AJ	103	NH2	-	amidation	UNP P0A7R5

- Molecule 10 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AK	118	Total	C	N	O	S	0	0
			880	542	174	161	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AK	11	ACE	-	acetylation	UNP P0A7R9

- Molecule 11 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AL	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 12 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AM	114	Total	C	N	O	S	0	1
			877	541	178	155	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AM	114	NH2	-	amidation	UNP P0A7S9

- Molecule 13 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AN	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 14 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AO	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 15 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AP	81	Total	C	N	O	S	0	1
			639	400	127	111	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AP	81	NH2	-	amidation	UNP P0A7T3

- Molecule 16 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AQ	82	Total	C	N	O	S	0	1
			652	413	122	114	3		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AQ	2	ACE	-	acetylation	UNP P0AG63
AQ	83	NH2	-	amidation	UNP P0AG63

- Molecule 17 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AR	57	Total	C	N	O		0	1
			459	290	87	82			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AR	18	ACE	-	acetylation	UNP P0A7T7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
AR	74	NH2	-	amidation	UNP P0A7T7

- Molecule 18 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AS	81	Total	C	N	O	S	0	1
			641	410	121	108	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AS	1	ACE	-	acetylation	UNP P0A7U3
AS	81	NH2	-	amidation	UNP P0A7U3

- Molecule 19 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AT	86	Total	C	N	O	S	0	0
			668	413	137	115	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AT	1	ACE	-	acetylation	UNP P0A7U7

- Molecule 20 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AU	53	Total	C	N	O	S	0	1
			429	267	87	74	1		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AU	2	ACE	-	acetylation	UNP P68679
AU	54	NH2	-	amidation	UNP P68679

- Molecule 21 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AA	1530	Total	C	N	O	P	0	0
			32828	14642	6024	10633	1529		

- Molecule 22 is a RNA chain called fMet-Val-tRNA-Val.

Mol	Chain	Residues	Atoms						AltConf	Trace
22	A1	76	Total	C	N	O	P	S	0	0
			1627	728	292	531	75	1		

- Molecule 23 is a RNA chain called 5'-R(*AP*CP*UP*AP*UP*GP*GP*UP*UP*UP*UP*UP*AP*UP*U)-3'.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	A2	15	Total	C	N	O	P	0	0
			309	140	46	109	14		

- Molecule 24 is a RNA chain called tRNA-fMet.

Mol	Chain	Residues	Atoms						AltConf	Trace
24	A3	77	Total	C	N	O	P	S	0	0
			1642	734	297	534	76	1		

- Molecule 25 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BC	272	Total	C	N	O	S	0	1
			2083	1288	424	364	7		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BC	272	NH2	-	amidation	UNP P60422

- Molecule 26 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BD	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 27 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BE	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 28 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BF	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 29 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BG	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 30 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BH	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 31 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BI	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 32 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BJ	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 33 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BK	123	Total	C	N	O	S	0	1
			939	587	181	165	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BK	123	NH2	-	amidation	UNP P0ADY3

- Molecule 34 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BL	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 35 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BM	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 36 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BN	121	Total	C	N	O	S	0	1
			961	593	197	166	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BN	121	NH2	-	amidation	UNP P0AG44

- Molecule 37 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BO	116	Total	C	N	O		0	0
			892	552	178	162			

- Molecule 38 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BP	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 39 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BQ	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 40 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BR	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 41 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BS	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 42 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BT	94	Total	C	N	O	S	0	1
			739	466	140	131	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BT	94	NH2	-	amidation	UNP P0ADZ0

- Molecule 43 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	BU	103	Total	C	N	O	0	1
			780	492	147	141		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BU	103	NH2	-	amidation	UNP P60624

- Molecule 44 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BV	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 45 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BW	80	Total	C	N	O	S	0	0
			599	369	120	109	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BW	5	ACE	-	acetylation	UNP P0A7L8

- Molecule 46 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BX	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BX	-1	ACE	-	acetylation	UNP P0A7M2

- Molecule 47 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BY	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 48 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BZ	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 49 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	B0	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 50 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
50	B1	52	Total	C	N	O	0	1
			413	265	76	72		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B1	2	ACE	-	acetylation	UNP P0A7N9
B1	53	NH2	-	amidation	UNP P0A7N9

- Molecule 51 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B2	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 52 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B3	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 53 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B4	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 54 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	BA	2903	Total	C	N	O	P	0	0
			62317	27801	11467	20147	2902		


- Molecule 55 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	BB	117	Total	C	N	O	P	0	0
			2504	1116	459	813	116		

- Molecule 56 is a protein called 50S ribosomal protein L1.


Mol	Chain	Residues	Atoms					AltConf	Trace
56	B5	223	Total	C	N	O	S	0	0
			1658	1038	302	312	6		

- Molecule 57 is VALINE (CCD ID: VAL) (formula: C₅H₁₁NO₂).



Mol	Chain	Residues	Atoms				AltConf
57	A1	1	Total	C	N	O	0
			7	5	1	1	

- Molecule 58 is N-FORMYLMETHIONINE (CCD ID: FME) (formula: C₆H₁₁NO₃S).




Mol	Chain	Residues	Atoms					AltConf
58	BA	1	Total	C	N	O	S	0
			10	6	1	2	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 30S ribosomal protein S2



- Molecule 2: 30S ribosomal protein S3




- Molecule 3: 30S ribosomal protein S4





- Molecule 4: 30S ribosomal protein S5








- Molecule 5: 30S ribosomal protein S6




- Molecule 6: 30S ribosomal protein S7



- Molecule 7: 30S ribosomal protein S8




- Molecule 8: 30S ribosomal protein S9





- Molecule 9: 30S ribosomal protein S10








- Molecule 10: 30S ribosomal protein S11




- Molecule 11: 30S ribosomal protein S12




- Molecule 12: 30S ribosomal protein S13




- Molecule 13: 30S ribosomal protein S14




- Molecule 14: 30S ribosomal protein S15




- Molecule 15: 30S ribosomal protein S16




- Molecule 16: 30S ribosomal protein S17




- Molecule 17: 30S ribosomal protein S18




- Molecule 18: 30S ribosomal protein S19



- Molecule 19: 30S ribosomal protein S20





- Molecule 20: 30S ribosomal protein S21



- Molecule 21: 16S ribosomal RNA








• Molecule 22: fMet-Val-tRNA-Val




• Molecule 23: 5'-R(*AP*CP*UP*AP*UP*GP*GP*UP*UP*UP*UP*UP*AP*UP*U)-3'




• Molecule 24: tRNA-fMet




• Molecule 25: 50S ribosomal protein L2







• Molecule 26: 50S ribosomal protein L3





• Molecule 27: 50S ribosomal protein L4



• Molecule 28: 50S ribosomal protein L5




• Molecule 29: 50S ribosomal protein L6






- Molecule 30: 50S ribosomal protein L9

Chain BH: 77% 99%




- Molecule 31: 50S ribosomal protein L11

Chain BI: 99% 96%




- Molecule 32: 50S ribosomal protein L13

Chain BJ: 39% 97%





- Molecule 33: 50S ribosomal protein L14


Chain BK: 46% 96%





• Molecule 34: 50S ribosomal protein L15




• Molecule 35: 50S ribosomal protein L16




• Molecule 36: 50S ribosomal protein L17




• Molecule 37: 50S ribosomal protein L18




• Molecule 38: 50S ribosomal protein L19




- Molecule 39: 50S ribosomal protein L20




- Molecule 40: 50S ribosomal protein L21



- Molecule 41: 50S ribosomal protein L22




- Molecule 42: 50S ribosomal protein L23




- Molecule 43: 50S ribosomal protein L24








- Molecule 44: 50S ribosomal protein L25




- Molecule 45: 50S ribosomal protein L27




- Molecule 46: 50S ribosomal protein L28




- Molecule 47: 50S ribosomal protein L29




- Molecule 48: 50S ribosomal protein L30




- Molecule 49: 50S ribosomal protein L32




- Molecule 50: 50S ribosomal protein L33




- Molecule 51: 50S ribosomal protein L34







- Molecule 52: 50S ribosomal protein L35




- Molecule 53: 50S ribosomal protein L36




- Molecule 54: 23S ribosomal RNA








A2657	U1648	G1733	U1820	A1916	G1988	G2069	G2152	G2224	C2313	C2416	U2491	U1648	A2657
A2660	G1651	G1734	A1821	U1917	G1989	U2076	C2153	A2225	A2314	C2417	U2492	G2569	A2660
A2662	A1654	A1735	G1824	A1918	U1993	A2080	A2154	G2237	G2315	A2418	U2493	G2570	A2662
G2663	A1655	U1736	G1828	U1923	C1996	G2083	G2155	G2238	U2321	G2421	C2496	A2572	G2663
C2666	C1656	G1738	A1829	U1925	C1997	G2084	G2156	G2239	U2320	G2422	A2497	C2498	C2666
C2667	U1657	U1738	G1830	U1926	C1997	C2084	G2157	U2240	U2324	U2423	C2498	C2499	C2667
G2668	G1658	A1744	G1831	A1927	C2001	U2085	A2158	A2241	G2325	A2424	U2500	U2500	G2668
G2669	G1659	G1748	G1832	A1928	G2002	C2089	G2159	U2242	G2330	U2243	C2501	U2501	G2669
G2673	A1668	A1749	C1833	U1931	A2003	C2089	A2163	U2244	G2333	U2245	G2502	C2502	G2673
C2681	A1669	C1752	U1834	U1932	U2007	U2092	C2164	U2245	U2333	A2430	A2503	A2503	U2670
A2682	C1670	G1753	G1842	G1933	A2009	A2094	C2165	U2249	U2334	U2431	U2504	U2504	G2681
C2683	U1671	A1757	G1845	A1936	C2008	A2094	U2166	U2257	U2335	A2432	G2505	G2505	C2683
U2684	G1672	U1758	G1846	A1937	A2009	A2094	U2167	C2257	A2336	A2433	G2509	G2509	U2684
U2685	G1673	U1759	G1847	A1938	C2008	A2094	C2168	C2259	G2337	A2434	C2510	C2510	U2685
U2686	G1674	C1760	A1848	U1939	U2017	A2097	A2169	C2261	C2338	G2437	U2511	U2511	U2686
G2688	C1675	U1761	G1849	U1940	U2017	U2098	A2170	C2262	C2339	U2438	C2512	C2512	U2688
G2595	A1678	C1763	G1860	C1941	A2020	U2099	A2172	C2266	C2342	U2439	A2513	A2513	G2595
A2600	A1679	G1763	G1861	U1942	C2021	U2100	C2174	A2266	C2346	U2441	U2514	U2514	U2689
C2601	G1680	U1765	G1862	U1943	U2022	G2103	C2177	A2267	C2347	U2442	C2517	C2517	A2600
A2602	G1681	C1771	G1867	U1944	C2023	C2104	C2178	A2268	U2348	C2442	A2518	A2518	C2601
U2604	G1682	A1772	A1784	U1945	G2024	C2105	C2179	A2269	U2349	C2443	U2519	U2519	A2602
U2605	G1687	C1772	A1784	U1946	C2025	U2106	C2180	G2270	C2353	G2444	C2520	C2520	G2603
C2606	U1692	A1773	C1774	G1950	U2026	U2107	U2181	G2271	C2357	G2447	U2521	U2521	U2604
G2607	C1694	C1774	U1779	U1951	U2027	U2108	A2183	C2272	C2357	A2448	U2522	U2522	U2605
C2608	G1695	A1780	A1780	U1952	U2028	G2109	A2184	C2276	C2362	U2449	U2523	U2523	C2606
U2609	G1696	U1781	C1780	U1953	U2029	U2111	U2185	C2277	C2367	A2450	G2524	G2524	G2607
C2610	G1697	U1782	C1782	U1954	U2030	U2112	U2186	C2278	C2367	A2451	C2529	C2529	U2608
G2612	A1698	U1782	C1782	U1955	A2031	U2113	U2187	C2279	C2367	C2452	U2530	U2530	U2609
U2613	G1699	A1784	U1882	U1956	U2032	U2114	U2187	C2282	C2375	C2453	A2531	A2531	C2610
A2614	A1700	C1788	U1883	U1957	U2033	U2115	U2187	C2283	C2380	G2455	A2534	A2534	G2612
U2615	A1705	C1789	G1884	U1958	U2034	U2116	U2191	C2286	A2381	U2460	U2535	U2535	U2613
C2616	C1706	C1790	A1885	U1959	U2041	U2117	U2192	A2287	G2382	A2461	U2536	U2536	A2614
U2617	C1707	C1800	G1885	U1967	C2042	U2118	G2193	A2288	G2383	C2462	C2539	C2539	U2615
C2730	C1708	C1800	G1885	U1967	C2043	U2119	U2194	G2289	U2384	C2463	C2540	C2540	C2616
G2731	U1709	A1802	C1893	U1970	C2044	U2120	U2195	G2293	C2385	C2464	A2542	A2542	U2622
C2732	U1712	A1802	C1893	U1971	C2045	U2121	U2196	G2294	C2386	C2465	G2543	G2543	G2623
A2734	U1713	A1805	C1893	U1972	C2046	U2122	U2197	C2295	C2389	C2466	U2547	U2547	G2624
G2735	U1715	C1806	G1903	G1973	C2055	U2123	U2198	C2296	U2390	C2467	U2548	U2548	C2627
A2736	U1716	C1807	G1904	G1974	G2057	U2124	U2199	C2297	G2391	A2468	G2549	G2549	C2628
U2739	A1717	A1808	G1905	U1978	A2058	U2125	U2202	C2300	A2392	A2469	C2550	C2550	U2629
G2747	G1723	A1809	G1906	U1979	C2059	U2126	U2203	C2301	U2402	U2473	G2551	G2551	U2637
A2750	G1724	A1810	G1907	U1979	C2060	U2127	C2206	G2304	U2406	U2474	U2552	U2552	U2637
G2751	C1727	A1811	C1908	G1980	A2061	U2128	A2211	G2304	A2406	C2475	U2555	U2555	G2640
C2755	G1728	U1812	C1909	G1981	A2062	U2129	A2212	U2305	U2406	A2476	U2556	U2556	G2640
U2756	G1729	G1814	U1911	U1982	C2063	U2130	A2213	C2306	A2411	U2477	U2557	U2557	G2644
	U1729	G1814	U1912	U1983	C2064	U2131	A2214	G2307	A2412	A2478	U2558	U2558	G2645
	C1731	G1816	U1913	U1984	C2065	U2132	A2215	G2308	A2413	U2479	U2559	U2559	G2646
	U1818	G1817	C1914	U1985	C2066	U2133	A2216	G2309	G2414	C2480	A2564	A2564	U2647
	C1732	U1819	U1915	C1986	G2067	U2134	A2217	G2310	G2415	G2487	A2565	A2565	U2656
				A1987	U2068	U2135	U2220	U2312		G2488	A2566	A2566	
						U2147	G2223	G2148		U2489			



• Molecule 55: 5S ribosomal RNA



• Molecule 56: 50S ribosomal protein L1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	4705	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	Not provided	
Microscope	FEI/PHILIPS CM200FEG	Depositor
Voltage (kV)	160	Depositor
Electron dose ($e^-/\text{\AA}^2$)	20	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	161000	Depositor
Image detector	GENERIC TVIPS (4k x 4k)	Depositor
Maximum map value	176.039	Depositor
Minimum map value	-108.322	Depositor
Average map value	-0.887	Depositor
Map value standard deviation	18.782	Depositor
Recommended contour level	25	Depositor
Map size ($\text{\AA}$)	358.4, 358.4, 358.4	wwPDB
Map dimensions	128, 128, 128	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	2.8, 2.8, 2.8	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 5MU, PSU, NH2, 7MG, CM0, H2U, OMC, 4SU, ACE, FME, 6MZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AB	0.95	0/1736	1.34	6/2340 (0.3%)
2	AC	0.95	0/1651	1.32	0/2225
3	AD	0.98	0/1665	1.40	6/2227 (0.3%)
4	AE	0.96	0/1119	1.44	8/1506 (0.5%)
5	AF	0.97	0/835	1.39	1/1128 (0.1%)
6	AG	0.98	0/1188	1.41	3/1593 (0.2%)
7	AH	0.95	0/989	1.33	2/1326 (0.2%)
8	AI	1.00	0/1035	1.47	4/1377 (0.3%)
9	AJ	0.99	0/797	1.34	0/1079
10	AK	1.01	0/894	1.44	3/1207 (0.2%)
11	AL	1.01	0/969	1.48	6/1300 (0.5%)
12	AM	1.01	0/884	1.57	5/1181 (0.4%)
13	AN	0.98	0/817	1.39	3/1088 (0.3%)
14	AO	0.97	0/722	1.36	0/964
15	AP	1.01	0/648	1.40	0/870
16	AQ	0.93	0/658	1.31	2/883 (0.2%)
17	AR	1.00	0/463	1.39	3/623 (0.5%)
18	AS	1.01	0/653	1.49	2/879 (0.2%)
19	AT	0.92	0/672	1.33	0/890
20	AU	1.03	0/431	1.66	3/572 (0.5%)
21	AA	0.98	0/36759	1.16	78/57346 (0.1%)
22	A1	1.01	0/1668	1.20	6/2595 (0.2%)
23	A2	1.00	0/343	1.36	4/531 (0.8%)
24	A3	1.00	0/1722	1.15	4/2685 (0.1%)
25	BC	0.96	0/2121	1.50	1/2852 (0.0%)
26	BD	0.88	0/1586	1.43	0/2134
27	BE	0.88	0/1571	1.46	5/2113 (0.2%)
28	BF	0.89	0/1444	1.40	0/1937
29	BG	0.89	0/1343	1.46	5/1816 (0.3%)
30	BH	0.87	0/1122	1.42	0/1515
31	BI	0.89	0/1046	1.45	1/1410 (0.1%)
32	BJ	0.94	0/1152	1.42	5/1551 (0.3%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	BK	0.95	0/947	1.47	2/1268 (0.2%)
34	BL	0.94	0/1054	1.64	13/1403 (0.9%)
35	BM	0.93	0/1093	1.55	3/1460 (0.2%)
36	BN	0.96	0/973	1.53	0/1301
37	BO	0.92	0/902	1.44	0/1209
38	BP	0.95	0/929	1.52	3/1242 (0.2%)
39	BQ	0.93	0/960	1.46	2/1278 (0.2%)
40	BR	0.90	0/829	1.40	0/1107
41	BS	0.88	0/864	1.41	4/1156 (0.3%)
42	BT	0.88	0/744	1.42	1/994 (0.1%)
43	BU	0.91	0/787	1.44	1/1051 (0.1%)
44	BV	0.94	0/766	1.43	2/1025 (0.2%)
45	BW	0.95	0/604	1.54	4/799 (0.5%)
46	BX	0.97	0/635	1.42	0/848
47	BY	0.87	0/510	1.42	1/677 (0.1%)
48	BZ	0.93	0/453	1.44	1/605 (0.2%)
49	B0	1.01	0/450	1.55	0/599
50	B1	0.93	0/417	1.47	0/556
51	B2	0.99	0/380	1.51	1/498 (0.2%)
52	B3	1.02	0/513	1.53	1/676 (0.1%)
53	B4	0.96	0/303	1.49	1/397 (0.3%)
54	BA	0.83	0/69796	1.14	116/108888 (0.1%)
55	BB	0.83	0/2800	1.15	3/4367 (0.1%)
56	B5	0.88	0/1673	1.41	2/2255 (0.1%)
All	All	0.91	0/160085	1.23	327/239402 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	AK	0	1
21	AA	0	358
22	A1	0	15
23	A2	0	5
24	A3	0	9
26	BD	0	1
41	BS	0	1
50	B1	0	1
54	BA	0	709
55	BB	0	21
All	All	0	1121

There are no bond length outliers.

The worst 5 of 327 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	AM	106	ARG	CA-C-N	11.09	141.67	121.70
12	AM	106	ARG	C-N-CA	11.09	141.67	121.70
21	AA	1391	U	C1'-O4'-C4'	-9.18	100.72	109.90
18	AS	3	SER	CA-C-N	8.89	137.70	121.70
18	AS	3	SER	C-N-CA	8.89	137.70	121.70

There are no chirality outliers.

5 of 1121 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
21	AA	10	A	Sidechain
21	AA	5	U	Sidechain
21	AA	6	G	Sidechain
21	AA	8	A	Sidechain
10	AK	115	ILE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AB	1708	0	1736	0	0
2	AC	1625	0	1699	0	0
3	AD	1643	0	1710	0	0
4	AE	1109	0	1152	0	0
5	AF	818	0	808	3	0
6	AG	1178	0	1234	0	0
7	AH	979	0	1034	0	0
8	AI	1025	0	1074	0	0
9	AJ	790	0	832	0	0
10	AK	880	0	891	0	0
11	AL	955	0	1019	1	0
12	AM	877	0	937	0	0
13	AN	805	0	844	0	0
14	AO	714	0	737	0	0
15	AP	639	0	656	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
16	AQ	652	0	695	0	0
17	AR	459	0	482	0	0
18	AS	641	0	669	0	0
19	AT	668	0	718	0	0
20	AU	429	0	453	0	0
21	AA	32828	0	16522	2	0
22	A1	1627	0	832	1	0
23	A2	309	0	158	0	0
24	A3	1642	0	843	1	0
25	BC	2083	0	2157	1	0
26	BD	1565	0	1616	0	0
27	BE	1552	0	1619	0	0
28	BF	1420	0	1460	0	0
29	BG	1323	0	1374	0	0
30	BH	1111	0	1148	1	0
31	BI	1032	0	1088	0	0
32	BJ	1129	0	1162	0	0
33	BK	939	0	1012	0	0
34	BL	1045	0	1117	2	0
35	BM	1074	0	1157	1	0
36	BN	961	0	1000	0	0
37	BO	892	0	923	0	0
38	BP	917	0	965	0	0
39	BQ	947	0	1022	0	0
40	BR	816	0	839	0	0
41	BS	857	0	922	0	0
42	BT	739	0	807	0	0
43	BU	780	0	834	0	0
44	BV	753	0	780	0	0
45	BW	599	0	614	0	0
46	BX	625	0	655	0	0
47	BY	509	0	543	0	0
48	BZ	449	0	491	0	0
49	B0	444	0	461	0	0
50	B1	413	0	444	0	0
51	B2	377	0	418	0	0
52	B3	504	0	574	0	0
53	B4	302	0	343	0	0
54	BA	62317	0	31345	6	0
55	BB	2504	0	1271	0	0
56	B5	1658	0	1751	0	0
57	A1	7	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
58	BA	10	0	10	0	0
All	All	147653	0	99665	16	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

The worst 5 of 16 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
30:BH:143:ILE:H	30:BH:143:ILE:HD13	1.72	0.54
24:A3:72:C:C5	24:A3:73:A:C8	2.98	0.51
5:AF:94:HIS:CG	5:AF:95:ALA:H	2.33	0.47
35:BM:80:VAL:H	35:BM:81:ARG:HA	1.81	0.46
22:A1:76:A:H62	54:BA:2600:A:H3'	1.82	0.44

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AB	218/220 (99%)	202 (93%)	13 (6%)	3 (1%)	9	40
2	AC	205/208 (99%)	189 (92%)	13 (6%)	3 (2%)	8	40
3	AD	203/206 (98%)	192 (95%)	6 (3%)	5 (2%)	4	26
4	AE	150/152 (99%)	136 (91%)	10 (7%)	4 (3%)	4	25
5	AF	99/101 (98%)	85 (86%)	8 (8%)	6 (6%)	1	13
6	AG	150/152 (99%)	139 (93%)	9 (6%)	2 (1%)	9	42
7	AH	127/130 (98%)	120 (94%)	7 (6%)	0	100	100
8	AI	126/128 (98%)	112 (89%)	10 (8%)	4 (3%)	3	21

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	AJ	98/100 (98%)	90 (92%)	4 (4%)	4 (4%)	2	18
10	AK	116/118 (98%)	104 (90%)	12 (10%)	0	100	100
11	AL	121/124 (98%)	109 (90%)	7 (6%)	5 (4%)	2	18
12	AM	112/115 (97%)	93 (83%)	17 (15%)	2 (2%)	6	34
13	AN	98/101 (97%)	85 (87%)	9 (9%)	4 (4%)	2	18
14	AO	86/89 (97%)	80 (93%)	4 (5%)	2 (2%)	5	28
15	AP	79/81 (98%)	67 (85%)	10 (13%)	2 (2%)	4	26
16	AQ	80/82 (98%)	74 (92%)	5 (6%)	1 (1%)	9	42
17	AR	55/57 (96%)	53 (96%)	1 (2%)	1 (2%)	6	34
18	AS	79/81 (98%)	74 (94%)	4 (5%)	1 (1%)	9	42
19	AT	84/86 (98%)	80 (95%)	4 (5%)	0	100	100
20	AU	51/53 (96%)	34 (67%)	9 (18%)	8 (16%)	0	3
25	BC	270/273 (99%)	245 (91%)	21 (8%)	4 (2%)	8	40
26	BD	207/209 (99%)	182 (88%)	17 (8%)	8 (4%)	2	19
27	BE	199/201 (99%)	183 (92%)	11 (6%)	5 (2%)	4	26
28	BF	176/179 (98%)	156 (89%)	17 (10%)	3 (2%)	7	36
29	BG	174/177 (98%)	156 (90%)	14 (8%)	4 (2%)	5	28
30	BH	147/149 (99%)	135 (92%)	11 (8%)	1 (1%)	18	56
31	BI	139/142 (98%)	125 (90%)	11 (8%)	3 (2%)	5	29
32	BJ	140/142 (99%)	130 (93%)	10 (7%)	0	100	100
33	BK	121/123 (98%)	109 (90%)	9 (7%)	3 (2%)	4	26
34	BL	141/144 (98%)	124 (88%)	10 (7%)	7 (5%)	1	16
35	BM	134/136 (98%)	117 (87%)	15 (11%)	2 (2%)	8	40
36	BN	119/121 (98%)	101 (85%)	13 (11%)	5 (4%)	2	17
37	BO	114/117 (97%)	111 (97%)	3 (3%)	0	100	100
38	BP	112/115 (97%)	98 (88%)	9 (8%)	5 (4%)	2	17
39	BQ	115/118 (98%)	103 (90%)	8 (7%)	4 (4%)	3	20
40	BR	101/103 (98%)	95 (94%)	3 (3%)	3 (3%)	3	23
41	BS	108/110 (98%)	95 (88%)	11 (10%)	2 (2%)	6	32
42	BT	92/94 (98%)	73 (79%)	12 (13%)	7 (8%)	1	10
43	BU	101/104 (97%)	85 (84%)	11 (11%)	5 (5%)	1	16

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
44	BV	92/94 (98%)	89 (97%)	2 (2%)	1 (1%)	11	46
45	BW	78/80 (98%)	58 (74%)	17 (22%)	3 (4%)	2	19
46	BX	75/79 (95%)	60 (80%)	11 (15%)	4 (5%)	1	15
47	BY	61/63 (97%)	57 (93%)	2 (3%)	2 (3%)	3	21
48	BZ	56/59 (95%)	49 (88%)	6 (11%)	1 (2%)	6	34
49	B0	54/57 (95%)	50 (93%)	3 (6%)	1 (2%)	6	32
50	B1	50/52 (96%)	43 (86%)	5 (10%)	2 (4%)	2	18
51	B2	44/46 (96%)	41 (93%)	2 (4%)	1 (2%)	5	28
52	B3	62/65 (95%)	58 (94%)	3 (5%)	1 (2%)	7	38
53	B4	36/38 (95%)	34 (94%)	2 (6%)	0	100	100
56	B5	221/234 (94%)	210 (95%)	11 (5%)	0	100	100
All	All	5876/6008 (98%)	5290 (90%)	442 (8%)	144 (2%)	6	26

5 of 144 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	AF	86	ARG
8	AI	124	PRO
12	AM	42	VAL
13	AN	56	SER
17	AR	20	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AB	180/180 (100%)	178 (99%)	2 (1%)	65	76
2	AC	170/171 (99%)	168 (99%)	2 (1%)	63	75
3	AD	172/173 (99%)	171 (99%)	1 (1%)	78	83
4	AE	113/113 (100%)	112 (99%)	1 (1%)	70	79
5	AF	87/87 (100%)	87 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	AG	123/123 (100%)	122 (99%)	1 (1%)	73	80
7	AH	104/105 (99%)	101 (97%)	3 (3%)	37	58
8	AI	105/105 (100%)	104 (99%)	1 (1%)	68	78
9	AJ	86/86 (100%)	84 (98%)	2 (2%)	44	64
10	AK	90/90 (100%)	89 (99%)	1 (1%)	65	76
11	AL	103/104 (99%)	101 (98%)	2 (2%)	50	67
12	AM	91/92 (99%)	89 (98%)	2 (2%)	45	64
13	AN	83/84 (99%)	82 (99%)	1 (1%)	63	75
14	AO	76/77 (99%)	74 (97%)	2 (3%)	40	62
15	AP	65/65 (100%)	65 (100%)	0	100	100
16	AQ	74/74 (100%)	72 (97%)	2 (3%)	39	61
17	AR	48/48 (100%)	47 (98%)	1 (2%)	47	65
18	AS	70/70 (100%)	70 (100%)	0	100	100
19	AT	65/65 (100%)	65 (100%)	0	100	100
20	AU	44/44 (100%)	42 (96%)	2 (4%)	24	46
25	BC	216/217 (100%)	214 (99%)	2 (1%)	70	79
26	BD	164/164 (100%)	162 (99%)	2 (1%)	63	75
27	BE	165/165 (100%)	164 (99%)	1 (1%)	78	83
28	BF	149/150 (99%)	148 (99%)	1 (1%)	76	81
29	BG	137/138 (99%)	135 (98%)	2 (2%)	57	72
30	BH	114/114 (100%)	113 (99%)	1 (1%)	70	79
31	BI	109/110 (99%)	109 (100%)	0	100	100
32	BJ	116/116 (100%)	116 (100%)	0	100	100
33	BK	103/103 (100%)	102 (99%)	1 (1%)	68	78
34	BL	102/103 (99%)	102 (100%)	0	100	100
35	BM	109/109 (100%)	108 (99%)	1 (1%)	70	79
36	BN	100/100 (100%)	99 (99%)	1 (1%)	68	78
37	BO	86/87 (99%)	85 (99%)	1 (1%)	63	75
38	BP	99/100 (99%)	98 (99%)	1 (1%)	68	78
39	BQ	89/90 (99%)	87 (98%)	2 (2%)	45	64
40	BR	84/84 (100%)	83 (99%)	1 (1%)	63	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
41	BS	93/93 (100%)	91 (98%)	2 (2%)	45	64
42	BT	80/80 (100%)	80 (100%)	0	100	100
43	BU	83/84 (99%)	83 (100%)	0	100	100
44	BV	78/78 (100%)	77 (99%)	1 (1%)	61	74
45	BW	59/59 (100%)	58 (98%)	1 (2%)	53	69
46	BX	67/68 (98%)	67 (100%)	0	100	100
47	BY	55/55 (100%)	55 (100%)	0	100	100
48	BZ	48/49 (98%)	46 (96%)	2 (4%)	26	48
49	B0	47/48 (98%)	46 (98%)	1 (2%)	47	65
50	B1	45/45 (100%)	45 (100%)	0	100	100
51	B2	38/38 (100%)	37 (97%)	1 (3%)	40	62
52	B3	51/52 (98%)	51 (100%)	0	100	100
53	B4	34/34 (100%)	34 (100%)	0	100	100
56	B5	173/181 (96%)	171 (99%)	2 (1%)	63	75
All	All	4842/4870 (99%)	4789 (99%)	53 (1%)	63	76

5 of 53 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
26	BD	126	ASN
33	BK	107	LEU
49	B0	45	ASP
26	BD	176	ASP
29	BG	105	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 51 such sidechains are listed below:

Mol	Chain	Res	Type
28	BF	62	GLN
36	BN	31	HIS
56	B5	57	GLN
29	BG	110	HIS
33	BK	90	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
21	AA	1530/1533 (99%)	279 (18%)	88 (5%)
22	A1	75/76 (98%)	14 (18%)	7 (9%)
23	A2	14/15 (93%)	4 (28%)	1 (7%)
24	A3	76/77 (98%)	14 (18%)	4 (5%)
54	BA	2902/2903 (99%)	517 (17%)	125 (4%)
55	BB	116/118 (98%)	15 (12%)	5 (4%)
All	All	4713/4722 (99%)	843 (17%)	230 (4%)

5 of 843 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
21	AA	8	A
21	AA	9	G
21	AA	13	U
21	AA	14	U
21	AA	16	A

5 of 230 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
54	BA	503	A
54	BA	2732	G
54	BA	1128	G
54	BA	2680	U
54	BA	2288	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

11 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	6MZ	A1	37	22	22,25,26	0.64	0	29,36,39	1.22	2 (6%)
22	CM0	A1	34	22	21,26,27	1.24	2 (9%)	26,37,40	1.44	1 (3%)
24	5MU	A3	55	24	19,22,23	0.72	0	27,32,35	1.33	4 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	5MU	A1	54	22	19,22,23	0.73	0	27,32,35	1.33	3 (11%)
22	7MG	A1	46	22	23,26,27	4.01	2 (8%)	27,39,42	1.40	2 (7%)
24	PSU	A3	56	24	18,21,22	0.82	0	21,30,33	1.39	2 (9%)
22	4SU	A1	7	22	18,21,22	1.41	2 (11%)	25,30,33	0.97	2 (8%)
22	PSU	A1	55	22	18,21,22	0.84	0	21,30,33	1.41	3 (14%)
24	4SU	A3	8	24	18,21,22	1.53	2 (11%)	25,30,33	0.83	1 (4%)
24	H2U	A3	21	24	18,21,22	1.40	2 (11%)	19,30,33	1.37	3 (15%)
24	OMC	A3	33	24	19,22,23	0.73	0	25,31,34	1.01	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	6MZ	A1	37	22	-	0/9/27/28	0/3/3/3
22	CM0	A1	34	22	-	2/12/30/31	0/2/2/2
24	5MU	A3	55	24	-	0/7/25/26	0/2/2/2
22	5MU	A1	54	22	-	0/7/25/26	0/2/2/2
22	7MG	A1	46	22	-	1/7/37/38	0/3/3/3
24	PSU	A3	56	24	-	2/7/25/26	0/2/2/2
22	4SU	A1	7	22	-	0/7/25/26	0/2/2/2
22	PSU	A1	55	22	-	3/7/25/26	0/2/2/2
24	4SU	A3	8	24	-	0/7/25/26	0/2/2/2
24	H2U	A3	21	24	-	0/7/38/39	0/2/2/2
24	OMC	A3	33	24	-	0/9/27/28	0/2/2/2

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	A1	46	7MG	C8-N9	-18.78	1.33	1.45
24	A3	8	4SU	C5-C4	-5.32	1.36	1.42
22	A1	7	4SU	C5-C4	-5.02	1.36	1.42
22	A1	34	CM0	O5-C5	-4.45	1.26	1.36
24	A3	21	H2U	C2-N3	-3.57	1.31	1.38

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	A1	46	7MG	N9-C8-N7	5.72	111.47	103.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	A1	34	CM0	C7-O5-C5	5.51	124.50	117.48
22	A1	55	PSU	C6-C5-C4	4.11	120.95	118.17
22	A1	37	6MZ	C9-N6-C6	4.10	126.65	122.85
24	A3	21	H2U	N3-C2-N1	3.61	120.27	116.65

There are no chirality outliers.

5 of 8 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
22	A1	46	7MG	C4'-C5'-O5'-P
22	A1	55	PSU	C2'-C1'-C5-C4
24	A3	56	PSU	O4'-C1'-C5-C4
24	A3	56	PSU	O4'-C1'-C5-C6
22	A1	34	CM0	O5-C7-C8-O9

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
58	FME	BA	3001	57	8,9,10	0.77	0	8,9,11	2.22	3 (37%)
57	VAL	A1	101	58,22	4,6,7	0.87	0	6,7,9	0.98	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	FME	BA	3001	57	-	0/7/9/11	-
57	VAL	A1	101	58,22	-	3/5/6/8	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	BA	3001	FME	C-CA-N	4.00	117.22	109.50
58	BA	3001	FME	CA-N-CN	3.74	128.57	122.82
57	A1	101	VAL	O-C-CA	-2.37	118.68	124.77
58	BA	3001	FME	O-C-CA	-2.33	118.78	124.77

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
57	A1	101	VAL	O-C-CA-CB
57	A1	101	VAL	C-CA-CB-CG1
57	A1	101	VAL	C-CA-CB-CG2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-2473. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 64



Y Index: 64




Z Index: 64


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 66



Y Index: 69




Z Index: 62


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 25.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2557 nm³; this corresponds to an approximate mass of 2310 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.067 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-2473 and PDB model 4V73. Per-residue inclusion information can be found in [section 3](#) on [page 18](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 25.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (25).

9.4 Atom inclusion ⓘ



At the recommended contour level, 63% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (25) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7240	 0.0610
A1	 0.7610	 0.0870
A2	 0.5110	 0.0570
A3	 0.7080	 0.0630
AA	 0.8180	 0.0730
AB	 0.5310	 0.0480
AC	 0.5630	 0.0370
AD	 0.5450	 0.0320
AE	 0.6820	 0.0660
AF	 0.6600	 0.0440
AG	 0.6550	 0.0420
AH	 0.5820	 0.0360
AI	 0.7220	 0.0440
AJ	 0.6620	 0.0350
AK	 0.5630	 0.0450
AL	 0.5780	 0.0480
AM	 0.6530	 0.0560
AN	 0.6300	 0.0480
AO	 0.6220	 0.0160
AP	 0.5610	 -0.0080
AQ	 0.5700	 0.0270
AR	 0.6220	 0.0070
AS	 0.8540	 0.0480
AT	 0.7550	 0.0110
AU	 0.4570	 -0.0040
B0	 0.6260	 0.0390
B1	 0.6630	 0.0590
B2	 0.4960	 0.0090
B3	 0.2870	 -0.0110
B4	 0.7570	 0.0450
B5	 0.5740	 0.0150
BA	 0.7880	 0.0770
BB	 0.7360	 0.0390
BC	 0.4830	 0.0130
BD	 0.5040	 0.0230



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BE	 0.6320	 0.0390
BF	 0.6980	 0.0490
BG	 0.6020	 0.0550
BH	 0.2370	 0.0420
BI	 0.0070	 0.0200
BJ	 0.5770	 0.0280
BK	 0.4750	 0.0430
BL	 0.5160	 0.0010
BM	 0.4840	 0.0400
BN	 0.6080	 0.0190
BO	 0.7660	 0.0120
BP	 0.4850	 0.0390
BQ	 0.6050	 0.0190
BR	 0.6160	 0.0240
BS	 0.4440	 0.0110
BT	 0.6720	 0.0310
BU	 0.6170	 0.0390
BV	 0.6400	 0.0330
BW	 0.5670	 0.0130
BX	 0.5390	 0.0090
BY	 0.6780	 0.0540
BZ	 0.4620	 0.0210