



wwPDB EM Validation Summary Report ⓘ

Aug 6, 2026 – 07:39 AM JST

PDB ID : 7VNM / pdb_00007vnm
EMDB ID : EMD-32042
Title : Rba sphaeroides PufY-KO RC-LH1 monomer
Authors : Bracun, L.; Yamagata, A.; Liu, L.N.; Shirouzu, M.
Deposited on : 2021-10-11
Resolution : 2.86 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	12017 (2.36 - 3.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	282	
2	M	308	
3	H	260	
4	1	58	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	7	58	
4	9	58	
4	A	58	
4	D	58	
4	F	58	
4	I	58	
4	K	58	
4	O	58	
4	Q	58	
4	S	58	
4	U	58	
4	W	58	
5	0	49	
5	2	49	
5	8	49	
5	B	49	
5	C	49	
5	E	49	
5	G	49	
5	J	49	
5	N	49	
5	P	49	
5	R	49	
5	T	49	
5	V	49	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	X	82	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	SPO	0	101	-	X	-	-
12	SPO	0	102	-	X	-	-
12	SPO	8	101	-	X	-	-
12	SPO	9	102	-	X	-	-
12	SPO	A	603	-	X	-	-
12	SPO	D	102	-	X	-	-
12	SPO	D	103	-	X	-	-
12	SPO	D	104	-	X	-	-
12	SPO	E	102	-	X	-	-
12	SPO	F	103	-	X	-	-
12	SPO	I	103	-	X	-	-
12	SPO	I	104	-	X	-	-
12	SPO	K	102	-	X	-	-
12	SPO	K	103	-	X	-	-
12	SPO	M	405	-	X	-	-
12	SPO	P	101	-	X	-	-
12	SPO	P	102	-	X	-	-
12	SPO	Q	102	-	X	-	-
12	SPO	R	101	-	X	-	-
12	SPO	R	103	-	X	-	-
12	SPO	S	103	-	X	-	-
12	SPO	U	103	-	X	-	-

2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 20588 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	L	281	Total	C	N	O	S	0	0
			2232	1507	355	362	8		

- Molecule 2 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	M	305	Total	C	N	O	S	0	0
			2431	1623	397	400	11		

- Molecule 3 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	H	247	Total	C	N	O	S	0	0
			1875	1202	318	345	10		

- Molecule 4 is a protein called Light-harvesting protein B-875 alpha chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A	54	Total	C	N	O	S	0	0
			455	310	73	69	3		
4	D	54	Total	C	N	O	S	0	0
			455	310	73	69	3		
4	F	54	Total	C	N	O	S	0	0
			455	310	73	69	3		
4	I	54	Total	C	N	O	S	0	0
			455	310	73	69	3		
4	K	54	Total	C	N	O	S	0	0
			455	310	73	69	3		
4	O	54	Total	C	N	O	S	0	0
			455	310	73	69	3		
4	Q	54	Total	C	N	O	S	0	0
			455	310	73	69	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
4	S	54	Total	C	N	O	S	0	0
			455	310	73	69	3		
4	U	54	Total	C	N	O	S	0	0
			455	310	73	69	3		
4	W	54	Total	C	N	O	S	0	0
			455	310	73	69	3		
4	7	46	Total	C	N	O	S	0	0
			392	271	60	58	3		
4	9	54	Total	C	N	O	S	0	0
			455	310	73	69	3		
4	1	43	Total	C	N	O	S	0	0
			351	235	59	56	1		


- Molecule 5 is a protein called Light-harvesting protein B-875 beta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	B	45	Total	C	N	O	S	0	0
			365	243	57	64	1		
5	E	43	Total	C	N	O	S	0	0
			351	236	55	59	1		
5	G	43	Total	C	N	O	S	0	0
			351	236	55	59	1		
5	J	43	Total	C	N	O	S	0	0
			351	236	55	59	1		
5	N	43	Total	C	N	O	S	0	0
			351	236	55	59	1		
5	P	43	Total	C	N	O	S	0	0
			351	236	55	59	1		
5	R	43	Total	C	N	O	S	0	0
			351	236	55	59	1		
5	T	43	Total	C	N	O	S	0	0
			351	236	55	59	1		
5	V	40	Total	C	N	O	S	0	0
			327	219	52	55	1		
5	C	38	Total	C	N	O	S	0	0
			316	213	50	52	1		
5	8	44	Total	C	N	O	S	0	0
			359	240	56	62	1		
5	0	44	Total	C	N	O	S	0	0
			359	240	56	62	1		
5	2	32	Total	C	N	O	S	0	0
			270	186	43	40	1		

- Molecule 6 is a protein called Intrinsic membrane protein PufX.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	X	52	Total	C	N	O	S	0	0
			406	270	71	62	3		

- Molecule 7 is BACTERIOCHLOROPHYLL A (CCD ID: BCL) (formula: C₅₅H₇₄MgN₄O₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
7	L	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	L	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	M	1	Total	C	Mg	N	O	0
			63	52	1	4	6	
7	M	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	A	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	A	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	D	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	E	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	F	1	Total	C	Mg	N	O	0
			66	55	1	4	6	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
7	F	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	I	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	I	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	K	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	N	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	O	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	O	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	Q	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	R	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	S	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	S	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	U	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	U	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	W	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	C	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	7	1	Total 61	C 50	Mg 1	N 4	O 6	0
7	8	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	9	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	9	1	Total 61	C 50	Mg 1	N 4	O 6	0
7	1	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	2	1	Total 46	C 35	Mg 1	N 4	O 6	0

- Molecule 8 is BACTERIOPHEOPHYTIN A (CCD ID: BPH) (formula: $C_{55}H_{76}N_4O_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
8	L	1	Total	C	N	O	0
			62	52	4	6	
8	L	1	Total	C	N	O	0
			55	45	4	6	

- Molecule 9 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PC1) (formula: $C_{44}H_{88}NO_8P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
9	L	1	Total	C	N	O	P	0
			35	25	1	8	1	
9	H	1	Total	C	N	O	P	0
			47	37	1	8	1	
9	H	1	Total	C	N	O	P	0
			39	29	1	8	1	
9	H	1	Total	C	N	O	P	0
			32	22	1	8	1	
9	A	1	Total	C	N	O	P	0
			32	22	1	8	1	
9	A	1	Total	C	N	O	P	0
			45	35	1	8	1	
9	X	1	Total	C	N	O	P	0
			36	26	1	8	1	

- Molecule 10 is UBIQUINONE-10 (CCD ID: U10) (formula: C₅₉H₉₀O₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
10	L	1	Total	C	O	0
			43	39	4	
10	M	1	Total	C	O	0
			48	44	4	

- Molecule 11 is FE (II) ION (CCD ID: FE2) (formula: Fe) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
11	M	1	Total	Fe	0
			1	1	

- Molecule 12 is SPHEROIDENE (CCD ID: SPO) (formula: C₄₁H₆₀O) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
12	M	1	Total	C	O	0
			42	41	1	
12	A	1	Total	C	O	0
			42	41	1	
12	D	1	Total	C	O	0
			42	41	1	
12	D	1	Total	C	O	0
			42	41	1	
12	D	1	Total	C	O	0
			42	41	1	
12	E	1	Total	C	O	0
			42	41	1	
12	F	1	Total	C	O	0
			42	41	1	
12	I	1	Total	C	O	0
			42	41	1	
12	I	1	Total	C	O	0
			42	41	1	
12	K	1	Total	C	O	0
			42	41	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
12	K	1	Total	C	O	0
			42	41	1	
12	P	1	Total	C	O	0
			42	41	1	
12	P	1	Total	C	O	0
			42	41	1	
12	Q	1	Total	C	O	0
			42	41	1	
12	R	1	Total	C	O	0
			42	41	1	
12	R	1	Total	C	O	0
			42	41	1	
12	S	1	Total	C	O	0
			42	41	1	
12	U	1	Total	C	O	0
			42	41	1	
12	8	1	Total	C	O	0
			39	38	1	
12	9	1	Total	C	O	0
			42	41	1	
12	0	1	Total	C	O	0
			42	41	1	
12	0	1	Total	C	O	0
			42	41	1	

- Molecule 13 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
13	M	1	Total	C	O	P	0
			100	81	17	2	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Reaction center protein L chain




• Molecule 2: Reaction center protein M chain



• Molecule 3: Reaction center protein H chain




• Molecule 4: Light-harvesting protein B-875 alpha chain





- Molecule 4: Light-harvesting protein B-875 alpha chain

Chain D:  81% 12% 7%



- Molecule 4: Light-harvesting protein B-875 alpha chain

Chain F:  93% 7%




- Molecule 4: Light-harvesting protein B-875 alpha chain

Chain I:  81% 12% 7%




- Molecule 4: Light-harvesting protein B-875 alpha chain

Chain K:  5% 79% 14% 7%



- Molecule 4: Light-harvesting protein B-875 alpha chain

Chain O:  5% 79% 14% 7%



- Molecule 4: Light-harvesting protein B-875 alpha chain

Chain Q:  5% 81% 12% 7%





- Molecule 4: Light-harvesting protein B-875 alpha chain


Chain S:  7% 78% 16% 7%




- Molecule 4: Light-harvesting protein B-875 alpha chain




- Molecule 4: Light-harvesting protein B-875 alpha chain





- Molecule 4: Light-harvesting protein B-875 alpha chain




- Molecule 4: Light-harvesting protein B-875 alpha chain




- Molecule 4: Light-harvesting protein B-875 alpha chain





- Molecule 5: Light-harvesting protein B-875 beta chain





- Molecule 5: Light-harvesting protein B-875 beta chain





- Molecule 5: Light-harvesting protein B-875 beta chain





- Molecule 5: Light-harvesting protein B-875 beta chain




- Molecule 5: Light-harvesting protein B-875 beta chain





- Molecule 5: Light-harvesting protein B-875 beta chain




- Molecule 5: Light-harvesting protein B-875 beta chain




- Molecule 5: Light-harvesting protein B-875 beta chain




- Molecule 5: Light-harvesting protein B-875 beta chain




- Molecule 5: Light-harvesting protein B-875 beta chain




- Molecule 5: Light-harvesting protein B-875 beta chain




- Molecule 5: Light-harvesting protein B-875 beta chain



- Molecule 5: Light-harvesting protein B-875 beta chain



- Molecule 6: Intrinsic membrane protein PufX



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	56391	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	51.527	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.194	Depositor
Minimum map value	-0.106	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.025	Depositor
Map size (Å)	248.54999, 248.54999, 248.54999	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8285, 0.8285, 0.8285	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SPO, CDL, PC1, U10, BCL, FE2, BPH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	0.25	0/2320	0.37	0/3175
2	M	0.27	0/2524	0.38	0/3446
3	H	0.21	0/1925	0.34	0/2620
4	1	0.14	0/360	0.29	0/490
4	7	0.21	0/405	0.31	0/549
4	9	0.23	0/469	0.32	0/635
4	A	0.25	0/469	0.33	0/635
4	D	0.25	0/469	0.33	0/635
4	F	0.23	0/469	0.32	0/635
4	I	0.23	0/469	0.34	0/635
4	K	0.22	0/469	0.34	0/635
4	O	0.24	0/469	0.37	0/635
4	Q	0.22	0/469	0.32	0/635
4	S	0.19	0/469	0.32	0/635
4	U	0.18	0/469	0.33	0/635
4	W	0.13	0/469	0.26	0/635
5	0	0.21	0/372	0.27	0/510
5	2	0.10	0/282	0.20	0/387
5	8	0.21	0/372	0.28	0/510
5	B	0.22	0/378	0.33	0/518
5	C	0.16	0/328	0.31	0/450
5	E	0.22	0/364	0.32	0/499
5	G	0.21	0/364	0.27	0/499
5	J	0.21	0/364	0.27	0/499
5	N	0.21	0/364	0.31	0/499
5	P	0.21	0/364	0.30	0/499
5	R	0.22	0/364	0.36	0/499
5	T	0.21	0/364	0.31	0/499
5	V	0.22	0/339	0.28	0/465
6	X	0.18	0/417	0.32	0/563
All	All	0.22	0/17729	0.33	0/24161

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	2232	0	2187	44	0
2	M	2431	0	2345	28	0
3	H	1875	0	1877	23	0
4	1	351	0	366	8	0
4	7	392	0	412	9	0
4	9	455	0	477	7	0
4	A	455	0	477	7	0
4	D	455	0	477	10	0
4	F	455	0	477	0	0
4	I	455	0	477	5	0
4	K	455	0	477	6	0
4	O	455	0	477	9	0
4	Q	455	0	477	8	0
4	S	455	0	477	8	0
4	U	455	0	477	9	0
4	W	455	0	477	8	0
5	0	359	0	340	4	0
5	2	270	0	262	4	0
5	8	359	0	340	8	0
5	B	365	0	345	10	0
5	C	316	0	303	8	0
5	E	351	0	336	9	0
5	G	351	0	336	3	0
5	J	351	0	336	2	0
5	N	351	0	336	4	0
5	P	351	0	336	4	0
5	R	351	0	336	9	0
5	T	351	0	336	3	0
5	V	327	0	313	6	0
6	X	406	0	420	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	1	66	0	74	3	0
7	2	46	0	35	0	0
7	7	61	0	61	6	0
7	8	66	0	74	2	0
7	9	127	0	135	3	0
7	A	132	0	148	10	0
7	C	66	0	74	2	0
7	D	66	0	74	2	0
7	E	66	0	74	5	0
7	F	132	0	148	2	0
7	I	132	0	148	5	0
7	K	66	0	74	2	0
7	L	132	0	148	4	0
7	M	129	0	139	3	0
7	N	66	0	74	5	0
7	O	132	0	148	6	0
7	Q	66	0	74	3	0
7	R	66	0	74	3	0
7	S	132	0	148	8	0
7	U	132	0	148	11	0
7	W	66	0	74	6	0
8	L	117	0	120	3	0
9	A	77	0	105	9	0
9	H	118	0	161	10	0
9	L	35	0	44	2	0
9	X	36	0	46	0	0
10	L	43	0	55	7	0
10	M	48	0	63	2	0
11	M	1	0	0	0	0
12	0	84	0	120	5	0
12	8	39	0	53	2	0
12	9	42	0	60	4	0
12	A	42	0	60	3	0
12	D	126	0	180	17	0
12	E	42	0	60	3	0
12	F	42	0	60	3	0
12	I	84	0	120	6	0
12	K	84	0	120	9	0
12	M	42	0	60	4	0
12	P	84	0	120	10	0
12	Q	42	0	60	5	0
12	R	84	0	120	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	S	42	0	60	7	0
12	U	42	0	60	5	0
13	M	100	0	156	9	0
All	All	20588	0	21318	334	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 334 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:53:GLN:N	9:H:1103:PC1:O14	2.08	0.86
5:R:27:GLY:HA3	12:R:101:SPO:H27	1.59	0.83
12:D:104:SPO:H27	5:G:27:GLY:HA3	1.58	0.82
1:L:193:LEU:HD21	1:L:212:GLU:HB3	1.60	0.81
7:A:602:BCL:H72	9:A:604:PC1:H2B2	1.64	0.77

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	279/282 (99%)	269 (96%)	10 (4%)	0	100	100
2	M	303/308 (98%)	298 (98%)	5 (2%)	0	100	100
3	H	245/260 (94%)	241 (98%)	4 (2%)	0	100	100
4	1	41/58 (71%)	41 (100%)	0	0	100	100
4	7	44/58 (76%)	43 (98%)	1 (2%)	0	100	100
4	9	52/58 (90%)	52 (100%)	0	0	100	100
4	A	52/58 (90%)	52 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	D	52/58 (90%)	52 (100%)	0	0	100	100
4	F	52/58 (90%)	51 (98%)	1 (2%)	0	100	100
4	I	52/58 (90%)	51 (98%)	1 (2%)	0	100	100
4	K	52/58 (90%)	52 (100%)	0	0	100	100
4	O	52/58 (90%)	51 (98%)	1 (2%)	0	100	100
4	Q	52/58 (90%)	51 (98%)	1 (2%)	0	100	100
4	S	52/58 (90%)	52 (100%)	0	0	100	100
4	U	52/58 (90%)	51 (98%)	1 (2%)	0	100	100
4	W	52/58 (90%)	50 (96%)	2 (4%)	0	100	100
5	0	42/49 (86%)	42 (100%)	0	0	100	100
5	2	30/49 (61%)	29 (97%)	1 (3%)	0	100	100
5	8	42/49 (86%)	42 (100%)	0	0	100	100
5	B	43/49 (88%)	42 (98%)	1 (2%)	0	100	100
5	C	36/49 (74%)	36 (100%)	0	0	100	100
5	E	41/49 (84%)	39 (95%)	2 (5%)	0	100	100
5	G	41/49 (84%)	41 (100%)	0	0	100	100
5	J	41/49 (84%)	41 (100%)	0	0	100	100
5	N	41/49 (84%)	41 (100%)	0	0	100	100
5	P	41/49 (84%)	41 (100%)	0	0	100	100
5	R	41/49 (84%)	41 (100%)	0	0	100	100
5	T	41/49 (84%)	41 (100%)	0	0	100	100
5	V	38/49 (78%)	38 (100%)	0	0	100	100
6	X	50/82 (61%)	50 (100%)	0	0	100	100
All	All	2052/2323 (88%)	2021 (98%)	31 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	220/221 (100%)	219 (100%)	1 (0%)	81	90
2	M	239/241 (99%)	238 (100%)	1 (0%)	84	92
3	H	199/208 (96%)	199 (100%)	0	100	100
4	1	38/51 (74%)	38 (100%)	0	100	100
4	7	43/51 (84%)	43 (100%)	0	100	100
4	9	49/51 (96%)	49 (100%)	0	100	100
4	A	49/51 (96%)	48 (98%)	1 (2%)	48	71
4	D	49/51 (96%)	48 (98%)	1 (2%)	48	71
4	F	49/51 (96%)	49 (100%)	0	100	100
4	I	49/51 (96%)	49 (100%)	0	100	100
4	K	49/51 (96%)	49 (100%)	0	100	100
4	O	49/51 (96%)	49 (100%)	0	100	100
4	Q	49/51 (96%)	49 (100%)	0	100	100
4	S	49/51 (96%)	49 (100%)	0	100	100
4	U	49/51 (96%)	49 (100%)	0	100	100
4	W	49/51 (96%)	49 (100%)	0	100	100
5	0	36/40 (90%)	36 (100%)	0	100	100
5	2	27/40 (68%)	27 (100%)	0	100	100
5	8	36/40 (90%)	36 (100%)	0	100	100
5	B	37/40 (92%)	37 (100%)	0	100	100
5	C	32/40 (80%)	31 (97%)	1 (3%)	35	60
5	E	35/40 (88%)	34 (97%)	1 (3%)	37	61
5	G	35/40 (88%)	35 (100%)	0	100	100
5	J	35/40 (88%)	35 (100%)	0	100	100
5	N	35/40 (88%)	35 (100%)	0	100	100
5	P	35/40 (88%)	35 (100%)	0	100	100
5	R	35/40 (88%)	35 (100%)	0	100	100
5	T	35/40 (88%)	35 (100%)	0	100	100
5	V	33/40 (82%)	33 (100%)	0	100	100
6	X	40/66 (61%)	40 (100%)	0	100	100
All	All	1764/1919 (92%)	1758 (100%)	6 (0%)	84	93

5 of 6 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	D	3	LYS
5	E	7	LEU
5	C	25	MET
2	M	216	PHE
1	L	31	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
4	I	42	ASN
4	U	20	GLN
6	X	60	ASN
6	X	26	GLN
2	M	188	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 65 ligands modelled in this entry, 1 is monoatomic - leaving 64 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	BCL	7	101	-	64,69,74	1.17	5 (7%)	77,109,115	1.46	9 (11%)
12	SPO	A	603	-	40,41,41	5.70	16 (40%)	47,50,50	5.18	27 (57%)
12	SPO	I	103	-	40,41,41	6.27	17 (42%)	47,50,50	4.65	29 (61%)
7	BCL	N	101	5	69,74,74	1.12	7 (10%)	83,115,115	1.46	12 (14%)
7	BCL	U	101	-	69,74,74	1.15	7 (10%)	83,115,115	1.51	12 (14%)
9	PC1	A	604	-	44,44,53	1.18	4 (9%)	50,52,61	1.23	4 (8%)
7	BCL	9	101	-	69,74,74	1.18	6 (8%)	83,115,115	1.57	15 (18%)
7	BCL	A	602	-	69,74,74	1.18	8 (11%)	83,115,115	1.46	12 (14%)
7	BCL	L	305	2	69,74,74	1.10	7 (10%)	83,115,115	1.63	16 (19%)
12	SPO	R	101	-	40,41,41	6.08	17 (42%)	47,50,50	4.68	28 (59%)
12	SPO	R	103	-	40,41,41	6.23	17 (42%)	47,50,50	4.70	29 (61%)
12	SPO	9	102	-	40,41,41	6.15	17 (42%)	47,50,50	4.46	29 (61%)
12	SPO	D	103	-	40,41,41	5.96	17 (42%)	47,50,50	5.45	28 (59%)
12	SPO	E	102	-	40,41,41	6.07	17 (42%)	47,50,50	5.63	30 (63%)
7	BCL	Q	101	-	69,74,74	1.15	7 (10%)	83,115,115	1.53	13 (15%)
12	SPO	K	103	-	40,41,41	5.86	17 (42%)	47,50,50	4.99	30 (63%)
9	PC1	H	1103	-	31,31,53	1.34	4 (12%)	37,39,61	1.40	4 (10%)
7	BCL	U	102	5	69,74,74	1.12	7 (10%)	83,115,115	1.43	10 (12%)
12	SPO	8	101	-	37,38,41	6.25	17 (45%)	43,46,50	4.99	28 (65%)
10	U10	L	304	-	43,43,63	2.66	13 (30%)	52,55,79	1.76	12 (23%)
7	BCL	O	102	5	69,74,74	1.12	7 (10%)	83,115,115	1.44	10 (12%)
7	BCL	8	102	5	69,74,74	1.12	7 (10%)	83,115,115	1.46	12 (14%)
7	BCL	M	403	-	69,74,74	1.15	6 (8%)	83,115,115	1.49	12 (14%)
7	BCL	C	101	-	69,74,74	1.15	5 (7%)	83,115,115	1.70	15 (18%)
7	BCL	1	101	4	69,74,74	1.10	4 (5%)	83,115,115	1.53	12 (14%)
7	BCL	L	301	1	69,74,74	1.16	7 (10%)	83,115,115	1.44	12 (14%)
10	U10	M	404	-	48,48,63	2.67	14 (29%)	58,61,79	1.63	12 (20%)
7	BCL	A	605	5	69,74,74	1.12	7 (10%)	83,115,115	1.44	10 (12%)
12	SPO	M	405	-	40,41,41	5.93	17 (42%)	47,50,50	4.87	30 (63%)
12	SPO	F	103	-	40,41,41	6.09	17 (42%)	47,50,50	4.83	29 (61%)
12	SPO	Q	102	-	40,41,41	6.01	17 (42%)	47,50,50	4.83	31 (65%)
7	BCL	I	102	5	69,74,74	1.12	7 (10%)	83,115,115	1.43	10 (12%)
7	BCL	O	101	-	69,74,74	1.19	7 (10%)	83,115,115	1.49	12 (14%)
13	CDL	M	406	-	99,99,99	1.09	7 (7%)	105,111,111	0.85	4 (3%)
12	SPO	0	102	-	40,41,41	6.06	17 (42%)	47,50,50	5.15	28 (59%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	BCL	9	103	5	64,69,74	1.16	7 (10%)	77,109,115	1.46	10 (12%)
7	BCL	M	401	1	66,71,74	1.10	7 (10%)	79,111,115	1.46	11 (13%)
7	BCL	R	102	5	69,74,74	1.12	7 (10%)	83,115,115	1.44	10 (12%)
7	BCL	I	101	-	69,74,74	1.19	7 (10%)	83,115,115	1.48	12 (14%)
9	PC1	H	1101	-	46,46,53	1.13	3 (6%)	52,54,61	0.98	4 (7%)
9	PC1	L	303	-	34,34,53	1.35	5 (14%)	40,42,61	1.28	5 (12%)
12	SPO	D	102	-	40,41,41	5.70	16 (40%)	47,50,50	5.18	27 (57%)
12	SPO	S	103	-	40,41,41	6.11	17 (42%)	47,50,50	4.85	31 (65%)
9	PC1	A	601	-	31,31,53	1.31	3 (9%)	37,39,61	1.11	3 (8%)
12	SPO	0	101	-	40,41,41	6.13	17 (42%)	47,50,50	4.71	32 (68%)
12	SPO	D	104	-	40,41,41	6.03	17 (42%)	47,50,50	4.95	31 (65%)
7	BCL	S	102	5	69,74,74	1.13	7 (10%)	83,115,115	1.45	11 (13%)
7	BCL	D	101	-	69,74,74	1.18	8 (11%)	83,115,115	1.46	12 (14%)
12	SPO	P	102	-	40,41,41	6.57	17 (42%)	47,50,50	4.85	23 (48%)
7	BCL	S	101	-	69,74,74	1.17	7 (10%)	83,115,115	1.52	12 (14%)
8	BPH	L	302	-	56,67,70	1.15	4 (7%)	57,97,101	2.09	10 (17%)
7	BCL	E	101	5	69,74,74	1.14	7 (10%)	83,115,115	1.46	11 (13%)
7	BCL	K	101	-	69,74,74	1.15	7 (10%)	83,115,115	1.49	12 (14%)
12	SPO	I	104	-	40,41,41	5.84	17 (42%)	47,50,50	4.85	34 (72%)
12	SPO	P	101	-	40,41,41	6.04	18 (45%)	47,50,50	5.38	31 (65%)
7	BCL	F	102	5	69,74,74	1.12	7 (10%)	83,115,115	1.48	11 (13%)
12	SPO	U	103	-	40,41,41	6.05	17 (42%)	47,50,50	5.32	30 (63%)
7	BCL	W	101	-	69,74,74	1.10	5 (7%)	83,115,115	1.49	13 (15%)
7	BCL	2	101	5	49,54,74	1.25	4 (8%)	59,91,115	1.77	12 (20%)
8	BPH	L	306	-	49,60,70	1.19	3 (6%)	49,89,101	2.18	9 (18%)
9	PC1	X	1501	-	35,35,53	1.30	5 (14%)	41,43,61	1.21	4 (9%)
12	SPO	K	102	-	40,41,41	6.18	17 (42%)	47,50,50	4.91	28 (59%)
9	PC1	H	1102	-	38,38,53	1.24	3 (7%)	44,46,61	1.00	3 (6%)
7	BCL	F	101	-	69,74,74	1.21	8 (11%)	83,115,115	1.51	13 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	BCL	7	101	-	-	17/35/131/137	-
12	SPO	A	603	-	-	20/47/47/47	-
12	SPO	I	103	-	-	23/47/47/47	-
7	BCL	N	101	5	-	9/41/137/137	-
7	BCL	U	101	-	-	3/41/137/137	-
9	PC1	A	604	-	-	25/48/48/57	-
7	BCL	9	101	-	-	4/41/137/137	-
7	BCL	A	602	-	-	0/41/137/137	-
7	BCL	L	305	2	-	7/41/137/137	-
12	SPO	R	101	-	-	23/47/47/47	-
12	SPO	R	103	-	-	18/47/47/47	-
12	SPO	9	102	-	-	17/47/47/47	-
12	SPO	D	103	-	-	28/47/47/47	-
12	SPO	E	102	-	-	24/47/47/47	-
7	BCL	Q	101	-	-	0/41/137/137	-
12	SPO	K	103	-	-	28/47/47/47	-
9	PC1	H	1103	-	-	18/35/35/57	-
7	BCL	U	102	5	-	7/41/137/137	-
12	SPO	8	101	-	-	19/44/44/47	-
10	U10	L	304	-	-	10/39/63/87	0/1/1/1
7	BCL	O	102	5	-	6/41/137/137	-
7	BCL	8	102	5	-	8/41/137/137	-
7	BCL	M	403	-	-	2/41/137/137	-
7	BCL	C	101	-	-	13/41/137/137	-
7	BCL	1	101	4	-	0/41/137/137	-
7	BCL	L	301	1	-	2/41/137/137	-
10	U10	M	404	-	-	9/45/69/87	0/1/1/1
7	BCL	A	605	5	-	6/41/137/137	-
12	SPO	M	405	-	-	27/47/47/47	-
12	SPO	F	103	-	-	21/47/47/47	-
12	SPO	Q	102	-	-	22/47/47/47	-
7	BCL	I	102	5	-	6/41/137/137	-
7	BCL	O	101	-	-	6/41/137/137	-
13	CDL	M	406	-	-	44/110/110/110	-
12	SPO	0	102	-	-	26/47/47/47	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	BCL	9	103	5	-	6/35/131/137	-
7	BCL	M	401	1	-	1/38/134/137	-
7	BCL	R	102	5	-	6/41/137/137	-
7	BCL	I	101	-	-	0/41/137/137	-
9	PC1	H	1101	-	-	25/50/50/57	-
9	PC1	L	303	-	-	12/38/38/57	-
12	SPO	D	102	-	-	20/47/47/47	-
12	SPO	S	103	-	-	23/47/47/47	-
9	PC1	A	601	-	-	19/35/35/57	-
12	SPO	0	101	-	-	21/47/47/47	-
12	SPO	D	104	-	-	22/47/47/47	-
7	BCL	S	102	5	-	8/41/137/137	-
7	BCL	D	101	-	-	0/41/137/137	-
12	SPO	P	102	-	-	25/47/47/47	-
7	BCL	S	101	-	-	7/41/137/137	-
8	BPH	L	302	-	-	4/34/102/105	0/5/6/6
7	BCL	E	101	5	-	10/41/137/137	-
7	BCL	K	101	-	-	0/41/137/137	-
12	SPO	I	104	-	-	24/47/47/47	-
12	SPO	P	101	-	-	26/47/47/47	-
7	BCL	F	102	5	-	7/41/137/137	-
12	SPO	U	103	-	-	22/47/47/47	-
7	BCL	W	101	-	-	6/41/137/137	-
7	BCL	2	101	5	-	6/17/113/137	-
8	BPH	L	306	-	-	4/25/93/105	0/5/6/6
9	PC1	X	1501	-	-	14/39/39/57	-
12	SPO	K	102	-	-	24/47/47/47	-
9	PC1	H	1102	-	-	25/42/42/57	-
7	BCL	F	101	-	-	2/41/137/137	-

The worst 5 of 640 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	K	102	SPO	C27-C28	19.86	1.54	1.34
12	E	102	SPO	C27-C28	19.80	1.54	1.34
12	P	102	SPO	C27-C28	19.73	1.54	1.34
12	I	103	SPO	C27-C28	19.68	1.54	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	R	103	SPO	C27-C28	19.67	1.54	1.34

The worst 5 of 1071 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	0	102	SPO	C8-C7-C9	-14.15	103.10	122.92
12	E	102	SPO	C20-C19-C17	-13.42	108.16	127.31
12	P	102	SPO	C18-C17-C19	-13.41	104.14	122.92
12	D	103	SPO	C15-C14-C12	-13.25	108.41	127.31
12	P	102	SPO	C13-C12-C14	-13.22	104.40	122.92

There are no chirality outliers.

5 of 867 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	L	305	BCL	O2A-C1-C2-C3
7	A	605	BCL	C1A-C2A-CAA-CBA
7	E	101	BCL	C1A-C2A-CAA-CBA
7	F	102	BCL	C1A-C2A-CAA-CBA
7	I	102	BCL	C1A-C2A-CAA-CBA

There are no ring outliers.

61 monomers are involved in 192 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	7	101	BCL	6	0
12	A	603	SPO	3	0
12	I	103	SPO	3	0
7	N	101	BCL	5	0
7	U	101	BCL	5	0
9	A	604	PC1	4	0
7	9	101	BCL	2	0
7	A	602	BCL	5	0
7	L	305	BCL	2	0
12	R	101	SPO	8	0
12	R	103	SPO	4	0
12	9	102	SPO	4	0
12	D	103	SPO	6	0
12	E	102	SPO	3	0
7	Q	101	BCL	3	0
12	K	103	SPO	5	0

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	H	1103	PC1	5	0
7	U	102	BCL	6	0
12	8	101	SPO	2	0
10	L	304	U10	7	0
7	O	102	BCL	2	0
7	8	102	BCL	2	0
7	M	403	BCL	1	0
7	C	101	BCL	2	0
7	1	101	BCL	3	0
7	L	301	BCL	2	0
10	M	404	U10	2	0
7	A	605	BCL	5	0
12	M	405	SPO	4	0
12	F	103	SPO	3	0
12	Q	102	SPO	5	0
7	I	102	BCL	4	0
7	O	101	BCL	4	0
13	M	406	CDL	9	0
12	0	102	SPO	3	0
7	9	103	BCL	1	0
7	M	401	BCL	2	0
7	R	102	BCL	3	0
7	I	101	BCL	1	0
9	H	1101	PC1	2	0
9	L	303	PC1	2	0
12	D	102	SPO	5	0
12	S	103	SPO	7	0
9	A	601	PC1	5	0
12	0	101	SPO	2	0
12	D	104	SPO	7	0
7	S	102	BCL	4	0
7	D	101	BCL	2	0
12	P	102	SPO	6	0
7	S	101	BCL	4	0
8	L	302	BPH	2	0
7	E	101	BCL	5	0
7	K	101	BCL	2	0
12	I	104	SPO	3	0
12	P	101	SPO	4	0
12	U	103	SPO	5	0
7	W	101	BCL	6	0
8	L	306	BPH	1	0









Continued on next page...


Continued from previous page...




Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	K	102	SPO	4	0
9	H	1102	PC1	3	0
7	F	101	BCL	2	0








The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











Ligand SPO A 603			
			
Bond lengths			
		Bond angles	
			
Torsions			
		Rings	
Ligand SPO I 103			
			
Bond lengths			
		Bond angles	
			
Torsions			
		Rings	










Ligand SPO R 101			
			
Bond lengths			
		Bond angles	
			
Torsions			
		Rings	
Ligand SPO R 103			
			
Bond lengths			
		Bond angles	
			
Torsions			
		Rings	




Ligand SPO 9 102	
	
Bond lengths	Bond angles
	
Torsions	Rings




Ligand SPO D 103	
	
Bond lengths	Bond angles
	
Torsions	Rings
































Ligand SPO F 103	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand SPO Q 102	
	
Bond lengths	Bond angles
	
Torsions	Rings











Ligand SPO 0 102	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand BCL 9 103	
 Bond lengths	 Bond angles
 Torsions	 Rings





















Ligand SPO 0 101	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand SPO D 104	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand BCL S 102	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand BCL D 101	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand SPO P 102	
	
Bond lengths	Bond angles
	
Torsions	Rings











Ligand BCL E 101	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand BCL K 101	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand SPO I 104	
	
Bond lengths	Bond angles
	
Torsions	Rings




Ligand SPO U 103	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand BCL W 101	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand BCL 2 101




Bond lengths





Bond angles




Torsions



Rings

Ligand BPH L 306**Ligand PC1 X 1501**



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-32042. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 142



Y Index: 152




Z Index: 152


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.025. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 99 nm³; this corresponds to an approximate mass of 90 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.350 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.350 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.86	-	-
Author-provided FSC curve	2.84	3.31	2.91
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-32042 and PDB model 7VNM. Per-residue inclusion information can be found in section [3](#) on page [14](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.025 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.025).

9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.025) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7740	 0.5910
0	 0.8390	 0.6240
1	 0.0170	 0.1510
2	 0.0130	 0.0960
7	 0.7480	 0.5800
8	 0.7320	 0.5640
9	 0.8760	 0.6460
A	 0.8690	 0.6320
B	 0.8600	 0.6350
C	 0.0750	 0.1970
D	 0.8670	 0.6160
E	 0.8230	 0.6100
F	 0.8820	 0.6460
G	 0.8600	 0.6120
H	 0.8310	 0.6260
I	 0.8680	 0.6310
J	 0.8250	 0.6130
K	 0.8250	 0.6290
L	 0.9240	 0.6670
M	 0.9370	 0.6760
N	 0.7750	 0.5950
O	 0.8380	 0.6220
P	 0.7030	 0.5700
Q	 0.8030	 0.6120
R	 0.7590	 0.5800
S	 0.7440	 0.6090
T	 0.6790	 0.5510
U	 0.6180	 0.5350
V	 0.5530	 0.4740
W	 0.2880	 0.3800
X	 0.4790	 0.5260

