



# wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 04:03 AM UTC

PDB ID : 3VSZ / pdb\_00003vsz  
Title : Crystal structure of Ct1,3Gal43A in complex with galactan  
Authors : Jiang, D.; Fan, J.; Wang, X.; Zhao, Y.; Huang, B.; Zhang, X.C.  
Deposited on : 2012-05-18  
Resolution : 2.89 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	526	<div> <div>4%</div> <div>70% 17% 12%</div> </div>
1	B	526	<div> <div>5%</div> <div>68% 19% 12%</div> </div>
1	C	526	<div> <div>2%</div> <div>74% 18% 8%</div> </div>
1	D	526	<div> <div>22%</div> <div>61% 26% 12%</div> </div>
1	E	526	<div> <div>2%</div> <div>69% 19% 12%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	526	
2	G	3	
2	H	3	
2	I	3	
2	J	3	
2	K	3	
3	L	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GAL	G	2	-	-	X	-
2	GAL	H	2	-	-	X	-
2	GAL	I	2	-	-	X	-
2	GAL	J	2	-	-	X	-
2	GAL	K	2	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 22399 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ricin B lectin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	461	Total	C	N	O	S	0	0	0
			3664	2323	623	703	15			
1	B	461	Total	C	N	O	S	0	0	0
			3664	2323	623	703	15			
1	C	482	Total	C	N	O	S	0	0	0
			3807	2406	651	732	18			
1	D	461	Total	C	N	O	S	0	0	0
			3664	2323	623	703	15			
1	E	461	Total	C	N	O	S	0	0	0
			3664	2323	623	703	15			
1	F	461	Total	C	N	O	S	0	0	0
			3664	2323	623	703	15			

There are 216 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-35	MET	-	expression tag	UNP A3DD67
A	-34	GLY	-	expression tag	UNP A3DD67
A	-33	SER	-	expression tag	UNP A3DD67
A	-32	SER	-	expression tag	UNP A3DD67
A	-31	HIS	-	expression tag	UNP A3DD67
A	-30	HIS	-	expression tag	UNP A3DD67
A	-29	HIS	-	expression tag	UNP A3DD67
A	-28	HIS	-	expression tag	UNP A3DD67
A	-27	HIS	-	expression tag	UNP A3DD67
A	-26	HIS	-	expression tag	UNP A3DD67
A	-25	SER	-	expression tag	UNP A3DD67
A	-24	SER	-	expression tag	UNP A3DD67
A	-23	GLY	-	expression tag	UNP A3DD67
A	-22	LEU	-	expression tag	UNP A3DD67
A	-21	VAL	-	expression tag	UNP A3DD67
A	-20	PRO	-	expression tag	UNP A3DD67
A	-19	ARG	-	expression tag	UNP A3DD67

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	GLY	-	expression tag	UNP A3DD67
A	-17	SER	-	expression tag	UNP A3DD67
A	-16	HIS	-	expression tag	UNP A3DD67
A	-15	MET	-	expression tag	UNP A3DD67
A	-14	ALA	-	expression tag	UNP A3DD67
A	-13	SER	-	expression tag	UNP A3DD67
A	-12	MET	-	expression tag	UNP A3DD67
A	-11	THR	-	expression tag	UNP A3DD67
A	-10	GLY	-	expression tag	UNP A3DD67
A	-9	GLY	-	expression tag	UNP A3DD67
A	-8	GLN	-	expression tag	UNP A3DD67
A	-7	GLN	-	expression tag	UNP A3DD67
A	-6	MET	-	expression tag	UNP A3DD67
A	-5	GLY	-	expression tag	UNP A3DD67
A	-4	ARG	-	expression tag	UNP A3DD67
A	-3	GLY	-	expression tag	UNP A3DD67
A	-2	SER	-	expression tag	UNP A3DD67
A	-1	GLU	-	expression tag	UNP A3DD67
A	0	PHE	-	expression tag	UNP A3DD67
B	-35	MET	-	expression tag	UNP A3DD67
B	-34	GLY	-	expression tag	UNP A3DD67
B	-33	SER	-	expression tag	UNP A3DD67
B	-32	SER	-	expression tag	UNP A3DD67
B	-31	HIS	-	expression tag	UNP A3DD67
B	-30	HIS	-	expression tag	UNP A3DD67
B	-29	HIS	-	expression tag	UNP A3DD67
B	-28	HIS	-	expression tag	UNP A3DD67
B	-27	HIS	-	expression tag	UNP A3DD67
B	-26	HIS	-	expression tag	UNP A3DD67
B	-25	SER	-	expression tag	UNP A3DD67
B	-24	SER	-	expression tag	UNP A3DD67
B	-23	GLY	-	expression tag	UNP A3DD67
B	-22	LEU	-	expression tag	UNP A3DD67
B	-21	VAL	-	expression tag	UNP A3DD67
B	-20	PRO	-	expression tag	UNP A3DD67
B	-19	ARG	-	expression tag	UNP A3DD67
B	-18	GLY	-	expression tag	UNP A3DD67
B	-17	SER	-	expression tag	UNP A3DD67
B	-16	HIS	-	expression tag	UNP A3DD67
B	-15	MET	-	expression tag	UNP A3DD67
B	-14	ALA	-	expression tag	UNP A3DD67
B	-13	SER	-	expression tag	UNP A3DD67

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-12	MET	-	expression tag	UNP A3DD67
B	-11	THR	-	expression tag	UNP A3DD67
B	-10	GLY	-	expression tag	UNP A3DD67
B	-9	GLY	-	expression tag	UNP A3DD67
B	-8	GLN	-	expression tag	UNP A3DD67
B	-7	GLN	-	expression tag	UNP A3DD67
B	-6	MET	-	expression tag	UNP A3DD67
B	-5	GLY	-	expression tag	UNP A3DD67
B	-4	ARG	-	expression tag	UNP A3DD67
B	-3	GLY	-	expression tag	UNP A3DD67
B	-2	SER	-	expression tag	UNP A3DD67
B	-1	GLU	-	expression tag	UNP A3DD67
B	0	PHE	-	expression tag	UNP A3DD67
C	-35	MET	-	expression tag	UNP A3DD67
C	-34	GLY	-	expression tag	UNP A3DD67
C	-33	SER	-	expression tag	UNP A3DD67
C	-32	SER	-	expression tag	UNP A3DD67
C	-31	HIS	-	expression tag	UNP A3DD67
C	-30	HIS	-	expression tag	UNP A3DD67
C	-29	HIS	-	expression tag	UNP A3DD67
C	-28	HIS	-	expression tag	UNP A3DD67
C	-27	HIS	-	expression tag	UNP A3DD67
C	-26	HIS	-	expression tag	UNP A3DD67
C	-25	SER	-	expression tag	UNP A3DD67
C	-24	SER	-	expression tag	UNP A3DD67
C	-23	GLY	-	expression tag	UNP A3DD67
C	-22	LEU	-	expression tag	UNP A3DD67
C	-21	VAL	-	expression tag	UNP A3DD67
C	-20	PRO	-	expression tag	UNP A3DD67
C	-19	ARG	-	expression tag	UNP A3DD67
C	-18	GLY	-	expression tag	UNP A3DD67
C	-17	SER	-	expression tag	UNP A3DD67
C	-16	HIS	-	expression tag	UNP A3DD67
C	-15	MET	-	expression tag	UNP A3DD67
C	-14	ALA	-	expression tag	UNP A3DD67
C	-13	SER	-	expression tag	UNP A3DD67
C	-12	MET	-	expression tag	UNP A3DD67
C	-11	THR	-	expression tag	UNP A3DD67
C	-10	GLY	-	expression tag	UNP A3DD67
C	-9	GLY	-	expression tag	UNP A3DD67
C	-8	GLN	-	expression tag	UNP A3DD67
C	-7	GLN	-	expression tag	UNP A3DD67

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-6	MET	-	expression tag	UNP A3DD67
C	-5	GLY	-	expression tag	UNP A3DD67
C	-4	ARG	-	expression tag	UNP A3DD67
C	-3	GLY	-	expression tag	UNP A3DD67
C	-2	SER	-	expression tag	UNP A3DD67
C	-1	GLU	-	expression tag	UNP A3DD67
C	0	PHE	-	expression tag	UNP A3DD67
D	-35	MET	-	expression tag	UNP A3DD67
D	-34	GLY	-	expression tag	UNP A3DD67
D	-33	SER	-	expression tag	UNP A3DD67
D	-32	SER	-	expression tag	UNP A3DD67
D	-31	HIS	-	expression tag	UNP A3DD67
D	-30	HIS	-	expression tag	UNP A3DD67
D	-29	HIS	-	expression tag	UNP A3DD67
D	-28	HIS	-	expression tag	UNP A3DD67
D	-27	HIS	-	expression tag	UNP A3DD67
D	-26	HIS	-	expression tag	UNP A3DD67
D	-25	SER	-	expression tag	UNP A3DD67
D	-24	SER	-	expression tag	UNP A3DD67
D	-23	GLY	-	expression tag	UNP A3DD67
D	-22	LEU	-	expression tag	UNP A3DD67
D	-21	VAL	-	expression tag	UNP A3DD67
D	-20	PRO	-	expression tag	UNP A3DD67
D	-19	ARG	-	expression tag	UNP A3DD67
D	-18	GLY	-	expression tag	UNP A3DD67
D	-17	SER	-	expression tag	UNP A3DD67
D	-16	HIS	-	expression tag	UNP A3DD67
D	-15	MET	-	expression tag	UNP A3DD67
D	-14	ALA	-	expression tag	UNP A3DD67
D	-13	SER	-	expression tag	UNP A3DD67
D	-12	MET	-	expression tag	UNP A3DD67
D	-11	THR	-	expression tag	UNP A3DD67
D	-10	GLY	-	expression tag	UNP A3DD67
D	-9	GLY	-	expression tag	UNP A3DD67
D	-8	GLN	-	expression tag	UNP A3DD67
D	-7	GLN	-	expression tag	UNP A3DD67
D	-6	MET	-	expression tag	UNP A3DD67
D	-5	GLY	-	expression tag	UNP A3DD67
D	-4	ARG	-	expression tag	UNP A3DD67
D	-3	GLY	-	expression tag	UNP A3DD67
D	-2	SER	-	expression tag	UNP A3DD67
D	-1	GLU	-	expression tag	UNP A3DD67

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	0	PHE	-	expression tag	UNP A3DD67
E	-35	MET	-	expression tag	UNP A3DD67
E	-34	GLY	-	expression tag	UNP A3DD67
E	-33	SER	-	expression tag	UNP A3DD67
E	-32	SER	-	expression tag	UNP A3DD67
E	-31	HIS	-	expression tag	UNP A3DD67
E	-30	HIS	-	expression tag	UNP A3DD67
E	-29	HIS	-	expression tag	UNP A3DD67
E	-28	HIS	-	expression tag	UNP A3DD67
E	-27	HIS	-	expression tag	UNP A3DD67
E	-26	HIS	-	expression tag	UNP A3DD67
E	-25	SER	-	expression tag	UNP A3DD67
E	-24	SER	-	expression tag	UNP A3DD67
E	-23	GLY	-	expression tag	UNP A3DD67
E	-22	LEU	-	expression tag	UNP A3DD67
E	-21	VAL	-	expression tag	UNP A3DD67
E	-20	PRO	-	expression tag	UNP A3DD67
E	-19	ARG	-	expression tag	UNP A3DD67
E	-18	GLY	-	expression tag	UNP A3DD67
E	-17	SER	-	expression tag	UNP A3DD67
E	-16	HIS	-	expression tag	UNP A3DD67
E	-15	MET	-	expression tag	UNP A3DD67
E	-14	ALA	-	expression tag	UNP A3DD67
E	-13	SER	-	expression tag	UNP A3DD67
E	-12	MET	-	expression tag	UNP A3DD67
E	-11	THR	-	expression tag	UNP A3DD67
E	-10	GLY	-	expression tag	UNP A3DD67
E	-9	GLY	-	expression tag	UNP A3DD67
E	-8	GLN	-	expression tag	UNP A3DD67
E	-7	GLN	-	expression tag	UNP A3DD67
E	-6	MET	-	expression tag	UNP A3DD67
E	-5	GLY	-	expression tag	UNP A3DD67
E	-4	ARG	-	expression tag	UNP A3DD67
E	-3	GLY	-	expression tag	UNP A3DD67
E	-2	SER	-	expression tag	UNP A3DD67
E	-1	GLU	-	expression tag	UNP A3DD67
E	0	PHE	-	expression tag	UNP A3DD67
F	-35	MET	-	expression tag	UNP A3DD67
F	-34	GLY	-	expression tag	UNP A3DD67
F	-33	SER	-	expression tag	UNP A3DD67
F	-32	SER	-	expression tag	UNP A3DD67
F	-31	HIS	-	expression tag	UNP A3DD67


*Continued on next page...*



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-30	HIS	-	expression tag	UNP A3DD67
F	-29	HIS	-	expression tag	UNP A3DD67
F	-28	HIS	-	expression tag	UNP A3DD67
F	-27	HIS	-	expression tag	UNP A3DD67
F	-26	HIS	-	expression tag	UNP A3DD67
F	-25	SER	-	expression tag	UNP A3DD67
F	-24	SER	-	expression tag	UNP A3DD67
F	-23	GLY	-	expression tag	UNP A3DD67
F	-22	LEU	-	expression tag	UNP A3DD67
F	-21	VAL	-	expression tag	UNP A3DD67
F	-20	PRO	-	expression tag	UNP A3DD67
F	-19	ARG	-	expression tag	UNP A3DD67
F	-18	GLY	-	expression tag	UNP A3DD67
F	-17	SER	-	expression tag	UNP A3DD67
F	-16	HIS	-	expression tag	UNP A3DD67
F	-15	MET	-	expression tag	UNP A3DD67
F	-14	ALA	-	expression tag	UNP A3DD67
F	-13	SER	-	expression tag	UNP A3DD67
F	-12	MET	-	expression tag	UNP A3DD67
F	-11	THR	-	expression tag	UNP A3DD67
F	-10	GLY	-	expression tag	UNP A3DD67
F	-9	GLY	-	expression tag	UNP A3DD67
F	-8	GLN	-	expression tag	UNP A3DD67
F	-7	GLN	-	expression tag	UNP A3DD67
F	-6	MET	-	expression tag	UNP A3DD67
F	-5	GLY	-	expression tag	UNP A3DD67
F	-4	ARG	-	expression tag	UNP A3DD67
F	-3	GLY	-	expression tag	UNP A3DD67
F	-2	SER	-	expression tag	UNP A3DD67
F	-1	GLU	-	expression tag	UNP A3DD67
F	0	PHE	-	expression tag	UNP A3DD67

- Molecule 2 is an oligosaccharide called beta-D-galactopyranose-(1-3)-beta-D-galactopyranose-(1-3)-beta-D-galactopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	G	3	Total	C	O	0	0	0
			34	18	16			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	H	3	Total	C	O	0	0	0
			34	18	16			
2	I	3	Total	C	O	0	0	0
			34	18	16			
2	J	3	Total	C	O	0	0	0
			34	18	16			
2	K	3	Total	C	O	0	0	0
			34	18	16			

- Molecule 3 is an oligosaccharide called beta-D-galactopyranose-(1-3)-beta-D-galactopyranoside.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
3	L	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0
4	F	1	Total C O 6 3 3	0	0
4	F	1	Total C O 6 3 3	0	0



- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	4	Total O 4 4	0	0
5	C	9	Total O 9 9	0	0
5	E	2	Total O 2 2	0	0
5	F	4	Total O 4 4	0	0







● Molecule 1: Ricin B lectin




● Molecule 1: Ricin B lectin




● Molecule 1: Ricin B lectin



- Molecule 1: Ricin B lectin



- Molecule 2: beta-D-galactopyranose-(1-3)-beta-D-galactopyranose-(1-3)-beta-D-galactopyranose



- Molecule 2: beta-D-galactopyranose-(1-3)-beta-D-galactopyranose-(1-3)-beta-D-galactopyranose



GAL1  
GAL2  
GAL3

- Molecule 2: beta-D-galactopyranose-(1-3)-beta-D-galactopyranose-(1-3)-beta-D-galactopyranose

Chain I:  100%


GAL1  
GAL2  
GAL3

- Molecule 2: beta-D-galactopyranose-(1-3)-beta-D-galactopyranose-(1-3)-beta-D-galactopyranose

Chain J:  100%

GAL1  
GAL2  
GAL3

- Molecule 2: beta-D-galactopyranose-(1-3)-beta-D-galactopyranose-(1-3)-beta-D-galactopyranose

Chain K:  100%

GAL1  
GAL2  
GAL3

- Molecule 3: beta-D-galactopyranose-(1-3)-beta-D-galactopyranose

Chain L:  100%

GAL1  
GAL2

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	107.79Å 122.60Å 405.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.88 – 2.89 48.88 – 2.89	Depositor EDS
% Data completeness (in resolution range)	90.5 (48.88-2.89) 94.9 (48.88-2.89)	Depositor EDS
$R_{merge}$	0.17	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.32 (at 2.91Å)	Xtriage
Refinement program	PHENIX 1.7_650	Depositor
R, $R_{free}$	0.239 , 0.262 (Not available) , 0.280	Depositor DCC
$R_{free}$ test set	2040 reflections (1.78%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	60.8	Xtriage
Anisotropy	0.638	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 41.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	22399	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.38% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.24	0/3762	0.68	2/5104 (0.0%)
1	B	0.24	0/3762	0.66	0/5104
1	C	0.25	0/3907	0.67	0/5295
1	D	0.26	0/3762	0.70	1/5104 (0.0%)
1	E	0.25	0/3762	0.70	0/5104
1	F	0.25	0/3762	0.69	0/5104
All	All	0.25	0/22717	0.68	3/30815 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	461	LEU	N-CA-C	6.95	119.98	109.41
1	A	351	ILE	CA-C-N	5.41	125.08	119.56
1	A	351	ILE	C-N-CA	5.41	125.08	119.56

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3664	0	3480	78	0
1	B	3664	0	3480	79	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3807	0	3613	79	0
1	D	3664	0	3480	116	0
1	E	3664	0	3480	80	0
1	F	3664	0	3480	77	0
2	G	34	0	30	15	0
2	H	34	0	30	17	0
2	I	34	0	30	16	0
2	J	34	0	30	20	0
2	K	34	0	30	13	0
3	L	23	0	21	3	0
4	A	6	0	8	0	0
4	B	12	0	16	0	0
4	C	18	0	24	2	0
4	D	6	0	8	0	0
4	E	6	0	8	0	0
4	F	12	0	16	0	0
5	A	4	0	0	1	0
5	C	9	0	0	0	0
5	E	2	0	0	0	0
5	F	4	0	0	0	0
All	All	22399	0	21264	517	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 517 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:453:ILE:HG13	1:D:461:LEU:HD11	1.21	1.14
1:D:446:ILE:HD11	1:D:452:LYS:HG3	1.27	1.13
2:J:2:GAL:H3	2:J:3:GAL:O2	1.55	1.03
2:H:2:GAL:H3	2:H:3:GAL:O2	1.59	1.00
1:D:453:ILE:HG13	1:D:461:LEU:CD1	1.94	0.96

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	459/526 (87%)	436 (95%)	23 (5%)	0	100	100
1	B	459/526 (87%)	434 (95%)	25 (5%)	0	100	100
1	C	480/526 (91%)	461 (96%)	19 (4%)	0	100	100
1	D	459/526 (87%)	429 (94%)	30 (6%)	0	100	100
1	E	459/526 (87%)	440 (96%)	19 (4%)	0	100	100
1	F	459/526 (87%)	441 (96%)	18 (4%)	0	100	100
All	All	2775/3156 (88%)	2641 (95%)	134 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	389/442 (88%)	387 (100%)	2 (0%)	81	93
1	B	389/442 (88%)	387 (100%)	2 (0%)	81	93
1	C	402/442 (91%)	401 (100%)	1 (0%)	87	96
1	D	389/442 (88%)	385 (99%)	4 (1%)	68	89
1	E	389/442 (88%)	388 (100%)	1 (0%)	86	96
1	F	389/442 (88%)	387 (100%)	2 (0%)	81	93
All	All	2347/2652 (88%)	2335 (100%)	12 (0%)	81	93

5 of 12 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	347	ILE
1	D	453	ILE
1	F	427	VAL
1	E	270	LEU
1	B	226	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 26 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	60	HIS
1	D	477	GLN
1	F	457	HIS
1	D	392	GLN
1	E	110	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

17 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GAL	G	1	2	12,12,12	0.54	0	17,17,17	0.52	0
2	GAL	G	2	2	11,11,12	0.65	0	15,15,17	0.52	0
2	GAL	G	3	2	11,11,12	0.66	0	15,15,17	0.52	0
2	GAL	H	1	2	12,12,12	0.53	0	17,17,17	0.52	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GAL	H	2	2	11,11,12	0.65	0	15,15,17	0.52	0
2	GAL	H	3	2	11,11,12	0.66	0	15,15,17	0.52	0
2	GAL	I	1	2	12,12,12	0.54	0	17,17,17	0.52	0
2	GAL	I	2	2	11,11,12	0.65	0	15,15,17	0.52	0
2	GAL	I	3	2	11,11,12	0.65	0	15,15,17	0.53	0
2	GAL	J	1	2	12,12,12	0.55	0	17,17,17	0.52	0
2	GAL	J	2	2	11,11,12	0.65	0	15,15,17	0.52	0
2	GAL	J	3	2	11,11,12	0.66	0	15,15,17	0.52	0
2	GAL	K	1	2	12,12,12	0.53	0	17,17,17	0.52	0
2	GAL	K	2	2	11,11,12	0.65	0	15,15,17	0.52	0
2	GAL	K	3	2	11,11,12	0.67	0	15,15,17	0.53	0
3	GAL	L	1	3	12,12,12	0.55	0	17,17,17	0.52	0
3	GAL	L	2	3	11,11,12	0.65	0	15,15,17	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	G	1	2	-	2/2/22/22	0/1/1/1
2	GAL	G	2	2	-	2/2/19/22	0/1/1/1
2	GAL	G	3	2	-	0/2/19/22	0/1/1/1
2	GAL	H	1	2	-	2/2/22/22	0/1/1/1
2	GAL	H	2	2	-	1/2/19/22	0/1/1/1
2	GAL	H	3	2	-	2/2/19/22	0/1/1/1
2	GAL	I	1	2	-	2/2/22/22	0/1/1/1
2	GAL	I	2	2	-	2/2/19/22	0/1/1/1
2	GAL	I	3	2	-	0/2/19/22	0/1/1/1
2	GAL	J	1	2	-	2/2/22/22	0/1/1/1
2	GAL	J	2	2	-	0/2/19/22	0/1/1/1
2	GAL	J	3	2	-	2/2/19/22	0/1/1/1
2	GAL	K	1	2	-	2/2/22/22	0/1/1/1
2	GAL	K	2	2	-	0/2/19/22	0/1/1/1
2	GAL	K	3	2	-	0/2/19/22	0/1/1/1
3	GAL	L	1	3	-	2/2/22/22	0/1/1/1
3	GAL	L	2	3	-	2/2/19/22	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 23 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	I	2	GAL	C4-C5-C6-O6
3	L	2	GAL	O5-C5-C6-O6
2	G	1	GAL	O5-C5-C6-O6
2	G	2	GAL	O5-C5-C6-O6
2	I	2	GAL	O5-C5-C6-O6


There are no ring outliers.

17 monomers are involved in 84 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	I	2	GAL	15	0
2	G	1	GAL	5	0
2	J	1	GAL	5	0
2	K	3	GAL	1	0
2	K	1	GAL	5	0
3	L	1	GAL	1	0
2	H	2	GAL	14	0
2	I	1	GAL	2	0
2	G	2	GAL	11	0
2	H	1	GAL	3	0
2	J	2	GAL	15	0
2	J	3	GAL	5	0
3	L	2	GAL	2	0
2	G	3	GAL	1	0
2	I	3	GAL	3	0
2	H	3	GAL	3	0
2	K	2	GAL	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









## 5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	GOL	A	601	-	5,5,5	0.38	0	5,5,5	0.30	0
4	GOL	B	602	-	5,5,5	0.38	0	5,5,5	0.30	0
4	GOL	C	603	-	5,5,5	0.37	0	5,5,5	0.34	0
4	GOL	D	601	-	5,5,5	0.37	0	5,5,5	0.31	0
4	GOL	F	602	-	5,5,5	0.36	0	5,5,5	0.32	0
4	GOL	C	602	-	5,5,5	0.37	0	5,5,5	0.30	0
4	GOL	C	601	-	5,5,5	0.37	0	5,5,5	0.35	0
4	GOL	F	601	-	5,5,5	0.38	0	5,5,5	0.31	0
4	GOL	B	601	-	5,5,5	0.37	0	5,5,5	0.31	0
4	GOL	E	601	-	5,5,5	0.37	0	5,5,5	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	601	-	-	2/4/4/4	-
4	GOL	B	602	-	-	2/4/4/4	-
4	GOL	C	603	-	-	4/4/4/4	-
4	GOL	D	601	-	-	2/4/4/4	-
4	GOL	F	602	-	-	2/4/4/4	-
4	GOL	C	602	-	-	2/4/4/4	-
4	GOL	C	601	-	-	2/4/4/4	-
4	GOL	F	601	-	-	2/4/4/4	-
4	GOL	B	601	-	-	2/4/4/4	-
4	GOL	E	601	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 22 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	601	GOL	O1-C1-C2-C3
4	B	601	GOL	O1-C1-C2-C3
4	B	602	GOL	O1-C1-C2-O2
4	B	602	GOL	O1-C1-C2-C3
4	C	601	GOL	O1-C1-C2-C3

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	601	GOL	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	461/526 (87%)	0.71	19 (4%) 41 33	47, 73, 93, 110	0
1	B	461/526 (87%)	0.88	25 (5%) 31 24	58, 83, 105, 114	0
1	C	482/526 (91%)	0.28	11 (2%) 61 52	40, 55, 72, 109	0
1	D	461/526 (87%)	1.29	114 (24%) 2 1	47, 85, 150, 156	0
1	E	461/526 (87%)	0.43	9 (1%) 65 56	43, 65, 83, 95	0
1	F	461/526 (87%)	0.49	16 (3%) 47 38	40, 61, 80, 102	0
All	All	2787/3156 (88%)	0.68	194 (6%) 22 18	40, 68, 114, 156	0

The worst 5 of 194 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	427	VAL	5.2
1	D	493	VAL	5.1
1	D	396	LEU	4.8
1	D	384	TRP	4.7
1	D	375	VAL	4.7

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GAL	G	2	11/12	0.46	0.24	44,49,58,64	0
2	GAL	K	2	11/12	0.53	0.21	45,50,55,61	0
2	GAL	H	3	11/12	0.55	0.16	50,56,60,63	0
2	GAL	I	2	11/12	0.56	0.21	44,47,54,68	0
2	GAL	H	2	11/12	0.56	0.19	48,54,61,62	0
2	GAL	J	2	11/12	0.63	0.17	49,56,58,58	0
2	GAL	K	3	11/12	0.64	0.15	48,55,59,62	0
2	GAL	K	1	12/12	0.66	0.17	50,54,62,66	0
2	GAL	J	3	11/12	0.68	0.14	48,56,64,64	0
2	GAL	I	3	11/12	0.69	0.16	43,55,61,61	0
3	GAL	L	2	11/12	0.69	0.16	20,20,20,20	0
2	GAL	J	1	12/12	0.71	0.15	51,54,60,62	0
2	GAL	G	3	11/12	0.72	0.14	45,55,60,62	0
3	GAL	L	1	12/12	0.72	0.16	20,20,20,20	0
2	GAL	G	1	12/12	0.72	0.16	46,50,57,58	0
2	GAL	I	1	12/12	0.74	0.15	43,50,56,59	0
2	GAL	H	1	12/12	0.75	0.14	53,56,61,63	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around Chain H:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain I:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)









**Electron density around Chain J:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain K:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	GOL	C	602	6/6	0.82	0.21	53,65,77,77	0
4	GOL	F	602	6/6	0.83	0.16	78,81,87,89	0
4	GOL	C	603	6/6	0.84	0.33	56,73,83,86	0
4	GOL	F	601	6/6	0.87	0.19	68,71,72,72	0
4	GOL	A	601	6/6	0.87	0.22	54,54,56,56	0
4	GOL	D	601	6/6	0.88	0.19	83,87,91,93	0
4	GOL	C	601	6/6	0.90	0.16	55,58,62,65	0
4	GOL	B	601	6/6	0.91	0.15	66,81,87,91	0
4	GOL	B	602	6/6	0.92	0.17	66,71,75,76	0
4	GOL	E	601	6/6	0.93	0.13	66,69,70,71	0



## 6.5 Other polymers [i](#)

There are no such residues in this entry.