



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 06:51 PM UTC

PDB ID : 5WEW / pdb_00005wew
Title : Crystal structure of Klebsiella pneumoniae fosfomycin resistance protein (Fos-AKP) with inhibitor (ANY1) bound
Authors : Klontz, E.H.; Sundberg, E.J.
Deposited on : 2017-07-10
Resolution : 3.18 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2001 (3.20-3.16)
Clashscore	190562	2119 (3.20-3.16)
Ramachandran outliers	187476	2070 (3.20-3.16)
Sidechain outliers	187428	2069 (3.20-3.16)
RSRZ outliers	180081	2001 (3.20-3.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	145	<div> <div></div> <div>79%</div> <div>17%</div> <div>.</div> </div>
1	B	145	<div> <div></div> <div>83%</div> <div>14%</div> <div>.</div> </div>
1	C	145	<div> <div></div> <div>82%</div> <div>13%</div> <div>5%</div> </div>
1	D	145	<div> <div></div> <div>77%</div> <div>17%</div> <div>6%</div> </div>
1	E	145	<div> <div></div> <div>66%</div> <div>16%</div> <div>18%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	145	<div><div><div>%</div><div><div></div><div></div><div></div></div><div>81%13%6%</div></div></div>
1	G	145	<div><div><div>%</div><div><div></div><div></div><div></div></div><div>80%17%•</div></div></div>
1	H	145	<div><div><div>%</div><div><div></div><div></div><div></div></div><div>83%14%•</div></div></div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8654 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fosfomycin resistance protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	140	Total	C	N	O	S	0	0	0
			1072	689	183	194	6			
1	B	141	Total	C	N	O	S	0	0	0
			1085	696	186	197	6			
1	C	138	Total	C	N	O	S	0	0	0
			1052	677	178	191	6			
1	D	137	Total	C	N	O	S	0	0	0
			1055	678	178	193	6			
1	E	119	Total	C	N	O	S	0	0	0
			921	594	157	164	6			
1	F	137	Total	C	N	O	S	0	0	0
			1047	674	177	191	5			
1	G	141	Total	C	N	O	S	0	0	0
			1093	700	187	200	6			
1	H	141	Total	C	N	O	S	0	0	0
			1081	694	185	196	6			

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	140	HIS	-	expression tag	UNP W8UNW6
A	141	HIS	-	expression tag	UNP W8UNW6
A	142	HIS	-	expression tag	UNP W8UNW6
A	143	HIS	-	expression tag	UNP W8UNW6
A	144	HIS	-	expression tag	UNP W8UNW6
A	145	HIS	-	expression tag	UNP W8UNW6
B	140	HIS	-	expression tag	UNP W8UNW6
B	141	HIS	-	expression tag	UNP W8UNW6
B	142	HIS	-	expression tag	UNP W8UNW6
B	143	HIS	-	expression tag	UNP W8UNW6
B	144	HIS	-	expression tag	UNP W8UNW6
B	145	HIS	-	expression tag	UNP W8UNW6
C	140	HIS	-	expression tag	UNP W8UNW6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	141	HIS	-	expression tag	UNP W8UNW6
C	142	HIS	-	expression tag	UNP W8UNW6
C	143	HIS	-	expression tag	UNP W8UNW6
C	144	HIS	-	expression tag	UNP W8UNW6
C	145	HIS	-	expression tag	UNP W8UNW6
D	140	HIS	-	expression tag	UNP W8UNW6
D	141	HIS	-	expression tag	UNP W8UNW6
D	142	HIS	-	expression tag	UNP W8UNW6
D	143	HIS	-	expression tag	UNP W8UNW6
D	144	HIS	-	expression tag	UNP W8UNW6
D	145	HIS	-	expression tag	UNP W8UNW6
E	140	HIS	-	expression tag	UNP W8UNW6
E	141	HIS	-	expression tag	UNP W8UNW6
E	142	HIS	-	expression tag	UNP W8UNW6
E	143	HIS	-	expression tag	UNP W8UNW6
E	144	HIS	-	expression tag	UNP W8UNW6
E	145	HIS	-	expression tag	UNP W8UNW6
F	140	HIS	-	expression tag	UNP W8UNW6
F	141	HIS	-	expression tag	UNP W8UNW6
F	142	HIS	-	expression tag	UNP W8UNW6
F	143	HIS	-	expression tag	UNP W8UNW6
F	144	HIS	-	expression tag	UNP W8UNW6
F	145	HIS	-	expression tag	UNP W8UNW6
G	140	HIS	-	expression tag	UNP W8UNW6
G	141	HIS	-	expression tag	UNP W8UNW6
G	142	HIS	-	expression tag	UNP W8UNW6
G	143	HIS	-	expression tag	UNP W8UNW6
G	144	HIS	-	expression tag	UNP W8UNW6
G	145	HIS	-	expression tag	UNP W8UNW6
H	140	HIS	-	expression tag	UNP W8UNW6
H	141	HIS	-	expression tag	UNP W8UNW6
H	142	HIS	-	expression tag	UNP W8UNW6
H	143	HIS	-	expression tag	UNP W8UNW6
H	144	HIS	-	expression tag	UNP W8UNW6
H	145	HIS	-	expression tag	UNP W8UNW6

- Molecule 2 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mn 1 1	0	0
2	B	1	Total Mn 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	C	1	Total	Mn	0	0
			1	1		
2	D	1	Total	Mn	0	0
			1	1		
2	E	1	Total	Mn	0	0
			1	1		
2	F	1	Total	Mn	0	0
			1	1		
2	G	1	Total	Mn	0	0
			1	1		
2	H	1	Total	Mn	0	0
			1	1		

- Molecule 3 is 6,6'-(4-nitro-1H-pyrazole-3,5-diyl)bis(3-bromopyrazolo[1,5-a]pyrimidin-2(1H)-one) (CCD ID: A81) (formula: C₁₅H₇Br₂N₉O₄).







Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	Br	C	N	O	0	0
			30	2	15	9	4		
3	B	1	Total	Br	C	N	O	0	0
			30	2	15	9	4		
3	C	1	Total	Br	C	N	O	0	0
			30	2	15	9	4		
3	D	1	Total	Br	C	N	O	0	0
			30	2	15	9	4		
3	E	1	Total	Br	C	N	O	0	0
			30	2	15	9	4		


Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	F	1	Total	Br	C	N	O	0	0
			30	2	15	9	4		
3	F	1	Total	Br	C	N	O	0	0
			30	2	15	9	4		
3	G	1	Total	Br	C	N	O	0	0
			30	2	15	9	4		

- Molecule 1: Fosfomycin resistance protein








- Molecule 1: Fosfomycin resistance protein



- Molecule 1: Fosfomycin resistance protein



- Molecule 1: Fosfomycin resistance protein



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	120.40Å 197.62Å 117.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.75 – 3.18 37.75 – 3.18	Depositor EDS
% Data completeness (in resolution range)	89.0 (37.75-3.18) 89.1 (37.75-3.18)	Depositor EDS
R_{merge}	0.33	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.78 (at 3.18Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.221 , 0.262 0.224 , 0.263	Depositor DCC
R_{free} test set	1106 reflections (4.62%)	wwPDB-VP
Wilson B-factor (Å ²)	39.3	Xtriage
Anisotropy	0.302	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 28.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.004 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.047 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	8654	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 21.30 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.2171e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A81, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.11	0/1103	0.29	0/1502
1	B	0.11	0/1117	0.29	0/1521
1	C	0.13	0/1082	0.30	0/1474
1	D	0.11	0/1085	0.29	0/1477
1	E	0.11	0/948	0.28	0/1290
1	F	0.11	0/1077	0.28	0/1468
1	G	0.12	0/1125	0.29	0/1531
1	H	0.11	0/1113	0.28	0/1516
All	All	0.11	0/8650	0.29	0/11779

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1072	0	1014	19	0
1	B	1085	0	1023	16	0
1	C	1052	0	997	14	0
1	D	1055	0	1005	17	0
1	E	921	0	877	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1047	0	989	15	0
1	G	1093	0	1033	21	0
1	H	1081	0	1017	16	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
3	A	30	0	0	0	0
3	B	30	0	0	0	0
3	C	30	0	0	0	0
3	D	30	0	0	0	0
3	E	30	0	0	0	0
3	F	60	0	0	0	0
3	G	30	0	0	0	0
All	All	8654	0	7955	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 120 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:127:ARG:NH1	1:G:138:GLU:OE2	2.20	0.72
1:E:106:ASP:OD1	1:E:110:HIS:N	2.23	0.71
1:A:127:ARG:NH1	1:A:138:GLU:OE2	2.25	0.69
1:E:104:PHE:HE1	1:E:114:LEU:HG	1.62	0.64
1:H:72:ILE:HD13	1:H:77:PHE:HA	1.83	0.60

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	138/145 (95%)	137 (99%)	1 (1%)	0	100	100
1	B	139/145 (96%)	136 (98%)	2 (1%)	1 (1%)	18	50
1	C	136/145 (94%)	135 (99%)	1 (1%)	0	100	100
1	D	135/145 (93%)	134 (99%)	1 (1%)	0	100	100
1	E	115/145 (79%)	108 (94%)	7 (6%)	0	100	100
1	F	135/145 (93%)	134 (99%)	1 (1%)	0	100	100
1	G	139/145 (96%)	137 (99%)	2 (1%)	0	100	100
1	H	139/145 (96%)	138 (99%)	1 (1%)	0	100	100
All	All	1076/1160 (93%)	1059 (98%)	16 (2%)	1 (0%)	48	77

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	140	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	107/119 (90%)	107 (100%)	0	100	100
1	B	109/119 (92%)	109 (100%)	0	100	100
1	C	105/119 (88%)	105 (100%)	0	100	100
1	D	107/119 (90%)	107 (100%)	0	100	100
1	E	95/119 (80%)	95 (100%)	0	100	100
1	F	104/119 (87%)	104 (100%)	0	100	100
1	G	111/119 (93%)	111 (100%)	0	100	100
1	H	108/119 (91%)	108 (100%)	0	100	100
All	All	846/952 (89%)	846 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	14	GLN
1	B	102	HIS
1	B	140	HIS
1	D	102	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 8 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	A81	B	202	2	27,34,34	1.85	9 (33%)	19,52,52	2.99	7 (36%)
3	A81	F	202	2	27,34,34	1.88	9 (33%)	19,52,52	3.01	8 (42%)
3	A81	D	202	2	27,34,34	1.87	9 (33%)	19,52,52	2.87	8 (42%)
3	A81	G	202	2	27,34,34	1.90	9 (33%)	19,52,52	3.11	9 (47%)
3	A81	E	202	2	27,34,34	1.88	9 (33%)	19,52,52	2.95	6 (31%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	A81	F	203	2	27,34,34	1.91	9 (33%)	19,52,52	3.05	8 (42%)
3	A81	A	202	2	27,34,34	1.90	9 (33%)	19,52,52	3.05	7 (36%)
3	A81	C	202	2	27,34,34	1.86	9 (33%)	19,52,52	3.01	7 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A81	B	202	2	-	0/1/12/12	0/5/5/5
3	A81	F	202	2	-	0/1/12/12	0/5/5/5
3	A81	D	202	2	-	1/1/12/12	0/5/5/5
3	A81	G	202	2	-	0/1/12/12	0/5/5/5
3	A81	E	202	2	-	0/1/12/12	0/5/5/5
3	A81	F	203	2	-	0/1/12/12	0/5/5/5
3	A81	A	202	2	-	0/1/12/12	0/5/5/5
3	A81	C	202	2	-	0/1/12/12	0/5/5/5

The worst 5 of 72 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	202	A81	C20-C05	-4.69	1.38	1.47
3	F	203	A81	C20-C05	-4.57	1.38	1.47
3	A	202	A81	C20-C05	-4.51	1.38	1.47
3	D	202	A81	C20-C05	-4.49	1.38	1.47
3	F	202	A81	C20-C05	-4.46	1.39	1.47

The worst 5 of 60 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	202	A81	C20-C21-N22	-7.67	118.27	125.36
3	F	203	A81	C20-C21-N22	-7.46	118.47	125.36
3	A	202	A81	C20-C21-N22	-7.11	118.78	125.36
3	F	202	A81	C20-C21-N22	-7.02	118.87	125.36
3	B	202	A81	C20-C21-N22	-6.98	118.90	125.36

There are no chirality outliers.



All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	202	A81	C05-C04-N02-O03


There are no ring outliers.

No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand A81 D 202




Ligand A81 G 202



Ligand A81 E 202





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	140/145 (96%)	-0.09	1 (0%) 84 69	21, 33, 49, 57	0
1	B	141/145 (97%)	-0.07	1 (0%) 84 69	24, 34, 51, 70	0
1	C	138/145 (95%)	-0.07	1 (0%) 84 69	22, 31, 50, 72	0
1	D	137/145 (94%)	0.02	1 (0%) 84 69	22, 37, 56, 71	0
1	E	119/145 (82%)	0.46	1 (0%) 82 67	31, 58, 75, 92	0
1	F	137/145 (94%)	0.30	2 (1%) 72 51	34, 52, 70, 78	0
1	G	141/145 (97%)	0.20	2 (1%) 73 53	30, 42, 59, 69	0
1	H	141/145 (97%)	0.16	1 (0%) 84 69	29, 42, 62, 80	0
All	All	1094/1160 (94%)	0.11	10 (0%) 81 64	21, 41, 64, 92	0

The worst 5 of 10 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	97	SER	2.8
1	B	98	GLU	2.4
1	F	4	GLY	2.3
1	C	97	SER	2.3
1	E	124	ALA	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	A81	E	202	30/30	0.95	0.10	39,53,60,63	0
3	A81	D	202	30/30	0.97	0.07	27,38,45,53	0
3	A81	C	202	30/30	0.97	0.07	27,36,45,52	0
3	A81	F	202	30/30	0.97	0.09	33,42,52,54	0
3	A81	F	203	30/30	0.97	0.10	42,49,62,68	0
3	A81	G	202	30/30	0.97	0.08	36,47,56,59	0
2	MN	F	201	1/1	0.98	0.06	25,25,25,25	0
3	A81	A	202	30/30	0.98	0.07	28,34,42,48	0
3	A81	B	202	30/30	0.98	0.07	22,31,42,48	0
2	MN	A	201	1/1	0.99	0.05	21,21,21,21	0
2	MN	H	201	1/1	0.99	0.03	26,26,26,26	0
2	MN	C	201	1/1	0.99	0.05	24,24,24,24	0
2	MN	D	201	1/1	0.99	0.05	24,24,24,24	0
2	MN	E	201	1/1	0.99	0.05	47,47,47,47	0
2	MN	G	201	1/1	1.00	0.05	23,23,23,23	0
2	MN	B	201	1/1	1.00	0.04	17,17,17,17	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A81 E 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A81 D 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A81 C 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A81 F 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A81 F 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A81 G 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A81 A 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A81 B 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.