Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 03:58 AM EDT

PDB ID	:	6WND / pdb_00006wnd
Title	:	Structure of the Rieske non-heme iron oxygenase GxtA with dideoxysaxitoxin bound
Authors	:	Bridwell-Rabb, J.; Liu, J.
Deposited on	:	2020-04-22
Resolution	:	2.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8975 (2.20-2.16)
Clashscore	190562	9786 (2.20-2.16)
Ramachandran outliers	187476	9664 (2.20-2.16)
Sidechain outliers	187428	9664 (2.20-2.16)
RSRZ outliers	180081	8979 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	334	2% 84% 9% 7%
1	B	334	4% 82% 13%
1	C	334	3% 87% 10%

2 Entry composition


There are 7 unique types of molecules in this entry. The entry contains 8179 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SxtDIOX.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	311	Total	C	N	O	S	0	0	0
			2508	1595	433	462	18			
1	B	320	Total	C	N	O	S	0	2	0
			2593	1645	449	481	18			
1	C	324	Total	C	N	O	S	0	2	0
			2620	1661	452	488	19			

- Molecule 2 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe_2S_2) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	Fe	S		0	0
			4	2	2			
2	B	1	Total	Fe	S		0	0
			4	2	2			
2	C	1	Total	Fe	S		0	0
			4	2	2			

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total C O 6 3 3	0	0

- Molecule 4 is [(2Z,3aS,4R,6Z,10aR)-2,6-diiminooctahydro-1H,8H-pyrrolo[1,2-c]purin-4-yl]methyl carbamate (CCD ID: U5A) (formula: $C_{10}H_{17}N_7O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O 19 10 7 2	0	0
4	B	1	Total C N O 19 10 7 2	0	0
4	C	1	Total C N O 19 10 7 2	0	0

- Molecule 5 is FE (III) ION (CCD ID: FE) (formula: Fe) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Fe 1 1	0	0
5	B	1	Total Fe 1 1	0	0
5	C	1	Total Fe 1 1	0	0

- Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	2	Total Cl 2 2	0	0
6	C	2	Total Cl 2 2	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	92	Total O 92 92	0	0
7	B	97	Total O 97 97	0	0
7	C	109	Total O 109 109	0	0


3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SxtDIOX

Chain A:








• Molecule 1: SxtDIOX

Chain B:








• Molecule 1: SxtDIOX

Chain C:







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	74.58Å 96.98Å 80.41Å 90.00° 107.24° 90.00°	Depositor
Resolution (Å)	41.47 – 2.18 41.47 – 2.18	Depositor EDS
% Data completeness (in resolution range)	99.5 (41.47-2.18) 99.4 (41.47-2.18)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.06 (at 2.18Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.168 , 0.208 0.172 , 0.230	Depositor DCC
R_{free} test set	2835 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å^2)	34.0	Xtriage
Anisotropy	0.252	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.39 , 42.4	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.96	EDS
Total number of atoms	8179	wwPDB-VP
Average B, all atoms (Å^2)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.77% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE, FES, GOL, U5A, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.35	0/2578	0.54	0/3518
1	B	0.34	0/2666	0.53	0/3639
1	C	0.35	0/2695	0.55	0/3678
All	All	0.35	0/7939	0.54	0/10835

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2508	0	2433	19	0
1	B	2593	0	2505	28	0
1	C	2620	0	2538	20	0
2	A	4	0	0	1	0
2	B	4	0	0	0	0
2	C	4	0	0	0	0
3	A	24	0	32	3	0
3	B	24	0	32	4	0
3	C	36	0	48	3	0
4	A	19	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	19	0	0	0	0
4	C	19	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
6	A	2	0	0	0	0
6	C	2	0	0	0	0
7	A	92	0	0	2	0
7	B	97	0	0	0	0
7	C	109	0	0	1	0
All	All	8179	0	7588	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:40:ARG:HH12	3:B:506:GOL:H2	1.56	0.71
1:A:317:THR:OG1	1:A:321:ARG:NH2	2.24	0.70
1:B:73:VAL:HG22	1:B:80:ARG:HG2	1.74	0.69
1:C:38:LEU:HG	1:C:50:VAL:HG22	1.77	0.66
1:B:195:MET:HE1	1:B:198:TYR:CE1	2.30	0.65
1:B:139:HIS:HB3	3:B:502:GOL:H2	1.81	0.61
1:A:308:GLU:OE2	1:A:321:ARG:NH1	2.33	0.61
1:A:189:ASP:HB3	1:A:191:ASP:H	1.69	0.57
1:C:70[B]:ASN:OD1	1:C:83:GLN:NE2	2.38	0.57
1:B:214:MET:HG2	1:B:232:ALA:HB2	1.85	0.57
1:A:185:GLU:OE2	1:B:70:ASN:ND2	2.37	0.56
1:A:293:PRO:HA	1:A:334:CYS:HA	1.88	0.55
1:C:246:ILE:HD11	1:C:252:VAL:HG23	1.90	0.54
1:C:317:THR:HB	1:C:321:ARG:HH22	1.73	0.54
1:A:77:HIS:HB2	2:A:501:FES:S1	2.48	0.53
1:B:191:ASP:N	1:B:191:ASP:OD1	2.43	0.52
1:C:74:CYS:SG	1:C:75:PRO:HD2	2.50	0.52
1:C:206:ASN:OD1	7:C:601:HOH:O	2.19	0.52
1:B:93:HIS:HB2	1:B:96:MET:HE2	1.91	0.51
1:B:170:GLU:HG3	1:B:175:ASP:HA	1.92	0.51
1:B:143:THR:HA	3:B:507:GOL:H12	1.93	0.50
1:B:317:THR:HB	1:B:321:ARG:HH22	1.77	0.50
1:C:317:THR:HB	1:C:321:ARG:NH2	2.28	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:71:THR:HG22	1:B:82:ASN:HA	1.95	0.48
1:B:140:LYS:HB3	1:B:258:MET:HE3	1.96	0.47
1:B:30[B]:HIS:NE2	1:B:35:LYS:HG2	2.30	0.47
1:B:140:LYS:HG2	3:B:502:GOL:H12	1.96	0.47
1:B:56:PRO:HD2	1:B:81:TYR:OH	2.15	0.47
1:B:156:MET:HE1	1:B:241:MET:HE3	1.97	0.47
1:A:47:PRO:HA	3:A:502:GOL:H11	1.98	0.46
1:A:105:LYS:HE3	1:A:107:TYR:CE1	2.51	0.46
1:B:22:ARG:HD3	1:B:22:ARG:HA	1.63	0.46
1:B:159:SER:OG	1:B:241:MET:HE1	2.17	0.45
1:A:39:TRP:CD1	1:A:72:LEU:HD22	2.51	0.45
1:C:93:HIS:HB2	1:C:96:MET:HE2	1.96	0.45
1:A:154:ARG:HD3	7:A:631:HOH:O	2.17	0.45
1:B:169:HIS:CE1	1:B:276:VAL:HG13	2.52	0.44
1:C:111:GLU:HG3	3:C:507:GOL:H11	2.00	0.44
1:C:172:ILE:HD11	1:C:275:GLN:CD	2.42	0.44
1:A:74:CYS:SG	1:A:75:PRO:HD2	2.58	0.44
1:A:140:LYS:H	3:A:503:GOL:H12	1.82	0.44
1:B:246:ILE:HD11	1:B:252:VAL:HG23	2.00	0.43
1:A:239:ASP:OD2	1:A:273:TYR:OH	2.37	0.43
1:C:241:MET:HB2	1:C:255:TYR:CE2	2.53	0.43
1:A:9:ILE:HD13	1:A:9:ILE:HA	1.80	0.43
1:B:241:MET:HE2	1:B:241:MET:HB3	1.85	0.42
1:B:122:ASN:HA	1:B:123:PRO:HD3	1.94	0.42
1:C:6:LEU:HD23	1:C:6:LEU:HA	1.87	0.42
1:C:248:GLU:OE1	3:C:509:GOL:H12	2.20	0.42
1:A:139:HIS:ND1	3:A:503:GOL:H2	2.34	0.42
1:C:234:GLU:O	1:C:234:GLU:HG3	2.20	0.42
1:B:132:GLU:OE2	1:B:236:ARG:NH1	2.40	0.42
1:B:195:MET:HE2	1:B:195:MET:HB3	1.58	0.42
1:C:79:TRP:CE2	1:C:90:ILE:HG12	2.54	0.42
1:C:184:LEU:HD22	1:C:195:MET:HE3	2.02	0.42
1:B:195:MET:HE1	1:B:198:TYR:CD1	2.54	0.42
1:A:169:HIS:CE1	1:A:276:VAL:HG13	2.55	0.41
1:A:295:LEU:HD12	1:A:322:ARG:HG3	2.02	0.41
1:B:152:PRO:HB3	1:B:251:SER:HB3	2.02	0.41
1:C:170:GLU:OE1	1:C:176:ARG:HG3	2.21	0.41
1:B:161:ASP:CG	1:B:164:HIS:HD1	2.28	0.41
1:C:111:GLU:CG	3:C:507:GOL:H11	2.50	0.41
1:C:39:TRP:CD1	1:C:72:LEU:HD22	2.56	0.40
1:A:51:TRP:CD1	1:A:106:THR:HG22	2.57	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:223:PRO:HD2	7:A:664:HOH:O	2.20	0.40
1:C:38:LEU:HA	1:C:49:GLN:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	305/334 (91%)	297 (97%)	8 (3%)	0	100	100
1	B	316/334 (95%)	304 (96%)	12 (4%)	0	100	100
1	C	322/334 (96%)	311 (97%)	11 (3%)	0	100	100
All	All	943/1002 (94%)	912 (97%)	31 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/304 (93%)	281 (100%)	1 (0%)	84	91
1	B	293/304 (96%)	287 (98%)	6 (2%)	48	61
1	C	297/304 (98%)	293 (99%)	4 (1%)	61	74
All	All	872/912 (96%)	861 (99%)	11 (1%)	61	74

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ILE
1	B	2	THR
1	B	89	GLN
1	B	162	VAL
1	B	191	ASP
1	B	195	MET
1	B	290	THR
1	C	89	GLN
1	C	129	SER
1	C	203	SER
1	C	290	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	137	ASN
1	A	250	ASN
1	B	52	GLN
1	B	83	GLN
1	B	216	ASN
1	B	287	GLN
1	B	288	GLN
1	C	44	GLN
1	C	83	GLN
1	C	108	HIS
1	C	125	ASN
1	C	199	GLN
1	C	207	ASN
1	C	287	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 27 ligands modelled in this entry, 7 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	GOL	A	504	-	5,5,5	0.84	0	5,5,5	1.05	0
3	GOL	A	503	-	5,5,5	1.29	0	5,5,5	0.93	0
3	GOL	C	504	-	5,5,5	0.94	0	5,5,5	0.98	0
3	GOL	C	509	-	5,5,5	0.85	0	5,5,5	1.10	1 (20%)
2	FES	C	501	1	0,4,4	-	-	-		
3	GOL	A	505	-	5,5,5	0.93	0	5,5,5	0.99	0
3	GOL	B	502	-	5,5,5	1.04	0	5,5,5	1.39	0
3	GOL	C	502	-	5,5,5	1.00	1 (20%)	5,5,5	1.15	1 (20%)
4	U5A	A	506	-	16,21,21	1.34	2 (12%)	15,32,32	1.09	1 (6%)
4	U5A	C	505	-	16,21,21	1.21	1 (6%)	15,32,32	1.73	2 (13%)
3	GOL	B	506	-	5,5,5	0.99	0	5,5,5	1.01	0
3	GOL	C	507	-	5,5,5	1.12	1 (20%)	5,5,5	0.94	0
3	GOL	C	508	-	5,5,5	1.09	0	5,5,5	0.95	0
2	FES	A	501	1	0,4,4	-	-	-		
2	FES	B	501	1	0,4,4	-	-	-		
4	U5A	B	504	-	16,21,21	1.24	1 (6%)	15,32,32	1.49	3 (20%)
3	GOL	A	502	-	5,5,5	0.62	0	5,5,5	1.19	1 (20%)
3	GOL	C	503	-	5,5,5	0.89	0	5,5,5	1.12	0
3	GOL	B	503	-	5,5,5	0.93	0	5,5,5	1.32	1 (20%)
3	GOL	B	507	-	5,5,5	0.82	0	5,5,5	1.27	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	504	-	-	0/4/4/4	-
3	GOL	A	503	-	-	4/4/4/4	-
3	GOL	C	504	-	-	2/4/4/4	-
3	GOL	C	509	-	-	2/4/4/4	-
2	FES	C	501	1	-	-	0/1/1/1
3	GOL	A	505	-	-	2/4/4/4	-
3	GOL	B	502	-	-	2/4/4/4	-
3	GOL	C	502	-	-	2/4/4/4	-
4	U5A	A	506	-	-	0/5/45/45	0/3/3/3
4	U5A	C	505	-	-	2/5/45/45	0/2/3/3
3	GOL	B	506	-	-	4/4/4/4	-
3	GOL	C	507	-	-	3/4/4/4	-
3	GOL	C	508	-	-	0/4/4/4	-
2	FES	A	501	1	-	-	0/1/1/1
2	FES	B	501	1	-	-	0/1/1/1
4	U5A	B	504	-	-	0/5/45/45	0/3/3/3
3	GOL	A	502	-	-	3/4/4/4	-
3	GOL	C	503	-	-	4/4/4/4	-
3	GOL	B	503	-	-	2/4/4/4	-
3	GOL	B	507	-	-	2/4/4/4	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	506	U5A	C6-C7	4.70	1.59	1.54
4	B	504	U5A	C6-C7	4.47	1.58	1.54
4	C	505	U5A	C6-C7	4.46	1.58	1.54
3	C	507	GOL	C1-C2	2.23	1.60	1.51
3	C	502	GOL	O2-C2	-2.14	1.37	1.43
4	A	506	U5A	C7-N4	2.08	1.49	1.46

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	C	505	U5A	C6-C7-C9	4.75	122.56	114.44
4	B	504	U5A	C6-C7-C9	4.02	121.30	114.44
4	A	506	U5A	C6-C7-C9	3.40	120.25	114.44
4	C	505	U5A	C5-C6-C7	-3.27	100.19	104.52
4	B	504	U5A	C5-C6-C7	-2.94	100.62	104.52
3	B	507	GOL	C3-C2-C1	-2.52	102.57	111.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	C	502	GOL	C3-C2-C1	-2.21	103.70	111.80
3	B	503	GOL	C3-C2-C1	-2.20	103.72	111.80
4	B	504	U5A	C9-C7-N3	-2.13	111.00	114.29
3	A	502	GOL	C3-C2-C1	-2.05	104.28	111.80
3	C	509	GOL	C3-C2-C1	-2.02	104.38	111.80

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	GOL	O1-C1-C2-C3
3	A	503	GOL	O1-C1-C2-C3
3	A	503	GOL	C1-C2-C3-O3
3	A	505	GOL	C1-C2-C3-O3
3	B	503	GOL	O1-C1-C2-O2
3	B	503	GOL	O1-C1-C2-C3
3	B	506	GOL	O1-C1-C2-C3
3	B	506	GOL	C1-C2-C3-O3
3	C	504	GOL	O1-C1-C2-C3
3	C	507	GOL	O1-C1-C2-C3
4	C	505	U5A	O1-C1-C2-C9
4	C	505	U5A	O1-C1-C2-N1
3	A	505	GOL	O2-C2-C3-O3
3	B	502	GOL	O2-C2-C3-O3
3	B	506	GOL	O2-C2-C3-O3
3	B	507	GOL	O2-C2-C3-O3
3	C	504	GOL	O1-C1-C2-O2
3	B	502	GOL	C1-C2-C3-O3
3	B	507	GOL	C1-C2-C3-O3
3	C	502	GOL	O1-C1-C2-C3
3	C	503	GOL	O1-C1-C2-C3
3	C	503	GOL	C1-C2-C3-O3
3	C	509	GOL	C1-C2-C3-O3
3	A	502	GOL	O1-C1-C2-O2
3	B	506	GOL	O1-C1-C2-O2
3	C	507	GOL	O1-C1-C2-O2
3	A	503	GOL	O1-C1-C2-O2
3	A	503	GOL	O2-C2-C3-O3
3	C	502	GOL	O1-C1-C2-O2
3	C	507	GOL	O2-C2-C3-O3
3	A	502	GOL	C1-C2-C3-O3
3	C	503	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	503	GOL	O1-C1-C2-O2
3	C	509	GOL	O2-C2-C3-O3


There are no ring outliers.

8 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	503	GOL	2	0
3	C	509	GOL	1	0
3	B	502	GOL	2	0
3	B	506	GOL	1	0
3	C	507	GOL	2	0
2	A	501	FES	1	0
3	A	502	GOL	1	0
3	B	507	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand FES C 501




Bond lengths



Bond angles




Torsions




Rings


Ligand U5A A 506




Bond lengths



Bond angles




Torsions




Rings


Ligand U5A C 505




Bond lengths



Bond angles




Torsions




Rings


Ligand FES A 501




Bond lengths



Bond angles




Torsions




Rings


Ligand FES B 501




Bond lengths



Bond angles




Torsions



Rings

Ligand U5A B 504



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	311/334 (93%)	-0.04	6 (1%)	66	65	23, 35, 62, 81	0
1	B	320/334 (95%)	0.09	12 (3%)	44	43	16, 38, 61, 78	2 (0%)
1	C	324/334 (97%)	-0.08	10 (3%)	51	51	19, 36, 59, 87	2 (0%)
All	All	955/1002 (95%)	-0.01	28 (2%)	53	53	16, 36, 62, 87	4 (0%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	306	PRO	4.7
1	B	297	PRO	4.6
1	A	306	PRO	3.3
1	B	198	TYR	3.1
1	C	232	ALA	3.0
1	C	211	ASP	2.9
1	B	296	SER	2.9
1	C	212	ASP	2.9
1	A	198	TYR	2.9
1	B	307	GLN	2.7
1	A	124	VAL	2.7
1	C	305	LEU	2.7
1	C	198	TYR	2.7
1	B	210	LYS	2.5
1	B	43	GLU	2.4
1	A	175	ASP	2.4
1	A	190	LYS	2.4
1	B	201[A]	HIS	2.4
1	C	182	GLU	2.4
1	B	191	ASP	2.2
1	A	295	LEU	2.2
1	B	234	GLU	2.2
1	C	176	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	213	SER	2.2
1	B	305	LEU	2.0
1	C	201	HIS	2.0
1	B	202	THR	2.0
1	B	203	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	GOL	C	509	6/6	0.64	0.16	48,53,61,65	0
3	GOL	B	503	6/6	0.65	0.16	48,53,60,65	0
4	U5A	C	505	19/19	0.72	0.15	41,56,64,64	0
3	GOL	A	505	6/6	0.79	0.13	47,56,62,62	0
3	GOL	C	504	6/6	0.81	0.12	46,50,52,55	0
3	GOL	B	502	6/6	0.82	0.12	35,43,45,48	0
3	GOL	A	503	6/6	0.83	0.16	33,47,58,61	0
3	GOL	C	508	6/6	0.84	0.14	37,53,58,64	0
3	GOL	C	503	6/6	0.85	0.13	63,68,73,74	0
4	U5A	B	504	19/19	0.86	0.11	42,46,51,51	0
3	GOL	B	507	6/6	0.86	0.14	38,41,48,49	0
4	U5A	A	506	19/19	0.88	0.10	36,45,55,55	0
3	GOL	C	507	6/6	0.89	0.11	42,46,51,52	0
3	GOL	A	504	6/6	0.89	0.10	46,65,71,75	0
3	GOL	B	506	6/6	0.90	0.11	57,61,68,70	0
3	GOL	C	502	6/6	0.90	0.11	44,54,63,70	0
3	GOL	A	502	6/6	0.91	0.15	46,49,51,51	0
6	CL	A	508	1/1	0.96	0.08	44,44,44,44	0

Continued on next page...


Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
6	CL	A	509	1/1	0.96	0.07	46,46,46,46	0
6	CL	C	511	1/1	0.98	0.08	42,42,42,42	0
6	CL	C	510	1/1	0.99	0.02	31,31,31,31	0
2	FES	C	501	4/4	0.99	0.03	24,26,27,29	0
5	FE	C	506	1/1	1.00	0.04	27,27,27,27	0
2	FES	A	501	4/4	1.00	0.02	25,26,27,28	0
2	FES	B	501	4/4	1.00	0.02	29,30,31,31	0
5	FE	A	507	1/1	1.00	0.02	28,28,28,28	0
5	FE	B	505	1/1	1.00	0.01	22,22,22,22	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around U5A C 505:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)









Electron density around U5A B 504:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around U5A A 506:


$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around FES C 501:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)









Electron density around FE C 506:


$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around FES A 501:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FES B 501:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FE A 507:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)








Electron density around FE B 505:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.5 Other polymers

There are no such residues in this entry.