



wwPDB EM Validation Summary Report ⓘ

Aug 27, 2026 – 02:30 PM EDT

PDB ID : 9YJP / pdb_00009yjp
EMDB ID : EMD-73030
Title : The structure of the cardiac native crossbridge in the rigor state, myosin heads bound to actin molecules 2 and 3
Authors : Galkin, V.E.; Risi, C.M.
Deposited on : 2025-10-03
Resolution : 4.80 Å (reported)
Based on initial models : 5H53, 8DD0, 6SFA, 7KO5, 7JH7

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev133
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	1575 (4.30 - 5.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	377	
1	B	377	
1	C	377	
1	D	377	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	284	
2	F	284	
3	G	161	
4	H	211	
5	I	285	
6	J	1935	
6	K	1935	
7	L	196	
7	M	196	

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 33211 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Actin, alpha cardiac muscle 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	375	Total	C	N	O	S	0	0
			2932	1854	493	565	20		
1	B	375	Total	C	N	O	S	0	0
			2932	1854	493	565	20		
1	C	375	Total	C	N	O	S	0	0
			2932	1854	493	565	20		
1	D	375	Total	C	N	O	S	0	0
			2932	1854	493	565	20		

- Molecule 2 is a protein called Tropomyosin alpha-1 chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	E	186	Total	C	N	O	S	0	0
			1495	912	254	326	3		
2	F	186	Total	C	N	O	S	0	0
			1495	912	254	326	3		

- Molecule 3 is a protein called Troponin C, slow skeletal and cardiac muscles.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	G	160	Total	C	N	O	S	0	0
			1274	789	195	278	12		

- Molecule 4 is a protein called Troponin I, cardiac muscle.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	H	134	Total	C	N	O	S	0	0
			1077	667	208	197	5		

- Molecule 5 is a protein called Troponin T2, cardiac type.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	I	74	Total	C	N	O	0	0
			643	401	123	119		


- Molecule 6 is a protein called Myosin-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	J	805	Total	C	N	O	S	0	0
			6475	4127	1114	1202	32		
6	K	805	Total	C	N	O	S	0	0
			6475	4127	1114	1202	32		

- Molecule 7 is a protein called Myosin light chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	L	153	Total	C	N	O	S	0	0
			1217	766	202	238	11		
7	M	153	Total	C	N	O	S	0	0
			1217	766	202	238	11		

- Molecule 8 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					AltConf
8	A	1	Total	C	N	O	P	0
			27	10	5	10	2	
8	B	1	Total	C	N	O	P	0
			27	10	5	10	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
8	C	1	Total	C	N	O	P	0
			27	10	5	10	2	
8	D	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 9 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
9	A	1	Total	Mg	0
			1	1	
9	B	1	Total	Mg	0
			1	1	
9	C	1	Total	Mg	0
			1	1	
9	D	1	Total	Mg	0
			1	1	


- Molecule 10 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
10	G	3	Total	Ca	0
			3	3	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Actin, alpha cardiac muscle 1




- Molecule 1: Actin, alpha cardiac muscle 1




- Molecule 1: Actin, alpha cardiac muscle 1




- Molecule 1: Actin, alpha cardiac muscle 1




- Molecule 2: Tropomyosin alpha-1 chain



- Molecule 2: Tropomyosin alpha-1 chain




- Molecule 3: Troponin C, slow skeletal and cardiac muscles



Chain H: 45% 18% 36%



- Molecule 6: Myosin-7

Chain K:  35% 6% 58%



GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GLU	ASP	ALA	LEU	GLN	HIS	ARG	GLN	ASP	GLN	THR	GLU	VAL	GLU	GLN	ILE	GLU	ALA	ALA	GLN	GLY	ASN	GLN	GLU	GLU	LYS	ALA	ARG	VAL	THR	ARG	THR	ASP	ALA
GLU	GLN	GLU	GLU	ILE	GLU	THR	SER	GLU	GLU	ARG	VAL	GLN	GLN	LEU	HIS	LEU	GLN	ASN	THR	SER	SER	LEU	ILE	GLU	ASN	GLN	THR	LYS	LYS	GL																																	

● Molecule 7: Myosin light chain 3



MET	ALA	PRO	LYS	PRO	GLU	PRO	LYS	ASP	ASP	LYS	ALA	ALA	LYS	ALA	LYS	ALA	ALA	PRO	PRO	PRO	ALA	ALA	ALA	PRO	GLU	PRO	LYS	GLU	PRO	PHE	ASP	ALA	SER	LYS	LYS	T48	P49	E50	Q51	T52	E57	M60	L61	R64	T65	P66	K67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
K70	K71	T72	T73	Y74	C77	G78	G79	T89	E92	V93	L94	P100	K101	Q102	E103	E104	K108	M109	M110	D111	F112	D113	T114	F115	D127	T128	G129	T130	Y131	E132	D133	F134	V135	E136	R139	D142	K143	E144	T148	L154	V157	L158	A159	T160	L161	G162	E163	R164																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
D168	K172	L173	M174	E178	D179	S180	N181	G182	C183	I184	N185	Y186	E187	A188	F189	V190	K191	H192	I193	M194	A195	SER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

● Molecule 7: Myosin light chain 3



L173	M174	S180	N181	G182	E187	I193	M194	A195	SER	D79	V80	L81	R82	Q86	N87	P88	T89	Q90	A91	E92	V93	L94	K99	P100	K101	Q102	L105	M109	F112	D113	T114	F115	L116	P117	Q120	H121	I122	T128	G129	E132	D133	F134	V135	E136	R139	V140	E144	M150	H156	A159	T160	R164	L165	T166																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
MET	ALA	PRO	LYS	LYS	GLU	PRO	LYS	ASP	ASP	ALA	LYS	ALA	ALA	LYS	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	31180	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	34	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	11.968	Depositor
Minimum map value	-5.440	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.196	Depositor
Recommended contour level	1.4	Depositor
Map size (Å)	536.97595, 536.97595, 536.97595	wwPDB
Map dimensions	396, 396, 396	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.3559998, 1.3559998, 1.3559998	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, MG, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.19	0/2995	0.42	2/4057 (0.0%)
1	B	0.20	0/2995	0.34	0/4057
1	C	1.02	1/2995 (0.0%)	1.49	13/4057 (0.3%)
1	D	0.20	0/2995	0.32	0/4057
2	E	0.22	0/1500	0.29	0/2001
2	F	0.20	0/1500	0.28	0/2001
3	G	0.21	0/1287	0.34	0/1720
4	H	0.92	0/1085	1.64	8/1445 (0.6%)
5	I	0.20	0/649	0.33	0/861
6	J	0.20	0/6609	0.39	0/8899
6	K	0.20	0/6609	0.38	0/8899
7	L	0.20	0/1236	0.44	2/1658 (0.1%)
7	M	0.20	0/1236	0.41	2/1658 (0.1%)
All	All	0.39	1/33691 (0.0%)	0.64	27/45370 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	6	THR	C-O	-5.63	1.16	1.24

The worst 5 of 27 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	152	ALA	CA-C-N	9.47	133.91	120.28
4	H	152	ALA	C-N-CA	9.47	133.91	120.28
1	A	1	ASP	CA-C-N	7.82	135.78	121.70
1	A	1	ASP	C-N-CA	7.82	135.78	121.70
1	C	12	ASN	CA-CB-CG	-7.56	105.04	112.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	69	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2932	0	2894	35	0
1	B	2932	0	2892	58	0
1	C	2932	0	2894	29	0
1	D	2932	0	2894	48	0
2	E	1495	0	1490	27	0
2	F	1495	0	1490	30	0
3	G	1274	0	1203	42	0
4	H	1077	0	1141	42	0
5	I	643	0	663	28	0
6	J	6475	0	6475	76	0
6	K	6475	0	6473	86	0
7	L	1217	0	1199	38	0
7	M	1217	0	1199	27	0
8	A	27	0	12	0	0
8	B	27	0	12	1	0
8	C	27	0	12	1	0
8	D	27	0	12	1	0
9	A	1	0	0	0	0
9	B	1	0	0	0	0
9	C	1	0	0	0	0
9	D	1	0	0	0	0
10	G	3	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	33211	0	32955	466	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 466 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:K:569:ILE:HG12	6:K:572:ARG:CD	1.50	1.39
6:J:627:ALA:HB2	6:J:639:LYS:NZ	1.43	1.33
1:D:48:GLY:HA2	4:H:131:GLN:OE1	1.35	1.25
6:K:564:GLN:OE1	6:K:567:ARG:NH1	1.83	1.11
6:K:569:ILE:HG12	6:K:572:ARG:HD3	1.39	1.04

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	373/377 (99%)	349 (94%)	24 (6%)	0	100	100
1	B	373/377 (99%)	353 (95%)	20 (5%)	0	100	100
1	C	373/377 (99%)	361 (97%)	11 (3%)	1 (0%)	36	71
1	D	373/377 (99%)	355 (95%)	17 (5%)	1 (0%)	36	71
2	E	184/284 (65%)	184 (100%)	0	0	100	100
2	F	184/284 (65%)	184 (100%)	0	0	100	100
3	G	158/161 (98%)	153 (97%)	5 (3%)	0	100	100
4	H	132/211 (63%)	123 (93%)	7 (5%)	2 (2%)	8	38
5	I	72/285 (25%)	66 (92%)	6 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	J	803/1935 (42%)	765 (95%)	38 (5%)	0	100	100
6	K	803/1935 (42%)	764 (95%)	39 (5%)	0	100	100
7	L	151/196 (77%)	144 (95%)	5 (3%)	2 (1%)	9	41
7	M	151/196 (77%)	144 (95%)	7 (5%)	0	100	100
All	All	4130/6995 (59%)	3945 (96%)	179 (4%)	6 (0%)	49	83

5 of 6 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
7	L	102	GLN
1	C	3	GLU
4	H	36	ALA
4	H	34	PRO
7	L	161	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/320 (99%)	304 (96%)	14 (4%)	25	47
1	B	318/320 (99%)	302 (95%)	16 (5%)	22	43
1	C	318/320 (99%)	301 (95%)	17 (5%)	20	42
1	D	318/320 (99%)	299 (94%)	19 (6%)	17	39
2	E	159/245 (65%)	152 (96%)	7 (4%)	25	47
2	F	159/245 (65%)	156 (98%)	3 (2%)	50	66
3	G	141/142 (99%)	133 (94%)	8 (6%)	18	40
4	H	115/176 (65%)	111 (96%)	4 (4%)	32	53
5	I	69/249 (28%)	67 (97%)	2 (3%)	37	58
6	J	695/1697 (41%)	668 (96%)	27 (4%)	28	50
6	K	695/1697 (41%)	675 (97%)	20 (3%)	37	58
7	L	133/163 (82%)	125 (94%)	8 (6%)	17	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	M	133/163 (82%)	124 (93%)	9 (7%)	14	36
All	All	3571/6057 (59%)	3417 (96%)	154 (4%)	27	48

5 of 154 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	J	752	ASP
7	L	163	GLU
6	K	39	VAL
6	K	509	GLU
7	M	164	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 49 such sidechains are listed below:

Mol	Chain	Res	Type
6	J	193	GLN
6	J	555	ASN
6	J	284	HIS
6	J	391	ASN
6	J	602	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 7 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	ADP	D	401	9	28,29,29	1.39	4 (14%)	43,45,45	1.73	7 (16%)
8	ADP	B	401	9	28,29,29	1.35	5 (17%)	43,45,45	1.83	9 (20%)
8	ADP	C	401	9	28,29,29	1.41	4 (14%)	43,45,45	1.85	10 (23%)
8	ADP	A	401	9	28,29,29	1.35	4 (14%)	43,45,45	1.84	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	ADP	D	401	9	-	3/16/32/32	0/3/3/3
8	ADP	B	401	9	-	4/16/32/32	0/3/3/3
8	ADP	C	401	9	-	3/16/32/32	0/3/3/3
8	ADP	A	401	9	-	5/16/32/32	0/3/3/3

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	401	ADP	C5-C4	4.61	1.47	1.39
8	D	401	ADP	C5-C4	4.55	1.47	1.39
8	A	401	ADP	C5-C4	4.32	1.46	1.39
8	B	401	ADP	C5-C4	4.28	1.46	1.39
8	A	401	ADP	C5-C6	2.67	1.48	1.41

The worst 5 of 35 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	401	ADP	C5-C4-N3	-5.96	118.52	126.72
8	C	401	ADP	C5-C4-N3	-5.93	118.55	126.72
8	A	401	ADP	C5-C4-N3	-5.81	118.71	126.72
8	D	401	ADP	C5-C4-N3	-5.61	119.00	126.72
8	B	401	ADP	N3-C4-N9	4.75	135.24	127.17

There are no chirality outliers.

5 of 15 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
8	A	401	ADP	C5'-O5'-PA-O1A
8	A	401	ADP	C5'-O5'-PA-O2A
8	A	401	ADP	C5'-O5'-PA-O3A
8	B	401	ADP	C5'-O5'-PA-O1A
8	B	401	ADP	C3'-C4'-C5'-O5'


There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	D	401	ADP	1	0
8	B	401	ADP	1	0
8	C	401	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-73030. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 198




Y Index: 198




Z Index: 198


6.2.2 Raw map



X Index: 198



Y Index: 198



Z Index: 198


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 195




Y Index: 188




Z Index: 165


6.3.2 Raw map



X Index: 195



Y Index: 195




Z Index: 159


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 385 nm^3 ; this corresponds to an approximate mass of 347 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.208 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.208 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.80	-	-
Author-provided FSC curve	4.81	7.51	4.95
Unmasked-calculated*	7.62	10.50	8.00

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.62 differs from the reported value 4.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-73030 and PDB model 9YJP. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.4).

9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (1.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8790	 0.3440
A	 0.8860	 0.3540
B	 0.8950	 0.3660
C	 0.8870	 0.3620
D	 0.9190	 0.3670
E	 0.8820	 0.2900
F	 0.8890	 0.3060
G	 0.8880	 0.3030
H	 0.8280	 0.3100
I	 0.8710	 0.3250
J	 0.8650	 0.3440
K	 0.8790	 0.3560
L	 0.8180	 0.3150
M	 0.8580	 0.3380

