



wwPDB EM Validation Summary Report ⓘ

Aug 5, 2026 – 11:50 PM JST

PDB ID : 8YY9 / pdb_00008yy9
EMDB ID : EMD-39671
Title : Cryo-EM structure of a tri-heme cytochrome-associated RC-LH1 complex from a marine photoheterotrophic bacterium, purified with magnesium-free solutions.
Authors : Chen, J.H.; Zheng, Q.; Zhang, X.
Deposited on : 2024-04-03
Resolution : 2.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	10327 (2.20 - 3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	53	75% 19% 6%
1	A	53	60% 36% •
1	B	53	83% 15% •
1	D	53	83% 15% •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	53	
1	F	53	
1	G	53	
1	I	53	
1	J	53	
1	K	53	
1	N	53	
1	P	53	
1	Q	53	
1	R	53	
1	S	53	
1	T	53	
1	V	53	
2	O	239	
3	2	49	
3	a	49	
3	b	49	
3	d	49	
3	e	49	
3	f	49	
3	g	49	
3	i	49	
3	j	49	
3	k	49	
3	n	49	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	p	49	 86% 10%
3	q	49	 86% 10%
3	r	49	 78% 10% 12%
3	s	49	 82% 8% 10%
3	t	49	 71% 16% 12%
3	v	49	 80% 16%
4	M	330	 73% 25%
5	L	279	 77% 22%
6	H	256	 75% 25%
7	C	360	 76% 22%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
16	HEC	C	402	X	-	-	-
16	HEC	C	403	X	-	-	-

2 Entry composition

There are 16 unique types of molecules in this entry. The entry contains 28303 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Antenna pigment protein alpha chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	P	51	Total	C	N	O	S	0	0
			425	291	68	64	2		
1	V	52	Total	C	N	O	S	0	0
			430	294	69	65	2		
1	S	51	Total	C	N	O	S	0	0
			422	289	68	64	1		
1	T	51	Total	C	N	O	S	0	0
			422	289	68	64	1		
1	Q	51	Total	C	N	O	S	0	0
			422	289	68	64	1		
1	R	51	Total	C	N	O	S	0	0
			422	289	68	64	1		
1	1	50	Total	C	N	O	S	0	0
			417	286	67	63	1		
1	N	51	Total	C	N	O	S	0	0
			422	289	68	64	1		
1	K	51	Total	C	N	O	S	0	0
			422	289	68	64	1		
1	J	50	Total	C	N	O	S	0	0
			417	286	67	63	1		
1	I	51	Total	C	N	O	S	0	0
			422	289	68	64	1		
1	G	52	Total	C	N	O	S	0	0
			430	294	69	65	2		
1	F	52	Total	C	N	O	S	0	0
			430	294	69	65	2		
1	E	52	Total	C	N	O	S	0	0
			430	294	69	65	2		
1	D	52	Total	C	N	O	S	0	0
			430	294	69	65	2		
1	B	52	Total	C	N	O	S	0	0
			430	294	69	65	2		
1	A	51	Total	C	N	O	S	0	0
			422	289	68	64	1		

- Molecule 2 is a protein called Reaction center protein O chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	O	52	Total	C	N	O	S	0	0
			371	249	56	59	7		

- Molecule 3 is a protein called Antenna pigment protein beta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	v	41	Total	C	N	O	S	0	0
			332	224	53	54	1		
3	t	43	Total	C	N	O	S	0	0
			346	233	55	57	1		
3	s	44	Total	C	N	O	S	0	0
			354	237	56	60	1		
3	r	43	Total	C	N	O	S	0	0
			346	233	55	57	1		
3	q	44	Total	C	N	O	S	0	0
			354	237	56	60	1		
3	p	44	Total	C	N	O	S	0	0
			354	237	56	60	1		
3	2	44	Total	C	N	O	S	0	0
			354	237	56	60	1		
3	n	44	Total	C	N	O	S	0	0
			354	237	56	60	1		
3	k	43	Total	C	N	O	S	0	0
			346	233	55	57	1		
3	j	43	Total	C	N	O	S	0	0
			346	233	55	57	1		
3	i	43	Total	C	N	O	S	0	0
			346	233	55	57	1		
3	g	44	Total	C	N	O	S	0	0
			354	237	56	60	1		
3	f	44	Total	C	N	O	S	0	0
			354	237	56	60	1		
3	e	44	Total	C	N	O	S	0	0
			354	237	56	60	1		
3	d	44	Total	C	N	O	S	0	0
			354	237	56	60	1		
3	b	44	Total	C	N	O	S	0	0
			358	239	56	62	1		
3	a	44	Total	C	N	O	S	0	0
			358	239	56	62	1		

- Molecule 4 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	M	325	Total	C	N	O	S	0	0
			2633	1752	421	452	8		

- Molecule 5 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	L	274	Total	C	N	O	S	0	0
			2178	1469	346	354	9		


- Molecule 6 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	H	256	Total	C	N	O	S	0	0
			2022	1283	345	385	9		

- Molecule 7 is a protein called Photosynthetic reaction center cytochrome c subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	C	352	Total	C	N	O	S	0	0
			2740	1731	455	540	14		

- Molecule 8 is BACTERIOCHLOROPHYLL A (CCD ID: BCL) (formula: C₅₅H₇₄MgN₄O₆).



Mol	Chain	Residues	Atoms					AltConf
8	P	1	Total	C	Mg	N	O	0
			66	55	1	4	6	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
8	P	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	V	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	v	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	S	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	t	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	T	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	s	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	Q	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	r	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	R	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	q	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	l	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	l	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	n	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	N	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	K	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	K	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	j	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	J	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	I	1	Total 66	C 55	Mg 1	N 4	O 6	0
8	I	1	Total 66	C 55	Mg 1	N 4	O 6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
8	G	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	G	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	f	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	F	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	e	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	E	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	d	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	D	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	b	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	B	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	a	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	A	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	M	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	M	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	L	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
8	L	1	Total	C	Mg	N	O	0
			66	55	1	4	6	

- Molecule 9 is (4 {E},16 {E},26 {E})-2-methoxy-2,6,10,14,19,23,27,31-octamethyl-dotriacont a-4,6,8,10,12,14,16,18,20,22,26,30-dodecaen-3-one (CCD ID: A1EFU) (formula: C₄₁H₅₈O₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
9	P	1	Total	C	O	0
			43	41	2	
9	v	1	Total	C	O	0
			43	41	2	
9	S	1	Total	C	O	0
			43	41	2	
9	S	1	Total	C	O	0
			43	41	2	
9	T	1	Total	C	O	0
			43	41	2	
9	T	1	Total	C	O	0
			43	41	2	
9	Q	1	Total	C	O	0
			43	41	2	
9	r	1	Total	C	O	0
			43	41	2	
9	R	1	Total	C	O	0
			43	41	2	
9	q	1	Total	C	O	0
			43	41	2	
9	p	1	Total	C	O	0
			43	41	2	
9	1	1	Total	C	O	0
			43	41	2	
9	1	1	Total	C	O	0
			43	41	2	
9	n	1	Total	C	O	0
			43	41	2	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
9	N	1	Total 43	C 41	O 2	0
9	K	1	Total 43	C 41	O 2	0
9	K	1	Total 43	C 41	O 2	0
9	J	1	Total 43	C 41	O 2	0
9	J	1	Total 43	C 41	O 2	0
9	i	1	Total 43	C 41	O 2	0
9	I	1	Total 43	C 41	O 2	0
9	G	1	Total 43	C 41	O 2	0
9	G	1	Total 43	C 41	O 2	0
9	F	1	Total 43	C 41	O 2	0
9	F	1	Total 43	C 41	O 2	0
9	E	1	Total 43	C 41	O 2	0
9	d	1	Total 43	C 41	O 2	0
9	D	1	Total 43	C 41	O 2	0
9	D	1	Total 43	C 41	O 2	0
9	b	1	Total 43	C 41	O 2	0
9	a	1	Total 43	C 41	O 2	0
9	a	1	Total 43	C 41	O 2	0
9	A	1	Total 43	C 41	O 2	0
9	A	1	Total 43	C 41	O 2	0
9	M	1	Total 43	C 41	O 2	0

- Molecule 10 is DODECYL-BETA-D-MALTOSE (CCD ID: LMT) (formula: C₂₄H₄₆O₁₁).



Mol	Chain	Residues	Atoms			AltConf
10	S	1	Total	C	O	0
			35	24	11	
10	G	1	Total	C	O	0
			24	18	6	
10	E	1	Total	C	O	0
			35	24	11	
10	B	1	Total	C	O	0
			24	19	5	
10	L	1	Total	C	O	0
			24	19	5	
10	H	1	Total	C	O	0
			24	18	6	
10	C	1	Total	C	O	0
			35	24	11	

- Molecule 11 is (21R,24R,27S)-24,27,28-trihydroxy-18,24-dioxo-19,23,25-trioxa-24lambda 5 -phosphaoctacosan-21-yl (9Z)-octadec-9-enoate (CCD ID: MW9) (formula: C₄₂H₈₁O₁₀P).




Mol	Chain	Residues	Atoms				AltConf
11	R	1	Total	C	O	P	0
			45	34	10	1	
11	N	1	Total	C	O	P	0
			53	42	10	1	
11	G	1	Total	C	O	P	0
			49	38	10	1	
11	G	1	Total	C	O	P	0
			40	29	10	1	
11	F	1	Total	C	O	P	0
			43	32	10	1	
11	D	1	Total	C	O	P	0
			27	19	7	1	
11	M	1	Total	C	O	P	0
			49	38	10	1	
11	L	1	Total	C	O	P	0
			37	26	10	1	
11	H	1	Total	C	O	P	0
			48	37	10	1	
11	H	1	Total	C	O	P	0
			37	28	8	1	

- Molecule 12 is FE (III) ION (CCD ID: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		AltConf
12	M	1	Total	Fe	0
			1	1	

- Molecule 13 is BACTERIOPHEOPHYTIN A (CCD ID: BPH) (formula: C₅₅H₇₆N₄O₆).



Mol	Chain	Residues	Atoms				AltConf
13	M	1	Total	C	N	O	0
			65	55	4	6	
13	L	1	Total	C	N	O	0
			65	55	4	6	

- Molecule 14 is UBIQUINONE-10 (CCD ID: U10) (formula: $C_{59}H_{90}O_4$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
14	M	1	Total	C	O	0
			63	59	4	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
14	L	1	Total	C	O	0
			48	44	4	

- Molecule 15 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).



Mol	Chain	Residues	Atoms				AltConf
15	M	1	Total	C	O	P	0
			67	48	17	2	
15	H	1	Total	C	O	P	0
			100	81	17	2	

- Molecule 16 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{36}FeN_4O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
16	C	1	Total	C	Fe	N	O	0
			43	34	1	4	4	
16	C	1	Total	C	Fe	N	O	0
			43	34	1	4	4	
16	C	1	Total	C	Fe	N	O	0
			43	34	1	4	4	

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Antenna pigment protein alpha chain

Chain P:  77% 19% .



- Molecule 1: Antenna pigment protein alpha chain

Chain V:  83% 15% .



- Molecule 1: Antenna pigment protein alpha chain

Chain S:  77% 19% .



- Molecule 1: Antenna pigment protein alpha chain

Chain T:  64% 32% .



- Molecule 1: Antenna pigment protein alpha chain

Chain Q:  77% 19% .



- Molecule 1: Antenna pigment protein alpha chain

Chain R:  75% 21% .



- Molecule 1: Antenna pigment protein alpha chain

Chain 1:  75% 19% 6%



- Molecule 1: Antenna pigment protein alpha chain

Chain N:  85% 11% .



- Molecule 1: Antenna pigment protein alpha chain

Chain K:  85% 11% .



- Molecule 1: Antenna pigment protein alpha chain

Chain J:  79% 15% 6%




- Molecule 1: Antenna pigment protein alpha chain

Chain I:  75% 21% .



- Molecule 1: Antenna pigment protein alpha chain

Chain G:  83% 15% .



- Molecule 1: Antenna pigment protein alpha chain

The diagram illustrates the sequence of steps in the process flow. It consists of nine yellow rectangular boxes arranged horizontally, connected by black lines. The boxes are labeled as follows from left to right: M1, S2, K3, L24, L35, L36, A48, A52, and MET. The box labeled MET is shaded grey.

- | |
|-----|
| M1 |
| S2 |
| K3 |
| K6 |
| L9 |
| I10 |
| R14 |
| L27 |
| M30 |
| I31 |
| L35 |
| L36 |
| S37 |
| H40 |
| F41 |
| N42 |
| E45 |
| A52 |
| MET |

- | | | | | | | | | | | | | | |
|----|--|-----|-----|-----|-----|--|-----|-----|-----|-----|--|-----|-----|
| M1 | | L35 | L36 | S37 | T38 | | N42 | W43 | F44 | E45 | | A52 | MET |
|----|--|-----|-----|-----|-----|--|-----|-----|-----|-----|--|-----|-----|

-
- M1 S2 K3 W8 V16 L24 L27 H40 F44 A52 MET

- | |
|-----|
| MET |
| S2 |
| K3 |
| K6 |
| I7 |
| W8 |
| L9 |
| I10 |
| R14 |
| R15 |
| V16 |
| F17 |
| G21 |
| A28 |
| A29 |
| M30 |
| T31 |
| H32 |
| L33 |
| V34 |
| L35 |
| L36 |
| S37 |
| T38 |
| E39 |
| H40 |
| F41 |
| N42 |
| L46 |
| A52 |
| MET |

- [illegible]

- 

Chain v:  80% 16%



- Molecule 3: Antenna pigment protein beta chain

Chain t:  71% 16% 12%




- Molecule 3: Antenna pigment protein beta chain

Chain s:  82% 8% 10%




- Molecule 3: Antenna pigment protein beta chain

Chain r:  78% 10% 12%



- Molecule 3: Antenna pigment protein beta chain

Chain q:  86% 10%



- Molecule 3: Antenna pigment protein beta chain

Chain p:  86% 10%




- Molecule 3: Antenna pigment protein beta chain

Chain 2:  80% 10% 10%




- Molecule 3: Antenna pigment protein beta chain

Chain n:  78% 12% 10%




- Molecule 3: Antenna pigment protein beta chain

Chain k:  73% 14% 12%




- Molecule 3: Antenna pigment protein beta chain

Chain j:  71% 16% 12%




- Molecule 3: Antenna pigment protein beta chain

Chain i:  78% 10% 12%




- Molecule 3: Antenna pigment protein beta chain

Chain g:  86% 10%



- Molecule 3: Antenna pigment protein beta chain

Chain f:  86% 10%




- Molecule 3: Antenna pigment protein beta chain



Chain e:  80% 10% 10%



- Molecule 3: Antenna pigment protein beta chain



● Molecule 7: Photosynthetic reaction center cytochrome c subunit



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1106552	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.654	Depositor
Minimum map value	-0.360	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.030	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	238.08, 238.08, 238.08	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.93, 0.93, 0.93	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE, LMT, CDL, A1EFU, U10, HEC, BPH, MW9, BCL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	1	0.11	0/431	0.36	0/585
1	A	0.09	0/436	0.21	0/592
1	B	0.10	0/444	0.27	0/602
1	D	0.09	0/444	0.20	0/602
1	E	0.12	0/444	0.24	0/602
1	F	0.11	0/444	0.20	0/602
1	G	0.10	0/444	0.20	0/602
1	I	0.10	0/436	0.21	0/592
1	J	0.09	0/431	0.18	0/585
1	K	0.10	0/436	0.23	0/592
1	N	0.11	0/436	0.24	0/592
1	P	0.08	0/439	0.22	0/595
1	Q	0.08	0/436	0.19	0/592
1	R	0.09	0/436	0.26	0/592
1	S	0.07	0/436	0.20	0/592
1	T	0.07	0/436	0.17	0/592
1	V	0.07	0/444	0.21	0/602
2	O	0.06	0/378	0.22	0/516
3	2	0.10	0/367	0.26	0/503
3	a	0.08	0/371	0.29	0/508
3	b	0.09	0/371	0.24	0/508
3	d	0.09	0/367	0.17	0/503
3	e	0.09	0/367	0.16	0/503
3	f	0.08	0/367	0.18	0/503
3	g	0.08	0/367	0.15	0/503
3	i	0.09	0/359	0.18	0/492
3	j	0.08	0/359	0.17	0/492
3	k	0.08	0/359	0.18	0/492
3	n	0.08	0/367	0.19	0/503
3	p	0.09	0/367	0.26	0/503
3	q	0.07	0/367	0.21	0/503
3	r	0.06	0/359	0.19	0/492

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
3	s	0.07	0/367	0.17	0/503
3	t	0.08	0/359	0.19	0/492
3	v	0.06	0/345	0.16	0/473
4	M	0.13	0/2731	0.27	0/3735
5	L	0.13	0/2267	0.25	0/3105
6	H	0.13	0/2072	0.29	0/2804
7	C	0.13	0/2818	0.29	0/3868
All	All	0.11	0/23904	0.24	0/32617

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	417	0	421	9	0
1	A	422	0	426	14	0
1	B	430	0	438	6	0
1	D	430	0	438	8	0
1	E	430	0	438	14	0
1	F	430	0	437	5	0
1	G	430	0	438	7	0
1	I	422	0	426	6	0
1	J	417	0	421	6	0
1	K	422	0	426	10	0
1	N	422	0	426	6	0
1	P	425	0	433	9	0
1	Q	422	0	426	8	0
1	R	422	0	426	8	0
1	S	422	0	426	9	0
1	T	422	0	426	18	0
1	V	430	0	438	5	0
2	O	371	0	393	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	2	354	0	334	5	0
3	a	358	0	338	4	0
3	b	358	0	338	2	0
3	d	354	0	334	5	0
3	e	354	0	334	7	0
3	f	354	0	334	2	0
3	g	354	0	334	2	0
3	i	346	0	330	3	0
3	j	346	0	330	7	0
3	k	346	0	330	12	0
3	n	354	0	334	8	0
3	p	354	0	334	2	0
3	q	354	0	334	2	0
3	r	346	0	330	5	0
3	s	354	0	334	3	0
3	t	346	0	330	13	0
3	v	332	0	314	2	0
4	M	2633	0	2522	73	0
5	L	2178	0	2118	57	0
6	H	2022	0	1971	52	0
7	C	2740	0	2581	61	0
8	1	132	0	147	4	0
8	A	66	0	74	5	0
8	B	66	0	71	3	0
8	D	66	0	74	6	0
8	E	66	0	74	6	0
8	F	66	0	73	3	0
8	G	132	0	146	5	0
8	I	132	0	145	4	0
8	J	66	0	74	5	0
8	K	132	0	145	5	0
8	L	132	0	145	13	0
8	M	132	0	144	11	0
8	N	66	0	74	3	0
8	P	132	0	146	3	0
8	Q	66	0	74	2	0
8	R	66	0	74	4	0
8	S	66	0	74	3	0
8	T	66	0	74	4	0
8	V	66	0	73	6	0
8	a	66	0	74	4	0
8	b	66	0	71	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	d	66	0	71	9	0
8	e	66	0	74	10	0
8	f	66	0	74	4	0
8	j	66	0	74	8	0
8	n	66	0	74	6	0
8	q	66	0	74	4	0
8	r	66	0	74	6	0
8	s	66	0	72	5	0
8	t	66	0	73	9	0
8	v	66	0	74	5	0
9	l	86	0	0	0	0
9	A	86	0	0	0	0
9	D	86	0	0	0	0
9	E	43	0	0	0	0
9	F	86	0	0	0	0
9	G	86	0	0	0	0
9	I	43	0	0	0	0
9	J	86	0	0	1	0
9	K	86	0	0	0	0
9	M	43	0	0	0	0
9	N	43	0	0	0	0
9	P	43	0	0	0	0
9	Q	43	0	0	0	0
9	R	43	0	0	0	0
9	S	86	0	0	0	0
9	T	86	0	0	0	0
9	a	86	0	0	0	0
9	b	43	0	0	0	0
9	d	43	0	0	0	0
9	i	43	0	0	0	0
9	n	43	0	0	0	0
9	p	43	0	0	0	0
9	q	43	0	0	0	0
9	r	43	0	0	0	0
9	v	43	0	0	0	0
10	B	24	0	31	1	0
10	C	35	0	46	2	0
10	E	35	0	45	3	0
10	G	24	0	34	1	0
10	H	24	0	34	0	0
10	L	24	0	31	1	0
10	S	35	0	45	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	D	27	0	0	0	0
11	F	43	0	0	0	0
11	G	89	0	0	0	0
11	H	85	0	0	1	0
11	L	37	0	0	0	0
11	M	49	0	0	0	0
11	N	53	0	0	0	0
11	R	45	0	0	1	0
12	M	1	0	0	0	0
13	L	65	0	74	1	0
13	M	65	0	73	3	0
14	L	48	0	63	5	0
14	M	63	0	90	12	0
15	H	100	0	153	13	0
15	M	67	0	78	5	0
16	C	129	0	88	10	0
All	All	28303	0	26206	495	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 495 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:L:131:THR:HA	5:L:135:PHE:HB2	1.62	0.82
6:H:168:TRP:HB2	6:H:178:TYR:HB2	1.67	0.77
1:B:1:MET:HG2	1:B:3:LYS:H	1.52	0.74
4:M:313:GLY:HA2	7:C:282:THR:HG23	1.67	0.74
3:d:48:TRP:CE2	8:d:102:BCL:HHC	2.22	0.73

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	48/53 (91%)	48 (100%)	0	0	100	100
1	A	49/53 (92%)	49 (100%)	0	0	100	100
1	B	50/53 (94%)	48 (96%)	2 (4%)	0	100	100
1	D	50/53 (94%)	50 (100%)	0	0	100	100
1	E	50/53 (94%)	50 (100%)	0	0	100	100
1	F	50/53 (94%)	50 (100%)	0	0	100	100
1	G	50/53 (94%)	50 (100%)	0	0	100	100
1	I	49/53 (92%)	48 (98%)	1 (2%)	0	100	100
1	J	48/53 (91%)	48 (100%)	0	0	100	100
1	K	49/53 (92%)	49 (100%)	0	0	100	100
1	N	49/53 (92%)	49 (100%)	0	0	100	100
1	P	49/53 (92%)	49 (100%)	0	0	100	100
1	Q	49/53 (92%)	49 (100%)	0	0	100	100
1	R	49/53 (92%)	49 (100%)	0	0	100	100
1	S	49/53 (92%)	49 (100%)	0	0	100	100
1	T	49/53 (92%)	48 (98%)	1 (2%)	0	100	100
1	V	50/53 (94%)	49 (98%)	1 (2%)	0	100	100
2	O	50/239 (21%)	46 (92%)	4 (8%)	0	100	100
3	2	42/49 (86%)	41 (98%)	1 (2%)	0	100	100
3	a	42/49 (86%)	41 (98%)	1 (2%)	0	100	100
3	b	42/49 (86%)	41 (98%)	1 (2%)	0	100	100
3	d	42/49 (86%)	42 (100%)	0	0	100	100
3	e	42/49 (86%)	42 (100%)	0	0	100	100
3	f	42/49 (86%)	42 (100%)	0	0	100	100
3	g	42/49 (86%)	42 (100%)	0	0	100	100
3	i	41/49 (84%)	41 (100%)	0	0	100	100
3	j	41/49 (84%)	41 (100%)	0	0	100	100
3	k	41/49 (84%)	40 (98%)	1 (2%)	0	100	100
3	n	42/49 (86%)	42 (100%)	0	0	100	100
3	p	42/49 (86%)	41 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	q	42/49 (86%)	39 (93%)	3 (7%)	0	100	100
3	r	41/49 (84%)	41 (100%)	0	0	100	100
3	s	42/49 (86%)	42 (100%)	0	0	100	100
3	t	41/49 (84%)	41 (100%)	0	0	100	100
3	v	39/49 (80%)	39 (100%)	0	0	100	100
4	M	323/330 (98%)	316 (98%)	7 (2%)	0	100	100
5	L	272/279 (98%)	262 (96%)	10 (4%)	0	100	100
6	H	254/256 (99%)	245 (96%)	9 (4%)	0	100	100
7	C	350/360 (97%)	331 (95%)	19 (5%)	0	100	100
All	All	2792/3198 (87%)	2730 (98%)	62 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	42/44 (96%)	42 (100%)	0	100	100
1	A	42/44 (96%)	42 (100%)	0	100	100
1	B	43/44 (98%)	43 (100%)	0	100	100
1	D	43/44 (98%)	43 (100%)	0	100	100
1	E	43/44 (98%)	43 (100%)	0	100	100
1	F	43/44 (98%)	43 (100%)	0	100	100
1	G	43/44 (98%)	43 (100%)	0	100	100
1	I	42/44 (96%)	42 (100%)	0	100	100
1	J	42/44 (96%)	42 (100%)	0	100	100
1	K	42/44 (96%)	42 (100%)	0	100	100
1	N	42/44 (96%)	42 (100%)	0	100	100
1	P	43/44 (98%)	43 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	Q	42/44 (96%)	42 (100%)	0	100	100
1	R	42/44 (96%)	42 (100%)	0	100	100
1	S	42/44 (96%)	42 (100%)	0	100	100
1	T	42/44 (96%)	42 (100%)	0	100	100
1	V	43/44 (98%)	43 (100%)	0	100	100
2	O	39/174 (22%)	39 (100%)	0	100	100
3	2	36/41 (88%)	36 (100%)	0	100	100
3	a	37/41 (90%)	37 (100%)	0	100	100
3	b	37/41 (90%)	37 (100%)	0	100	100
3	d	36/41 (88%)	36 (100%)	0	100	100
3	e	36/41 (88%)	36 (100%)	0	100	100
3	f	36/41 (88%)	36 (100%)	0	100	100
3	g	36/41 (88%)	36 (100%)	0	100	100
3	i	35/41 (85%)	35 (100%)	0	100	100
3	j	35/41 (85%)	35 (100%)	0	100	100
3	k	35/41 (85%)	35 (100%)	0	100	100
3	n	36/41 (88%)	36 (100%)	0	100	100
3	p	36/41 (88%)	36 (100%)	0	100	100
3	q	36/41 (88%)	36 (100%)	0	100	100
3	r	35/41 (85%)	35 (100%)	0	100	100
3	s	36/41 (88%)	36 (100%)	0	100	100
3	t	35/41 (85%)	35 (100%)	0	100	100
3	v	33/41 (80%)	33 (100%)	0	100	100
4	M	266/270 (98%)	266 (100%)	0	100	100
5	L	218/222 (98%)	218 (100%)	0	100	100
6	H	214/214 (100%)	214 (100%)	0	100	100
7	C	298/307 (97%)	298 (100%)	0	100	100
All	All	2362/2632 (90%)	2362 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 23 such sidechains are listed below:

Mol	Chain	Res	Type
5	L	117	HIS
7	C	143	ASN
6	H	126	HIS
7	C	148	ASN
1	R	50	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 100 ligands modelled in this entry, 1 is monoatomic - leaving 99 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	BCL	s	101	3	69,74,74	1.76	14 (20%)	83,115,115	2.17	28 (33%)
9	A1EFU	T	103	-	40,42,42	1.69	9 (22%)	45,52,52	3.79	20 (44%)
11	MW9	G	106	-	39,39,52	1.42	5 (12%)	42,45,58	1.18	3 (7%)
8	BCL	I	103	1	69,74,74	1.79	16 (23%)	83,115,115	2.18	28 (33%)
8	BCL	E	101	1	69,74,74	1.80	15 (21%)	83,115,115	2.15	28 (33%)
9	A1EFU	G	103	-	40,42,42	1.68	8 (20%)	45,52,52	3.66	20 (44%)
8	BCL	P	101	1	69,74,74	1.78	16 (23%)	83,115,115	2.12	27 (32%)
14	U10	M	405	-	63,63,63	0.15	0	76,79,79	0.41	1 (1%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	BCL	A	101	1	69,74,74	1.78	15 (21%)	83,115,115	2.12	26 (31%)
10	LMT	C	404	-	36,36,36	1.18	5 (13%)	47,47,47	1.02	2 (4%)
10	LMT	L	306	-	24,24,36	1.04	2 (8%)	29,29,47	1.20	2 (6%)
8	BCL	n	101	3	69,74,74	1.79	15 (21%)	83,115,115	2.17	28 (33%)
9	A1EFU	n	102	-	40,42,42	1.69	9 (22%)	45,52,52	3.79	20 (44%)
11	MW9	H	301	-	47,47,52	1.39	6 (12%)	50,53,58	1.43	3 (6%)
9	A1EFU	A	102	-	40,42,42	1.69	8 (20%)	45,52,52	3.80	19 (42%)
10	LMT	S	301	-	36,36,36	1.15	5 (13%)	47,47,47	0.97	2 (4%)
9	A1EFU	r	102	-	40,42,42	1.68	9 (22%)	45,52,52	3.78	20 (44%)
11	MW9	N	103	-	52,52,52	1.44	6 (11%)	55,58,58	1.43	3 (5%)
8	BCL	J	101	1	69,74,74	1.79	15 (21%)	83,115,115	2.19	28 (33%)
8	BCL	P	102	1,3	69,74,74	1.77	15 (21%)	83,115,115	2.17	27 (32%)
8	BCL	L	304	5,8	69,74,74	1.76	15 (21%)	83,115,115	2.21	29 (34%)
11	MW9	L	305	-	36,36,52	1.48	5 (13%)	39,42,58	1.53	3 (7%)
8	BCL	N	101	1	69,74,74	1.78	16 (23%)	83,115,115	2.17	27 (32%)
9	A1EFU	A	103	1	40,42,42	1.70	9 (22%)	45,52,52	3.81	20 (44%)
13	BPH	L	302	5	59,70,70	1.08	3 (5%)	61,101,101	0.89	4 (6%)
9	A1EFU	S	304	-	40,42,42	1.70	9 (22%)	45,52,52	3.84	20 (44%)
9	A1EFU	S	303	-	40,42,42	1.69	9 (22%)	45,52,52	3.81	20 (44%)
16	HEC	C	402	7	50,50,50	1.33	6 (12%)	68,82,82	1.26	11 (16%)
9	A1EFU	D	104	-	40,42,42	1.69	9 (22%)	45,52,52	3.77	20 (44%)
8	BCL	d	102	1,3	69,74,74	1.80	13 (18%)	83,115,115	2.11	23 (27%)
8	BCL	M	402	13,4	69,74,74	1.79	15 (21%)	83,115,115	2.13	25 (30%)
9	A1EFU	i	101	-	40,42,42	1.68	8 (20%)	45,52,52	3.79	20 (44%)
8	BCL	G	101	1,3	69,74,74	1.77	15 (21%)	83,115,115	2.14	28 (33%)
9	A1EFU	P	103	-	40,42,42	1.69	9 (22%)	45,52,52	3.67	20 (44%)
8	BCL	B	102	1,3	69,74,74	1.78	16 (23%)	83,115,115	2.18	26 (31%)
11	MW9	H	302	15	36,36,52	1.56	7 (19%)	39,41,58	1.84	4 (10%)
8	BCL	V	101	8,1	69,74,74	1.77	13 (18%)	83,115,115	2.13	29 (34%)
8	BCL	M	404	4	69,74,74	1.76	16 (23%)	83,115,115	2.14	26 (31%)
9	A1EFU	Q	101	-	40,42,42	1.69	9 (22%)	45,52,52	3.80	20 (44%)
8	BCL	e	101	3	69,74,74	1.78	15 (21%)	83,115,115	2.18	27 (32%)
8	BCL	F	101	8,1	69,74,74	1.82	14 (20%)	83,115,115	2.16	28 (33%)
8	BCL	1	101	1,3	69,74,74	1.77	15 (21%)	83,115,115	2.15	29 (34%)
9	A1EFU	M	406	-	40,42,42	1.68	7 (17%)	45,52,52	3.78	20 (44%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	MW9	G	105	15	48,48,52	1.49	6 (12%)	51,54,58	1.48	4 (7%)
8	BCL	Q	102	1	69,74,74	1.78	15 (21%)	83,115,115	2.10	27 (32%)
9	A1EFU	T	101	-	40,42,42	1.69	9 (22%)	45,52,52	3.84	20 (44%)
9	A1EFU	D	103	-	40,42,42	1.68	9 (22%)	45,52,52	3.62	19 (42%)
8	BCL	q	101	3	69,74,74	1.78	15 (21%)	83,115,115	2.15	29 (34%)
9	A1EFU	F	102	-	40,42,42	1.69	9 (22%)	45,52,52	3.66	20 (44%)
9	A1EFU	K	104	-	40,42,42	1.69	9 (22%)	45,52,52	3.74	20 (44%)
11	MW9	R	103	-	44,44,52	1.48	5 (11%)	47,50,58	1.51	3 (6%)
9	A1EFU	F	103	-	40,42,42	1.69	9 (22%)	45,52,52	3.81	20 (44%)
8	BCL	K	101	1,3	69,74,74	1.78	16 (23%)	83,115,115	2.17	31 (37%)
9	A1EFU	a	101	-	40,42,42	1.69	9 (22%)	45,52,52	3.76	20 (44%)
8	BCL	b	101	1,3	69,74,74	1.80	15 (21%)	83,115,115	2.19	27 (32%)
9	A1EFU	a	103	-	40,42,42	1.69	9 (22%)	45,52,52	3.93	20 (44%)
9	A1EFU	G	104	-	40,42,42	1.69	9 (22%)	45,52,52	3.75	20 (44%)
9	A1EFU	v	101	-	40,42,42	1.69	9 (22%)	45,52,52	3.85	20 (44%)
9	A1EFU	q	102	-	40,42,42	1.69	9 (22%)	45,52,52	3.75	20 (44%)
8	BCL	j	101	3	69,74,74	1.79	15 (21%)	83,115,115	2.17	29 (34%)
8	BCL	L	301	5,8	69,74,74	1.76	16 (23%)	83,115,115	2.18	30 (36%)
9	A1EFU	I	101	-	40,42,42	1.68	9 (22%)	45,52,52	3.72	20 (44%)
9	A1EFU	K	103	-	40,42,42	1.69	9 (22%)	45,52,52	3.74	20 (44%)
10	LMT	B	101	-	24,24,36	1.03	2 (8%)	29,29,47	1.20	2 (6%)
8	BCL	K	102	-	69,74,74	1.77	16 (23%)	83,115,115	2.19	26 (31%)
8	BCL	I	102	1,3	69,74,74	1.77	15 (21%)	83,115,115	2.16	27 (32%)
14	U10	L	303	-	48,48,63	0.18	0	58,61,79	0.43	1 (1%)
15	CDL	H	303	11	99,99,99	0.88	8 (8%)	105,111,111	1.11	4 (3%)
9	A1EFU	1	104	-	40,42,42	1.69	9 (22%)	45,52,52	3.77	20 (44%)
16	HEC	C	403	7	50,50,50	1.33	6 (12%)	68,82,82	1.19	6 (8%)
9	A1EFU	b	102	-	40,42,42	1.69	8 (20%)	45,52,52	3.81	20 (44%)
8	BCL	t	101	8,3	69,74,74	1.82	14 (20%)	83,115,115	2.06	26 (31%)
15	CDL	M	408	4	66,66,99	1.05	8 (12%)	72,78,111	1.12	4 (5%)
9	A1EFU	J	102	-	40,42,42	1.68	8 (20%)	45,52,52	3.71	20 (44%)
8	BCL	G	102	1	69,74,74	1.80	16 (23%)	83,115,115	2.17	28 (33%)
9	A1EFU	R	102	-	40,42,42	1.69	9 (22%)	45,52,52	3.67	20 (44%)
9	A1EFU	p	101	-	40,42,42	1.68	9 (22%)	45,52,52	3.87	20 (44%)
8	BCL	1	102	1	69,74,74	1.79	15 (21%)	83,115,115	2.17	27 (32%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	BCL	f	101	8,3	69,74,74	1.80	14 (20%)	83,115,115	2.06	27 (32%)
8	BCL	D	101	1	69,74,74	1.79	16 (23%)	83,115,115	2.10	26 (31%)
9	A1EFU	E	102	-	40,42,42	1.69	9 (22%)	45,52,52	3.66	20 (44%)
8	BCL	a	102	3	69,74,74	1.77	15 (21%)	83,115,115	2.14	27 (32%)
16	HEC	C	401	7	50,50,50	1.33	7 (14%)	68,82,82	1.17	5 (7%)
8	BCL	S	302	1	69,74,74	1.78	17 (24%)	83,115,115	2.10	28 (33%)
10	LMT	E	103	-	36,36,36	1.15	5 (13%)	47,47,47	0.97	1 (2%)
8	BCL	v	102	3	69,74,74	1.78	15 (21%)	83,115,115	2.14	27 (32%)
9	A1EFU	d	101	-	40,42,42	1.68	9 (22%)	45,52,52	3.74	20 (44%)
9	A1EFU	l	103	-	40,42,42	1.68	9 (22%)	45,52,52	3.71	20 (44%)
11	MW9	M	407	-	48,48,52	1.48	6 (12%)	51,54,58	1.51	5 (9%)
10	LMT	G	107	-	24,24,36	1.03	2 (8%)	29,29,47	1.07	2 (6%)
9	A1EFU	J	103	-	40,42,42	1.69	9 (22%)	45,52,52	3.78	20 (44%)
11	MW9	D	102	1	25,26,52	1.20	2 (8%)	27,30,58	0.93	1 (3%)
11	MW9	F	104	1	42,42,52	1.42	6 (14%)	45,48,58	1.47	3 (6%)
8	BCL	r	101	3	69,74,74	1.77	15 (21%)	83,115,115	2.15	29 (34%)
13	BPH	M	403	8,4	59,70,70	1.08	2 (3%)	61,101,101	0.95	5 (8%)
9	A1EFU	N	102	-	40,42,42	1.68	9 (22%)	45,52,52	3.68	20 (44%)
10	LMT	H	304	-	24,24,36	1.03	2 (8%)	29,29,47	1.04	2 (6%)
8	BCL	R	101	1	69,74,74	1.77	16 (23%)	83,115,115	2.19	28 (33%)
8	BCL	T	102	1	69,74,74	1.78	15 (21%)	83,115,115	2.16	28 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BCL	s	101	3	-	18/41/137/137	-
9	A1EFU	T	103	-	-	16/50/51/51	-
11	MW9	G	106	-	-	29/44/44/57	-
8	BCL	I	103	1	-	14/41/137/137	-
8	BCL	E	101	1	-	11/41/137/137	-
9	A1EFU	G	103	-	-	16/50/51/51	-
8	BCL	P	101	1	-	12/41/137/137	-
14	U10	M	405	-	-	11/63/87/87	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BCL	A	101	1	-	15/41/137/137	-
10	LMT	C	404	-	-	10/21/61/61	0/2/2/2
10	LMT	L	306	-	-	5/15/35/61	0/1/1/2
8	BCL	n	101	3	-	13/41/137/137	-
9	A1EFU	n	102	-	-	19/50/51/51	-
11	MW9	H	301	-	-	25/52/52/57	-
9	A1EFU	A	102	-	-	21/50/51/51	-
10	LMT	S	301	-	-	9/21/61/61	0/2/2/2
9	A1EFU	r	102	-	-	20/50/51/51	-
11	MW9	N	103	-	-	35/57/57/57	-
8	BCL	J	101	1	-	13/41/137/137	-
8	BCL	P	102	1,3	-	13/41/137/137	-
8	BCL	L	304	5,8	-	21/41/137/137	-
11	MW9	L	305	-	-	17/41/41/57	-
8	BCL	N	101	1	-	12/41/137/137	-
9	A1EFU	A	103	1	-	15/50/51/51	-
13	BPH	L	302	5	-	4/37/105/105	0/5/6/6
9	A1EFU	S	304	-	-	23/50/51/51	-
16	HEC	C	402	7	1/1/3/7	4/14/54/54	-
9	A1EFU	S	303	-	-	20/50/51/51	-
9	A1EFU	D	104	-	-	22/50/51/51	-
8	BCL	d	102	1,3	-	23/41/137/137	-
8	BCL	M	402	13,4	-	14/41/137/137	-
9	A1EFU	i	101	-	-	17/50/51/51	-
8	BCL	G	101	1,3	-	14/41/137/137	-
9	A1EFU	P	103	-	-	21/50/51/51	-
8	BCL	B	102	1,3	-	6/41/137/137	-
11	MW9	H	302	15	-	22/38/38/57	-
8	BCL	V	101	8,1	-	11/41/137/137	-
8	BCL	M	404	4	-	14/41/137/137	-
9	A1EFU	Q	101	-	-	21/50/51/51	-
8	BCL	e	101	3	-	11/41/137/137	-
8	BCL	F	101	8,1	-	14/41/137/137	-
8	BCL	1	101	1,3	-	17/41/137/137	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	A1EFU	M	406	-	-	19/50/51/51	-
11	MW9	G	105	15	-	30/53/53/57	-
8	BCL	Q	102	1	-	9/41/137/137	-
9	A1EFU	T	101	-	-	16/50/51/51	-
9	A1EFU	D	103	-	-	20/50/51/51	-
8	BCL	q	101	3	-	17/41/137/137	-
9	A1EFU	F	102	-	-	22/50/51/51	-
9	A1EFU	K	104	-	-	26/50/51/51	-
11	MW9	R	103	-	-	31/49/49/57	-
9	A1EFU	F	103	-	-	18/50/51/51	-
8	BCL	K	101	1,3	-	8/41/137/137	-
9	A1EFU	a	101	-	-	17/50/51/51	-
8	BCL	b	101	1,3	-	23/41/137/137	-
9	A1EFU	a	103	-	-	28/50/51/51	-
9	A1EFU	G	104	-	-	22/50/51/51	-
9	A1EFU	v	101	-	-	18/50/51/51	-
9	A1EFU	q	102	-	-	22/50/51/51	-
8	BCL	j	101	3	-	18/41/137/137	-
8	BCL	L	301	5,8	-	18/41/137/137	-
9	A1EFU	I	101	-	-	18/50/51/51	-
9	A1EFU	K	103	-	-	16/50/51/51	-
10	LMT	B	101	-	-	7/15/35/61	0/1/1/2
8	BCL	K	102	-	-	10/41/137/137	-
8	BCL	I	102	1,3	-	22/41/137/137	-
14	U10	L	303	-	-	10/45/69/87	0/1/1/1
15	CDL	H	303	11	-	55/110/110/110	-
9	A1EFU	l	104	-	-	24/50/51/51	-
16	HEC	C	403	7	1/1/3/7	3/14/54/54	-
9	A1EFU	b	102	-	-	17/50/51/51	-
8	BCL	t	101	8,3	-	11/41/137/137	-
15	CDL	M	408	4	-	38/77/77/110	-
9	A1EFU	J	102	-	-	16/50/51/51	-
8	BCL	G	102	1	-	11/41/137/137	-
9	A1EFU	R	102	-	-	22/50/51/51	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	A1EFU	p	101	-	-	23/50/51/51	-
8	BCL	l	102	1	-	16/41/137/137	-
8	BCL	f	101	8,3	-	9/41/137/137	-
8	BCL	D	101	1	-	15/41/137/137	-
9	A1EFU	E	102	-	-	23/50/51/51	-
8	BCL	a	102	3	-	11/41/137/137	-
16	HEC	C	401	7	-	3/14/54/54	-
8	BCL	S	302	1	-	16/41/137/137	-
10	LMT	E	103	-	-	11/21/61/61	0/2/2/2
8	BCL	v	102	3	-	19/41/137/137	-
9	A1EFU	d	101	-	-	18/50/51/51	-
9	A1EFU	l	103	-	-	19/50/51/51	-
11	MW9	M	407	-	-	28/53/53/57	-
10	LMT	G	107	-	-	4/15/35/61	0/1/1/2
9	A1EFU	J	103	-	-	17/50/51/51	-
11	MW9	D	102	1	-	13/27/27/57	-
11	MW9	F	104	1	-	31/47/47/57	-
8	BCL	r	101	3	-	12/41/137/137	-
13	BPH	M	403	8,4	-	16/37/105/105	0/5/6/6
9	A1EFU	N	102	-	-	16/50/51/51	-
10	LMT	H	304	-	-	7/15/35/61	0/1/1/2
8	BCL	R	101	1	-	6/41/137/137	-
8	BCL	T	102	1	-	17/41/137/137	-

The worst 5 of 1000 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	L	302	BPH	C1D-C2D	6.30	1.46	1.39
13	M	403	BPH	C1D-C2D	6.23	1.46	1.39
8	t	101	BCL	MG-ND	-6.15	1.93	2.05
8	F	101	BCL	MG-ND	-6.09	1.93	2.05
8	f	101	BCL	MG-ND	-6.00	1.93	2.05

The worst 5 of 1828 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	103	A1EFU	C11-C10-C9	-10.55	112.26	127.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	r	102	A1EFU	C11-C10-C9	-10.16	112.82	127.31
9	A	102	A1EFU	C11-C10-C9	-10.14	112.84	127.31
9	Q	101	A1EFU	C15-C14-C13	-10.10	112.90	127.31
9	p	101	A1EFU	C11-C10-C9	-10.08	112.92	127.31

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
16	C	402	HEC	NA
16	C	403	HEC	NA

5 of 1680 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	P	101	BCL	C1A-C2A-CAA-CBA
8	P	101	BCL	C3A-C2A-CAA-CBA
8	P	101	BCL	C2C-C3C-CAC-CBC
8	P	101	BCL	C4C-C3C-CAC-CBC
8	V	101	BCL	C4C-C3C-CAC-CBC

There are no ring outliers.

56 monomers are involved in 204 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	s	101	BCL	5	0
8	I	103	BCL	3	0
8	E	101	BCL	6	0
8	P	101	BCL	2	0
14	M	405	U10	12	0
8	A	101	BCL	5	0
10	C	404	LMT	2	0
10	L	306	LMT	1	0
8	n	101	BCL	6	0
10	S	301	LMT	1	0
8	J	101	BCL	5	0
8	P	102	BCL	1	0
8	L	304	BCL	8	0
8	N	101	BCL	3	0
13	L	302	BPH	1	0
16	C	402	HEC	4	0
8	d	102	BCL	9	0
8	M	402	BCL	6	0


Continued on next page...



Continued from previous page...





Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	G	101	BCL	2	0
8	B	102	BCL	3	0
11	H	302	MW9	1	0
8	V	101	BCL	6	0
8	M	404	BCL	7	0
8	e	101	BCL	10	0
8	F	101	BCL	3	0
8	1	101	BCL	2	0
8	Q	102	BCL	2	0
8	q	101	BCL	4	0
11	R	103	MW9	1	0
8	K	101	BCL	3	0
8	b	101	BCL	4	0
8	j	101	BCL	8	0
8	L	301	BCL	6	0
10	B	101	LMT	1	0
8	K	102	BCL	3	0
8	I	102	BCL	2	0
14	L	303	U10	5	0
15	H	303	CDL	13	0
16	C	403	HEC	1	0
8	t	101	BCL	9	0
15	M	408	CDL	5	0
9	J	102	A1EFU	1	0
8	G	102	BCL	4	0
8	1	102	BCL	2	0
8	f	101	BCL	4	0
8	D	101	BCL	6	0
8	a	102	BCL	4	0
16	C	401	HEC	5	0
8	S	302	BCL	3	0
10	E	103	LMT	3	0
8	v	102	BCL	5	0
10	G	107	LMT	1	0
8	r	101	BCL	6	0
13	M	403	BPH	3	0
8	R	101	BCL	4	0
8	T	102	BCL	4	0





The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is





within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





















Ligand BCL E 101	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand A1EFU G 103	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand BCL P 101	
	
Bond lengths	Bond angles
	
Torsions	Rings











Ligand MW9 H 301	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand A1EFU A 102	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand LMT S 301	
 Bond lengths	 Bond angles
 Torsions	 Rings




Ligand A1EFU r 102	
	
Bond lengths	Bond angles
	
Torsions	Rings



Ligand MW9 N 103	
	
Bond lengths	Bond angles
	
Torsions	Rings




Ligand BCL J 101	
	
Bond lengths	Bond angles
	
Torsions	Rings



































Ligand A1EFU i 101	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand BCL G 101	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand A1EFU P 103	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand BCL B 102	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand MW9 H 302	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand BCL V 101	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand BCL M 404	
	
Bond lengths	Bond angles
	
Torsions	Rings
















Ligand A1EFU Q 101	
	
Bond lengths	Bond angles
	
Torsions	Rings











Ligand A1EFU M 406	
 Bond lengths	 Bond angles
 Torsions	 Rings




Ligand MW9 G 105	
 Bond lengths	 Bond angles
 Torsions	 Rings




Ligand BCL Q 102	
 Bond lengths	 Bond angles
 Torsions	 Rings















Ligand A1EFU T 101	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand A1EFU D 103	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand BCL q 101	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand A1EFU F 102	
 Bond lengths	 Bond angles
 Torsions	 Rings





Ligand A1EFU K 104	
 Bond lengths	 Bond angles
 Torsions	 Rings





Ligand MW9 R 103	
 Bond lengths	 Bond angles
 Torsions	 Rings





Ligand A1EFU F 103	
 Bond lengths	 Bond angles
 Torsions	 Rings







Ligand A1EFU a 103	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand A1EFU G 104	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand A1EFU v 101	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand A1EFU q 102	
 Bond lengths	 Bond angles
 Torsions	 Rings



Ligand BCL j 101	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand BCL L 301	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand A1EFU I 101	
	
Bond lengths	Bond angles
	
Torsions	Rings















































Ligand A1EFU 1 103	
	
Bond lengths	Bond angles
	
Torsions	Rings



Ligand MW9 M 407	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand LMT G 107	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand A1EFU J 103	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand MW9 D 102	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand MW9 F 104	
	
Bond lengths	Bond angles
	
Torsions	Rings







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-39671. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 124




Y Index: 127




Z Index: 128


6.3.2 Raw map



X Index: 124



Y Index: 127




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 308 nm^3 ; this corresponds to an approximate mass of 278 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.370 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.370 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.70	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.30	3.82	3.37

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.30 differs from the reported value 2.7 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-39671 and PDB model 8YY9. Per-residue inclusion information can be found in section [3](#) on page [17](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).

9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9530	 0.5590
1	 0.9610	 0.5600
2	 0.9680	 0.5260
A	 0.8920	 0.5070
B	 0.9510	 0.5340
C	 0.9730	 0.5600
D	 0.9580	 0.5620
E	 0.9770	 0.5770
F	 0.9820	 0.5830
G	 0.9690	 0.5790
H	 0.9720	 0.5740
I	 0.9660	 0.5770
J	 0.9770	 0.5790
K	 0.9650	 0.5670
L	 0.9810	 0.5900
M	 0.9770	 0.5840
N	 0.9670	 0.5520
O	 0.9210	 0.5380
P	 0.9330	 0.5530
Q	 0.9420	 0.5580
R	 0.9040	 0.5510
S	 0.8780	 0.5430
T	 0.8720	 0.5410
V	 0.8990	 0.4980
a	 0.9060	 0.4910
b	 0.9520	 0.5360
d	 0.9760	 0.5620
e	 0.9830	 0.5790
f	 0.9730	 0.5690
g	 0.9910	 0.5750
i	 0.9950	 0.5700
j	 0.9780	 0.5630
k	 0.9880	 0.5460
n	 0.9540	 0.5440
p	 0.9390	 0.5160



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
q	 0.8870	 0.5370
r	 0.8850	 0.5350
s	 0.8630	 0.5190
t	 0.8510	 0.4950
v	 0.8890	 0.5010